

ENCASED PLATES NOT SHOWN

DIAPHRAGM ROD HOLE SCHEDULE				
BRIDGE SKEW	θ	L1	L2	L3
0°	90°	10 <sup>1</sup> /2"	23'-11 <sup>1</sup> /2"	0'-0"
30° LEFT FORWARD	60°	1'-0"	21'-21/4"	5'-3 <sup>1</sup> /2"
30° RIGHT FORWARD	120°	1'-∩"	21'-21/4"	5'-31/2"

23/4"\_


1:-6"


END VIEW

EXPANSION ENDS

ENCASED SOLE PLATE
WITH WELDED STUDS
AT BOTH ENDS OF BEAM

END OF BEAM\_





THE LFD OPERATING RATING SHOWN ABOVE IS FOR THE P.C. BEAM ONLY AND APPLIES ONLY TO THE P.C. BEAMS OF A BRIDGE CONSTRUCTED IN STRICT CONFORMANCE TO ALL RELEVANT DETAILS CONTAINED IN THE COMPLETE SET OF COUNTY BRIDGE STANDARDS AND TO THE ODOT STANDARD SPECIFICATIONS.

BEARING.

TENSILE STRENGTH OF 270 KSI.

DEBOND SCHEDULE

9.-0..

DEBOND DEBOND LENGTH FROM END OF BEAM

C1

Adel J. Rusch DATE 10/16/08 APPROVED BY BRIDGE ENGINEER OKLAHOMA DEPARTMENT OF TRANSPORTATION COUNTY BRIDGE STANDARD (ENGLISH) P.C. BEAM DETAILS

TYPE B - 50' SPAN

DEAD LOAD DEFLECTIONS THE DEAD LOAD DEFLECTIONS SHOWN ABOVE AT THE TENTH POINTS ARE THE INITIAL THEORETICAL BEAM DEFLECTIONS DUE TO THE DIAPHRAGMS, 5 PSF DECK FORM ALLOWANCE, DECK SLAB, HAUNCH AND CONCRETE TRAFFIC RAIL (TR3). THE DEAD LOAD DEFLECTIONS SHALL BE ACCOUNTED FOR IN THE HAUNCH DEPTH CALCULATIONS.

MATERIAL PROPERTIES

THE COMPRESSIVE STRENGTH OF THE CONCRETE IN THE P.C. BEAM SHALL BE NO LESS THAN 5,250 PSI AT THE TIME OF TRANSFER OF THE PRESTRESSING FORCE AND NO LESS THAN 7,000 PSI AT 28 DAYS AFTER THE POURING OF THE CONCRETE.

THE TYPE OF PRESTRESSING STRANDS REQUIRED IN THE P.C. BEAM SHALL BE LOW RELAXATION 7-WIRE STRAND WITH A NOMINAL DIAMETER OF 0.6 INCHES AND AN ULTIMATE

LFD OPERATING RATING - HS 34.7

32' CLEAR ROADWAY - CONVENTIONAL - SKEWED O' AND 30'

/<sub>1</sub> <u>9 - S1 #4</u> \_U1 #4 0.6" Ø STRANDS 1 1/4" CLEAR CLEAR C1 #5 IN PAIRS

14 - 0.6" Ø STRANDS DEBONDED STRAND (TYPICAL)

END SECTION

END ELEVATION

7" L BEARING

\3 SPACES AT 2" = 6"

BEAM SECTIONS

€ BEARING