


Top surface of P.C. Beams shall be intentionally roughened to a minimum height of 1/4" over a maximum pitch of 2" measured longitudinally along the length of the beam. The crest and trough associated with the height shall not be less than 1/2" and shall extend the full width of the top flange. Roughened surface may be obtained by a special trowel as shown in the examples, by cleaning the concrete surface with a stiff wire brush (or blasting) to the extent that aggregate is exposed to a height of 1/4", or by another approved method. The method used shall be submitted for approval by the Engineer. Repair any damage to reinforcement epoxy coating before placement of deck concrete.

€ Brg. 0.32" .2 0.61" 0.85" .3 .4 0.98" 98'-6" .5 1.02" .6 0.98" <u>.7</u> 0.85" .8 0.61" .9 0.32"

NOTE:

NOTE:

The Dead Load Deflection shown above at the tenth points are the initial deflections due to Deck Slab + Dipphragms + 5 p.s.f. Deck Form Allowance + Concrete Traffic Rail. It does not include the Beam weight or Future Wearing Surface. DEAD LOAD DEFLECTION DIAGRAM ⊈ Brg



12 - U2 #4 @ 4" = 3'-8"

1'-3"

SHEET 2 OF

RANSPORTATION (ENGLISH)

2 Spaces at 2" = 4"

6 - 5/8"ø x 5" Welded Studs

=

ELEVATION

€ Bearing

