

SUPERSTRUCTURE LONGITUDINAL REINFORCING BAR LIST

SPAN TYPE							
ABUTMENT TO PIER			PIER TO PIER				
NUMBER	LENGTH		NUMBER	LENGTH			
43	Span Length + 2"	0	43	Span Length	1		
43	Span Length + 2"	(\mathbf{S})	43	Span Length	2		
42	CP + 2'-0"	છ	42	2 * (CP + 2'-0)	3		
42	CP + 2'-0"	ଭ	42	2 * (CP + 2'-0)	3		
43	5'-0"		-	-			

SUPERSTRUCTURE TRANSVERSE REINFORCING BAR LIST

SPAN TYPE							
ABUTMENT	TO PIER	PIER TO PIER					
THRU 60' SPANS	65' THRU 100' SPANS	30' THRU 60' SPANS	65' THRU 100' SPANS				
UMBER	NUMBER	NUMBER	NUMBER				
- 3 (4)	SL - 5 (4)	SL - 7 (4)	SL - 11 ④				
SL-6) (4)	4 * (SL - 8) ④	4 * (SL - 8) ④	4 * (SL - 12) ④				
4	6	8	12				
8	12	16	24				
+ 5 ④	SL + 7 ④	SL + 9 ④	SL + 13 ④				

Provide continuous reinforcing thru Construction Joints at Fixed Piers. Combine length shown with length for adjacent spans. Add length for any laps required. Do not lap within 10' of centerline of fixed pier. Minimum lap length is 1'-8".

Provide continuous reinforcing thru Construction Joints at Fixed Piers. Combine length shown with length for adjacent spans. Add length for any lops required. Do not lap within 10' of centerline of fixed pier. Minimum lap length is 2'-6".

For CP dimension, see CP DIMENSION SCHEDULE.

SL = Number of feet in Span Length (SL for 30' Span = 30)

Epoxy-coat or galvanize steel items used to facilitate construction, such as Deck Form Hangers, Ty-Bar Clips, Insert Weld Anchors, or other appurtenances, that will remain in place in the Deck Slab. Epoxy-coat in accordance with AASHTO M284 or galvanize in accordance with AASHTO M111.

Place Deck Slab concrete one section at a time consistent with the Deck Slab Pouring Sequence Diagram. In the event of an emergency, halt the placement of concrete by forming a Construction Joint made perpendicular to the direction of traffic or as directed by the Engineer. Do not place any heavy equipment on the finished Deck Slab within 5' of any Construction Joint until concrete is in place on both sides of the respective joint and at least 48 hours has elapsed since concrete

Seal all Deck Slab Construction Joints with High Molecular Weight Methacrylate in accordance with Section 523 of the Specifications. Include all cost of equipment and labor for the installation of the High Molecular Weight Methacrylate Sealer in the contract unit price of "SEALER CRACK PREPARATION". Include all cost of the High Molecular Weight Methacrylate Sealer in the contract unit price of "SEALER RÉSIN". The Department will not measure the preparation and sealer of emergency construction joints for payment.

Deck Slab closure pours are over Piers only. CP dimension may be of equal or different values on either side of a Pier depending on span arrangement. CP dimension is always the same within a span.

APPROVED BY BRIDGE ENGINEER	Joanth Joseph	DATE	<u>4/2/10</u>				
OKLAHOMA DEPT. OF TRANSPORTATION BRIDGE STANDARD (ENGLISH)							
SUPERSTRUCTURE BAR LIST							
ROLLED BEAMS							
2009 SPECIFICATIONS	B40-I-SPR-BLIS	T DD	03E				
2009 SPECIFICATIONS	640-1-SPR-BLIS	ם א־ ו	USE				
			B-71E				