

Notice

Electronic bid packages are available for the March 24, 2005 Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on March 1, 2005.

The direct line to the ODOT order desk is 522-3474. Please use this number when ordering plans and proposals. If ordering plans only please call the Reproduction Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on March 11, 2005 concerning this March Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh or Jack Stewart) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Reproduction office off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes before the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room on the east side of the lobby.

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Note:

ODOT will no longer allow DBE credit towards project DBE goals for the supplying of liquid asphalt cement or other bituminous materials.

**Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Web site
<http://www.okladot.state.ok.us/contracts/index.htm>**

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

**Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo/DCF2005.htm>**

Reminder

*Please be sure that bid bonds are stapled to the **back** of the proposal
as instructed on the cover sheet of all proposals.*

Do not disassemble the bidding proposal in any way.

Note:

The **Order Form** included in this Short Form Notice **should** be used to order plans
and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

aruschenberg@odot.org

**Starting with April 2005 Letting only written orders will be
accepted.**

The Bid Opening can be heard from the AGC website which is:
<http://www.okagchwy.com/>

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

Sealed proposals sent by registered mail will be received through the ODOT Reproduction Branch until 30 minutes prior to the scheduled Bid Opening. From 30 minutes prior to the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled Bid Opening is 10:30 A.M. March 24, 2005, for the work listed below.

No proposal for construction or maintenance work of the Department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each separate proposal shall be accompanied by a certified or cashier's check or bid bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per section 103.04 of the State Standard Specifications.

This work will be done under the Oklahoma Department of Transportation Commission's applicable specifications for highway construction.

The minimum wage to be paid laborers and mechanics employed on this project will be included in the proposal.

Proposals must be prepared as directed by the State Standard Specifications.

This work will be done under the Oklahoma Department of Transportation Commission's applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans, forms of proposals, contracts and specifications may be examined at the division headquarters in the division the work is to be performed or at the Oklahoma Department of Transportation Office Engineer's Division in Oklahoma City, Oklahoma.

Plans and proposal forms may be ordered from Jack Stewart, Division Engineer, Oklahoma Department of Transportation Building, 200 N.E. 21st street, Oklahoma City, Oklahoma 73105. Cost of bidding documents are \$25.00 + tax for each bidding proposal. State Standard Specification 1988 edition (Red Book) and 1991 supplement may be purchased for \$8.00 + tax, or 1996 Metric Standard Specification \$27.00 + tax, or 1999 Metric and English Standard Specification \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or specification books purchased by prospective bidders.

Upon award of contract to a successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete its execution of the contract.

The Oklahoma Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion, national origin, or disability in consideration for an award.

Bidders are hereby notified that all bids are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than seven (7) percent. In the event all bids are rejected for this reason, this project may be deferred for re-advertising for bids until a more competitive situation exists.

Description of work and location of project:

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 1

CALL ORDER : 060
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : BEAVER

CONTRACT ID : 050140
 PCN : 1497204
 PROJECTS : STPY-4B (170)
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 150.64
 CALENDAR DAYS : 320
 RES. ENG.:
 LIQ. DAM.: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE US-83/US-270: FROM THE NORTH US-64
 JCT. NORTH TO KANSAS STATE LINE. PROJECT LENGTH = 6.52
 MILES FLEXIBLE ESALS = 19.21 MILLION ASPHALT GRADE = PG
 64-22 OK, PG 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	117,975.200	CY
202(C)	0184 UNCLASSIFIED BORROW	2,615.900	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,220.470	LF
223	2802 TEMPORARY SILTATION SCREEN	328.080	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	32.690	CY
227	0100 TEMPORARY SILT DIKE	511.810	LF
230(A)	2806 SOLID SLAB SODDING	160,017.500	SY
230(F)	2812 WATERING	17,778.510	MGAL
232(B)	2814 SEEDING METHOD B	117.030	AC
233(A)	2817 VEGETATIVE MULCHING	117.030	AC
234(A)	2824 FERTILIZING (10-20-10)	26.690	TON
234(A)	4406 FERTILIZING (0-46-0)	5.690	TON
241	2832 MOWING	75.050	AC
321	5897 (SP)IN-SITU COLD RECYCLING OF BIT.MAT'L.	87,971.220	SY
326(A)	4200 (SP)FLY ASH	7,590.560	TON
326(E)	4240 (SP)CEMENTITIOUS STABILIZED SUBGRADE	142,250.600	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	111.790	TON
407	0250 TACK COAT	38,734.980	GAL
408	5774 PRIME COAT	24,477.780	GAL
411(S2)	5930 (SP)ASPH.CONC.,TYPE S2(PG 64-22 OK)	79,521.160	TON
411(S3)	5935 (SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	20,364.420	TON
411(S3)	5945 (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	16,467.100	TON
411(S4)	5950 (SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	13,525.800	TON
411(S4)	5960 (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	10,080.420	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	11,929.100	LF
509(D)	0325 CLASS C CONCRETE	32.690	CY
601A-1	0536 TYPE I-A PLAIN RIPRAP	904.340	TON
613(B)	0583 24" R.C.PIPE CLASS IV	210.010	LF
613(B)	4512 28" X 18" R.C.PIPE ARCH CLASS A-IV	320.010	LF
613(B)	4513 36" X 22" R.C.PIPE ARCH CLASS A-IV	789.990	LF
613(CC)	7196 TYPE A6 CULVERT END TREATMENT	54.000	EA
613(CC)	7197 TYPE B6 CULVERT END TREATMENT	66.000	EA
613(CC)	7198 TYPE C6 CULVERT END TREATMENT	28.000	EA
613(CC)	7201 TYPE AA6 CULVERT END TREATMENT	34.000	EA

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 2

CALL ORDER : 060
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : BEAVER

CONTRACT ID : 050140
 PCN : 1497204
 PROJECTS : STPY-4B (170)
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 150.64
 CALENDAR DAYS : 320
 RES. ENG.:
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
613(CC) 7202	TYPE BB6 CULVERT END TREATMENT	16.000	EA
613(CC) 7203	TYPE CC6 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	1,487.980	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	1,563.970	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	916.010	LF
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	2,026.990	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	749.990	LF
613(D) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	179.990	LF
613(P) 1092	8" PERFORATED PIPE UNDERDRAIN ROUND	2,460.620	LF
613(Q) 1097	8" NON-PERF. PIPE UNDERDRAIN RND.	820.200	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	699.750	CY
613(S) 1180	TRENCH EXCAVATION	2,658.240	CY
613(T) 1181	STANDARD BEDDING MATERIAL	697.390	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	12.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	12,837.910	SY
619(C) 0924	SAWING PAVEMENT	67,955.040	LF
624(C) 4459	(SP) FENCE-STYLE SWF (5 BARBED WIRE)	4,745.260	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	21.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	23.000	EA
629(C) 4960	MAILBOX	114.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	114.000	EA
SECTION NO. 0002	TRAFFIC CONTROL		
856(A) 8839	CONSTRUCTION TRAFF. STR. (PAINT) (4" WIDE)	609.600	LF
856(G) 8890	(PL) CONST. ZONE PAV. MKRS (FLEX TAB) TYP. 2-2	28,000.000	EA
859(A) 8006	PAVEMENT MRKNG. REMOVAL (TRAF. STRP)	74,676.000	LF
876(C) 8482	(PL) TRUCK MOUNTED ATTENUATOR	640.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	86,400.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,360.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	54,680.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	1,920.000	SD
880(C) 8842	BARRICADES (TYPE III)	47,120.000	SD
880(C) 8848	WING BARRICADES	1,280.000	SD
880(D) 8854	VERTICAL PANELS	118,800.000	SD
880(E) 8860	WARNING LIGHTS (TYPE A)	99,680.000	SD
880(E) 8872	WARNING LIGHTS (TYPE C)	237,600.000	SD
880(F) 8878	DRUMS	118,800.000	SD
SECTION NO. 0003	TRAFFIC SIGNING & STRIPING		
804(A) 2915	STRUCTURAL CONCRETE	0.700	CY

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 3

CALL ORDER : 060
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : BEAVER

CONTRACT ID : 050140
 PCN : 1497204
 PROJECTS : STPY-4B (170)
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 150.64
 CALENDAR DAYS : 320
 RES. ENG.:
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0003	TRAFFIC SIGNING & STRIPING		
804(B) 2916	REINFORCING STEEL	95.800	LB
850(A) 8110	SHEET ALUMINUM SIGNS	570.700	SF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	166.700	LF
851(C) 8321	1 3/4" SQUARE TUBE POST	103.900	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	455.700	LF
851(C) 8330	2 1/2" SQUARE TUBE POST	393.400	LF
855(A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	88,089.500	LF
855(B) 8818	TRAFFIC STRIPE (PLASTIC) (ARROWS)	40.000	EA
SECTION NO. 0004	STAKING		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0005	CONSTRUCTION		
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 4

CALL ORDER : 120
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : CARTER

CONTRACT ID : 050063
 PCN : 2179504
 PROJECTS : NHY-21N(40)3R
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 45
 RES. ENG.:
 LIQ. DAM.: \$ 500

THIS PROJECT HAS BEEN PULLED FROM THE LETTING

CONTRACT DESCRIPTION:
 RESURFACE SH-7: BEGIN AT THE CARTER/STEPHENS COUNTY LINE,
 EXTEND EAST TO RATLIFF CITY. PROJECT LENGTH = 1.92 MILES
 FLEXIBLE ESALS = N/A PROJECT LENGTH = PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY NHY-21N(40)3R		
202(G) 0185	EARTHWORK	1.000	LSUM
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	8,344.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	58,600.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.) (THIN-LINE) (4" WIDE)	41,680.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 5

CALL ORDER : 121
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : STEPHENS

CONTRACT ID : 050064
 PCN : 2179304
 PROJECTS : NHY-21N(38)3R
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 45
 RES. ENG.:
 LIQ. DAM.: \$ 700

CONTRACT DESCRIPTION:

RESURFACE SH-7: BEGIN APPROX. 12.41 MILES EAST OF
 SH-7/US-81 JCT., EXTEND EAST. PROJECT LENGTH = 6.15 MILES
 FLEXIBLE ESALS = N/A ASPHALT GRADE = PG 64-22 OK, PG 70-28
 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY NHY-21N(38)3R		
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3,000.000	LF
227 0100	TEMPORARY SILT DIKE	100.000	LF
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	2,600.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	23,200.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	158,752.000	SY
619(C) 0924	SAWING PAVEMENT	3,000.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,315.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	126,698.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 6

CALL ORDER : 122
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : STEPHENS

CONTRACT ID : 050065
 PCN : 2179404
 PROJECTS : NHY-21N(39)3R
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 45
 RES. ENG.:
 LIQ. DAM.: \$ 700

CONTRACT DESCRIPTION:

RESURFACE SH-7: BEGIN APPROX. 18.56 MILES EAST OF
 SH-7/US-81 JCT., EXTEND EAST TO THE CARTER COUNTY LINE.
 PROJECT LENGTH = 5.87 MILES FLEXIBLE ESALS = N/A ASPHALT
 GRADE = PG 64-22OK, PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY NHY-21N(39)3R		
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1,520.000	LF
227 0100	TEMPORARY SILT DIKE	100.000	LF
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1,400.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	21,500.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	151,524.000	SY
619(C) 0924	SAWING PAVEMENT	1,300.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,075.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.) (THIN-LINE)(4" WIDE)	112,000.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	8.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting**

FEDERAL PROJECT

PAGE 7

CALL ORDER : 123
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 050066
 PCN : 2179304C
 PROJECTS : NHY-21N(38) 3R
 NHY-21N(39) 3R
 NHY-21N(40) 3R

COUNTIES : CARTER STEPHENS

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 120
 RES. ENG.:
 LIQ. DAM.: \$ 1000

THIS PROJECT HAS BEEN PULLED FROM THE LETTING

CONTRACT DESCRIPTION:

RESURFACE SH-7: BEGIN APPROX. 12.41 MILES EAST OF
 SH-7/US-81 JCT., EXTEND EAST TO RATLIFF CITY. PROJECT
 LENGTH = 13.94 MILES FLEXIBLE ESALS = N/A ASPHALT GRADE =
 PG 64-22OK, PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY NHY-21N(38) 3R			
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3,000.000	LF
227 0100	TEMPORARY SILT DIKE	100.000	LF
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	2,600.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	23,200.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	158,752.000	SY
619(C) 0924	SAWING PAVEMENT	3,000.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,315.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	126,698.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 ROADWAY NHY-21N(39) 3R			
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1,520.000	LF
227 0100	TEMPORARY SILT DIKE	100.000	LF
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1,400.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	21,500.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	151,524.000	SY
619(C) 0924	SAWING PAVEMENT	1,300.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,075.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	112,000.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	8.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 ROADWAY NHY-21N(40) 3R			
202(G) 0185	EARTHWORK	1.000	LSUM
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	8,344.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	58,600.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	41,680.000	LF

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 8

CALL ORDER : 123
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 050066
 PCN : 2179304C
 PROJECTS : NHY-21N(38)3R
 NHY-21N(39)3R
 NHY-21N(40)3R

COUNTIES : CARTER STEPHENS

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 120
 RES. ENG.:
 LIQ. DAM.: \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003	ROADWAY NHY-21N(40)3R		
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 9

CALL ORDER : 180
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : HUGHES

CONTRACT ID : 050142
 PCN : 1933804
 PROJECTS : BRO-132D(48) CO
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 8.67
 CALENDAR DAYS : 130
 RES. ENG.:
 LIQ. DAM.: \$ 500

THIS PROJECT HAS BEEN PULLED FROM THE LETTING

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES COUNTY ROAD; OVER BRANCH OF BIRD
 CREEK, 2.5 MILES SOUTH OF HOLDENVILLE. PROJECT LENGTH = 0.
 245 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,291.000	LF
227	0100 TEMPORARY SILT DIKE	375.000	LF
230(A)	2806 SOLID SLAB SODDING	14,300.000	SY
233(A)	2817 VEGETATIVE MULCHING	5.900	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	820.000	TON
509(D)	0325 CLASS C CONCRETE	10.000	CY
613(D)	0690 24" CORR. GALV. STEEL PIPE	168.000	LF
613(M)	5730 24" PREFAB. CULVERT END SEC., ROUND	6.000	EA
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
629(E)	5048 REMOVE AND RESET MAILBOX	1.000	EA
SECTION NO. 0002	BRIDGE 'A'		
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	82.000	CY
503(A)	1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	336.670	LF
504(E)	1380 CONCRETE RAIL (TR1)	235.000	LF
506(A)	1322 STRUCTURAL STEEL	1,810.000	LB
509(A)	1326 CLASS AA CONCRETE	66.200	CY
509(B)	1328 CLASS A CONCRETE	53.800	CY
511(A)	1332 REINFORCING STEEL	22,400.000	LB
514	6260 (PL)PILOT HOLES	200.000	LF
514(A)	6010 PILES, FURNISHED (HP 10X42)	298.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	298.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	880.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	260.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	BRIDGE 'B'		
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	40.000	CY
503(B)	6144 PRESTRESSED CONCRETE DOUBLE TEE	158.000	LF

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 10

CALL ORDER : 180
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : HUGHES

CONTRACT ID : 050142
 PCN : 1933804
 PROJECTS : BRO-132D(48) CO
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 8.67
 CALENDAR DAYS : 130
 RES. ENG.:
 LIQ. DAM.: \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0003	BRIDGE 'B'		
504(E) 1380	CONCRETE RAIL (TR1)	125.000	LF
509(A) 1326	CLASS AA CONCRETE	29.530	CY
509(B) 1328	CLASS A CONCRETE	28.200	CY
511(A) 1332	REINFORCING STEEL	9,135.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	370.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	370.000	LF
601(A-1) 1353	TYPE I-A PLAIN RIPRAP	420.000	TON
601(A-2) 1355	TYPE I-A FILTER BLANKET	120.000	TON
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
SECTION NO. 0004	STAKING		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0005	CONSTRUCTION		
641 1399	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 11

CALL ORDER : 220
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : HUGHES

CONTRACT ID : 050144
 PCN : 2077404
 PROJECTS : BRO-132D(65)CO
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 8.67
 CALENDAR DAYS : 100
 RES. ENG.:
 LIQ. DAM.: \$ 500

THIS PROJECT HAS BEEN PULLED FROM THE LETTING

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES COUNTY ROAD; OVER WILDCAT CREEK APPROX.
 3.0 MILES SOUTH AND 2.8 MILES WEST OF CALVIN. PROJECT
 LENGTH = 0.226 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	150.000	LF
223	2801 TEMPORARY SILT FENCE	2,132.000	LF
227	0100 TEMPORARY SILT DIKE	350.000	LF
230(A)	2806 SOLID SLAB SODDING	11,250.000	SY
233(A)	2817 VEGETATIVE MULCHING	4.700	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	688.000	TON
509(D)	0325 CLASS C CONCRETE	10.000	CY
601(A)	0297 TYPE I PLAIN RIPRAP	884.000	TON
602(C)	4155 FILTER FABRIC	1,897.000	SY
SECTION NO. 0002	BRIDGE 'A'		
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	114.000	CY
503(A)	1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	376.170	LF
504(E)	1380 CONCRETE RAIL (TR1)	263.180	LF
506(A)	1322 STRUCTURAL STEEL	2,020.000	LB
509(A)	1326 CLASS AA CONCRETE	73.600	CY
509(B)	1328 CLASS A CONCRETE	63.800	CY
511(A)	1332 REINFORCING STEEL	25,390.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	640.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	640.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	1,160.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	350.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	75.000	LF
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAKING		
642	0098 STAKING	1.000	LSUM
SECTION NO. 0004	CONSTRUCTION		

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 12

CALL ORDER : 220
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : HUGHES

CONTRACT ID : 050144
 PCN : 2077404
 PROJECTS : BRO-132D(65)CO
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 8.67
 CALENDAR DAYS : 100
 RES. ENG.:
 LIQ. DAM.: \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0004	CONSTRUCTION		
641 1399	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 13

CALL ORDER : 400
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : LOGAN

CONTRACT ID : 050032
 PCN : 2007404
 PROJECTS : BRO-142D(76)CO
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 15.17
 CALENDAR DAYS : 140
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES COUNTY ROAD; OVER WEST BEAVER CREEK,
 1.0 MILE SOUTH AND 2.9 MILES WEST OF JCT US-77/SH-51.
 PROJECT LENGTH = 0.269 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	500.000	LF
227	0100 TEMPORARY SILT DIKE	500.000	LF
230(A)	2806 SOLID SLAB SODDING	485.000	SY
233(A)	2817 VEGETATIVE MULCHING	2.510	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	784.000	TON
509(D)	0325 CLASS C CONCRETE	135.000	CY
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D)	0690 24" CORR. GALV. STEEL PIPE	88.000	LF
613(D)	4819 96" CORR. GALV. STEEL PIPE	144.000	LF
SECTION NO. 0002	BRIDGE 'A'		
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	68.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	52.000	CY
503(B)	6144 PRESTRESSED CONCRETE DOUBLE TEE	817.500	LF
504(E)	1380 CONCRETE RAIL (TR1)	387.000	LF
509(A)	1326 CLASS AA CONCRETE	116.200	CY
509(B)	1328 CLASS A CONCRETE	82.400	CY
511(A)	1332 REINFORCING STEEL	32,810.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	510.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	510.000	LF
516(A)	6093 DRILLED SHAFTS 42" DIAMETER	142.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	2,080.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	550.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
850(A)	8110 SHEET ALUMINUM SIGNS	11.430	SF
851(D)	8597 FLANGE CHANNEL POSTS(4 LB/FT)	27.000	LF
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAKING		
642	0098 STAKING	1.000	LSUM
SECTION NO. 0004	CONSTRUCTION		

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 14

CALL ORDER : 400
LETTING DATE : March 24, 2005
LETTING TIME : 10:30 A.M.
COUNTIES : LOGAN

CONTRACT ID : 050032
PCN : 2007404
PROJECTS : BRO-142D(76)CO
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : 15.17
CALENDAR DAYS : 140
RES. ENG.:
LIQ. DAM.: \$ 500

641	1399	MOBILIZATION	1.000	LSUM
-----	------	--------------	-------	------

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 15

CALL ORDER : 480
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : MCCURTAIN

CONTRACT ID : 050151
 PCN : 1898404
 PROJECTS : RABAY-0Q16 (005) RA
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 45
 RES. ENG.:
 LIQ. DAM.: \$ 700

CONTRACT DESCRIPTION:

RESURFACE US-70; FROM 9.0 MILES EAST OF SH-3, EXTEND EAST TO ARKANSAS STATE LINE. PROJECT LENGTH = 7.30 MILES
 FLEXIBLE ESALS = 30.0 MILLION ASPHALT GRADE = PG 64-22 OK, PG 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY (BASE BID)		
202(A) 0183	UNCLASSIFIED EXCAVATION	500.000	CY
202(C) 0184	UNCLASSIFIED BORROW	6,700.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3,300.000	LF
230(A) 2806	SOLID SLAB SODDING	9,882.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	8,529.000	TON
407 0250	TACK COAT	9,146.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	3,785.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	3,198.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	77,088.000	LF
417 4267	COLD MILLING BITUMINOUS PAVEMENT	25,414.400	SY
619(B) 4780	REMOVAL OF GUARD RAIL	3,000.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,250.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	18.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	18.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	154,176.000	LF
871 8325	(PL)IMPACT ATTENUATOR	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	ROADWAY (ADD ALTERNATE NO.1)		
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	17,588.000	TON
SECTION NO. 0003	ROADWAY (ADD ALTERNATE NO.2)		
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	21,985.000	TON
SECTION NO. 0004	CONSTRUCTION		
641 1552	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 16

CALL ORDER : 540
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : NOBLE

CONTRACT ID : 050034
 PCN : 2011904
 PROJECTS : STP-152C(49)CO
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 18.42
 CALENDAR DAYS : 150
 RES. ENG.:
 LIQ. DAM.: \$ 700

CONTRACT DESCRIPTION:
 RESURFACE COUNTY ROAD; BEGIN AT RED ROCK, EXTEND NORTH.
 PROJECT LENGTH = 5.962 MILES FLEXIBLE ESALS = 0.56 MILLION
 ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
223	2801	500.000	LF
230(A)	2806	1,000.000	SY
311(B)	0152	79.000	STA
326(A)	4200	3,405.000	TON
326(E)	4240	42,199.000	SY
403(E)	0225	5,513.000	TON
407	0250	6,099.000	GAL
408	5774	6,366.000	GAL
411(S3)	5945	17,667.000	TON
411(S4)	5960	6,896.000	TON
855(A)	8815	36,160.000	LF
880(J)	8905	1.000	LSUM
SECTION NO. 0002	STAKING		
642	0098	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 17

CALL ORDER : 560
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKFUSKEE

CONTRACT ID : 050154
 PCN : 2007804
 PROJECTS : STP-154C(49)CO.
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 10.84
 CALENDAR DAYS : 120
 RES. ENG.:
 LIQ. DAM.: \$ 500

THIS PROJECT HAS BEEN PULLED FROM THE LETTING

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES COUNTY ROAD; OVER HILLIBY CREEK, 1.6
 MILES WEST OF MICAWBER. PROJECT LENGTH = 0.0.425 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	4,280.000	LF
227	0100 TEMPORARY SILT DIKE	360.000	LF
230(A)	2806 SOLID SLAB SODDING	16,000.000	SY
233(A)	2817 VEGETATIVE MULCHING	6.600	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,369.000	TON
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	30.000	CY
509(D)	0325 CLASS C CONCRETE	10.000	CY
511(A)	0332 REINFORCING STEEL	450.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	590.000	TON
602(C)	4155 FILTER FABRIC	1,206.000	SY
613(D)	0690 24" CORR. GALV. STEEL PIPE	82.000	LF
613(F)	5104 30" PRECOATED CORR. STEEL PIPE	174.000	LF
613(F)	5110 48" PRECOATED CORR. STEEL PIPE	246.000	LF
613(M)	5730 24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
SECTION NO. 0002	BRIDGE 'A'		
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	64.000	CY
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	296.670	LF
504(E)	1380 CONCRETE RAIL (TR1)	207.000	LF
506(A)	1322 STRUCTURAL STEEL	1,620.000	LB
509(A)	1326 CLASS AA CONCRETE	58.300	CY
509(B)	1328 CLASS A CONCRETE	48.800	CY
511(A)	1332 REINFORCING STEEL	20,090.000	LB
514(A)	6011 PILES, FURNISHED (HP 12X53)	544.000	LF
514(B)	6294 PILES, DRIVEN (HP 12X53)	544.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	540.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	160.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	250.000	LF
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAKING		

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 18

CALL ORDER : 560
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKFUSKEE

CONTRACT ID : 050154
 PCN : 2007804
 PROJECTS : STP-154C(49)CO.
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 10.84
 CALENDAR DAYS : 120
 RES. ENG.:
 LIQ. DAM.: \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003	STAKING		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0004	CONSTRUCTION		
641 1399	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 19

CALL ORDER : 580
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 HP
 COUNTIES : OKLAHOMA

CONTRACT ID : 050012
 PCN : 1742810
 PROJECTS : HPPIY-1690-0 (007) 000
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 124.63
 CALENDAR DAYS : 300
 RES. ENG.:
 LIQ. DAM.: \$ 2000

THIS PROJECT HAS BEEN PULLED FROM THE LETTING

CONTRACT DESCRIPTION:
 GRADE, DRAIN & BRIDGES I-40: INTERSTATE MAINLINE BRIDGES
 AND RAILROAD BRIDGES OVER CANAL (CROSSTOWN EXP). PROJECT
 LENGTH = 0.7892 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	37,842.000	CY
202(C)	0184 UNCLASSIFIED BORROW	30,623.400	CY
202(D)	0186 SELECT BORROW	2,000.000	CY
202(E)	4781 UNCLASSIFIED BORROW (TOPSOIL)	1,700.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
224	2803 TEMPORARY SEDIMENT FILTER	3.000	EA
227	0100 TEMPORARY SILT DIKE	4,100.000	LF
229	4318 DITCH LINER PROTECTION	255.000	LF
230(A)	2806 SOLID SLAB SODDING	7,100.000	SY
230(D)	2810 BROADCAST SPRIGGING (METHOD A)	58,300.000	SY
233(A)	2817 VEGETATIVE MULCHING	10.000	AC
241	2832 MOWING	6.000	AC
303	0192 AGGREGATE BASE	269.400	CY
304	0100 (SP)RAILROAD BALLAST	9,263.400	TON
420(A)	4242 FABRIC REINFORCEMENT	22,569.900	SY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	6.700	CY
509(D)	0325 CLASS C CONCRETE	101.600	CY
510(A)	6333 RETAINING WALL	2,572.200	SY
511(A)	0332 REINFORCING STEEL	595.000	LB
514(A)	6011 PILES, FURNISHED (HP 12X53)	8,428.000	LF
514(B)	6294 PILES, DRIVEN (HP 12X53)	8,428.000	LF
601(A)	0297 TYPE I PLAIN RIPRAP	690.000	TON
610(A)	0602 4" CONCRETE SIDEWALK	688.000	SY
611(L)	4210 DROP INLET GRATE (SMD-TYPE 2)	1.000	EA
613(B)	0494 36" R.C.P.I.PE CLASS III	74.200	LF
613(B)	0599 48" R.C.P.I.PE CLASS V	8.500	LF
613(B)	0680 60" R.C.P.I.PE CLASS V	90.500	LF
613(D)	0692 36" CORR. GALV. STEEL PIPE	19.000	LF
613(M)	5734 36" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	5738 48" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	5742 60" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	1,800.000	LF
613(Q)	1096 6" NON-PERF.P.I.PE UNDERDRAIN RND.	400.000	LF
613(R)	1100 PIPE UNDERDRAIN COVER MAT'L.	111.100	CY
613(S)	1180 TRENCH EXCAVATION	335.000	CY
613(T)	1181 STANDARD BEDDING MATERIAL	370.100	CY
613(W)	4784 18" CORRUGATED POLYETHYLENE PIPE	296.000	LF

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 20

CALL ORDER : 580
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 HP
 COUNTIES : OKLAHOMA

CONTRACT ID : 050012
 PCN : 1742810
 PROJECTS : HPPIY-1690-0 (007) 000
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 124.63
 CALENDAR DAYS : 300
 RES. ENG.:
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY			
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	5.000	EA
619(B) 5918	REMOVAL OF EXISTING PIPE	750.000	LF
624(D) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	1,430.000	LF
624(E) 5966	GATES-STYLE CLF (6'HIGH X 18'LONG)	3.000	EA
809 8091	(PL) ENHANCEMENT LIGHTING (COMPLETE)	1.000	LSUM
SECTION NO. 0002 BRIDGE M-W			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	6,060.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	240.000	CY
501(E) 6354	SELECT BACKFILL	232.000	CY
501(F) 6352	GRANULAR BACKFILL	1,238.000	CY
502(A) 6173	ENGINEERED FALSEWORK	1.000	LSUM
502(B) 6174	FALSEWORK ENGINEERING SERVICES	1.000	LSUM
504(A) 1304	APPROACH SLAB	152.200	SY
504(F) 1381	CONCRETE PARAPET	169.300	LF
506(A) 1322	STRUCTURAL STEEL	140.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	62.000	SY
509(A) 1326	CLASS AA CONCRETE	398.100	CY
509(E) 1333	CLASS P CONCRETE	512.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	144,630.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,059.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	260.000	LF
517(A) 6002	PRESTRESSING	1.000	LSUM
535 6126	(PL)BRIDGE DECK WATERPROOFING	4,990.000	SF
535 6282	(PL)ELASTOMERIC BEARING PADS	20.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	331.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	36.000	LF
SECTION NO. 0003 BRIDGE M-X			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	5,700.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	340.000	CY
501(E) 6354	SELECT BACKFILL	414.000	CY
501(F) 6352	GRANULAR BACKFILL	2,693.000	CY
504(F) 6190	42" F-SHAPED PARAPET	170.000	LF
506(A) 1322	STRUCTURAL STEEL	140.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	25.000	SY
509(B) 1328	CLASS A CONCRETE	748.900	CY
509(E) 1333	CLASS P CONCRETE	613.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	231,090.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,566.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	312.000	LF

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 21

CALL ORDER : 580
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 HP
 COUNTIES : OKLAHOMA

CONTRACT ID : 050012
 PCN : 1742810
 PROJECTS : HPPIY-1690-0 (007) 000
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 124.63
 CALENDAR DAYS : 300
 RES. ENG.:
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0003	BRIDGE M-X		
517(A) 6002	PRESTRESSING	1.000	LSUM
535 6282	(PL)ELASTOMERIC BEARING PADS	24.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	216.000	LF
SECTION NO. 0004	BRIDGE M-Y		
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	6,380.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	300.000	CY
501(E) 6354	SELECT BACKFILL	370.000	CY
501(F) 6352	GRANULAR BACKFILL	2,761.000	CY
504(F) 6190	42" F-SHAPED PARAPET	170.000	LF
506(A) 1322	STRUCTURAL STEEL	140.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	77.000	SY
509(B) 1328	CLASS A CONCRETE	731.400	CY
509(E) 1333	CLASS P CONCRETE	523.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	218,750.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,495.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	260.000	LF
517(A) 6002	PRESTRESSING	1.000	LSUM
535 6282	(PL)ELASTOMERIC BEARING PADS	20.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	222.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	6.000	LF
SECTION NO. 0005	STAKING		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0006	CONSTRUCTION		
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 22

CALL ORDER : 620
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 050155
 PCN : 2197204
 PROJECTS : SAP-155A (456)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 4.34
 CALENDAR DAYS : 15
 RES. ENG.:
 LIQ. DAM.: \$ 300

CONTRACT DESCRIPTION:
 BRIDGE REPAIR US-62 (23RD ST.); OVER CHOCTAW ROAD 11.5
 MILES EAST OF I-35. PROJECT LENGTH = 0.00 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	BRIDGE 'A'		
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM
SECTION NO. 0002	TRAFFIC		
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	15.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	15.000	SD
SECTION NO. 0003	CONSTRUCTION		
641 1399	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 23

CALL ORDER : 640
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKMULGEE

CONTRACT ID : 050156
 PCN : 1321104
 PROJECTS : BRF-56C(222) CO
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 8.67
 CALENDAR DAYS : 130
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES COUNTY ROAD; OVER CANE CREEK, APPROX.
 0.3 MILE SOUTH AND 0.2 MILE WEST OF PUMPKIN CENTER. PROJECT
 LENGTH = 0.235 MILE FLEXIBLE ESALS = 0.2 MILLION ASPHALT
 GRADE - PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	15,946.000	CY
202(C)	0184 UNCLASSIFIED BORROW	3,991.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	600.000	LF
223	2801 TEMPORARY SILT FENCE	2,000.000	LF
229	4318 DITCH LINER PROTECTION	50.000	LF
230(A)	2806 SOLID SLAB SODDING	3,750.000	SY
230(F)	2812 WATERING	75.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	3.000	AC
303	0192 AGGREGATE BASE	388.000	CY
408	5774 PRIME COAT	1,250.000	GAL
411(S4)	5960 (SP) ASPH. CONC., TYPE S4 (PG 64-22 OK)	539.000	TON
509(D)	0325 CLASS C CONCRETE	10.000	CY
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	1,676.000	SY
850(A)	8110 SHEET ALUMINUM SIGNS	12.000	SF
851(A)	3206 4"@13 GALV. STL. WD. FLANGE BM. POST	40.000	LF
SECTION NO. 0002	BRIDGE 'A'		
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	66.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	36.000	CY
503(B)	6144 PRESTRESSED CONCRETE DOUBLE TEE	474.000	LF
504(E)	1380 CONCRETE RAIL (TR1)	297.000	LF
509(A)	1326 CLASS AA CONCRETE	87.000	CY
509(B)	1328 CLASS A CONCRETE	71.800	CY
511(A)	1332 REINFORCING STEEL	25,340.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	240.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	240.000	LF
516(A)	6092 DRILLED SHAFTS 36" DIAMETER	72.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	2,600.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	560.000	TON
619(D)	M1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	5686 GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6029 GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 24

CALL ORDER : 640
LETTING DATE : March 24, 2005
LETTING TIME : 10:30 A.M.
COUNTIES : OKMULGEE

CONTRACT ID : 050156
PCN : 1321104
PROJECTS : BRF-56C(222) CO
DBE GOALS : 5.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : 8.67
CALENDAR DAYS : 130
RES. ENG.:
LIQ. DAM.: \$ 500

SECTION NO. 0003	STAKING			
642	0098	STAKING	1.000	LSUM
SECTION NO. 0004	CONSTRUCTION			
640	M1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 25

CALL ORDER : 760
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : PITTSBURG

CONTRACT ID : 050161
 PCN : 2197304
 PROJECTS : SAP-161B (145)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 4.34
 CALENDAR DAYS : 15
 RES. ENG.:
 LIQ. DAM.: \$ 300

CONTRACT DESCRIPTION:

BRIDGE REPAIR SH-31; BRIDGE OVER US-270, 2.3 MILES
 SOUTHEAST OF JCT US-69B & GENE STIPE BLVD; OVER US-69, 4.9
 MI SOUTHEAST OF US-69B. PROJECT LENGTH = 0.00 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	BRIDGE 'A'		
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	84.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	4.000	SY
SECTION NO. 0002	BRIDGE 'B'		
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	17.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	1.000	SY
SECTION NO. 0003	TRAFFIC		
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	15.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	10.000	HOUR
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD
SECTION NO. 0004	CONSTRUCTION		
641 1399	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 26

CALL ORDER : 780
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : ROGERS

CONTRACT ID : 050162
 PCN : 2206404
 PROJECTS : SAP-166N(161)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 7.59
 CALENDAR DAYS : 30
 RES. ENG.:
 LIQ. DAM.: \$ 300

CONTRACT DESCRIPTION:

SAFETY IMPROVEMENT US-169; BEGIN 0.24 MILE N.E. OF THE
 TULSA COUNTY LINE, EXTEND NORTH EAST, (ROGERS STATE
 EQUESTRIAN CTR). PROJECT LENGTH = 0.153 MILE FLEXIBLE ESALS
 = 3 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY			
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	200.000	LF
227 0100	TEMPORARY SILT DIKE	200.000	LF
303 0192	AGGREGATE BASE	132.000	CY
319 5190	OPEN GRADED BITUMINOUS BASE	113.000	TON
325 5271	SEPARATOR FABRIC	1,064.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	150.000	TON
408 5774	PRIME COAT	231.000	GAL
414(A) 0262	10" P.C. CONCRETE PAVEMENT	292.000	SY
414(A1) 5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	284.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	342.000	SY
613(D) 0690	24" CORR. GALV. STEEL PIPE	68.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	100.000	LF
613(Q) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	50.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
SECTION NO. 0002 TRAFFIC CONTROL			
855(A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	1,900.000	LF
855(B) 8818	TRAFFIC STRIPE (PLASTIC) (ARROWS)	9.000	EA
859(A) 8006	PAVEMENT MRKNG. REMOVAL (TRAF. STRP)	1,900.000	LF
880(A) 8812	ARROW DISPLAY (TYPE C)	30.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	180.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	420.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	180.000	SD
880(C) 8842	BARRICADES (TYPE III)	240.000	SD
880(C) 8848	WING BARRICADES	60.000	SD
880(E) 8860	WARNING LIGHTS (TYPE A)	660.000	SD
880(E) 8872	WARNING LIGHTS (TYPE C)	1,800.000	SD
880(F) 8878	DRUMS	1,800.000	SD
882(B) 8306	PORT. CHANGEABLE MESSAGE SIGN	30.000	SD
SECTION NO. 0003 STAKING			
642 0098	STAKING	1.000	LSUM
SECTION NO. 0004 CONSTRUCTION			

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 27

CALL ORDER : 780
LETTING DATE : March 24, 2005
LETTING TIME : 10:30 A.M.
COUNTIES : ROGERS

CONTRACT ID : 050162
PCN : 2206404
PROJECTS : SAP-166N(161)
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : 7.59
CALENDAR DAYS : 30
RES. ENG.:
LIQ. DAM.: \$ 300

641	1552	MOBILIZATION	1.000	LSUM
-----	------	--------------	-------	------

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 28

CALL ORDER : 800
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : STEPHENS

CONTRACT ID : 050095
 PCN : 2031608
 PROJECTS : NHY-21N(032)
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 46.60
 CALENDAR DAYS : 275
 RES. ENG.:
 LIQ. DAM.: \$ 1000

CONTRACT DESCRIPTION:

GRADE, DRAIN, SURFACE, AND BRIDGE US-81: DUNCAN BYPASS AT
 BEECH AVENUE. PROJECT LENGTH = 1.065 MILES FLEXIBLE ESALS =
 10.000 MILLION ASPHALT GRADE = PG 64-22 OK, PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(E)	0110 EMBANKMENTS	277,254.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,114.000	LF
223	2801 TEMPORARY SILT FENCE	300.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	6.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	3.000	EA
227	0100 TEMPORARY SILT DIKE	1,670.000	LF
229	4318 DITCH LINER PROTECTION	1,195.000	LF
230(A)	2806 SOLID SLAB SODDING	76,090.000	SY
232(B)	2814 SEEDING METHOD B	18.400	AC
233(A)	2817 VEGETATIVE MULCHING	36.900	AC
235(A)	0100 (PL)ROCK FILTER DAM, TYPE 1	15.000	CY
241	2832 MOWING	47.200	AC
303	0192 AGGREGATE BASE	5,103.000	CY
310(B)	0149 SUBGRADE, METHOD B	715.000	SY
325	5271 SEPARATOR FABRIC	34,355.000	SY
326(C)	4220 (SP)CEMENT KILN DUST	1,154.000	TON
326(E)	4240 (SP)CEMENTITIOUS STABILIZED SUBGRADE	27,810.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,266.000	TON
407	0250 TACK COAT	6,640.000	GAL
408	5774 PRIME COAT	9,241.000	GAL
411(S3)	5940 (SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	2,485.000	TON
411(S3)	5945 (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	6,783.000	TON
411(S4)	5955 (SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	1,661.000	TON
411(S4)	5960 (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1,669.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	10,819.000	LF
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	84.000	CY
509(B)	0321 CLASS A CONCRETE	303.100	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	5.300	CY
509(D)	0325 CLASS C CONCRETE	128.800	CY
511(A)	0332 REINFORCING STEEL	46,912.000	LB
601(A-1)	0536 TYPE I-A PLAIN RIPRAP	320.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	107.000	TON
611(A)	2657 MANHOLE (4' DIA.)	1.000	EA
611(D)	4215 MANHOLE FRAME & COVER	4.000	EA
611(J)	0487 JUNCTION BOXES	174.000	CF

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 29

CALL ORDER : 800
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : STEPHENS

CONTRACT ID : 050095
 PCN : 2031608
 PROJECTS : NHY-21N(032)
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 46.60
 CALENDAR DAYS : 275
 RES. ENG.:
 LIQ. DAM.: \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY		
613(B) 0491	18" R.C.PIPES CLASS III	212.000	LF
613(B) 0494	36" R.C.PIPES CLASS III	202.000	LF
613(B) 0583	24" R.C.PIPES CLASS IV	142.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	27,552.000	SY
619(C) 0924	SAWING PAVEMENT	348.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,250.000	LF
623(E) 7114	THREE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
SECTION NO. 0002	BRIDGE 'H'		
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	132.000	CY
501(F) 6352	GRANULAR BACKFILL	106.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	511.670	LF
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	358.340	LF
504(A) 1304	APPROACH SLAB	200.000	SY
504(F) 6190	42" F-SHAPED PARAPET	432.000	LF
506(A) 1322	STRUCTURAL STEEL	1,170.000	LB
509(A) 1326	CLASS AA CONCRETE	269.700	CY
509(B) 1328	CLASS A CONCRETE	141.400	CY
510(C) 6138	SLOPE WALL (5")	660.000	SY
511(A) 1332	REINFORCING STEEL	7,460.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	77,960.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	455.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	455.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	14.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	774.000	SY
516(A) 6090	DRILLED SHAFTS 24" DIAMETER	256.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	100.000	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	194.000	LF
613(Q) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	42.000	LF
SECTION NO. 0003	TRAFFIC		
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	4,200.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	4,200.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	104.000	SF

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

FEDERAL PROJECT

PAGE 30

CALL ORDER : 800
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : STEPHENS

CONTRACT ID : 050095
 PCN : 2031608
 PROJECTS : NHY-21N(032)
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 46.60
 CALENDAR DAYS : 275
 RES. ENG.:
 LIQ. DAM.: \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0003	TRAFFIC		
855(A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	22,500.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR. (PAINT) (4" WIDE)	28,645.000	LF
856(G) 8887	(PL) CONST.ZONE PAV.MKRS (FLEX TAB) TYP.2-1	1,260.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	4,500.000	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	38.000	EA
871 8705	(PL) CONST.ZONE IMPACT ATTEN.	730.000	SD
871 8707	(PL) RELOC.OF CONST.ZN.QUADGUARD IMP.ATTN	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004	STAKING		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0005	CONSTRUCTION		
641 1399	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 31

CALL ORDER : 880
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 050165
 PCN : 2211604
 PROJECTS : CMC-111A (79)
 CMC-111B (80)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 45
 RES. ENG.:
 LIQ. DAM.: \$ 500

COUNTIES : CHEROKEE

CONTRACT DESCRIPTION:

MICRO-SURFACING SH-51: BEGIN AT US-62 JCT., EXTEND WEST
 AND NORTH. SH-82: BEGIN AT SH-51 IN TAHLEQUAH, EXTEND WEST
 AND NORTH. PROJECT LENGTH = 4.546 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ROADWAY CMC-111A(79)		
410(A) 4323	EMULSIFIED ASPHALT	42,262.000	GAL
410(C) 4760	TYPE II AGGREGATE	1,775.000	TON
855(A) 8815	TRAFFIC STR.(PLAST.) (THIN-LINE) (4" WIDE)	77,484.000	LF
855(B) 8818	TRAFFIC STRIPE (PLASTIC) (ARROWS)	20.000	EA
855(B) 8821	TRAFFIC STRIPE (PLASTIC) (WORDS)	10.000	EA
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE (4" WIDE)	1,950.000	LF
856(G) 8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	1,950.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	78,534.000	LF
859(B) 8007	PAVEMENT MARKING REMOVAL (ARROWS)	20.000	EA
859(B) 8008	PAVEMENT MARKING REMOVAL (WORDS)	10.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	ROADWAY CMC-111B(80)		
410(A) 4324	EMULSIFIED ASPHALT	21,008.000	TON
410(C) 4760	TYPE II AGGREGATE	876.000	TON
855(A) 8815	TRAFFIC STR.(PLAST.) (THIN-LINE) (4" WIDE)	43,172.000	LF
855(B) 8818	TRAFFIC STRIPE (PLASTIC) (ARROWS)	18.000	EA
855(B) 8821	TRAFFIC STRIPE (PLASTIC) (WORDS)	9.000	EA
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE (4" WIDE)	2,000.000	LF
856(G) 8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	650.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	45,172.000	LF
859(B) 8007	PAVEMENT MARKING REMOVAL (ARROWS)	18.000	EA
859(B) 8008	PAVEMENT MARKING REMOVAL (WORDS)	9.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 32

CALL ORDER : 900
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 050167
 PCN : 2214204
 PROJECTS : MC-116C (124)
 MC-117B (036)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 75
 RES. ENG.:
 LIQ. DAM.: \$ 300

COUNTIES : COMANCHE

CONTRACT DESCRIPTION:

REPAIR BRIDGE PILING SH-17/SH-5: BRIDGE PILING REPAIR AT
 VARIOUS LOCATIONS IN DIVISION VII. PROJECT LENGTH = 0.0
 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	BRIDGE PILING - 'A' 'B' 'C'		
520(C) 6060	EPOXY RESIN ABOVE WATER	71.000	GAL
535 6217	(PL)REPAIR BRIDGE PILING	9.000	EA
540 4505	(PL)REPAIR BRIDGE ITEMS	1.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	MOBILIZATION		
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	BRIDGE PILING - 'A', 'B', 'C', 'D',		
520(C) 6060	EPOXY RESIN ABOVE WATER	160.000	GAL
535 6217	(PL)REPAIR BRIDGE PILING	42.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004	MOBILIZATION		
641 1399	MOBILIZATION	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 33

CALL ORDER : 930
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : MCCLAIN

CONTRACT ID : 050169
 PCN : 2216304
 PROJECTS : IMC-144C (090)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 20
 RES. ENG.:
 LIQ. DAM.: \$ 300

THIS PROJECT HAS BEEN PULLED FROM THE LETTING

CONTRACT DESCRIPTION:
 MEDIAN GRADING I-35: BEGIN AT MILE POST 98.5 AND EXTEND
 NORTH. PROJECT LENGTH = 1.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY		
202(E) 4781	UNCLASSIFIED BORROW (TOPSOIL)	2,800.000	CY
223 2801	TEMPORARY SILT FENCE	150.000	LF
233(A) 2817	VEGETATIVE MULCHING	3.880	AC
234(A) 4407	FERTILIZING (13-13-13)	0.200	TON
612(F) 0646	INLETS REBUILT	1.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	MOBILIZATION		
641 1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	STAKING		
642 0098	STAKING	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 34

CALL ORDER : 940
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 050164
 PCN : 2211704
 PROJECTS : CMC-155A (463)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 60
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

RESURFACE SH-3: BEGIN 100 FT. WEST OF CANADIAN COUNTY LINE,
 EXTEND TO 100 FT. EAST OF COUNCIL ROAD. PROJECT LENGTH = 1.
 19 MILES FLEXIBLE ESALS = 14.4 MILLION ASPHALT GRADE = PG
 64-22 OK, PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY		
202(C) 0184	UNCLASSIFIED BORROW	1,000.000	CY
303 0192	AGGREGATE BASE	50.000	CY
411 4285	(PL)CRACK SEALING ASPHALT PAVEMENT	1,200.000	LF
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	600.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	4,900.000	TON
417 5267	COLD MILLING PAVEMENT	6,700.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	800.000	SY
828(B) 8138	LOOP DETECTOR WIRE	4,100.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	41,200.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	47.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	24.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	100.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	50.000	SD
890(A) 8702	(PL)REMOVAL OF CLASS C PAVEMENT MARKERS	4.000	EA

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 35

CALL ORDER : 960
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : PITTSBURG

CONTRACT ID : 050139
 PCN : 2209404
 PROJECTS : MC-161N (146)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 60
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

RESURFACE US-69: BEGIN 2.0 MILES NORTH OF INDIAN NATION
 TURNPIKE, EXTEND NORTH. PROJECT LENGTH = 3.03 MILES
 FLEXIBLE ESALS = 30.0 MILLION ASPHALT GRADE = PG 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY		
411(S3) 5935	(SP)ASPH.CONC., TYPE S3(PG 76-28 OK)	5,600.000	TON
411(S4) 5950	(SP)ASPH.CONC., TYPE S4(PG 76-28 OK)	7,600.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	26,170.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	37,300.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 36

CALL ORDER : 980
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : ROGER MILLS

CONTRACT ID : 050191
 PCN : 2218904
 PROJECTS : MC-165C (66) PT. 1
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 30
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

RESURFACE SH-33: BEGIN AT TEXAS STATE LINE, EXTEND EAST
 PROJECT LENGTH = 8.0 MILES FLEXIBLE ESALS = 0.54 MILLION
 ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	RESURFACE - MC-165C(66) PT. 1		
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	17,219.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 37

CALL ORDER : 981
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : ROGER MILLS

CONTRACT ID : 050192
 PCN : 2218905
 PROJECTS : MC-165C (66) PT. 2
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 15
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

RESURFACE SH-33: BEGIN 8.0 MI. EAST OF TEXAS STATE LINE,
 EXTEND EAST. PROJECT LENGTH = 4.67 MILES FLEXIBLE ESALS = 0.
 54 MILLION ASPHALT GRADE PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	RESURFACE - MC-165C(66) PT. 2		
411(S4) 5960	(SP)ASPH.CONC., TYPE S4(PG 64-22 OK)	9,889.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

Oklahoma Department of Transportation
Long Form Notice to Contractors — March 24, 2005 Letting

STATE PROJECT

PAGE 38

CALL ORDER : 982
 LETTING DATE : March 24, 2005
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 050193
 PCN : 2218905C
 PROJECTS : MC-165C (66) PT. 1
 MC-165C (66) PT. 2
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 0.00
 CALENDAR DAYS : 45
 RES. ENG.:
 LIQ. DAM.: \$ 500

COUNTIES : ROGER MILLS

CONTRACT DESCRIPTION:
 RESURFACE SH-33: BEGIN AT TEXAS STATE LINE, EXT. EAST.
 PROJECT LENGTH = 12.67 MILES FLEXIBLE ESALS = 0.54 MILLION
 ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	RESURFACE - MC-165C(66) PT. 1		
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	17,219.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	RESURFACE - MC-165C(66) PT. 2		
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	9,889.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM