

Notice

Electronic bid packages are available for the [September 22, 2005](#) Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on [September 1, 2005](#).

The direct line to the ODOT order desk is 522-3474. Please use this number when ordering plans and proposals. If ordering plans only please call the Reproduction Branch at 521-2586.

A Pre-Bid Conference will not be held concerning this [September](#) Letting. Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) by [September 9, 2005](#), at Fax: (405) 522-0972 or phone: (405) 521-2625. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Reproduction office off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes before the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room on the east side of the lobby.

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Note:

ODOT will no longer allow DBE credit towards project DBE goals for the supplying of liquid asphalt cement or other bituminous materials.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Web site <http://www.okladot.state.ok.us/contracts/index.htm>

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:

<http://www.okladot.state.ok.us/regserv/dbeinfo/DCF2005.htm>

Reminder

*Please be sure that bid bonds are stapled to the **back** of the proposal as instructed on the cover sheet of all proposals.*

Do not disassemble the bidding proposal in any way.

Note:

Only written, Email, Fax and in-person orders will be accepted.

The **Order Form** included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

aruschenberg@odot.org

The Bid Opening can be heard from the AGC website which is:

<http://www.okagchwy.com/>

DATE : August 29, 2005 OKLAHOMA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS -- September 22, 2005

LNTCNCA
LETTING

LNTCNCA-D

SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING. FROM 30 MINUTES PRIOR TO THE BID OPENING UNTIL THE TIME OF THE BID OPENING, BID PROPOSALS MUST BE TURNED IN DIRECTLY TO THE ODOT COMMISSION ROOM LOCATED ON THE EAST SIDE OF THE LOBBY. THE SCHEDULED BID OPENING OF 10:30 A.M. September 22, 2005, FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION AS DEPICTED ON THE LOWER LEFT CORNER OF THE PLAN'S TITLE SHEET.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM THE OFFICE ENGINEER DIVISION, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$25.00 + tax FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 + tax, OR 1996 METRIC STANDARD SPECIFICATION \$27.00 + TAX, OR 1999 METRIC AND ENGLISH STANDARD SPECIFICATION \$55.00 + TAX. (OKLAHOMA TAX IS 8.375%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE FOR BIDDING DOCUMENTS OR SPECIFICATION BOOKS PURCHASED BY PROSPECTIVE BIDDERS.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

CALL ORDER : 380
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : LEFLORE

CONTRACT ID : 050520
 PCN : 0891604
 PROJECTS : BRFY-40C(356)
 DBE GOALS : 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 152.80
 CALENDAR DAYS : 400
 RES. ENG.:
 LIQ. DAM.: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, SURFACE AND BRIDGES SH 128; AT SUGAR CREEK
 AND 5 UNNAMED CREEKS, SOUTHEAST OF HEAVNER. PROJECT LENGTH
 = 2.993 KM. FLEXIBLE ESALS = 4.23 MILLION ASPHALT GRADE =
 PG 64-22 OK, PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	M0183 UNCLASSIFIED EXCAVATION	162,466.000	M3
202 (C)	M0184 UNCLASSIFIED BORROW	30,501.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	100.000	M
223	M2802 TEMPORARY SILT FENCE	645.000	M
225	2804 TEMPORARY SEDIMENT BASIN	4.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	400.000	M3
227	M0100 TEMPORARY SILT DIKE	192.000	M
229	M4318 DITCH LINER PROTECTION	1,056.000	M
230 (A)	M2806 SOLID SLAB SODDING	62,113.000	M2
232 (A)	M2813 SEEDING METHOD A	7.992	HA
233 (A)	M2817 VEGETATIVE MULCHING	7.992	HA
234 (A)	M2824 FERTILIZING (10-20-10)	10.000	T
234 (A)	M4406 FERTILIZING (0-46-0)	2.000	T
241	M2832 MOWING	13.254	HA
303	M0192 AGGREGATE BASE	8,926.000	M3
325	M5271 SEPARATOR FABRIC	38,843.000	M2
326 (A)	M4200 (SP) FLY ASH	2,240.000	T
326 (B)	M4210 (SP) LIME	150.000	T
326 (E)	M4240 (SP) CEMENTITIOUS STABILIZED SUBGRADE	38,843.000	M2
326 (F)	M4250 (SP) LIME STABILIZED SUBGRADE	7,769.000	M2
403 (E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	6,881.000	T
407	M0250 TACK COAT	25,239.000	L
408	M5774 PRIME COAT	102,352.000	L
411 (S3)	M5940 (SP) ASPH.CONC., TYPE S3 (PG 70-28 OK)	3,905.000	T
411 (S3)	M5945 (SP) ASPH.CONC., TYPE S3 (PG 64-22 OK)	16,774.000	T
411 (S4)	M5955 (SP) ASPH.CONC., TYPE S4 (PG 70-28 OK)	2,559.000	T
411 (S4)	M5960 (SP) ASPH.CONC., TYPE S4 (PG 64-22 OK)	5,144.000	T
509 (B)	M0321 CLASS A CONCRETE	157.000	M3
509 (D)	M0325 CLASS C CONCRETE	326.000	M3
511 (A)	M0332 REINFORCING STEEL	10,088.000	KG
601 (A)	M0297 TYPE I PLAIN RIPRAP	606.000	T
613 (B)	M0405 450MM R.C.PIPE CLASS III	17.000	M
613 (B)	M4403 560MM X 345MM R.C.PIPE ARCH CLASS A-III	18.000	M
613 (B)	M4415 920MM X 570MM R.C.PIPE ARCH CLASS A-III	21.000	M

CALL ORDER : 380
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : LEFLORE

CONTRACT ID : 050520
 PCN : 0891604
 PROJECTS : BRFY-40C(356)
 DBE GOALS : 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 152.80
 CALENDAR DAYS : 400
 RES. ENG. :
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY			
613 (D) M0689	450MM CORR. GALV. STEEL PIPE	320.000	M
613 (D) M0690	600MM CORR. GALV. STEEL PIPE	41.000	M
613 (D) M0691	750MM CORR. GALV. STEEL PIPE	9.000	M
613 (D) M0692	900MM CORR. GALV. STEEL PIPE	34.000	M
613 (D) M0696	1500MM CORR. GALV. STEEL PIPE	63.000	M
613 (D) M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH	249.000	M
613 (D) M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH	21.000	M
613 (M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	34.000	EA
613 (M) M0898	600MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613 (M) M4502	510MM X 380MM PREFAB.CULV.END SEC., ARCH	8.000	EA
613 (M) M4508	560MM X 345MM PREFAB.CULV.END SEC., ARCH	2.000	EA
613 (M) M4528	920MM X 570MM PREFAB.CULV.END SEC., ARCH	2.000	EA
613 (P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	222.000	M
613 (Q) M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	74.000	M
619 (A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B) M0291	REMOVAL OF HEADWALL	2.000	EA
619 (B) M4728	REMOVAL OF ASPHALT PAVEMENT	39,482.000	M2
619 (C) M0924	SAWING PAVEMENT	1,877.000	M
623 (A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,585.000	M
623 (E) M7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	8.000	EA
623 (F) M6032	GUARD RAIL ANCHOR UNIT (TYPE I)	14.000	EA
623 (H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	15.000	EA
624 (C) M4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	2,983.000	M
629 (A) M4958	MAILBOX INSTALLATION-SINGLE	14.000	EA
629 (C) M4960	MAILBOX	14.000	EA
629 (D) M4961	REMOVAL OF MAILBOX INSTALLATION	14.000	EA
653 (C) M5946	OUTLET LATERAL HEADWALL	3.000	EA
SECTION NO. 0002 BRIDGE 'A'			
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	98.600	M3
501 (F) M6352	GRANULAR BACKFILL	136.000	M3
503 (A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	95.600	M
504 (A) M1304	APPROACH SLAB	151.920	M2
504 (E) M6245	CONCRETE RAIL (TR4)	72.400	M
504 (H) M6390	RAPID CURE JOINT SEALANT	24.600	M
506 (A) M1322	STRUCTURAL STEEL	69.000	KG
509 (A) M1326	CLASS AA CONCRETE	96.500	M3
509 (B) M1328	CLASS A CONCRETE	41.000	M3
509 (D) M1331	CLASS C CONCRETE	3.500	M3
511 (B) M6010	EPOXY COATED REINFORCING STEEL	13,134.000	KG
514 M6260	(PL)PILOT HOLES	115.200	M
514 (A) M6011	PILES, FURNISHED (HP 250X62)	138.600	M

CALL ORDER : 380
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : LEFLORE

CONTRACT ID : 050520
 PCN : 0891604
 PROJECTS : BRFY-40C(356)
 DBE GOALS : 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 152.80
 CALENDAR DAYS : 400
 RES. ENG. :
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002	BRIDGE 'A'		
514 (B) M6292	PILES, DRIVEN (HP 250X62)	138.600	M
514 (F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	112.000	M2
535 M6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.200	M
613 (Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	40.000	M
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	BRIDGE 'B'		
202 (A) M1301	UNCLASSIFIED EXCAVATION	350.000	M3
501 (A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	60.000	M3
504 (E) M6245	CONCRETE RAIL (TR4)	16.280	M
509 (B) M1328	CLASS A CONCRETE	163.600	M3
511 (B) M6010	EPOXY COATED REINFORCING STEEL	16,770.000	KG
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004	BRIDGE 'C'		
202 (A) M1301	UNCLASSIFIED EXCAVATION	542.000	M3
501 (A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	94.000	M3
504 (E) M6245	CONCRETE RAIL (TR4)	47.800	M
509 (B) M1328	CLASS A CONCRETE	223.000	M3
511 (B) M6010	EPOXY COATED REINFORCING STEEL	17,800.000	KG
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0005	BRIDGE 'D'		
202 (A) M1301	UNCLASSIFIED EXCAVATION	1,711.000	M3
501 (A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	263.000	M3
509 (B) M1328	CLASS A CONCRETE	480.000	M3
511 (B) M6010	EPOXY COATED REINFORCING STEEL	38,920.000	KG
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0006	BRIDGE 'E'		
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	396.000	M3
501 (F) M6352	GRANULAR BACKFILL	108.000	M3
503 (A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	397.680	M
504 (A) M1304	APPROACH SLAB	233.200	M2
504 (C) M6250	SEALED EXPANSION JOINT	28.400	M
504 (E) M6245	CONCRETE RAIL (TR4)	240.000	M
504 (H) M6390	RAPID CURE JOINT SEALANT	28.200	M

CALL ORDER : 380
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : LEFLORE

CONTRACT ID : 050520
 PCN : 0891604
 PROJECTS : BRFY-40C(356)
 DBE GOALS : 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 152.80
 CALENDAR DAYS : 400
 RES. ENG. :
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0006 BRIDGE 'E'			
506 (A) M1322	STRUCTURAL STEEL	745.000	KG
509 (A) M1326	CLASS AA CONCRETE	275.800	M3
509 (B) M1328	CLASS A CONCRETE	222.300	M3
509 (D) M1331	CLASS C CONCRETE	6.700	M3
511 (A) M1332	REINFORCING STEEL	640.000	KG
511 (B) M6010	EPOXY COATED REINFORCING STEEL	77,265.000	KG
514 M6260	(PL)PILOT HOLES	58.400	M
514 (A) M6011	PILES, FURNISHED (HP 250X62)	37.000	M
514 (A) M6013	PILES, FURNISHED (HP 310X79)	138.600	M
514 (B) M6292	PILES, DRIVEN (HP 250X62)	37.000	M
514 (B) M6294	PILES, DRIVEN (HP 310X79)	138.600	M
514 (F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	1,425.700	M2
516 (A) M6096	DRILLED SHAFTS 1500MM DIAMETER	58.200	M
523 (A) M6550	(SP) SEALER CRACK PREPARATION	14.400	M
523 (B) M6560	(SP) SEALER RESIN	1.200	L
535 M6164	(PL)FIXED BEARING ASSEMBLY	16.000	EA
535 M6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 M6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	26.400	M
613 (Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	13.000	M
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0007 BRIDGE 'F'			
202 (A) M1301	UNCLASSIFIED EXCAVATION	1,169.000	M3
501 (A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	204.000	M3
509 (B) M1328	CLASS A CONCRETE	356.500	M3
510 (C) M6135	SLOPE WALL (125MM)	1,615.000	M2
511 (B) M6010	EPOXY COATED REINFORCING STEEL	25,385.000	KG
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0008 TRAFFIC CONTROL			
627 (H) M5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	150.000	M
850 (A) M8110	SHEET ALUMINUM SIGNS	44.190	M2
851 (C) M8321	44MM SQUARE TUBE POST	110.920	M
851 (C) M8327	57MM SQUARE TUBE POST	234.970	M
855 (A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	12,300.000	M
855 (B) M8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
856 (A) M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	4,350.000	M
856 (C) M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	1,000.000	M
856 (G) M8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	8,000.000	EA

CALL ORDER : 380
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : LEFLORE

CONTRACT ID : 050520
 PCN : 0891604
 PROJECTS : BRFY-40C(356)
 DBE GOALS : 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 152.80
 CALENDAR DAYS : 400
 RES. ENG. :
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0008 TRAFFIC CONTROL			
859 (A) M8006	PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	750.000	M
880 (B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	10,800.000	SD
880 (B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	28,800.000	SD
880 (B) M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	7,560.000	SD
880 (C) M8842	BARRICADES (TYPE III)	27,720.000	SD
880 (C) M8848	WING BARRICADES	720.000	SD
880 (D) M8854	VERTICAL PANELS	41,760.000	SD
880 (E) M8860	WARNING LIGHTS (TYPE A)	63,000.000	SD
880 (E) M8872	WARNING LIGHTS (TYPE C)	83,520.000	SD
880 (F) M8878	DRUMS	41,760.000	SD
882 (B) M8306	PORTABLE CHANGEABLE MESSAGE SIGN	720.000	SD
890 (A) M8724	(PL)REMOVAL OF EXISTING SIGNS	32.000	EA
890A/B M8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
SECTION NO. 0009 STAKING			
642 M0098	STAKING	1.000	LSUM
656 2610	(SP)SET UP OF TRAP & RELOCATE PROCEDURE	4.000	EA
656 2620	(SP)TRAP AND RELOCATE ABB	20.000	DAY
SECTION NO. 0010 CONSTRUCTION			
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM

CALL ORDER : 530
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 050482
 PCN : 1742820
 PROJECTS : OKCY-XTWN(001)HP
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 100.79
 CALENDAR DAYS : 203
 RES. ENG. :
 LIQ. DAM. : \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE & SURFACE I-40 CROSSTOWN: BNSF
 SHOOFLY AND REMOVE SHIELDS BRIDGE NORTHBOUND LANES ONLY.
 PROJECT LENGTH = 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY AND RAILROAD			
104	0900 RAILROAD FLAGGING	1,300.000	HOURL
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	0183 UNCLASSIFIED EXCAVATION	1,786.000	CY
202 (C)	0184 UNCLASSIFIED BORROW	38,924.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	6,985.000	LF
227	0100 TEMPORARY SILT DIKE	135.000	LF
233 (A)	2817 VEGETATIVE MULCHING	1.400	AC
506 (A)	1322 STRUCTURAL STEEL	79,326.000	LB
510	6350 (PL)STEEL SHEET PILING	4,251.000	SY
514 (A)	6018 PILES, FURNISHED (HP 14X117)	5,320.000	LF
514 (B)	6299 PILES, DRIVEN (HP 14X117)	5,320.000	LF
550	6509 (PL)SUB-BALLAST TYPE B	2,698.000	CY
619 (A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
SECTION NO. 0002 ROADWAY			
407	0250 TACK COAT	69.000	GAL
411 (S3)	5945 (SP)ASPH.CONC.,TYPE S3 (PG 64-22 OK)	148.000	TON
411 (S4)	5960 (SP)ASPH.CONC.,TYPE S4 (PG 64-22 OK)	53.000	TON
619 (B)	4791 REMOVAL OF CURB	1,060.000	LF
619 (B)	4915 REMOVAL OF CONCRETE MEDIAN BARRIER	670.000	LF
619 (B)	6132 REMOVAL OF 6" CONCRETE DIVIDING STRIP	460.000	SY
619 (C)	0924 SAWING PAVEMENT	1,076.000	LF
SECTION NO. 0003 SANITARY SEWER RELO.			
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	600.000	LF
227	0100 TEMPORARY SILT DIKE	40.000	LF
230 (A)	2806 SOLID SLAB SODDING	334.000	SY
233 (A)	2817 VEGETATIVE MULCHING	0.070	AC
234 (A)	2824 FERTILIZING (10-20-10)	0.030	TON
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	2.000	EA
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	60.000	TON
408	5774 PRIME COAT	71.000	GAL
411 (S4)	5960 (SP)ASPH.CONC.,TYPE S4 (PG 64-22 OK)	44.000	TON

CALL ORDER : 530
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 050482
 PCN : 1742820
 PROJECTS : OKCY-XTWN(001)HP
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 100.79
 CALENDAR DAYS : 203
 RES. ENG. :
 LIQ. DAM. : \$ 1500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003 SANITARY SEWER RELO.			
414 (A)	0258 6" P.C. CONCRETE PAVEMENT	385.000	SY
509 (D)	0325 CLASS C CONCRETE	3.000	CY
611 (A)	2658 MANHOLE (5' DIA.)	1.000	EA
611 (A)	2659 MANHOLE (6' DIA.)	1.000	EA
611 (B)	2681 ADD'L.DEPTH IN MANHOLE (5' DIA.)	10.400	VF
611 (B)	2682 ADD'L.DEPTH IN MANHOLE (6' DIA.)	9.600	VF
611 (D)	4215 MANHOLE FRAME & COVER	2.000	EA
616 (B)	5240 36" POLYVINYL CHLORIDE (PVC) PIPE	616.000	LF
619 (B)	4728 REMOVAL OF ASPHALT PAVEMENT	385.000	SY
890	7702 (PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0004 BRIDGE			
501 (B)	1307 SUBSTRUCTURE EXCAVATION COMMON	54.000	CY
503 (A)	1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	591.000	LF
503 (C)	1510 PRESTR.CONC.DBL.BOX GIRDER (30"X7'-0")	2,145.000	LF
504 (G)	6006 HANDRAILING	1,530.000	LF
506 (A)	1322 STRUCTURAL STEEL	818,720.000	LB
509 (A)	1326 CLASS AA CONCRETE	553.000	CY
511 (A)	1332 REINFORCING STEEL	125,834.000	LB
514 (A)	6016 PILES, FURNISHED (HP 14X89)	8,751.000	LF
514 (B)	6297 PILES, DRIVEN (HP 14X89)	8,751.000	LF
516 (A)	6095 DRILLED SHAFTS 54" DIAMETER	704.000	LF
535	6164 (PL)FIXED BEARING ASSEMBLY	24.000	EA
535	6165 (PL)EXPANSION BEARING ASSEMBLY	88.000	EA
613 (W)	4030 2" POLYETHYLENE PIPE	24.000	LF
SECTION NO. 0005 BRIDGE DEMOLITION			
505 (E)	6250 (SP)ELASTOMERIC MORTAR (PATCHING)	12.000	CF
619 (B)	2510 (PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619 (B)	4915 REMOVAL OF CONCRETE MEDIAN BARRIER	285.000	LF
SECTION NO. 0006 TRAFFIC OPERATIONS			
627 (H)	5856 DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	320.000	LF
855 (A)	8812 TRAFFIC STRIPE (PLASTIC) (4" WIDE)	300.000	LF
856 (A)	8839 CONSTRUCTION TRAFF.STR. (PAINT) (4" WIDE)	31,094.000	LF
856 (B)	8842 CONSTRUCTION TRAFFIC STR. (PAINT) (ARROWS)	10.000	EA
856 (B)	8845 CONSTRUCTION TRAFFIC STR. (PAINT) (WORDS)	20.000	EA
856 (C)	8851 REMOVABLE PAVEMENT MARKING TAPE (4" WIDE)	500.000	LF
856 (G)	8890 (PL)CONST.ZONE PAV.MKRS (FLEX TAB) TYP.2-2	1,000.000	EA
859 (A)	8006 PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	12,900.000	LF

CALL ORDER : 530
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 050482
 PCN : 1742820
 PROJECTS : OKCY-XTWN(001)HP
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 100.79
 CALENDAR DAYS : 203
 RES. ENG. :
 LIQ. DAM. : \$ 1500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0006 TRAFFIC OPERATIONS			
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	1,122.000	SD
880(A) 8806	ARROW DISPLAY(TYPE B)	374.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6,732.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	8,228.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4,488.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	748.000	SD
880(C) 8836	BARRICADES(TYPE II)	1,870.000	SD
880(C) 8842	BARRICADES(TYPE III)	8,228.000	SD
880(C) 8848	WING BARRICADES	2,992.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	20,196.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	54,230.000	SD
880(F) 8878	DRUMS	54,230.000	SD
880(G) 8884	TUBE CHANNELIZERS	32,912.000	SD
880(M) 8340	(SP)TEMPORARY ROADWAY LIGHTING ASSEMBLY	5,300.000	LMDY
SECTION NO. 0007 STAKING			
642 0098	STAKING	1.000	LSUM
SECTION NO. 0008 CONSTRUCTION			
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

CALL ORDER : 615
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 050469
 PCN : 0534604
 PROJECTS : BRFY-062B(231)
 CALENDAR DAYS : 270
 RES. ENG.:
 LIQ. DAM.: \$ 800

CONTRACT DESCRIPTION:

GRADE, DRAIN, BRIDGE & SURFACE SH-99: MILL CREEK BRIDGE
 SOUTH OF FITTSTOWN. PROJECT LENGTH = 0.554 MILES ASPHALT
 GRADE = PG 64-22 OK FLEXIBLE ESALS = 2.6 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS	
SECTION NO. 0001 ROADWAY ITEMS				
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202 (A)	0183	UNCLASSIFIED EXCAVATION	43,787.000	CY
202 (C)	0184	UNCLASSIFIED BORROW	6,176.000	CY
205	4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801	TEMPORARY SILT FENCE	1,100.000	LF
226	2805	TEMPORARY SEDIMENT REMOVAL	100.000	CY
227	0100	TEMPORARY SILT DIKE	147.000	LF
229	4318	DITCH LINER PROTECTION	2,129.000	LF
230 (A)	2806	SOLID SLAB SODDING	19,532.000	SY
230 (B)	2807	MULCH SODDING	28,158.000	SY
230 (F)	2812	WATERING	1,908.000	MGAL
232 (B)	2814	SEEDING METHOD B	10.760	AC
233 (A)	2817	VEGETATIVE MULCHING	10.760	AC
234 (A)	2824	FERTILIZING (10-20-10)	4.770	TON
234 (A)	4406	FERTILIZING (0-46-0)	0.740	TON
235 (A)	0100	(PL) ROCK FILTER DAM, TYPE 1	9.000	CY
238	0300	(PL) TEMPORARY SEDIMENT TRAP	6.000	EA
241	2832	MOWING	9.850	AC
303	0192	AGGREGATE BASE	3,992.000	CY
325	5271	SEPARATOR FABRIC	19,994.000	SY
326 (A)	4200	(SP) FLY ASH	810.000	TON
326 (B)	4210	(SP) LIME	82.000	TON
326 (E)	4240	(SP) CEMENTITIOUS STABILIZED SUBGRADE	18,403.000	SY
326 (G)	4260	(SP) LIME PRETREATMENT	7,504.000	SY
403 (E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,524.000	TON
407	0250	TACK COAT	2,464.000	GAL
408	5774	PRIME COAT	8,220.000	GAL
411 (S3)	5945	(SP) ASPH. CONC., TYPE S3 (PG 64-22 OK)	9,400.000	TON
411 (S4)	5960	(SP) ASPH. CONC., TYPE S4 (PG 64-22 OK)	2,799.000	TON
501 (A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	34.000	CY
509 (B)	0321	CLASS A CONCRETE	65.770	CY
509 (D)	0325	CLASS C CONCRETE	329.000	CY
511 (A)	0332	REINFORCING STEEL	8,382.000	LB
601 (A-1)	0536	TYPE I-A PLAIN RIPRAP	134.000	TON
613 (B)	0491	18" R.C. PIPE CLASS III	339.000	LF
613 (CC)	7196	TYPE A6 CULVERT END TREATMENT	28.000	EA
613 (CC)	7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613 (D)	0689	18" CORR. GALV. STEEL PIPE	312.000	LF
613 (D)	0690	24" CORR. GALV. STEEL PIPE	80.000	LF
613 (D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	254.000	LF

CALL ORDER : 615
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 050469
 PCN : 0534604
 PROJECTS : BRFY-062B(231)
 CALENDAR DAYS : 270
 RES. ENG.:
 LIQ. DAM.: \$ 800

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY ITEMS			
613 (P) 1092	8" PERFORATED PIPE UNDERDRAIN ROUND	209.000	LF
613 (Q) 1097	8" NON-PERF. PIPE UNDERDRAIN RND.	70.000	LF
613 (R) 1100	PIPE UNDERDRAIN COVER MAT'L.	63.000	CY
613 (S) 1180	TRENCH EXCAVATION	84.000	CY
613 (T) 1181	STANDARD BEDDING MATERIAL	14.000	CY
619 (A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B) 0291	REMOVAL OF HEADWALL	3.000	EA
619 (B) 4728	REMOVAL OF ASPHALT PAVEMENT	7,960.000	SY
619 (C) 0924	SAWING PAVEMENT	2,622.000	LF
623 (A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	612.500	LF
623 (E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623 (H) 8571	(SP) G.E.T. GUARD RAIL END SECTION	4.000	EA
624 (A) 4281	FENCE-STYLE WWF	204.000	LF
624 (C) 4459	(SP) FENCE-STYLE SWF (5 BARBED WIRE)	2,214.000	LF
653 (C) 5946	OUTLET LATERAL HEADWALL	1.000	EA
SECTION NO. 0002 BRIDGE ITEMS			
501 (B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501 (F) 6352	GRANULAR BACKFILL	440.000	CY
503 (A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	479.000	LF
504 (A) 1304	APPROACH SLAB	315.200	SY
504 (E) 6245	CONCRETE RAIL (TR4)	383.000	LF
506 (A) 1322	STRUCTURAL STEEL	800.000	LB
509 (A) 1326	CLASS AA CONCRETE	212.300	CY
509 (B) 1328	CLASS A CONCRETE	89.000	CY
511 (B) 6010	EPOXY COATED REINFORCING STEEL	53,020.000	LB
514 (A) 6010	PILES, FURNISHED (HP 10X42)	684.000	LF
514 (B) 6292	PILES, DRIVEN (HP 10X42)	684.000	LF
514 (F) 6354	PILE LOAD TEST (DYNAMIC)	24.000	EA
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	500.000	SY
523 (A) 6550	(SP) SEALER CRACK PREPARATION	82.000	LF
523 (B) 6560	(SP) SEALER RESIN	52.000	GAL
535 6164	(PL) FIXED BEARING ASSEMBLY	8.000	EA
601 (A-1) 1353	TYPE I-A PLAIN RIPRAP	420.000	TON
601 (A-2) 1355	TYPE I-A FILTER BLANKET	85.000	TON
613 (P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	86.000	LF
613 (Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	150.000	LF
619 (B) 2500	(PL) REMOVAL OF BRIDGE ITEMS	1.000	LSUM
SECTION NO. 0003 TRAFFIC ITEMS			
850 (A) 8110	SHEET ALUMINUM SIGNS	53.220	SF
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	13,900.000	LF
856 (A) 8839	CONSTRUCTION TRAFF. STR. (PAINT) (4" WIDE)	12,400.000	LF
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 615
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 050469
 PCN : 0534604
 PROJECTS : BRFY-062B(231)
 CALENDAR DAYS : 270
 RES. ENG.:
 LIQ. DAM.: \$ 800

SECTION NO. 0004 STAKING

642	0098	STAKING	1.000	LSUM
656	2610	(SP)SET UP OF TRAP & RELOCATE PROCEDURE	1.000	EA
656	2620	(SP)TRAP AND RELOCATE ABB	5.000	DAY

SECTION NO. 0005 CONSTRUCTION

640	1398	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
643	0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM

CALL ORDER : 700
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 BHIY-40-6(341)290/BPMIY-NBIP(3)
 COUNTIES : SEQUOYAH MUSKOGEE

CONTRACT ID : 050094
 PCN : 2083304M
 PROJECTS :
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 19.51
 CALENDAR DAYS : 140
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR I-40; OVER THE ARKANSAS RIVER AT THE
 MUSKOGEE/SEQUOYAH C/L. PROJECT LENGTH = 0.00 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	BRIDGE 'A' BHIY-40-6(341)290		
202(B) 0105	MUCK EXCAVATION	620.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
502(A) 6173	ENGINEERED FALSEWORK	1.000	LSUM
502(B) 6174	FALSEWORK ENGINEERING SERVICES	1.000	LSUM
504(G) 6006	HANDRAILING	85.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	1,412.000	LF
505(A) 6018	CLASS A BRIDGE DECK REPAIR	12.500	SY
505(B) 6019	CLASS B BRIDGE DECK REPAIR	12.500	SY
506(A) 1322	STRUCTURAL STEEL	6,070.000	LB
507(A) 1324	LUMBER (TREATED)	5.850	MFBM
509(B) 1328	CLASS A CONCRETE	308.500	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	22,320.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	90.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	33.000	GAL
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6386	(PL)SILICONE CONSTRUCTION JOINT	1,200.000	LF
540 4501	(PL)REPAIR BRIDGE ITEMS	4.000	SY
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	8.000	EA
545 4805	(PL)REPLACE BRIDGE ITEMS	2.000	EA
SECTION NO. 0002	BRIDGE 'A' BPMIY-NBIP(353)3B		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
SECTION NO. 0003	TRAFFIC BHIY-40-6(341)290		
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD
SECTION NO. 0004	TRAFFIC BPMIY-NBIP(353)3B		
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 700
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 BHIY-40-6(341)290/BPMIY-NBIP(3
 COUNTIES : SEQUOYAH MUSKOGEE

CONTRACT ID : 050094
 PCN : 2083304M
 PROJECTS :
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 19.51
 CALENDAR DAYS : 140
 RES. ENG.:
 LIQ. DAM.: \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0004	TRAFFIC BPMIY-NBIP(353)3B		
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD
SECTION NO. 0005	CONSTRUCTION BHIY-40-6(341)290		
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0006	CONSTRUCTION BPMIY-NBIP(353)3B		
641 1399	MOBILIZATION	1.000	LSUM

CALL ORDER : 940
 LETTING DATE : September 22, 2005
 LETTING TIME : 10:30 A.M.
 COUNTIES : WASHITA

CONTRACT ID : 050562
 PCN : 2113504
 PROJECTS : BRO-175D(55)CO
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 11.92
 CALENDAR DAYS : 170
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGES AND APPROACHES COUNTY ROAD; OVER THE SOUTH FORK AND
 TRIB. OF CAVALRY CREEK, 4.5 MILES EAST AND 3.0 MILES SOUTH
 OF CORDELL. PROJECT LENGTH = 0.550 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY			
202 (G) 0185	EARTHWORK	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	970.000	LF
223 2801	TEMPORARY SILT FENCE	500.000	LF
230 (A) 2806	SOLID SLAB SODDING	25,490.000	SY
233 (A) 2817	VEGETATIVE MULCHING	5.300	AC
403 (E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,256.000	TON
509 (D) 0325	CLASS C CONCRETE	10.000	CY
613 (CC) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613 (D) 4532	57" X 38" CORR. GALV. STEEL PIPE ARCH	77.000	LF
623 (A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	37.350	LF
850 (A) 8216	SHEET ALUMINUM SIGNS (0.063" THICK)	29.500	SF
851 (D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	48.000	LF
SECTION NO. 0002 BRIDGE 'A'			
202 (A) 0183	UNCLASSIFIED EXCAVATION	684.000	CY
501 (A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	121.000	CY
509 (B) 1328	CLASS A CONCRETE	202.000	CY
511 (A) 1332	REINFORCING STEEL	37,738.000	LB
601 (A-1) 1353	TYPE I-A PLAIN RIPRAP	663.000	TON
601 (A-2) 1355	TYPE I-A FILTER BLANKET	126.000	TON
619 (D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 BRIDGE 'B'			
202 (A) 0183	UNCLASSIFIED EXCAVATION	724.000	CY
501 (A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	168.000	CY
509 (B) 1328	CLASS A CONCRETE	178.000	CY
511 (A) 1332	REINFORCING STEEL	28,345.000	LB
601 (A-1) 1353	TYPE I-A PLAIN RIPRAP	396.000	TON
601 (A-2) 1355	TYPE I-A FILTER BLANKET	90.000	TON
619 (D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004 STAKING			
642 0098	STAKING	1.000	LSUM
SECTION NO. 0005 CONSTRUCTION			
641 1399	MOBILIZATION	1.000	LSUM

BID OPENING OF – September 22 2005

DATE		ORDER NO.					
CONTRACTOR'S ID NO.:		NO. OF PROPOSAL					
ORDER TAKEN BY		TOTAL NO. OF PROPOSALS					
TELEPHONE NO.		COD	PICKUP			UPS	
CONTRACTOR'S NAME		OVERNIGHT	MAIL				
MAILING ADDRESS		FED EX:					
		SPECIFICATION BOOK ORDERED					
CARD		EXPIRATION DATE					
AMERICAN EXPRESS/DISCOVERY/MASTER/VISA					½ size	Full size	X-Sections
	COUNTY	CALL NO.	PROJECT NUMBER	SAMPLE PROPOSAL	BID PROPOSAL	PLAN COST	X-SEC
01.	LEFLORE	380	BRFY-40C(356)		\$25.00	141.00 + 11.80	49
02.	OKLAHOMA	530	OKCY-XTWN(001)HP		\$25.00	93.00 + 7.79	21
03.	PONTOTOC	615	BRFY-062B(231)		\$25.00	58.00 + 4.86	23
04.	SEQUOYAH/ MUSKOGEE	700	BHIY-40-6(341)290 & BPMIY-NBIP(353) 3B		\$25.00	18.00 + 1.51	
05.	WASHITA	940	BRO-175D(55)CO		\$25.00	11.00 + 0.92	12