

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.6b) AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm

REMINDER

ODOT NOW ACCEPTS BIDS ON LINE. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352) 381-4888, OR WWW.BIDX.COM

A PRE-BID CONFERENCE WILL BE HELD AT 9:00 A.M. ON DECEMBER 5, 2008 CONCERNING THIS DECEMBER BID OPENING AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION (ODOT) COMMISSION ROOM

Notice

Electronic bid packages are available for the [December 18, 2008](#) AM Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on [November 26, 2008](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [9:00 a.m.](#) on [December 5, 2008](#) concerning this [December](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Print Services Branch off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes before the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the Office Engineer Division room A5 first floor ODOT building .

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Effective with the January 2009 Letting, the fee for each bid proposal will be raised to fifty dollars (\$50.00) in accordance with Oklahoma Administrative Code 730:25-3-4.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Web site

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:

Office Engineer Division at 405-522-0972

or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words "***Pre-bid question(s)***" in the subject line.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

REMINDER

The Contractor will obtain the ODEQ Storm Water permit as the sole permittee, on all projects that disturb more than one acre. The Contract documents will contain a partially completed copy of the "Notice of Intent (NOI) for Storm Water Discharges Associated with Construction Activity", which is the official application for a Storm Water permit. The Contractor needs to complete Section I, "Facility Owner/Operator Information", "the Construction Start and Completion Date" in Section II and Section III "Certification". This signed document needs to be mailed to:

*DEQ
Environmental Complaints and Local Services
Storm Water Unit
P.O. Box 1677
Oklahoma City, OK 73101-1677*

The Contractor must submit a copy of the completed NOI and ODEQ's "Authorization to Discharge" at the preconstruction conference. The Contractor needs to allow four weeks from the time of arrival at ODEQ for the processing of the Storm Water permit. The Special Provision 220 "Management of Erosion, Sedimentation and Storm Water Pollution Prevention and Control", included in the Contract documents, provides a full explanation of requirements and basis of payment.

Note:

ODOT will no longer allow DBE credit towards project DBE goals for the supplying of liquid asphalt cement or other bituminous materials.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo/dcf2005.htm>

Reminder

*Please be sure that bid bonds are stapled to the **back** of the proposal as instructed on the cover sheet of all proposals.*

Do not disassemble the bidding proposal in any way.

Note:

Only written, Email, Fax and in-person orders will be accepted.

The **Order Form** included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

AWilliams@odot.org

DATE : November 25, 2008

OKLAHOMA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS --

SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING. FROM 30 MINUTES PRIOR TO THE BID OPENING UNTIL THE TIME OF THE BID OPENING, BID PROPOSALS MUST BE TURNED IN DIRECTLY TO THE OFFICE ENGINEER DIVISION LOCATED IN ROOM A5, FIRST FLOOR OF THE ODOT BUILDING. THE SCHEDULED BID OPENING IS 10:30 A.M. December 18, 2008, FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM THE OFFICE ENGINEER DIVISION, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$25.00 + tax FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 + tax, OR 1996 METRIC STANDARD SPECIFICATION \$27.00 + TAX, OR 1999 METRIC AND ENGLISH STANDARD SPECIFICATION \$55.00 + TAX. (OKLAHOMA TAX IS 8.375%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE FOR BIDDING DOCUMENTS OR SPECIFICATION BOOKS PURCHASED BY PROSPECTIVE BIDDERS.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

CALL ORDER : 010
 LETTING DATE : December 18, 2008
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 080461
 PCN : 0903405
 PROJECTS : SEC1702Y-114A(191)HP
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 346.80
 CALENDAR DAYS : 600
 TIME 'B' BID : 15000 /DAY
 RES. ENG.: JAMES MAYO, PURCELL

CONTRACT DESCRIPTION:

GRADE, DRAIN, SURFACE AND BRIDGE I-35: FROM 0.5 MILES NORTH
 OF MAIN STREET, EXTEND NORTH. PROJECT LENGTH = 4.594 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	0183 UNCLASSIFIED EXCAVATION	112,524.000	CY
202 (C)	0184 UNCLASSIFIED BORROW	1,000.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	15,000.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	60.000	EA
227	0100 TEMPORARY SILT DIKE	2,500.000	LF
230 (A)	2806 SOLID SLAB SODDING	261,000.000	SY
233 (A)	2817 VEGETATIVE MULCHING	54.000	AC
303	0192 AGGREGATE BASE	51,650.000	CY
310 (B)	0149 SUBGRADE, METHOD B	37,900.000	SY
325	5271 SEPARATOR FABRIC	285,790.000	SY
327 (A)	4200 (SP) FLY ASH	8,978.000	TON
327 (D)	4230 (SP) LIME	695.000	TON
327 (E)	4240 (SP) CEMENTITIOUS STABILIZED SUBGRADE	207,845.000	SY
327 (G)	4260 (SP) LIME PRETREATMENT	60,750.000	SY
328	2600 (SP) GEOSYNTHETIC SUBGRADE REINFORCEMENT	31,175.000	SY
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
407	0250 TACK COAT	57,025.000	GAL
408	5774 PRIME COAT	84,255.000	GAL
409	3200 (SP) PERMEABLE FRICTION COURSE	14,196.000	TON
411 (S3)	5935 (SP) ASPH.CONC., TYPE S3 (PG 76-28 OK)	59,375.000	TON
411 (S3)	5945 (SP) ASPH.CONC., TYPE S3 (PG 64-22 OK)	87,815.000	TON
411 (S4)	5950 (SP) ASPH.CONC., TYPE S4 (PG 76-28 OK)	42,415.000	TON
414 (A)	0261 9" P.C. CONCRETE PAVEMENT	12,600.000	SY
414 (A1)	5753 8" P.C. DOWEL JOINTED CONCRETE PAVEMENT	17,405.000	SY
417	4267 COLD MILLING BITUMINOUS PAVEMENT	165,335.000	SY
417	4659 (PL) FOG SEAL	16,534.000	GAL
501 (A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	82.000	CY
504 (F)	6190 42" F-SHAPED PARAPET	1,800.000	LF
509 (B)	0321 CLASS A CONCRETE	205.000	CY
509 (B)	4153 CLASS A CONCRETE (MED.BAR.DES.1-A)	4,341.000	CY
509 (C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	10.000	CY
509 (D)	0325 CLASS C CONCRETE	1,146.000	CY
510 (A)	6334 RETAINING WALL	1,100.000	SY
510 (C)	6135 SLOPE WALL (5")	1,075.000	SY
511 (A)	0332 REINFORCING STEEL	126,083.000	LB
601 (A)	0297 TYPE I PLAIN RIPRAP	500.000	TON

CALL ORDER : 010
 LETTING DATE : December 18, 2008
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 080461
 PCN : 0903405
 PROJECTS : SEC1702Y-114A(191)HP
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 346.80
 CALENDAR DAYS : 600
 TIME 'B' BID : 15000 /DAY
 RES. ENG.: JAMES MAYO, PURCELL

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY		
609(B) 1500	1'-8" COMB.CRB.& GUT.(4" MNTBLE)	361.000	LF
609(B) 1523	2'-8" COMB.CRB.& GUT.(4" MNTBLE)	1,380.000	LF
609(B) 1524	2'-8" COMB.CRB.& GUT.(6" MNTBLE)	1,078.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	275.000	SY
611(A) 2657	MANHOLE (4' DIA.)	1.000	EA
611(D) 4215	MANHOLE FRAME & COVER	1.000	EA
611(E) 4012	(PL)SPECIAL INLET DRAIN	35.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	1.000	EA
611(E) 5328	INLET GPI TYPE 1 (DES. 2)	1.000	EA
611(E) 6002	INLET (SMD-TYPE 2)	21.000	EA
611(E) 6004	INLET (SMD-TYPE 2A)	4.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	142.000	EA
611(J) 0487	JUNCTION BOXES	496.000	CF
611(K) 4488	CAST IRON CURB INLETS	2.000	EA
612(E) 0645	INLETS ADJUST TO GRADE	2.000	EA
613(B) 0491	18" R.C.PIPE CLASS III	8,158.000	LF
613(B) 0492	24" R.C.PIPE CLASS III	8,501.000	LF
613(B) 0493	30" R.C.PIPE CLASS III	2,742.000	LF
613(B) 4410	28 1/2" X 18" R.C.PIPE CLASS A-III	1,064.000	LF
613(B) 4498	43" X 26" R.C.PIPE ARCH CLASS A-III	175.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	1.000	EA
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(CC) 7198	TYPE C6 CULVERT END TREATMENT	1.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	570.000	LF
613(G) 0760	18" GALV. STEEL CULVERT END SEC. RND.	6.000	EA
613(M) 4584	28 1/2" X 18" PREFAB. CULV END SEC. ARCH	2.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(MM) 7500	TYPE A4 SLOPED CONCRETE END SECTION	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	7,395.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	5,585.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	74,640.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	25,395.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	4,290.000	LF
619(B) 4821	REMOVAL OF CONCRETE SLOPE PROTECTION	1,040.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	110.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	475.000	LF
623(E) 7113	BEAM GUARD RAIL-THRIE-BEAM TRANS. SECT.	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	2,135.000	LF
624(D) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	7,570.000	LF
627(A) 4310	PRECAST CONCRETE MEDIAN BARRIER, TYPE I	710.000	LF

CALL ORDER : 010
 LETTING DATE : December 18, 2008
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 080461
 PCN : 0903405
 PROJECTS : SEC1702Y-114A(191)HP
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 346.80
 CALENDAR DAYS : 600
 TIME 'B' BID : 15000 /DAY
 RES. ENG.: JAMES MAYO, PURCELL

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY			
627 (I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	7,600.000	LF
628 5110	(PL)CABLE END ANCHOR UNIT	1.000	EA
629 (E) 5048	REMOVE AND RESET MAILBOX	3.000	EA
653 (A) 5915	EDGE DRAIN CONDUIT-PERFORATED	88,000.000	LF
653 (B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	7,200.000	LF
653 (C) 5946	OUTLET LATERAL HEADWALL	190.000	EA
SECTION NO. 0002 WATERLINE			
612 (M) 4475	12" WATER LINE RELOCATION	1.000	LSUM
SECTION NO. 0003 BRIDGE "A"			
202 (A) 1301	UNCLASSIFIED EXCAVATION	432.000	CY
501 (A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	92.000	CY
509 (A) 1326	CLASS AA CONCRETE	271.000	CY
511 (A) 1332	REINFORCING STEEL	44,153.000	LB
619 (B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
SECTION NO. 0004 BRIDGE "B"			
501 (B) 1307	SUBSTRUCTURE EXCAVATION COMMON	229.000	CY
501 (G) 6309	CLSM BACKFILL	189.000	CY
503 (A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	173.330	LF
503 (A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	838.330	LF
504 (A) 1304	APPROACH SLAB	285.300	SY
504 (C) 6276	(PL)SEALED EXPANSION JOINTS	45.660	LF
504 (F) 6190	42" F-SHAPED PARAPET	533.400	LF
506 (A) 1322	STRUCTURAL STEEL	1,650.000	LB
509 (A) 1326	CLASS AA CONCRETE	234.600	CY
509 (B) 1328	CLASS A CONCRETE	316.300	CY
510 (C) 6138	SLOPE WALL (5")	984.000	SY
511 (B) 6010	EPOXY COATED REINFORCING STEEL	83,110.000	LB
514 (A) 6010	PILES, FURNISHED (HP 10X42)	148.000	LF
514 (A) 6011	PILES, FURNISHED (HP 12X53)	471.000	LF
514 (B) 6292	PILES, DRIVEN (HP 10X42)	148.000	LF
514 (B) 6294	PILES, DRIVEN (HP 12X53)	471.000	LF
514 (F) 6354	PILE LOAD TEST (DYNAMIC)	14.000	EA
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,103.000	SY
516 (A) 6098	DRILLED SHAFTS 72" DIAMETER	48.000	LF
523 (A) 6550	(SP) SEALER CRACK PREPARATION	45.000	LF
523 (B) 6560	(SP) SEALER RESIN	1.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	18.000	EA

CALL ORDER : 010
 LETTING DATE : December 18, 2008
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 080461
 PCN : 0903405
 PROJECTS : SEC1702Y-114A(191)HP
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 346.80
 CALENDAR DAYS : 600
 TIME 'B' BID : 15000 /DAY
 RES. ENG.: JAMES MAYO, PURCELL

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0004 BRIDGE "B"			
535 6165	(PL)EXPANSION BEARING ASSEMBLY	10.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	381.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	180.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0005 BRIDGE "C"			
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	17.000	CY
501(F) 6352	GRANULAR BACKFILL	36.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,354.670	LF
504(C) 6276	(PL)SEALED EXPANSION JOINTS	160.000	LF
504(F) 1381	CONCRETE PARAPET	340.000	LF
504(F) 6190	42" F-SHAPED PARAPET	340.000	LF
506(A) 1322	STRUCTURAL STEEL	1,830.000	LB
509(A) 1326	CLASS AA CONCRETE	381.000	CY
509(B) 1328	CLASS A CONCRETE	568.000	CY
511(A) 1332	REINFORCING STEEL	12,660.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	107,610.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,041.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	300.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	80.000	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	16.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
SECTION NO. 0006 TRAFFIC SIGNING AND STRIPING			
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	400.000	LF
803 8065	PULL BOX(SIZE I)	4.000	EA
804(A) 2915	STRUCTURAL CONCRETE	517.500	CY
804(B) 2916	REINFORCING STEEL	69,921.000	LB
809(D) 8453	OVERHEAD SIGN LUMINAIRE	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	873.000	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	336.000	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	4,234.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	28.000	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	280.000	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	114.000	LF
851(A) 3211	8"@35 GALV.STL.WD.FLANGE BM.POST	122.000	LF
851(A) 3212	8"@40 GALV.STL.WD.FLANGE BM.POST	46.000	LF
851(A) 3214	10"@49 GALV.STL.WD.FLANGE BM.POST	46.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	96.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STL.PIPE POST	280.000	LF

CALL ORDER : 010
 LETTING DATE : December 18, 2008
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 080461
 PCN : 0903405
 PROJECTS : SEC1702Y-114A(191)HP
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 346.80
 CALENDAR DAYS : 600
 TIME 'B' BID : 15000 /DAY
 RES. ENG.: JAMES MAYO, PURCELL

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0006 TRAFFIC SIGNING AND STRIPING			
851 (C) 8321	1 3/4" SQUARE TUBE POST	204.000	LF
851 (C) 8324	2" SQUARE TUBE POST	288.000	LF
851 (C) 8327	2 1/4" SQUARE TUBE POST	344.000	LF
852 8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL	34.000	LF
852 (B) 0100	OVHD.SN.STR., MONOTUBE TYPE A 70'	1.000	EA
852 (B) 0105	OVHD.SN.STR., MONOTUBE TYPE A 75'	1.000	EA
852 (B) 0115	OVHD.SN.STR., MONOTUBE TYPE A 85'	3.000	EA
852 (B) 0130	OVHD.SN.STR., MONOTUBE TYPE A 100'	1.000	EA
852 (B) 0500	OVHD.SN.STR., MONOTUBE TYPE C	8.000	EA
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	113,556.000	LF
855 (A) 8813	TRAFFIC STRIPE (PLASTIC) (6" WIDE)	31,182.000	LF
855 (A) 8814	TRAFFIC STRIPE (PLASTIC) (8" WIDE)	8,922.000	LF
855 (B) 8818	TRAFFIC STRIPE (PLASTIC) (ARROWS)	12.000	EA
855 (B) 8821	TRAFFIC STRIPE (PLASTIC) (WORDS)	4.000	EA
870 (A) 8011	SAND FILLED IMPACT ATTEN.MODULE	114.000	EA
871 8325	(PL) IMPACT ATTENUATOR	6.000	EA
878 (B) 8485	MODULAR GLARE SCREEN	110.000	LF
890 (A) 8706	(PL)REMOVAL OF CABLE GUARD BARRIER POST	21,782.000	LF
890 (A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
890 (A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	15.000	EA
SECTION NO. 0007 TRAFFIC OPERATIONS			
627 (O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	86,650.000	LF
627 (P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	53,930.000	LF
856 (A) 8839	CONSTRUCTION TRAFF.STR. (PAINT) (4" WIDE)	347,340.000	LF
856 (G) 8887	(PL)CONST.ZONE PAV.MKRS (FLEX TAB) TYP.2-1	6,350.000	EA
859 (A) 8006	PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	155,172.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	2,860.000	SD
876 (C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	100.000	SD
880 (A) 8806	ARROW DISPLAY (TYPE B)	100.000	SD
880 (A) 8812	ARROW DISPLAY (TYPE C)	1,460.000	SD
880 (B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,380.000	SD
880 (B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	23,640.000	SD
880 (B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	58,280.000	SD
880 (C) 8842	BARRICADES (TYPE III)	7,650.000	SD
880 (E) 8860	WARNING LIGHTS (TYPE A)	14,100.000	SD
880 (E) 8872	WARNING LIGHTS (TYPE C)	123,170.000	SD
880 (F) 8878	DRUMS	120,530.000	SD
880 (G) 8884	TUBE CHANNELIZERS	36,159.000	SD
880 (L) 8911	TRAFFIC SURVEILLANCE, POLICE	3,840.000	HOURL
880 (M) 8340	(SP)TEMPORARY ROADWAY LIGHTING ASSEMBLY	26,840.000	IMDY

CALL ORDER : 010
 LETTING DATE : December 18, 2008
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 080461
 PCN : 0903405
 PROJECTS : SEC1702Y-114A(191)HP
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 346.80
 CALENDAR DAYS : 600
 TIME 'B' BID : 15000 /DAY
 RES. ENG.: JAMES MAYO, PURCELL

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0007 TRAFFIC OPERATIONS			
882	8370 (SP) SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	4,880.000	SD
882	8372 (SP) SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	3,660.000	SD
882	8374 (SP) SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	1,830.000	SD
882	8376 (SP) SMART WK. ZONE SYS.-WEBSITE SYSTEM	610.000	SD
882(B)	8306 PORT.CHANGEABLE MESSAGE SIGN	3,660.000	SD
SECTION NO. 0008 TRAFFIC LIGHTING			
516(A)	6094 DRILLED SHAFTS 48" DIAMETER	250.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	210.000	SY
802(A)	8300 3/4" GALV.STEEL ELECT.COND. EXPOSED	440.000	LF
802(A)	8306 1 1/4" GALV.STEEL ELECT.COND. EXPOSED	25.000	LF
802(B)	8340 2" PVC SCH.40 PLASTIC CONDUIT BORED	795.000	LF
802(B)	8342 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	24,168.000	LF
802(D)	8370 JUNCTION BOX(6" X 6" X 4")	4.000	EA
803	8060 (PL) PULL BOX	107.000	EA
803	8065 PULL BOX(SIZE I)	11.000	EA
804(A)	2915 STRUCTURAL CONCRETE	114.100	CY
804(B)	2916 REINFORCING STEEL	32,200.000	LB
806(D)	8995 36' MTG.HT.HL.PTP.(G.STL.)	107.000	EA
809(A)	8090 (PL) ROADWAY LUMINAIRE	214.000	EA
809(B)	8098 UNDERPASS LUMINAIRE	12.000	EA
809(E)	8103 HIGH MAST LUMINAIRE	42.000	EA
810(A)	3118 SERVICE POLE	5.000	EA
811	8038 1/C NO.4 ELECT.COND.	53,610.000	LF
811	8044 1/C NO.10 ELECT.COND.	1,000.000	LF
811	8046 1/C NO.12 ELECT.COND.	19,260.000	LF
812	8060 120' HIGH MAST POLE(G.STL.)	8.000	EA
812	8064 130' HIGH MAST POLE(G.STL.)	2.000	EA
813	8074 HIGH MAST LOWERING DEV.TYP.I	10.000	EA
890(A)	8712 (PL) REMOVAL OF LIGHT POLE	47.000	EA
890A/B	8744 (PL) REMOVE & RESET LIGHT POLE	3.000	EA
SECTION NO. 0009 STAKING			
642	0098 STAKING	1.000	LSUM
SECTION NO. 0010 CONSTRUCTION			
220	2800 (SP) SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640	1426 FIELD OFFICE	1.000	EA
641	1552 MOBILIZATION	1.000	LSUM
643	0087 (SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402	X (suspended by FHWA) (pending debarment)	
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
Mr. Jerod Neil Smith 1309 Southwest 7 th Street Stigler, OK 74462		X

BID OPENING OF -- December 18, 2008

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> UPS <input type="checkbox"/> Mail <input type="checkbox"/> Fed Ex #:
Contractor's Name:	
Telephone No:	
Physical Address:	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	CLEVELAND	010	SEC1702Y-114A(191)HP	09034(05)		\$25.00	320.00 + 26.80	77