

Oklahoma DOT Central Lab Technician Evaluations Summarized

Most Recent Authorized Evaluations

AR = AASHTO:resource OTH = Other NP = Not Performed for Assessment
 CC = CCRL NA = No Qualified Testers

Lab ID	Lab Name	Evald. Tsts.	Tot. Tsts.
93	Central Bituminous Mixture Lab	AR 15	15
		NP 0	1
		OTH 1	4

Accreditation Program: **AASHTO re:source (AR)**

<u>Test Method(s)</u>		<u>Test Description</u>					
T269		Air Voids					
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	4/6/2023	4	4/5/2027	9700362304068000	
Massey, Kyle	kmassey	3852	1/11/2021	4	1/10/2025	9734242101111330	
Smith, Jerry D.	jsmith	0036	9/26/2023	4	9/25/2027	9734242309261030	

<u>Test Method(s)</u>		<u>Test Description</u>					
T308 OHDL26		Binder Content by Ignition					
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	2/23/2021	4	2/22/2025	9734242102231340	
Massey, Kyle	kmassey	3852	2/22/2021	4	2/21/2025	9734242102220840	
Smith, Jerry D.	jsmith	0036	5/27/2021	4	5/26/2025	9734242105270900	

<u>Test Method(s)</u>		<u>Test Description</u>					
T331 OHDL45		BSG Using AVSM (CoreLok)					
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	4/6/2023	4	4/5/2027	9700362304068000	
Massey, Kyle	kmassey	3852	4/11/2023	4	4/10/2027	9700362304110945	
Smith, Jerry D.	jsmith	0036	9/26/2023	4	9/25/2027	9734242309261030	

<u>Test Method(s)</u>	<u>Test Description</u>						
T166	BSG Using SSD						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	4/6/2023	4	4/5/2027	9700362304068000	
Massey, Kyle	kmassey	3852	1/11/2021	4	1/10/2025	9734242101111330	
Smith, Jerry D.	jsmith	0036	9/26/2023	4	9/25/2027	9734242309261030	

<u>Test Method(s)</u>	<u>Test Description</u>						
T312 OHDL14	Density by Gyrotory Compactor						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	4/6/2023	4	4/5/2027	9700362304068000	
Massey, Kyle	kmassey	3852	7/20/2021	4	7/19/2025	9734242107200900	
Smith, Jerry D.	jsmith	0036	9/7/2023	4	9/6/2027	9734242309071300	

<u>Test Method(s)</u>	<u>Test Description</u>						
T324	Hamburg Wheel Track						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	2/22/2021	4	2/21/2025	9734242102221050	
Massey, Kyle	kmassey	3852	4/11/2023	4	4/10/2027	9700362304110945	
Smith, Jerry D.	jsmith	0036	9/28/2023	4	9/27/2027	9734242309280830	

<u>Test Method(s)</u>	<u>Test Description</u>						
T209	Maximum Specific Gravity and Density						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	4/6/2023	4	4/5/2027	9700362304068000	
Massey, Kyle	kmassey	3852	7/20/2021	4	7/19/2025	9734242107200900	
Smith, Jerry D.	jsmith	0036	9/7/2023	4	9/6/2027	9734242309071300	

<u>Test Method(s)</u>	<u>Test Description</u>						
T30	Mechanical Analysis of Extracted Aggregate						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	4/6/2023	4	4/5/2027	9700362304068000	
Massey, Kyle	kmassey	3852	4/11/2023	4	4/10/2027	9700362304110945	
Smith, Jerry D.	jsmith	0036	5/27/2021	4	5/26/2025	9734242105270900	

<u>Test Method(s)</u>	<u>Test Description</u>						
T329	Moisture Content (Oven)						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	2/23/2021	4	2/22/2025	9734242102231340	
Massey, Kyle	kmassey	3852	2/22/2021	4	2/21/2025	9734242102220840	
Smith, Jerry D.	jsmith	0036	9/7/2023	4	9/6/2027	9734242309071300	

<u>Test Method(s)</u>	<u>Test Description</u>						
R47	Reducing Samples						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	4/6/2023	4	4/5/2027	9700362304068000	
Massey, Kyle	kmassey	3852	7/20/2021	4	7/19/2025	9734242107200900	
Smith, Jerry D.	jsmith	0036	9/7/2023	4	9/6/2027	9734242309071300	

<u>Test Method(s)</u>	<u>Test Description</u>						
T283	Resistance to Moisture Damage						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	4/6/2023	4	4/5/2027	9700362304068000	
Massey, Kyle	kmassey	3852	4/11/2023	4	4/10/2027	9700362304110945	
Smith, Jerry D.	jsmith	0036	10/11/2023	4	10/10/2027	9734242310111330	

<u>Test Method(s)</u>	<u>Test Description</u>						
T176 D2419	Sand Equivalent (Soil / Aggregate)						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	8/2/2021	4	8/1/2025	9734242108020947	
Massey, Kyle	kmassey	3852	4/11/2023	4	4/10/2027	9700362304110945	
Smith, Jerry D.	jsmith	0036	9/28/2023	4	9/27/2027	9734242309280830	

<u>Test Method(s)</u>	<u>Test Description</u>						
D3549	Thickness or Height of Compacted Specimens						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	4/6/2023	4	4/5/2027	9700362304068000	
Massey, Kyle	kmassey	3852	4/11/2023	4	4/10/2027	9700362304110945	

<u>Test Method(s)</u>	<u>Test Description</u>						
T304	Uncompacted Voids (Fine) - Method A						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Massey, Kyle	kmassey	3852	7/22/2021	3	7/21/2024	9734242107221330	
Smith, Jerry D.	jsmith	0036	2/9/2021	4	2/8/2025	9734242102091040	

<u>Test Method(s)</u>	<u>Test Description</u>						
R79	Vacuum Drying Compacted Asphalt Specimens						
<u>Technician Name</u>	<u>Tech. UID</u>	<u>Tech. Cert. No.</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	
Herbert, Kenny	kherbert	2883	5/26/2021	4	5/25/2025	9734242105261010	
Massey, Kyle	kmassey	3852	4/11/2023	4	4/10/2027	9700362304110945	
Smith, Jerry D.	jsmith	0036	5/26/2021	4	5/25/2025	9734242105261000	

Oklahoma DOT Central Lab Technician Evaluations Detailed

Most Recent Authorized Evaluations

AR = AASHTO:resource OTH = Other
 CC = CCRL NP = Not Performed for Assessment

FLAGS **T = No Training Record** **P = Training In Progress**
X = Expired or needs eval. **Y = Will Be Expiring This Year**

<u>Technician</u>		<u>Eval. Tsts.</u> <u>Tot. Tsts.</u>	
Name: Herbert, Kenny	User ID: kherbert	Cert. No.: 2883	AR 14 15
			NP 0 1
			OTH 0 4

Accreditation Program: **AASHTO re:source (AR)**

Technician: **Herbert, Kenny**

	Test Method(s)	Test Description	Last Eval. Dt.	Freq. (Yrs.)	Next Eval. Dt.	Sample ID	View Checklist
T X	T304	Uncompacted Voids (Fine) - Method A		3			
	T269	Air Voids	4/6/2023	4	4/5/2027	9700362304068000	View
	T308	Binder Content by Ignition	2/23/2021	4	2/22/2025	9734242102231340	View
	T331	BSG Using AVSM (CoreLok)	4/6/2023	4	4/5/2027	9700362304068000	View
	T166	BSG Using SSD	4/6/2023	4	4/5/2027	9700362304068000	View
	T312	Density by Gyratory Compactor	4/6/2023	4	4/5/2027	9700362304068000	View
	T324	Hamburg Wheel Track	2/22/2021	4	2/21/2025	9734242102221050	View
	T209	Maximum Specific Gravity and Density	4/6/2023	4	4/5/2027	9700362304068000	View
	T30	Mechanical Analysis of Extracted Aggregate	4/6/2023	4	4/5/2027	9700362304068000	View
	T329	Moisture Content (Oven)	2/23/2021	4	2/22/2025	9734242102231340	View
	R47	Reducing Samples	4/6/2023	4	4/5/2027	9700362304068000	View
	T283	Resistance to Moisture Damage	4/6/2023	4	4/5/2027	9700362304068000	View
	T176 D2419	Sand Equivalent (Soil / Aggregate)	8/2/2021	4	8/1/2025	9734242108020947	View
	D3549	Thickness or Height of Compacted Specimens	4/6/2023	4	4/5/2027	9700362304068000	
	R79	Vacuum Drying Compacted Asphalt Specimens	5/26/2021	4	5/25/2025	9734242105261010	View

Accreditation Program: **AASHTO re:source (AR) (NP)**

Technician: **Herbert, Kenny**

	Test Method(s)	Test Description	Last Eval. Dt.	Freq. (Yrs.)	Next Eval. Dt.	Sample ID	View Checklist
T X	T327	Micro-Deval		3			

Oklahoma DOT Central Lab Technician Evaluations Detailed

Most Recent Authorized Evaluations

Accreditation Program: **Other (OTH)** Technician: **Herbert, Kenny**

<u>Test Method(s)</u>	<u>Test Description</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	<u>View Checklist</u>
T X D8159	Automated Extraction of Asph Binder from Asph Mix		3			

Oklahoma DOT Central Lab Technician Evaluations Detailed

Most Recent Authorized Evaluations

AR = AASHTO:resource OTH = Other
 CC = CCRL NP = Not Performed for Assessment

FLAGS **T = No Training Record** **P = Training In Progress**
X = Expired or needs eval. **Y = Will Be Expiring This Year**

Technician		Eval. Tsts.		Tot. Tsts.	
Name: Massey, Kyle	User ID: kmassey	Cert. No.: 3852	AR	15	15
			NP	0	1
			OTH	0	4

Accreditation Program: **AASHTO re:source (AR)**

Technician: **Massey, Kyle**

Test Method(s)	Test Description	Last Eval. Dt.	Freq. (Yrs.)	Next Eval. Dt.	Sample ID	View Checklist
Y T304	Uncompacted Voids (Fine) - Method A	7/22/2021	3	7/21/2024	9734242107221330	View
T269	Air Voids	1/11/2021	4	1/10/2025	9734242101111330	View
T308	Binder Content by Ignition	2/22/2021	4	2/21/2025	9734242102220840	View
T331	BSG Using AVSM (CoreLok)	4/11/2023	4	4/10/2027	9700362304110945	View
T166	BSG Using SSD	1/11/2021	4	1/10/2025	9734242101111330	View
T312	Density by Gyratory Compactor	7/20/2021	4	7/19/2025	9734242107200900	View
T324	Hamburg Wheel Track	4/11/2023	4	4/10/2027	9700362304110945	View
T209	Maximum Specific Gravity and Density	7/20/2021	4	7/19/2025	9734242107200900	View
T30	Mechanical Analysis of Extracted Aggregate	4/11/2023	4	4/10/2027	9700362304110945	View
T329	Moisture Content (Oven)	2/22/2021	4	2/21/2025	9734242102220840	View
R47	Reducing Samples	7/20/2021	4	7/19/2025	9734242107200900	View
T283	Resistance to Moisture Damage	4/11/2023	4	4/10/2027	9700362304110945	View
T176 D2419	Sand Equivalent (Soil / Aggregate)	4/11/2023	4	4/10/2027	9700362304110945	View
D3549	Thickness or Height of Compacted Specimens	4/11/2023	4	4/10/2027	9700362304110945	
R79	Vacuum Drying Compacted Asphalt Specimens	4/11/2023	4	4/10/2027	9700362304110945	View

Accreditation Program: **AASHTO re:source (AR) (NP)**

Technician: **Massey, Kyle**

Test Method(s)	Test Description	Last Eval. Dt.	Freq. (Yrs.)	Next Eval. Dt.	Sample ID	View Checklist
T X T327	Micro-Deval		3			

Oklahoma DOT Central Lab Technician Evaluations Detailed

Most Recent Authorized Evaluations

Accreditation Program: **Other (OTH)** Technician: **Massey, Kyle**

<u>Test Method(s)</u>	<u>Test Description</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	<u>View Checklist</u>
T X D8159	Automated Extraction of Asph Binder from Asph Mix		3			

Oklahoma DOT Central Lab Technician Evaluations Detailed

Most Recent Authorized Evaluations

AR = AASHTO:resource OTH = Other
 CC = CCRL NP = Not Performed for Assessment

FLAGS **T = No Training Record** **P = Training In Progress**
X = Expired or needs eval. **Y = Will Be Expiring This Year**

Technician		Eval. Tsts.		Tot. Tsts.	
Name: Smith, Jerry D.	User ID: jsmith	Cert. No.: 0036	AR	14	15
			NP	0	1
			OTH	1	4

Accreditation Program: **AASHTO re:source (AR)**

Technician: **Smith, Jerry D.**

Test Method(s)	Test Description	Last Eval. Dt.	Freq. (Yrs.)	Next Eval. Dt.	Sample ID	View Checklist
X D3549	Thickness or Height of Compacted Specimens	6/13/2019	3	6/12/2022	9734241906131000	
T269	Air Voids	9/26/2023	4	9/25/2027	9734242309261030	View
T308	Binder Content by Ignition	5/27/2021	4	5/26/2025	9734242105270900	View
T331	BSG Using AVSM (CoreLok)	9/26/2023	4	9/25/2027	9734242309261030	View
T166	BSG Using SSD	9/26/2023	4	9/25/2027	9734242309261030	View
T312	Density by Gyratory Compactor	9/7/2023	4	9/6/2027	9734242309071300	View
T324	Hamburg Wheel Track	9/28/2023	4	9/27/2027	9734242309280830	View
T209	Maximum Specific Gravity and Density	9/7/2023	4	9/6/2027	9734242309071300	View
T30	Mechanical Analysis of Extracted Aggregate	5/27/2021	4	5/26/2025	9734242105270900	View
T329	Moisture Content (Oven)	9/7/2023	4	9/6/2027	9734242309071300	View
R47	Reducing Samples	9/7/2023	4	9/6/2027	9734242309071300	View
T283	Resistance to Moisture Damage	10/11/2023	4	10/10/2027	9734242310111330	View
T176 D2419	Sand Equivalent (Soil / Aggregate)	9/28/2023	4	9/27/2027	9734242309280830	View
T304	Uncompacted Voids (Fine) - Method A	2/9/2021	4	2/8/2025	9734242102091040	View
R79	Vacuum Drying Compacted Asphalt Specimens	5/26/2021	4	5/25/2025	9734242105261000	View

Accreditation Program: **AASHTO re:source (AR) (NP)**

Technician: **Smith, Jerry D.**

Test Method(s)	Test Description	Last Eval. Dt.	Freq. (Yrs.)	Next Eval. Dt.	Sample ID	View Checklist
T X T327	Micro-Deval		3			

Oklahoma DOT Central Lab Technician Evaluations Detailed

Most Recent Authorized Evaluations

Accreditation Program: **Other (OTH)** Technician: **Smith, Jerry D.**

<u>Test Method(s)</u>	<u>Test Description</u>	<u>Last Eval. Dt.</u>	<u>Freq. (Yrs.)</u>	<u>Next Eval. Dt.</u>	<u>Sample ID</u>	<u>View Checklist</u>
D8159	Automated Extraction of Asph Binder from Asph Mix	8/31/2022	3	8/30/2025	9734242208310800	View