

All Evaluations/Training Records

AR = AASHTO:resource  
 CC = CCRL  
 NP = Not Performed for Assessment

Technician Name: **Crouse, Danna**      Tech. UID: **dcrouse**      Tech. Cert. No.: **0048**

Accreditation Program: **AASHTO re:source (AR)**

Test Method(s)		Test Description									
<b>M111 A123-E376</b>		<b>Thickness of Zinc (Magnetic)</b>									
<u>Evaluations</u>							<u>Training Records</u>				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
M111 A123-E376	4	4/14/2021	4/14/2021	Corbin, Roger B. Jr.	9734242104141000	<a href="#">View</a>					
M111 A123-E376	4	9/20/2013	11/18/2013	Rice, Jerry Wayne	9700281309201350						
							M111 A123-E376	5/29/2023	Long, Christopher	9200482306060847	<a href="#">View</a>

Test Method(s)		Test Description									
<b>M111-T65 A123-A90</b>		<b>Thickness of Zinc (Stripping)</b>									
<u>Evaluations</u>							<u>Training Records</u>				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
M111-T65 A123-A90	4	4/14/2021	4/14/2021	Corbin, Roger B. Jr.	9734242104141000	<a href="#">View</a>					
M111-T65 A123-A90	4	5/29/2015	5/29/2015	McCullough, Donald	9700041505291340						
M111-T65 A123-A90	4	9/20/2013	11/18/2013	Rice, Jerry Wayne	9700281309201350		M111-T65 A123-A90	9/20/2013	Used Evaluation	9700281309201350	

Accreditation Program: **CCRL (CC)**

Test Method(s)		Test Description									
<b>C185 T137</b>		<b>Air Content of Mortar</b>									
<u>Evaluations</u>							<u>Training Records</u>				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C185 T137	4	4/4/2022	4/4/2022	Corbin, Roger B. Jr.	9734242204040800	<a href="#">View</a>					
C185 T137	4	8/2/2009	8/23/2013	Scully, Daniel R. Jr.	9700571307221405	<a href="#">View</a>	C185 T137	8/2/2009	Used Evaluation	9700571307221405	

Test Method(s)		Test Description									
<b>C151-C311 T107</b>		<b>Autoclave Expansion - (Pozzolan), (Cement)</b>									
<u>Evaluations</u>							<u>Training Records</u>				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C151-C311 T107	4	4/5/2022	4/7/2022	Corbin, Roger B. Jr.	9734242204050930	<a href="#">View</a>					
C151-C311 T107	4	8/2/2009	8/23/2013	Scully, Daniel R. Jr.	9700571307221405		C151-C311 T107	8/2/2009	Used Evaluation	9700571307221405	

\* Technician was retrained on this test method

All Evaluations/Training Records

AR = AASHTO:resource  
 CC = CCRL  
 NP = Not Performed for Assessment

Test Method(s)	Test Description										
<b>C188-C311 T133</b>	<b>Density - (Pozzolan), (Cement)</b>										

<u>Evaluations</u>							<u>Training Records</u>				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C188-C311 T133	4	4/5/2022	4/7/2022	Corbin, Roger B. Jr.	9734242204050930	<a href="#">View</a>					
C188-C311 T133	4	9/22/2011	8/23/2013	Scully, Daniel R. Jr.	9700571307221030		C188-C311 T133	9/22/2011	Used Evaluation	9700571307221030	

Test Method(s)	Test Description										
<b>C204 T153</b>	<b>Fineness by Air Permeability Apparatus</b>										

<u>Evaluations</u>							<u>Training Records</u>				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C204 T153	4	4/5/2022	4/7/2022	Corbin, Roger B. Jr.	9734242204050930	<a href="#">View</a>					
C204 T153	4	4/11/2018	4/16/2018	McCullough, Donald	9700041804111500	<a href="#">View</a>					
C204 T153	4	4/19/2016	5/31/2016	McCullough, Donald	9700041604191353	<a href="#">View</a>					
C204 T153	4	1/20/2015	1/26/2015	McCullough, Donald	9700041501201008						
C204 T153	4	9/30/2014	10/8/2014	McCullough, Donald	9700041409301327		C204 T153	9/30/2014	Used Evaluation	9700041409301327	

Test Method(s)	Test Description										
<b>C430-C311 T192</b>	<b>Fineness by No. 325 Sieve - (Pozzolan), (Cement)</b>										

<u>Evaluations</u>							<u>Training Records</u>				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C430-C311 T192	3	4/5/2022	4/7/2022	Corbin, Roger B. Jr.	9734242204050930	<a href="#">View</a>					
							C430-C311 T192	1/6/2022	Crouse, Danna	9200482201061542	<a href="#">View</a>

Test Method(s)	Test Description										
<b>C1437 T106-T137</b>	<b>Flow of Mortar - (Pozzolan), (Cement)</b>										

<u>Evaluations</u>							<u>Training Records</u>				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C1437 T106-T137	3	4/4/2022	4/4/2022	Corbin, Roger B. Jr.	9734242204040800	<a href="#">View</a>					
							C1437 T106-T137	1/6/2022	Crouse, Danna	9200482201061542	<a href="#">View</a>

\* Technician was retrained on this test method

All Evaluations/Training Records

AR = AASHTO:resource  
 CC = CCRL  
 NP = Not Performed for Assessment

Test Method(s)		Test Description									
C114 T105		Insol. Residue - (Reference), (Pozzolan), (Cement)									
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C114 T105	4	3/10/2023	3/10/2023	Corbin, Roger B. Jr.	9734242303100900	<a href="#">View</a>					
C114 T105	4	4/8/2021	4/8/2021	Corbin, Roger B. Jr.	9734242104081430	<a href="#">View</a>					
C114 T105	4	7/12/2018	7/19/2018	McCullough, Donald	9700041807121445	<a href="#">View</a>					
C114 T105	4	4/20/2016	4/27/2016	McCullough, Donald	9700041604201610	<a href="#">View</a>					
C114 T105	4	2/20/2015	2/25/2015	McCullough, Donald	9700041502201420						
C114 T105	4	11/20/2013	11/20/2013	Rice, Jerry Wayne	9700281311201050						
C114 T105	4	9/22/2011	8/23/2013	Scully, Daniel R. Jr.	9700571109220740		C114 T105	9/22/2011	Used Evaluation	9700571109220740	

Test Method(s)		Test Description									
C114-C311 T105		Loss of Ignit. - (Reference), (Pozzolan), (Cement)									
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C114-C311 T105	4	3/10/2023	3/10/2023	Corbin, Roger B. Jr.	9734242303100900	<a href="#">View</a>					
C114-C311 T105	4	4/8/2021	4/8/2021	Corbin, Roger B. Jr.	9734242104081430	<a href="#">View</a>					
C114-C311 T105	4	7/20/2018	8/17/2018	McCullough, Donald	9700041807201545	<a href="#">View</a>					
C114-C311 T105	4	4/20/2016	4/27/2016	McCullough, Donald	9700041604201610	<a href="#">View</a>					
C114-C311 T105	4	2/20/2015	2/25/2015	McCullough, Donald	9700041502201420						
C114-C311 T105	4	11/20/2013	11/20/2013	Rice, Jerry Wayne	9700281311201050						
C114-C311 T105	4	9/22/2011	8/23/2013	Scully, Daniel R. Jr.	9700571109220740		C114-C311 T105	9/22/2011	Used Evaluation	9700571109220740	

Test Method(s)		Test Description									
C305 T162		Mixing Pastes and Mortars - (Pozzolan), (Cement)									
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C305 T162	4	4/4/2022	4/4/2022	Corbin, Roger B. Jr.	9734242204040800	<a href="#">View</a>					
C305 T162	4	8/2/2009	8/23/2013	Scully, Daniel R. Jr.	9700571307221405		C305 T162	8/2/2009	Used Evaluation	9700571307221405	

\* Technician was retrained on this test method

All Evaluations/Training Records

AR = AASHTO:resource  
 CC = CCRL  
 NP = Not Performed for Assessment

Test Method(s)		Test Description									
<b>C109-C311 T106</b>		<b>Mortar Compressive Strength - (Pozzolan), (Cement)</b>									
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C109-C311 T106	4	4/4/2022	4/4/2022	Corbin, Roger B. Jr.	9734242204040800	<a href="#">View</a>					
C109-C311 T106	4	8/2/2009	8/23/2013	Scully, Daniel R. Jr.	9700571307221405						
							C109-C311 T106	4/22/2024	Crouse, Danna	9200482312071328	<a href="#">View</a>
									Crouse, Danna	9200482404220949	<a href="#">View</a>

Test Method(s)		Test Description									
<b>C187 T129</b>		<b>Req. Wtr. for Nrm. Consist. - (Pozzolan), (Cement)</b>									
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C187 T129	4	4/5/2022	4/7/2022	Corbin, Roger B. Jr.	9734242204050930	<a href="#">View</a>					
C187 T129	4	8/2/2009	8/23/2013	Scully, Daniel R. Jr.	9700571307221405		C187 T129	8/2/2009	Used Evaluation	9700571307221405	

Test Method(s)		Test Description									
<b>C183 R71</b>		<b>Sampling and Amount of Testing</b>									
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C183 R71	3	4/5/2022	4/7/2022	Corbin, Roger B. Jr.	9734242204050930	<a href="#">View</a>					
							C183 R71	1/6/2022	Crouse, Danna	9200482201061542	<a href="#">View</a>

Test Method(s)		Test Description									
<b>C114-C311 T105</b>		<b>Sulfur Triox. - (Reference), (Pozzolan), (Cement)</b>									
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C114-C311 T105	4	3/10/2023	3/10/2023	Corbin, Roger B. Jr.	9734242303100900	<a href="#">View</a>					
C114-C311 T105	4	4/8/2021	4/8/2021	Corbin, Roger B. Jr.	9734242104081430	<a href="#">View</a>					
C114-C311 T105	4	7/12/2018	7/19/2018	McCullough, Donald	9700041807121445	<a href="#">View</a>					
C114-C311 T105	4	4/20/2016	4/27/2016	McCullough, Donald	9700041604201610	<a href="#">View</a>					
C114-C311 T105	4	2/20/2015	2/25/2015	McCullough, Donald	9700041502201420						
C114-C311 T105	4	11/20/2013	11/20/2013	Rice, Jerry Wayne	9700281311201050						
C114-C311 T105	4	9/22/2011	8/23/2013	Scully, Daniel R. Jr.	9700571109220740		C114-C311 T105	9/22/2011	Used Evaluation	9700571109220740	

\* Technician was retrained on this test method

All Evaluations/Training Records

AR = AASHTO:resource  
 CC = CCRL  
 NP = Not Performed for Assessment

Test Method(s)		Test Description									
C266 T154		Time Set Gillmore									
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C266 T154	3	4/5/2022	4/7/2022	Corbin, Roger B. Jr.	9734242204050930	<a href="#">View</a>	C266 T154	1/6/2022	Crouse, Danna	9200482201061542	<a href="#">View</a>

Test Method(s)		Test Description									
C191 T131		Time Set Vicat									
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
C191 T131	4	4/5/2022	4/7/2022	Corbin, Roger B. Jr.	9734242204050930	<a href="#">View</a>					
C191 T131	4	8/2/2009	8/23/2013	Scully, Daniel R. Jr.	9700571307221405		C191 T131	8/2/2009	Used Evaluation	9700571307221405	

\* Technician was retrained on this test method