

All Evaluations/Training Records

AR = AASHTO:resource

CC = CCRL

NP = Not Performed for Assessment

NOTE: Central Aggregates Lab (98) and associated technicians have been merged into Central Sturcutral Lab (94) effective 04/22/2025.

Technician Name:
 Young, Bronson

Tech. UID:
 byoung01

Tech. Cert. No.:
 0113

Accreditation Program:
 AASHTO re:source (AR)

Test Method(s)	Test Description										
T11	Finer than 200 Sieve										
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
									Moore, John	9440082505221255	View

Test Method(s)	Test Description										
T255	Moisture Content										
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
									Moore, John	9440082505221255	View

Test Method(s)	Test Description										
R76	Reducing Samples										
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
									Moore, John	9440082505221304	View

Test Method(s)	Test Description										
R90 D75	Sampling Aggregates										
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
									Moore, John	9440082505221304	View

Test Method(s)	Test Description										
T27	Sieve Analysis										
Evaluations							Training Records				
Test Method(s)	Freq. (Yrs.)	Last Eval. Dt.	Auth. Dt.	Evaluator	Sample ID	View Checklist	Test Method(s)	Train Dt.	Trainer	Sample Id	View Checklist
									Moore, John	9440082505221255	View

* Technician was retrained on this test method