

Technician Evaluation Details

Tech. Name: **Forth, Skyler** Tech ID: **sforth** Cert. No.: **3412**

Aggregates (Controlled)

| <u>Eval. Date</u> | <u>Evaluator</u> | <u>Eval. Level</u> | <u>Sample ID</u> | <u>Proc.</u> | <u>Equip.</u> | <u>Evaluation</u> |
|-------------------|----------------------|--------------------|------------------|--------------|---------------|----------------------|
| 7/7/2017 | Winkle, Bobby D. | Fully Certified | 9621531707071000 | Pass | Pass | View |
| 2/25/2016 | Winkle, Bobby D. | Fully Certified | 9621531602250915 | Pass | Pass | View |
| 3/2/2015 | Thomas, James D | Fully Certified | 9620031503021000 | Pass | Pass | View |
| 3/6/2014 | Smith, David M. | Fully Certified | 9620461403061032 | Pass | Pass | View |
| 3/13/2013 | Eulberg, Buddy Leroy | Fully Certified | 9625241303131300 | Pass | Pass | View |

Asphalt (Controlled)

| <u>Eval. Date</u> | <u>Evaluator</u> | <u>Eval. Level</u> | <u>Sample ID</u> | <u>Proc.</u> | <u>Equip.</u> | <u>Evaluation</u> |
|-------------------|----------------------|--------------------|------------------|--------------|---------------|----------------------|
| 6/8/2017 | Baggett, Michael J. | Materials Sampler | 9620781706081000 | Pass | Pass | View |
| 3/2/2015 | Thomas, James D | Fully Certified | 9620031503021100 | Pass | Pass | View |
| 3/6/2014 | Smith, David M. | Fully Certified | 9620461403061418 | Pass | Pass | View |
| 3/13/2013 | Eulberg, Buddy Leroy | Fully Certified | 9625241303131500 | Pass | Pass | View |

Concrete (Controlled)

| <u>Eval. Date</u> | <u>Evaluator</u> | <u>Eval. Level</u> | <u>Sample ID</u> | <u>Proc.</u> | <u>Equip.</u> | <u>Evaluation</u> |
|-------------------|-------------------|--------------------|------------------|--------------|---------------|----------------------|
| 9/8/2016 | Winkle, Bobby D. | Fully Certified | 9621531609081000 | Pass | Pass | View |
| 7/27/2015 | Riley, Luther Roy | Fully Certified | 9625951507271300 | Pass | Pass | View |
| 7/8/2013 | Riley, Luther Roy | Materials Sampler | 9625951307080900 | Pass | Pass | View |

Soils (Controlled)

| <u>Eval. Date</u> | <u>Evaluator</u> | <u>Eval. Level</u> | <u>Sample ID</u> | <u>Proc.</u> | <u>Equip.</u> | <u>Evaluation</u> |
|-------------------|---------------------|--------------------|------------------|--------------|---------------|----------------------|
| 9/11/2019 | Riley, Luther Roy | Materials Sampler | 9625951909111235 | Pass | Pass | View |
| 4/30/2015 | Schweer, Richard D. | Fully Certified | 9625111504300830 | Pass | Pass | View |
| 7/8/2013 | Riley, Luther Roy | Materials Sampler | 9625951307080800 | Pass | Pass | View |