Section 14-109. A. On any road or highway:

- 1. No single axle weight shall exceed twenty thousand (20,000) pounds; and
- 2. The total gross weight in pounds imposed thereon by a vehicle or combination of vehicles shall not exceed the value given in the following table corresponding to the distance in feet between the extreme axles of the group measured longitudinally to the nearest foot.

Distance in Feet Between the Extremes of Any Group of 2 or More Consecutive Axles	Maximum Load in Pounds Carried on Any Group of 2 or More Consecutive Axles					
	2 Axles	3 Axles	4 Axles	5 Axles	6 Axles	
4	34,000					
5	34,000					
6	34,000					
7	34,000					
8	34,000	42,000				
9	39,000	42,500				
10	40,000	43,500				
11		44,000				
12		45,000	50,000			
13		45,500	50,500			
14		46,500	51,500			
15		47,000	52,000			
16		48,000	52,500	58,000		
17		48,500	53,500	58,500		
18		49,500	54,000	59,000		
19		50,000	54,500	60,000		
20		51,000	55,500	60,500	66,000	
21		51,500	56,000	61,000	66,500	

Distance in Feet Between the	Maximum Load in Pounds Carried on Any Group of 2 or More Consecutive Axles					
Extremes of Any Group of 2 or More Consecutive Axles	2 Axles	3 Axles	4 Axles	5 Axles	6 Axles	
22		52,500	56,500	61,500	67,000	
23		53,000	57,500	62,500	68,000	
24		54,000	58,000	63,000	68,500	
25		54,500	58,500	63,500	69,000	
26		56,000	59,500	64,000	69,500	
27		57,500	60,000	65,000	70,000	
28		59,000	60,500	65,500	71,000	
29		60,500	61,500	66,000	71,500	
30		62,000	62,000	66,500	72,000	
31		63,500	63,500	67,000	72,500	
32		64,000	64,000	68,000	73,500	
33			64,500	68,500	74,000	
34			65,000	69,000	74,500	
35			66,000	70,000	75,000	
36			68,000	70,500	75,500	
37			68,000	71,000	76,000	
38			69,000	72,000	77,000	
39			70,000	72,500	77,500	
40			71,000	73,000	78,000	
41			72,000	73,500	78,500	
42			73,000	74,000	79,000	
43			73,280	75,000	80,000	
44			73,280	75,500	80,500	

47 O.S. § 14-109.

Distance in Feet Between the	Maximum Load in Pounds Carried on Any Group of 2 or More Consecutive Axles					
Extremes of Any Group of 2 or More Consecutive Axles	2 Axles	3 Axles	4 Axles	5 Axles	6 Axles	
45			73,280	76,000	81,000	
46			73,280	76,500	81,500	
47			73,500	77,500	82,000	
48			74,000	78,000	83,000	
49			74,500	78,500	83,500	
50			75,500	79,000	84,000	
51			76,000	80,000	84,500	
52			76,500	80,500	85,000	
53			77,500	81,000	86,000	
54			78,000	81,500	86,500	
55			78,500	82,500	87,000	
56			79,500	83,000	87,500	
57			80,000	83,500	88,000	
58				84,000	89,000	
59				85,000	89,500	
60				85,500	90,000	

- B. Except as to gross limits, the table in subsection A of this section shall not apply to a truck-tractor and dump semitrailer when used as a combination unit. In no event shall the maximum load in pounds carried by any set of tandem axles exceed thirty-four thousand (34,000) pounds for vehicles exempt from the table; however, any vehicle operating with split andem axles or tri-axles shall adhere to the table.
- C. Special permits may be issued as provided in this title for divisible loads for vehicle configurations in excess of six (6) axles. The permits may not exceed the Table "B" federal weights formula imposed by Title 23, U.S. Code, Section 127. Vehicles moving under the permits shall not traverse H-15 bridges or less without the express approval of the Secretary of Transportation.

- D. Except for loads moving under special permits as provided in this title, no department or agency of this state or any county, city, or public entity thereof shall pay for any material that exceeds the legal weight limits moving in interstate or intrastate commerce in excess of the legal load limits of this state.
 - E. Exceptions to this section will be:
- 1. Utility or refuse collection vehicles used by counties, cities, or towns or by private companies contracted by counties, cities, or towns if the following conditions are met:
 - a. calculation of weight for a utility or refuse collection vehicle shall be "Gross Vehicle Weight". The "Gross Vehicle Weight" of a utility or refuse collection vehicle may not exceed the otherwise applicable weight by more than fifteen percent (15%). The weight on individual axles must not exceed the manufacturer's component rating which includes axle, suspension, wheels, rims, brakes, and tires as shown on the vehicle certification label or tag, and
 - b. utility or refuse collection vehicles operated under these exceptions will not be allowed to operate on interstate highways;
- 2. Vehicles transporting timber, pulpwood, and chips in their natural state, and vehicles transporting oilfield equipment or equipment used in oil and gas well drilling or exploration, and vehicles transporting grain, if the following conditions are met:
 - a. the vehicles are registered for the maximum allowable rate,
 - b. the vehicles do not exceed five percent (5%) of the gross limits set forth in subsection A of this section, and
 - c. the vehicles operating pursuant to the provisions of this paragraph will not be allowed to operate on the National System of Interstate and Defense Highways; and
 - 3. Vehicles transporting rock, sand, gravel, and coal if the following conditions are met:
 - a. the vehicles are registered for the maximum allowable rate,
 - b. the vehicles do not exceed five percent (5%) of the axle limits set forth in subsection A of the section, and
 - c. the vehicles operating pursuant to the provision of the paragraph will not be

allowed to operate on the National System of Interstate and Defense Highways.

- F. Utility or refuse collection vehicles, vehicles transporting timber, pulpwood, and chips in their natural state, and vehicles transporting oilfield equipment or equipment used in oil and gas well drilling or exploration, vehicles transporting rock, sand, gravel, and coal and vehicles transporting grain, operating under exceptions shall purchase an annual special overload permit for One Hundred Dollars (\$100.00). This fee shall be apportioned as provided for in Section 1104 of this title.
- G. For purposes of this section, "utility vehicle" shall mean any truck used by a private utility company, county, city, or town for the purpose of installing or maintaining electric, water, or sewer systems.