

Updated November 9, 2009

Number	Description	Usage
<input type="checkbox"/> 102-4	A + B Bidding (Traditional Bid + Disincentive/incentive Payment + Liquidated Damages)	At the discretion of the designer and/or field.
<input type="checkbox"/> 104-1	Railroad Flagging	Project has to do with RR R-O-W
<input type="checkbox"/> 106-3	Plant Inspection	Any project that uses pre-cast concrete beams and parts or steel beams or parts.
<input type="checkbox"/> 107-8	Legal Relations and Responsibility to Public (Railroad Insurance)	Anytime RR R-O-W involved Rail Planning is consulted.
<input type="checkbox"/> 108-23	Prosecution and Progress, Flexible Start	At the discretion of the designer and/or field. Used to delay the work order.
<input type="checkbox"/> 108-100	Prosecution and Progress, Determination and Extension of the Contract Time	All jobs
<input type="checkbox"/> 109-7	Price Adjustment for Asphalt Binder	All AC jobs (Do not use on AC/PC alternate projects)
<input type="checkbox"/> CZ2300	Contract Dispute Resolution Procedure	All jobs.
<input type="checkbox"/> 205-1	Salvaging Topsoil	If the project has more 5000 Yd ³ .
<input type="checkbox"/> 220-1	Management of Erosion, Sedimentation, and Storm Water Pollution Prevention and Control	All jobs that have a Storm Water Management Plan (SWMP); formerly SW3P
<input type="checkbox"/> 308-2	Sand Cushion	When it is used under PC pavements.
<input type="checkbox"/> 317-8	Cement Treated Base	Anytime Cement Treated Base is incorporated into the pavement design or allowed as an alternative
<input type="checkbox"/> 327-2	Subgrade Treatment	Anytime Subgrade Modification/Stabilization is performed.
<input type="checkbox"/> 328-4	Geosynthetic Subgrade Reinforcement	Use when Geogrids or Geotextiles are used under the aggregate base layer in the pavement section
<input type="checkbox"/> 402-1	Bituminous surface Treatment	All armor coat, chip seal etc. jobs.
<input type="checkbox"/> 409-1	Plant Mix Bituminous Bases and Surfaces	All PFC jobs.
<input type="checkbox"/> 411-4	Plant Mix Asphalt Concrete Pavement	With Superpave projects (S1, S2 . . .).
<input type="checkbox"/> 411-11	Acceptance of Plant Mix Asphalt Concrete Pavement	Use on all asphalt paving jobs which do not have QC/QA or PWL.
<input type="checkbox"/> 411-12	Longitudinal Joint Density On Asphalt Concrete Pavement	All AC jobs
<input type="checkbox"/> 411-13	Warm Mix Asphalt	All AC jobs
<input type="checkbox"/> 413-1	Rumble Strip	Use when placing rumble strip in PCC shoulders
<input type="checkbox"/> 414-1	Portland Cement Concrete Pavement (unbonded)	Unbonded PCC pavements.
<input type="checkbox"/> 414-2	Portland Cement Concrete Pavement	All PCC pavements including HES

Updated November 9, 2009

Number	Description	Usage
☐ 414-3	Portland Cement Concrete Pavement	All PCC pavements <i>(Transverse Groove Final Finish)</i>
☐ 414-4	Portland Cement Concrete Pavement	All PCC pavements <i>(Blanking Band)</i>
☐ 414-8	Portland Cement Concrete Pavement	All Unbonded PCC pavements.
☐ 414-9	Portland Cement Concrete Pavement	All Bonded PCC pavements.
☐ 414-14	Acceptance of Portland Cement Concrete Pavement	Use on all concrete paving jobs which do not have QC/QA.
☐ 414-16	Concrete Batch Ticket Requirements for Portland Cement Concrete	Use on all PCC paving projects.
☐ 418-1	Plant Mix Bituminous Bases and Surfaces	All SMA jobs.
☐ 440-1	Roller Compacted Concrete Pavement	With corresponding pay item.
☐ 502-1	Steel Stay-in-place Forms	With Steel Stay-in-place Forms.
☐ 506-1	Structural Steel	When AISC Quality Certification is required.
☐ 508-1	Concrete Culverts	With jobs with pre-cast culverts.
☐ 509-1	Concrete Batch Ticket Requirements for Structural Concrete	Use on all projects using any structural concrete pay item.
☐ 514-1	Driven Foundation Piles	When using piles driven pay item.
☐ 523-1	Concrete Surface Repair by Sealing	When the bridge or approaches are being sealed.
☐ 620-1	Removal of Underground Storage Tanks	When UST's are to be removed.
☐ 623-1	Guard Rail and Guide Posts	When guard extruder terminal is used.
☐ 627-1	Concrete Median Barrier	When concrete median barrier is used.
☐ 643-6QA	Contractor's Quality Control	When a project requires payment for QC/QA. This SP requires 648-1QA.
☐ 648-1QA	Payment for Contractor's Quality Control	Use with 643-6QA (Contractor's Quality Control). The amount entered in the engineer's estimate should be 1.25 times the amount calculated.
☐ 656-4	American Burying Beetle (ABB)	Projects located in ABB sensitive areas
☐ 701-1	Fiber Reinforcement for Portland Cement Concrete	When fibers are used to reinforce PCC pavements.
☐ 701-3	Portland Cement Concrete	When PC is used (Mix Design and Proportioning.)
☐ 701-6	Portland Cement Concrete	All projects containing PC
☐ 701-8	Water	All projects containing PC
☐ 701-14	Hydraulic Cement Concrete	Projects with concrete paving (Optimized Gradation)
☐ 701-15	Temporary Concrete Mix Design and Proportioning	Projects with temporary concrete paving or structures (i.e. crossovers); Class T Concrete

Number	Description	Usage
☐ 702-1	Cement Kiln Dust	Used when CKD is used.
☐ 702-2	Fly Ash	Used when Fly Ash is used.
☐ 703-2	Mineral Aggregate, Miscellaneous Uses	Used in Chip & Seal and Armor Coat jobs.
☐ 706-3	Lime	All projects using lime.
☐ 708-1	Plant Mix Bituminous Bases and Surfaces	When PG OK AC is used.
☐ 708-3	Plant Mix Bituminous Bases and Surfaces	Superpave projects (Superpave Gradation).
☐ 708-4	Plant Mix Bituminous Bases and Surfaces (shoulders less than 5 feet)	When shoulders < 5' are used.
☐ 708-5	Job-mix Formulation of Asphalt Concrete	All AC projects, on lower ADT roads (< 30M ESALs.)
☐ 708-6	Plant Mix Bituminous Bases and Surfaces	AC overlays using recycled tire rubber.
☐ 708-10	Job-mix Formulation of Asphalt Concrete	All AC projects, on higher ADT roads (≥ 30M ESALs)
☐ 708-15	Plant Mix Bituminous Bases and Surfaces	When using prime coats.
☐ 708-17	Plant Mix Bituminous Bases and Surfaces	All PFC jobs.
☐ 708-18	Plant Mix Bituminous Bases and Surfaces	All SMA jobs containing oil grade PG 76-28 OK.
☐ 708-21	Reclaimed Asphalt Pavement (RAP)	When reclaimed asphalt is allowed in the pavement design; typically all AC paving projects
☐ 708-22	Warm Mix Asphalt Material Requirements	When warm mix asphalt is allowed in the pavement design; typically all AC paving projects
☐ 711-2	Glass Beads	When 855-2 is used.
☐ 713-1	Stone for Riprap, Filter Blanket and Gabions	When riprap, filter blanket, or gabions are used.
☐ 724-3	Welding	When field or shop welding needed.
☐ 729-1	Tactile Warnings	When design includes sidewalks.
☐ 732-1	FENCE, STYLE WWF OR SWF	When barbed wire fence is used.
☐ 855-2	Extruded Thermoplastic Traffic Stripe (mil thickness ≥ 0.090)	When requested by Traffic Division.
☐ 870-1	Sand Filled Impact Attenuation Modules.	When sand filled impact attenuators are used.
☐ 880-3	Construction Signing And Traffic Control – This previously was 880-1.	When lump sum traffic is required.
☐ 880-7	Construction Signing and Traffic Control (Plastic Drums).	When plastic drums are used.