

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : December 26, 2000

NOTICE TO CONTRACTORS -- January 25, 2001

LNTCNCA
LETTING

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF January 25, 2001 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS IS \$25.00 PLUS TAX FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 PLUS TAX, OR 1996 METRIC STD SPEC \$27.00 + TAX OR 1999 METRIC AND ENGLISH STD SPEC \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT SHALL, WITHIN (14) WORKING DAYS FROM THE DATE THE CONTRACT IS RECEIVED, COMPLETE ITS EXECUTION OF THE CONTRACT AND RETURN A COPY OF THE EXECUTED CONTRACT TO THE SUCCESSFUL BIDDER.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

OKLAHOMA DEPARTMENT OF TRANSPORTATION
DATE : December 26, 2000
NOTICE TO CONTRACTORS -- January 25, 2001
LNTCNCA
LETTING

CALL
ORDER FEDERAL/STATE PROJECT NUMBER JOB PIECE PROPOSAL PLANS
 PRICE PRICE PAGE

*** NO PROPOSALS IN LETTING FOR SPECIFIED PUBLICATION DATE ***

LNTCIQA	FEDERAL PROJECT	PAGE 1
CALL ORDER : 030	CONTRACT ID : 010004	
LETTING DATE : January 25, 2001	PCN : 1675704	
LETTING TIME : 10:30 A.M.		
COUNTIES: BEAVER	PROJECTS : BRF-104C(006)CO	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 6.98	
	RES. ENG.: 61BUF	
	CAL. DAYS: 150	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER CLEAR CREEK, 8.0 MILES NORTH OF US-270
 AND 4.0 MILES EAST OF SH023
 PROJ. LGTH.= 0.539 MILES
 FLEX. EASLS= 0.2 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	150.000	M
223 M2802	TEMPORARY SILT FENCE	1,080.000	M
230(A) M2806	SOLID SLAB SODDING	9,687.000	M2
230(F) M2812	WATERING	1,744.000	KL
233(C) M2819	ASPHALT MULCHING	13,561.000	L
234(A) M2824	FERTILIZING (10-20-10)	1.070	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	12.000	T
407 M0250	TACK COAT	856.000	L
408 M5774	PRIME COAT	2,635.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	845.000	T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	414.000	T
509(E) M0325	CLASS C CONCRETE	10.000	M3
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D) M0690	600MM CORR. GALV. STEEL PIPE	37.800	M
853(D) M3313	DELINEATORS TYPE 2 CODE 1	26.000	EA
854 M3316	TRAFFIC STRIPE(PAINT)(100MM WIDE)	1,080.000	M
856(A) M3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	1,080.000	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	50.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	356.520	M
504(C) M6250	SEALED EXPANSION JOINT	19.570	M
504(E) M1380	CONCRETE RAIL (TR1)	199.140	M
506(A) M1322	STRUCTURAL STEEL	2,070.000	KG
509(A) M1326	CLASS AA CONCRETE	161.100	M3
509(E) M1332	CLASS S CONCRETE	82.200	M3
511(A) M1332	REINFORCING STEEL	28,775.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	269.900	M

SECTION NO. 0002	X081-BRIDGE 'A'		
514(B) M6292	PILES, DRIVEN (HP 250X62)	269.900	M
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	78.400	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,130.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	310.000	T
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
850(A) M8110	SHEET ALUMINUM SIGNS	2.660	M2
851(D) M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	22.000	M
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 3
CALL ORDER : 050	CONTRACT ID : 010005	
LETTING DATE : January 25, 2001	PCN : 0927704	
LETTING TIME : 10:30 A.M.		
COUNTIES: CUSTER	PROJECTS : BRFY-9N(16)	
	DBE/WBE GOALS: 3.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 17.26	
	RES. ENG.: 51CLI	
	CAL. DAYS: 270	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 OVER THE WASHITA RIVER APPROX. 0.9 MILE NORTH OF I-40B
 ON US-183 IN CLINTON
 PROJ. LGTH.= 0.325 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002	X081-BRIDGE 'A'		
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	213.000	LSUM
SECTION NO. 0001	C000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	1,013.000	M3
202(C) M0184	UNCLASSIFIED BORROW	28,187.000	M3
203 M7116	TEST ROLLING	1.000	LSUM
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
227 M0100	TEMPORARY SILT DIKE	435.000	M
230(A) M2806	SOLID SLAB SODDING	3,775.000	M2
230(F) M2812	WATERING	1,359.000	KL
232(B) M2814	SEEDING METHOD B	1.700	HA
233(A) M2817	VEGETATIVE MULCHING	1.700	HA
234(A) M2824	FERTILIZING (10-20-10)	0.420	T
234(A) M4406	FERTILIZING (0-46-0)	0.500	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	T
627(H) M5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR		90.000 M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	86.000	M3
501(G) M6309	CLSM BACKFILL	220.000	M3
503(A) M6281	PRESTRESSED CONCRETE BEAMS (72 BT)	1,692.800	M
504(C) M6276	(PL)SEALED EXPANSION JOINTS	64.100	M
504(E) M6239	CONCRETE RAIL (TR3)	425.700	M
506(A) M1322	STRUCTURAL STEEL	9,665.000	KG
509(A) M1326	CLASS AA CONCRETE	1,211.500	M3
509(B) M1328	CLASS A CONCRETE	444.800	M3
511(A) M1332	REINFORCING STEEL	15,387.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	146,589.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	104.600	M
514(A) M6013	PILES, FURNISHED (HP 310X79)	641.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	104.600	M

SECTION NO. 0002	X081-BRIDGE 'A'		
514(B) M6294	PILES, DRIVEN (HP 310X79)	641.000	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	30.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	3,103.400	M2
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER	190.000	M
601A-1 M0536	TYPE I-A PLAIN RIPRAP	1,200.000	T
601A-2 M0538	TYPE I-A FILTER BLANKET	240.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	52.400	M
613(Q) M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	64.000	M
641 M1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 5
CALL ORDER : 060	CONTRACT ID : 010006	
LETTING DATE : January 25, 2001	PCN : 1610004	
LETTING TIME : 10:30 A.M.		
COUNTIES: HUGHES	PROJECTS : BRO-132D(001)CO	
	DBE/WBE GOALS: 10.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 3.24	
	RES. ENG.: 33WEW	
	CAL. DAYS: 90	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE AT GRAVES CREEK, 3.0 MILES NORTH AND 0.7 MILE
 WEST OF US-270/US-75 JCT. EAST OF HOLDENVILLE
 PROJ. LGTH.= 0.269 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
227 M0100	TEMPORARY SILT DIKE	540.000	M
230(A) M2806	SOLID SLAB SODDING	5,890.000	M2
233(A) M2817	VEGETATIVE MULCHING	1.180	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	398.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
SECTION NO. 0002 X081-BRIDGE "A"			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	40.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	95.000	M
504(E) M1380	CONCRETE RAIL (TR1)	65.700	M
506(A) M1322	STRUCTURAL STEEL	614.000	KG
509(A) M1326	CLASS AA CONCRETE	43.800	M3
509(B) M1328	CLASS A CONCRETE	42.000	M3
511(A) M1439	REINFORCING STEEL (GRADE 420)	9,240.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	241.200	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	241.200	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	590.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	165.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 6
CALL ORDER : 070	CONTRACT ID : 010007	
LETTING DATE : January 25, 2001	PCN : 1859004	
LETTING TIME : 10:30 A.M.		
COUNTIES: LEFLORE	PROJECTS : FH-514(001)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 22HEV	
	CAL. DAYS: 60	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 HOLSON VALLEY ROAD BEGINNING APPROXIMATELY 6.5 MILE EAST OF
 THE JUNCTION OF HOLSON VALLEY ROAD/US-271 AND EXTENDING EAST
 PROJ. LGTH.= 7.32 MILE
 FLEX. ESALS= 1.8 MILLION
 ASPH. GRADE= 64-220K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY FH-514(001)		
411(A) 5280	(SP)ASPH.CONC.TYPE A(PATCH)(PG 64-22 OK)	280.000	TON
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	12,400.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,926.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	154,600.000	LF

LNTCIQA	STATE PROJECT	PAGE 7
CALL ORDER : 080	CONTRACT ID : 010008	
LETTING DATE : January 25, 2001	PCN : 1819004	
LETTING TIME : 10:30 A.M.		
COUNTIES: LEFLORE	PROJECTS : SAP-140D(59)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 22HEV	
	CAL. DAYS: 60	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 RESURFACE OF LAKE ROAD AT THE QUARRY ISLAND AREA OF LAKE
 WISTER STATE PARK.
 PROJ. LGTH.= 0.54 MILE
 FLEX. ESALS= 0.5 MILLION
 ASPH. GRADE= 64-220K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY SAP-140D(59)		
202(A) 4349	(PL)UNCLASSIFIED EXCAVATION	1.000	LSUM
411(B) 4930	(SP)ASPHALT CONCRETE TYPE B(PATCH)(PG)	150.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,064.000	TON

LNTCIQA	FEDERAL PROJECT	PAGE 8
CALL ORDER : 090	CONTRACT ID : 010009	
LETTING DATE : January 25, 2001	PCN : 1868404	
LETTING TIME : 10:30 A.M.		
COUNTIES: LOGAN	PROJECTS : STPY-142A(56) TR	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 1.62	
	RES. ENG.: 44EDM	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
SCHOOL SIGNALS
US-77 AT FOGARTY SCHOOL IN GUTHRIE
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 SFTY-SC00L SIGNALS			
641	1552 MOBILIZATION	1.000	LSUM
802(B)	8332 1" PVC SCH.40 PLASTIC CONDUIT BORED	55.000	LF
802(B)	8334 1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	70.000	LF
803	8065 PULL BOX(SIZE I)	2.000	EA
804(A)	2915 STRUCTURAL CONCRETE	1.000	CY
804(B)	2916 REINFORCING STEEL	52.600	LB
806(B)	8898 15' MTG.HT.TS PED.POLE(G.STL.)	2.000	EA
811	8044 1/C NO.10 ELECT.COND.	730.000	LF
827	8623 SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831	8301 1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
850(A)	8110 SHEET ALUMINUM SIGNS	36.000	SF
855(A)	8812 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,200.000	LF
859(A)	8006 PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1,200.000	LF
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A)	8722 (PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 9
CALL ORDER : 100	CONTRACT ID : 010010	
LETTING DATE : January 25, 2001	PCN : 0926808	
LETTING TIME : 10:30 A.M.		
COUNTIES: MCCLAIN	PROJECTS : STPY-144C(005)	
	DBE/WBE GOALS: 8.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 16.18	
	RES. ENG.: 32PUR	
	CAL. DAYS: 210	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 FROM JCT. OF SH-9/US-62 NORTH TO THE SOUTH CITY LIMITS OF
 NEWCASTLE ON US-62
 PROJ. LGTH.= 3.513 MILES
 FLEX. ESALS= 5.3 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	205,318.000	CY
202(C)	0184 UNCLASSIFIED BORROW	1,964.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	350.000	LF
223	2801 TEMPORARY SILT FENCE	1,750.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	13.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	30.000	CY
227	0100 TEMPORARY SILT DIKE	450.000	LF
229	4318 DITCH LINER PROTECTION	3,059.000	LF
230(A)	2806 SOLID SLAB SODDING	20,738.000	SY
230(D)	2810 BROADCAST SPRIGGING (METHOD A)	217,389.000	SY
230(F)	2812 WATERING	9,525.000	MGAL
232(B)	2814 SEEDING METHOD B	49.200	AC
233(A)	2817 VEGETATIVE MULCHING	49.200	AC
234(A)	2824 FERTILIZING (10-20-10)	24.000	TON
234(A)	4406 FERTILIZING (0-46-0)	3.690	TON
241	2832 MOWING	49.200	AC
307(A)	4233 LIME	474.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	26,286.000	SY
317(A)	4252 (SP)FLY ASH	5,684.000	TON
317(B)	4254 SUBGRADE MODIFICATION	105,141.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,440.000	TON
407	0250 TACK COAT	14,304.000	GAL
408	5774 PRIME COAT	17,463.000	GAL
411(R)	5882 (SP)ASPH.CONC., 3/4" NOM MAX(PG70-280K)	11,527.000	TON
411(R)	5883 (SP)ASPH.CONC., 3/4" NOM MAX(PG64-220K)	30,645.000	TON
411(S)	5885 (SP)ASPH.CONC., 1/2" NOM MAX(PG70-280K)	7,848.000	TON
411(S)	5886 (SP)ASPH.CONC., 1/2" NOM MAX(PG64-220K)	2,892.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	35,709.000	LF
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	100.000	CY
509(B)	0321 CLASS A CONCRETE	284.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	10.000	CY

SECTION NO. 0001		I000-ROADWAY		
509(D)	0325	CLASS C CONCRETE	231.000	CY
511(A)	0332	REINFORCING STEEL	45,461.000	LB
609(B)	1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	15.000	LF
610(B)	0604	6" CONCRETE DRIVEWAY	244.000	SY
611(A)	2657	MANHOLE (4' DIA.)	1.000	EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	11.440	VF
611(D)	4215	MANHOLE FRAME & COVER	1.000	EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	8.000	EA
611(L)	5117	DROP INLET GRATE (SMD TYPE 2A)	1.000	EA
611(L)	5118	DROP INLET GRATE (SMD TYPE 2B)	1.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	472.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	304.000	LF
613(B)	0493	30" R.C.PIPE CLASS III	138.000	LF
613(B)	0494	36" R.C.PIPE CLASS III	98.000	LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	17.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT	1.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	18.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	5.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	1.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	1,714.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	248.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE	126.000	LF
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	5.000	EA
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(M)	5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	5734	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	1,318.000	LF
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	439.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	396.000	CY
613(S)	1180	TRENCH EXCAVATION	1,015.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	266.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	143.000	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	49,155.000	SY
619(C)	0924	SAWING PAVEMENT	3,888.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	300.000	LF
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
629(A)	4958	MAILBOX INSTALLATION-SINGLE	6.000	EA
629(C)	4960	MAILBOX	6.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	6.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	5946	OUTLET LATERAL HEADWALL	6.000	EA
SECTION NO. 0002		Y002-TRAFFIC		
850(A)	8110	SHEET ALUMINUM SIGNS	387.150	SF
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POST	28.000	LF
851(C)	8327	2 1/4" SQUARE TUBE POST	934.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	115,618.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	16.000	EA

SECTION NO. 0002	Y002-TRAFFIC		
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	8.000	EA
857(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	518.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	95,000.000	LF
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
890(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 12
CALL ORDER : 141	CONTRACT ID : 010019	
LETTING DATE : January 25, 2001	PCN : 1818804	
LETTING TIME : 10:30 A.M.		
COUNTIES: OKLAHOMA	PROJECTS : BRFY-155C(263)RW	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 44EDM	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RIGHT-OF-WAY CLEARANCE
 ALONG US-66 IN ARCADIA
 PROJ. LGTH.= 0.00 MILES

ITEM NO.		DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001		RIGHT-OF-WAY CLEARANCE		
643	0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM
643	0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION		1.000 EA

LNTCIQA	FEDERAL PROJECT	PAGE 13
CALL ORDER : 142	CONTRACT ID : 000405	
LETTING DATE : January 25, 2001	PCN : 1832904	
LETTING TIME : 10:30 A.M.		
COUNTIES: OKLAHOMA	PROJECTS : IMG-240-1(347)000TR	
	DBE/WBE GOALS: 10.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 3.76	
	RES. ENG.: 460KC	
	CAL. DAYS: 90	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GUARDRAIL
 ALONG I-240 BEGINNING AT THE JUNCTION OF I-240/I-44 AND
 EXTENDING EAST TO THE JUNCTION OF I-240/I-40.
 PROJ. LGTH.= 0.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y008-CONST.TRAFFIC CONTROL		
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002	SFTY-GUARDRAIL		
202(C) 0184	UNCLASSIFIED BORROW	600.000	CY
209 0120	MACHINE GRADING	95.300	STA
230(A) 2806	SOLID SLAB SODDING	55.000	SY
308 1423	SAND CUSHION	24.000	CY
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,235.000	TON
509(B) 0321	CLASS A CONCRETE	75.420	CY
509(D) 0325	CLASS C CONCRETE	204.150	CY
511(A) 0332	REINFORCING STEEL	12,787.000	LB
610(C) 0608	4" CONCRETE DIVIDING STRIP	78.000	SY
613(B) 0492	24" R.C.PIPE CLASS III	12.000	LF
619(B) 4780	REMOVAL OF GUARD RAIL	12,862.500	LF
619(C) 0924	SAWING PAVEMENT	9,510.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	6,475.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	8.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	6.000	EA
623(G) 0940	GUARD RAIL BLOCKOUT REPLACEMENT	1,700.000	LF
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	29.000	EA
641 1552	MOBILIZATION	1.000	LSUM
853(G) 8246	GUARD RAIL DELINEATORS TYPE 4	177.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	855.000	EA
930.01 4400	(PL) SP. WELDED STEEL GRATE(30" SQ)	36.000	EA

LNTCIQA	STATE PROJECT	PAGE 14
CALL ORDER : 152	CONTRACT ID : 000414	
LETTING DATE : January 25, 2001	PCN : 1699804	
LETTING TIME : 10:30 A.M.		
COUNTIES: PAYNE	PROJECTS : CIP-160B(14)IP	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 36.14	
	RES. ENG.: 45STL	
	CAL. DAYS: 300	LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-51 BEGINNING APPROXIMATELY 4.0 MILE WEST OF THE
 JUNCTION OF SH-51/SH-108 AND EXTENDING EAST.
 PROJ. LGTH.= 2.87 MILE
 FLEX. ESALS= 9.54 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-160B(14)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	68,339.000	CY
202(C)	0184 UNCLASSIFIED BORROW	3,774.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	26,042.000	CY
222	2801 TEMPORARY BALE BARRIER	2,000.000	LF
223	2801 TEMPORARY SILT FENCE	9,800.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	8.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	6.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	30.000	CY
229	4318 DITCH LINER PROTECTION	3,377.000	LF
230(A)	2806 SOLID SLAB SODDING	16,336.000	SY
230(B)	2807 MULCH SODDING	100,724.000	SY
230(F)	2812 WATERING	4,683.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	25.000	AC
234(A)	2824 FERTILIZING (10-20-10)	12.000	TON
234(A)	4406 FERTILIZING (0-46-0)	1.400	TON
241	2832 MOWING	16.000	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	22.000	EA
307(A)	4233 LIME	1,411.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	105,297.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	742.000	TON
407	0250 TACK COAT	23,431.000	GAL
408	5774 PRIME COAT	18,481.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	36,207.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	15,833.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,601.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,267.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	15,832.000	LF
417	5267 COLD MILLING PAVEMENT	35,817.000	SY
420(A)	4242 FABRIC REINFORCEMENT	41,184.000	SY
420(B)	4268 BITUMINOUS BINDER	10,296.000	GAL
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	127.000	CY
509(B)	0321 CLASS A CONCRETE	357.000	CY

SECTION NO.	0001	I000-ROADWAY	CIP-160B(14)IP		
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	5.500	CY	
509(D)	0325	CLASS C CONCRETE	593.000	CY	
511(A)	0332	REINFORCING STEEL	38,918.000	LB	
601(A)	0297	TYPE I PLAIN RIPRAP	4.200	TON	
601(E)	6312	FILTER FABRIC (RIPRAP)	200.000	SY	
609(B)	0385	1'-8" COMB.CRB.& GUT.(4" MNTBLE-NOTCH)	325.000	LF	
609(B)	0386	1'-8" COMB.CRB.& GUT.(6" MNTBLE-NOTCH)	13,267.000	LF	
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	707.000	SY	
611(A)	2657	MANHOLE (4' DIA.)	6.000	EA	
611(A)	2658	MANHOLE (5' DIA.)	4.000	EA	
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	1.300	VF	
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	4.900	VF	
611(D)	4215	MANHOLE FRAME & COVER	10.000	EA	
611(E)	5103	INLET CICI DES. 1 (C)	3.000	EA	
611(E)	5115	INLET CICI DES. 2 (D)	4.000	EA	
611(E)	5122	INLET CICI DES. 3 (D)	14.000	EA	
611(E)	5124	INLET CICI DES. 3 (B-D)	1.000	EA	
611(E)	6002	INLET (SMD-TYPE 2)	5.000	EA	
611(E)	6004	INLET (SMD-TYPE 2A)	3.000	EA	
611(F)	5320	INLET CICI DES. 1 (ADD'L DEPTH)	2.500	VF	
611(F)	5325	INLET CICI DES. 2 (ADD'L DEPTH)	3.400	VF	
611(F)	5330	INLET CICI DES. 3 (ADD'L DEPTH)	3.500	VF	
611(G)	4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	71.000	EA	
611(K)	4488	CAST IRON CURB INLETS	158.000	EA	
611(N)	3620	WELDED STEEL GRATE (42" SQ.)	8.000	EA	
613(B)	0491	18" R.C.PE PIPE CLASS III	1,458.000	LF	
613(B)	0492	24" R.C.PE PIPE CLASS III	960.000	LF	
613(B)	0493	30" R.C.PE PIPE CLASS III	1,240.000	LF	
613(B)	0494	36" R.C.PE PIPE CLASS III	1,632.000	LF	
613(B)	0495	42" R.C.PE PIPE CLASS III	12.000	LF	
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	3.000	EA	
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	25.000	EA	
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	11.000	EA	
613(CC)	7189	TYPE D4 CULVERT END TREATMENT	3.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	24.000	EA	
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	6.000	EA	
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	1,557.000	LF	
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	459.000	LF	
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	1,200.000	LF	
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	800.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	120.000	CY	
613(S)	1180	TRENCH EXCAVATION	5,164.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	2,692.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	4726	REMOVAL OF CURB AND GUTTER	2,905.000	LF	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	64,301.000	SY	
619(C)	0924	SAWING PAVEMENT	23,950.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	215.000	LF	
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	1.000	EA	
624(A)	4281	FENCE-STYLE WWF	7,490.000	LF	
624(B)	4466	GATES-STYLE WWF (4.5' HIGH X 16' LONG)	7.000	EA	
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)	240.000	LF	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	7,509.000	LF	

SECTION NO. 0001		I000-ROADWAY CIP-160B(14)IP		
624(D)	4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	230.000	LF
624(D)	4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	274.000	LF
624(E)	5960	GATES-STYLE CLF (6'HIGH X 12'LONG)	2.000	EA
629(A)	4958	MAILBOX INSTALLATION-SINGLE	20.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	27.000	EA
629(C)	4960	MAILBOX	132.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	132.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002		Y002-TRAFFIC SIGNING & STRIPING CIP-160B(14)IP		
850(A)	8110	SHEET ALUMINUM SIGNS	460.000	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	1,036.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	81,697.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	132.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	8.000	EA
SECTION NO. 0003		Y008-CONST.TRAFFIC CONTROL CIP-160B(14)IP		
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,050.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	2,050.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	2,050.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	64,000.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,000.000	LF
856(G)	8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	4,200.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	35,600.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	180.000	EA
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	32,000.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	64,000.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,000.000	SD
880(C)	8836	BARRICADES(TYPE II)	14,000.000	SD
880(C)	8842	BARRICADES(TYPE III)	14,000.000	SD
880(C)	8848	WING BARRICADES	1,600.000	SD
880(D)	8854	VERTICAL PANELS	4,500.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	34,000.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	160,000.000	SD
880(F)	8878	DRUMS	160,000.000	SD
880(G)	8884	TUBE CHANNELIZERS	80,000.000	SD
SECTION NO. 0004		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 17
CALL ORDER : 153	CONTRACT ID : 000480	
LETTING DATE : January 25, 2001	PCN : 1699808	
LETTING TIME : 10:30 A.M.		
COUNTIES: PAYNE	PROJECTS : CIP-160B(51)IP	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 30.21	
	RES. ENG.: 45STL	
	CAL. DAYS: 180	LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES(ASPHALT)
 ON SH-51 OVER LITTLE STILLWATER CREEK APPROXIMATELY 1.0
 MILE WEST OF THE JUNCTION SH-51/SH-108.
 PROJ. LGTH.= 0.39 MILE
 FLEX. ESALS= 9.54 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-160B(51)IP		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	7,189.000	CY
202(C) 0184	UNCLASSIFIED BORROW	6,200.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	540.000	LF
223 2801	TEMPORARY SILT FENCE	1,350.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
226 2805	TEMPORARY SEDIMENT REMOVAL	12.000	CY
229 4318	DITCH LINER PROTECTION	1,510.000	LF
230(A) 2806	SOLID SLAB SODDING	2,077.000	SY
230(B) 2807	MULCH SODDING	10,397.000	SY
230(F) 2812	WATERING	499.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	6.000	AC
234(A) 2824	FERTILIZING (10-20-10)	1.000	TON
234(A) 4406	FERTILIZING (0-46-0)	1.000	TON
241 2832	MOWING	5.000	AC
307(A) 4233	LIME	191.000	TON
307(B) 4234	6" LIME TREATED SUBGRADE	14,216.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	80.000	TON
407 0250	TACK COAT	4,906.000	GAL
408 5774	PRIME COAT	2,899.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	6,914.000	TON
411(A) 6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,375.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,118.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,045.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	3,606.000	LF
417 5267	COLD MILLING PAVEMENT	5,184.000	SY
420(A) 4242	FABRIC REINFORCEMENT	6,048.000	SY
420(B) 4268	BITUMINOUS BINDER	1,513.000	GAL
509(D) 0325	CLASS C CONCRETE	250.000	CY
601(D) 1390	TYPE IV GROUTED RIPRAP	20.000	SY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	4.000	EA

SECTION NO. 0001		I000-ROADWAY CIP-160B(51)IP		
613(CC)	7192	TYPE BB4 CULVERT END TREATMENT	1.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	1.000	EA
613(D)	4526	(PL) CORR. GALV. STEEL PIPE ARCH	168.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	156.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	150.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	278.000	LF
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(Q)	1097	8" NON-PERF. PIPE UNDERDRAIN RND.	300.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	659.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	8,460.000	SY
619(C)	0924	SAWING PAVEMENT	3,944.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,438.000	LF
623(F)	4446	GUARD RAIL ANCHOR UNIT (TYPE A)	2.000	EA
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	8571	(SP) G.E.T. GUARD RAIL END SECTION	5.000	EA
624(A)	4281	FENCE-STYLE WWF	6,579.000	LF
624(B)	4460	GATES-STYLE WWF (4.5' HIGH X 10' LONG)	2.000	EA
624(B)	4462	GATES-STYLE WWF (4.5' HIGH X 12' LONG)	2.000	EA
624(B)	4466	GATES-STYLE WWF (4.5' HIGH X 16' LONG)	5.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	4,946.000	LF
625(C)	1253	REMOVE AND STORE GUARD RAIL	1,150.000	LF
SECTION NO. 0002		X081-BRIDGE 'A' CIP-160B(51)IP		
202(A)	1301	UNCLASSIFIED EXCAVATION	1,620.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F)	6352	GRANULAR BACKFILL	155.000	CY
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	986.300	LF
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	821.300	LF
504(A)	1304	APPROACH SLAB	365.200	SY
504(E)	6239	CONCRETE RAIL (TR3)	412.000	LF
506(A)	1322	STRUCTURAL STEEL	11,000.000	LB
509(A)	1326	CLASS AA CONCRETE	411.800	CY
509(B)	1328	CLASS A CONCRETE	204.800	CY
511(A)	1332	REINFORCING STEEL	12,770.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	97,160.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	624.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	624.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	849.000	SY
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	216.000	LF
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	3,400.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	1,085.000	TON
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	166.000	LF
613(Q)	1096	6" NON-PERF. PIPE UNDERDRAIN RND.	81.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	26.000	CY
613(S)	1180	TRENCH EXCAVATION	17.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	12.000	CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640	1398	FIELD OFFICE	1.000	EA

SECTION NO. 0002		X081-BRIDGE 'A' CIP-160B(51)IP		
641	1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003		Y002-TRAFFIC SIGNING & STRIPING CIP-160B(51)IP		
850(A)	8110	SHEET ALUMINUM SIGNS	100.000	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	218.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	25,170.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	18.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
857(A)	8893	PAVE.MARKERS CLASS A TYPE 1	54.000	EA
SECTION NO. 0004		Y008-CONST.TRAFFIC CONTROL CIP-160B(51)IP		
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	120.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4,800.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	13,200.000	LF
856(G)	8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	1,200.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	17,000.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	30.000	EA
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,100.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7,800.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,600.000	SD
880(C)	8842	BARRICADES(TYPE III)	5,400.000	SD
880(C)	8848	WING BARRICADES	1,200.000	SD
880(D)	8854	VERTICAL PANELS	200.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	4,800.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	30,000.000	SD
880(F)	8878	DRUMS	37,840.000	SD
880(G)	8884	TUBE CHANNELIZERS	18,920.000	SD
SECTION NO. 0005		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 20
CALL ORDER : 154	CONTRACT ID : 000481	
LETTING DATE : January 25, 2001	PCN : 1699804C	
LETTING TIME : 10:30 A.M.		
COUNTIES: PAYNE	PROJECTS : CIP-160B(14)IP/CIP-160B(51)IP	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 66.35	
	RES. ENG.: 45STL	
	CAL. DAYS: 330	LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE & SURFACE(ASPHALT)
 ON SH-51 BEGINNING APPROXIMATELY 4.0 MILE WEST OF THE
 JUNCTION OF SH-51/SH-108 AND EXTENDING EAST.
 PROJ. LGTH.= 3.26 MILE
 FLEX. ESALS= 9.54 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-160B(14)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	68,339.000	CY
202(C)	0184 UNCLASSIFIED BORROW	3,774.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	26,042.000	CY
222	2801 TEMPORARY BALE BARRIER	2,000.000	LF
223	2801 TEMPORARY SILT FENCE	9,800.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	8.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	6.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	30.000	CY
229	4318 DITCH LINER PROTECTION	3,377.000	LF
230(A)	2806 SOLID SLAB SODDING	16,336.000	SY
230(B)	2807 MULCH SODDING	100,724.000	SY
230(F)	2812 WATERING	4,683.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	25.000	AC
234(A)	2824 FERTILIZING (10-20-10)	12.000	TON
234(A)	4406 FERTILIZING (0-46-0)	1.400	TON
241	2832 MOWING	16.000	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	22.000	EA
307(A)	4233 LIME	1,411.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	105,297.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	742.000	TON
407	0250 TACK COAT	23,431.000	GAL
408	5774 PRIME COAT	18,481.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	36,207.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	15,833.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,601.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,267.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	15,832.000	LF
417	5267 COLD MILLING PAVEMENT	35,817.000	SY
420(A)	4242 FABRIC REINFORCEMENT	41,184.000	SY
420(B)	4268 BITUMINOUS BINDER	10,296.000	GAL
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	127.000	CY
509(B)	0321 CLASS A CONCRETE	357.000	CY

SECTION NO.	0001	I000-ROADWAY	CIP-160B(14)IP		
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	5.500	CY	
509(D)	0325	CLASS C CONCRETE	593.000	CY	
511(A)	0332	REINFORCING STEEL	38,918.000	LB	
601(A)	0297	TYPE I PLAIN RIPRAP	4.200	TON	
601(E)	6312	FILTER FABRIC (RIPRAP)	200.000	SY	
609(B)	0385	1'-8" COMB.CRB.& GUT.(4" MNTBLE-NOTCH)	325.000	LF	
609(B)	0386	1'-8" COMB.CRB.& GUT.(6" MNTBLE-NOTCH)	13,267.000	LF	
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	707.000	SY	
611(A)	2657	MANHOLE (4' DIA.)	6.000	EA	
611(A)	2658	MANHOLE (5' DIA.)	4.000	EA	
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	1.300	VF	
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	4.900	VF	
611(D)	4215	MANHOLE FRAME & COVER	10.000	EA	
611(E)	5103	INLET CICI DES. 1 (C)	3.000	EA	
611(E)	5115	INLET CICI DES. 2 (D)	4.000	EA	
611(E)	5122	INLET CICI DES. 3 (D)	14.000	EA	
611(E)	5124	INLET CICI DES. 3 (B-D)	1.000	EA	
611(E)	6002	INLET (SMD-TYPE 2)	5.000	EA	
611(E)	6004	INLET (SMD-TYPE 2A)	3.000	EA	
611(F)	5320	INLET CICI DES. 1 (ADD'L DEPTH)	2.500	VF	
611(F)	5325	INLET CICI DES. 2 (ADD'L DEPTH)	3.400	VF	
611(F)	5330	INLET CICI DES. 3 (ADD'L DEPTH)	3.500	VF	
611(G)	4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	71.000	EA	
611(K)	4488	CAST IRON CURB INLETS	158.000	EA	
611(N)	3620	WELDED STEEL GRATE (42" SQ.)	8.000	EA	
613(B)	0491	18" R.C.PE PIPE CLASS III	1,458.000	LF	
613(B)	0492	24" R.C.PE PIPE CLASS III	960.000	LF	
613(B)	0493	30" R.C.PE PIPE CLASS III	1,240.000	LF	
613(B)	0494	36" R.C.PE PIPE CLASS III	1,632.000	LF	
613(B)	0495	42" R.C.PE PIPE CLASS III	12.000	LF	
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	3.000	EA	
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	25.000	EA	
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	11.000	EA	
613(CC)	7189	TYPE D4 CULVERT END TREATMENT	3.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	24.000	EA	
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	6.000	EA	
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	1,557.000	LF	
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	459.000	LF	
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	1,200.000	LF	
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	800.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	120.000	CY	
613(S)	1180	TRENCH EXCAVATION	5,164.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	2,692.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	4726	REMOVAL OF CURB AND GUTTER	2,905.000	LF	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	64,301.000	SY	
619(C)	0924	SAWING PAVEMENT	23,950.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	215.000	LF	
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	1.000	EA	
624(A)	4281	FENCE-STYLE WWF	7,490.000	LF	
624(B)	4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	7.000	EA	
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)	240.000	LF	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	7,509.000	LF	

SECTION NO. 0001		I000-ROADWAY CIP-160B(14)IP		
624(D)	4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	230.000	LF
624(D)	4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	274.000	LF
624(E)	5960	GATES-STYLE CLF (6'HIGH X 12'LONG)	2.000	EA
629(A)	4958	MAILBOX INSTALLATION-SINGLE	20.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	27.000	EA
629(C)	4960	MAILBOX	132.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	132.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002		I000-ROADWAY CIP-160B(51)IP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183	UNCLASSIFIED EXCAVATION	7,189.000	CY
202(C)	0184	UNCLASSIFIED BORROW	6,200.000	CY
205	4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801	TEMPORARY BALE BARRIER	540.000	LF
223	2801	TEMPORARY SILT FENCE	1,350.000	LF
224	2803	TEMPORARY SEDIMENT FILTER	1.000	EA
226	2805	TEMPORARY SEDIMENT REMOVAL	12.000	CY
229	4318	DITCH LINER PROTECTION	1,510.000	LF
230(A)	2806	SOLID SLAB SODDING	2,077.000	SY
230(B)	2807	MULCH SODDING	10,397.000	SY
230(F)	2812	WATERING	499.000	MGAL
233(A)	2817	VEGETATIVE MULCHING	6.000	AC
234(A)	2824	FERTILIZING (10-20-10)	1.000	TON
234(A)	4406	FERTILIZING (0-46-0)	1.000	TON
241	2832	MOWING	5.000	AC
307(A)	4233	LIME	191.000	TON
307(B)	4234	6" LIME TREATED SUBGRADE	14,216.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	80.000	TON
407	0250	TACK COAT	4,906.000	GAL
408	5774	PRIME COAT	2,899.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	6,914.000	TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,375.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,118.000	TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,045.000	TON
413(A)	4861	RUMBLE STRIP-METHOD AC-CON	3,606.000	LF
417	5267	COLD MILLING PAVEMENT	5,184.000	SY
420(A)	4242	FABRIC REINFORCEMENT	6,048.000	SY
420(B)	4268	BITUMINOUS BINDER	1,513.000	GAL
509(D)	0325	CLASS C CONCRETE	250.000	CY
601(D)	1390	TYPE IV GROUTED RIPRAP	20.000	SY
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	4.000	EA
613(CC)	7192	TYPE BB4 CULVERT END TREATMENT	1.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	1.000	EA
613(D)	4526	(PL)CORR. GALV. STEEL PIPE ARCH	168.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	156.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	150.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	278.000	LF
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF

SECTION NO. 0002		I000-ROADWAY CIP-160B(51)IP		
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	300.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	659.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	8,460.000	SY
619(C)	0924	SAWING PAVEMENT	3,944.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,438.000	LF
623(F)	4446	GUARD RAIL ANCHOR UNIT (TYPE A)	2.000	EA
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	5.000	EA
624(A)	4281	FENCE-STYLE WWF	6,579.000	LF
624(B)	4460	GATES-STYLE WWF (4.5'HIGH X 10'LONG)	2.000	EA
624(B)	4462	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	2.000	EA
624(B)	4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	5.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	4,946.000	LF
625(C)	1253	REMOVE AND STORE GUARD RAIL	1,150.000	LF
SECTION NO. 0003		X081-BRIDGE 'A' CIP-160B(51)IP		
202(A)	1301	UNCLASSIFIED EXCAVATION	1,620.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F)	6352	GRANULAR BACKFILL	155.000	CY
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	986.300	LF
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	821.300	LF
504(A)	1304	APPROACH SLAB	365.200	SY
504(E)	6239	CONCRETE RAIL (TR3)	412.000	LF
506(A)	1322	STRUCTURAL STEEL	11,000.000	LB
509(A)	1326	CLASS AA CONCRETE	411.800	CY
509(B)	1328	CLASS A CONCRETE	204.800	CY
511(A)	1332	REINFORCING STEEL	12,770.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	97,160.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	624.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	624.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	849.000	SY
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	216.000	LF
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	3,400.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	1,085.000	TON
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	166.000	LF
613(Q)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	81.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	26.000	CY
613(S)	1180	TRENCH EXCAVATION	17.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	12.000	CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0004		Y002-TRAFFIC SIGNING & STRIPING CIP-160B(14)IP		
850(A)	8110	SHEET ALUMINUM SIGNS	460.000	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	1,036.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	81,697.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	132.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	8.000	EA
SECTION NO. 0005		Y002-TRAFFIC SIGNING & STRIPING CIP-160B(51)IP		

850(A)	8110	SHEET ALUMINUM SIGNS	100.000	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	218.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	25,170.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	18.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
857(A)	8893	PAVE.MARKERS CLASS A TYPE 1	54.000	EA
SECTION NO. 0006 Y008-CONST.TRAFFIC CONTROL CIP-160B(14)IP				
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,050.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	2,050.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	2,050.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	64,000.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,000.000	LF
856(G)	8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	4,200.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	35,600.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	180.000	EA
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	32,000.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	64,000.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,000.000	SD
880(C)	8836	BARRICADES(TYPE II)	14,000.000	SD
880(C)	8842	BARRICADES(TYPE III)	14,000.000	SD
880(C)	8848	WING BARRICADES	1,600.000	SD
880(D)	8854	VERTICAL PANELS	4,500.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	34,000.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	160,000.000	SD
880(F)	8878	DRUMS	160,000.000	SD
880(G)	8884	TUBE CHANNELIZERS	80,000.000	SD
SECTION NO. 0007 Y008-CONST.TRAFFIC CONTROL CIP-160B(51)IP				
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	120.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4,800.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	13,200.000	LF
856(G)	8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	1,200.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	17,000.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	30.000	EA
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,100.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7,800.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,600.000	SD
880(C)	8842	BARRICADES(TYPE III)	5,400.000	SD
880(C)	8848	WING BARRICADES	1,200.000	SD
880(D)	8854	VERTICAL PANELS	200.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	4,800.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	30,000.000	SD
880(F)	8878	DRUMS	37,840.000	SD
880(G)	8884	TUBE CHANNELIZERS	18,920.000	SD
SECTION NO. 0008 STAK-STAKING				
642	0098	STAKING	1.000	LSUM
SECTION NO. 0009 STAK-STAKING				
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 160
 LETTING DATE : January 25, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: ROGERS

STATE PROJECT
 CONTRACT ID : 010022
 PCN : 1696604
 PROJECTS : CIP-166A(12)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 36.14
 RES. ENG.: 83CLA
 CAL. DAYS: 300

PAGE 25

LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-88 (WILL ROGERS BLVD.) EXTENDING FROM THE BURLINGTON
 NORTHERN RAILROAD TO SH-20 IN CLAREMORE.
 PROJ. LGTH.= 0.81 MILE
 FLEX. ESALS= 1.53 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(A) 0183	UNCLASSIFIED EXCAVATION	9,893.000	CY
222 2801	TEMPORARY BALE BARRIER	200.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	37.000	EA
226 2805	TEMPORARY SEDIMENT REMOVAL	100.000	CY
230(A) 2806	SOLID SLAB SODDING	4,529.000	SY
230(F) 2812	WATERING	271.700	MGAL
232(E) 2800	SEEDING	600.000	AC
233(A) 2817	VEGETATIVE MULCHING	5.000	AC
303 0192	AGGREGATE BASE	5,797.200	CY
325 5271	SEPARATOR FABRIC	23,197.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	300.000	TON
407 0250	TACK COAT	2,007.000	GAL
408 5774	PRIME COAT	4,253.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,070.100	TON
411(A) 6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	8,153.300	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	3,389.000	TON
414(B) 5071	8" H.E.S. CONCRETE (PATCHING)	500.000	SY
417 5267	COLD MILLING PAVEMENT	1,574.300	SY
433 5109	RUBBLIZING PAVEMENT	20,348.000	SY
501(G) 6309	CLSM BACKFILL	35.700	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	38.100	CY
510(A) 6334	RETAINING WALL	276.000	SY
511(A) 0332	REINFORCING STEEL	2,377.000	LB
609(B) 0395	2'-8" COMB.CRB.& GUT.(6" BARRIER-NOTCH)	4,354.000	LF
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	2,363.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	3,880.000	SY
610(B) 0400	8" CONCRETE DRIVEWAY (H.E.S.)	4,637.000	SY
611(A) 2657	MANHOLE (4' DIA.)	7.000	EA
611(A) 2658	MANHOLE (5' DIA.)	1.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	6.050	VF
611(D) 4215	MANHOLE FRAME & COVER	14.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	13.000	EA
611(E) 5113	INLET CICI DES. 2 (B)	4.000	EA

SECTION NO. 0001		I000-ROADWAY		
611(E)	5115	INLET CICI DES. 2 (D)	1.000	EA
611(E)	5970	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2	5.000	EA
611(F)	5325	INLET CICI DES. 2 (ADD'L DEPTH)	16.350	VF
611(F)	5970	INLET W/SJB,CICI-JB-1,DES.2(ADD.DPTH)	3.330	VF
611(G)	4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	46.000	EA
611(J)	0487	JUNCTION BOXES	121.740	CF
611(K)	4488	CAST IRON CURB INLETS	58.000	EA
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	4.000	EA
612(A)	0641	MANHOLES ADJUST TO GRADE	5.000	EA
613(B)	0491	18" R.C.PEPIPE CLASS III	413.000	LF
613(B)	0492	24" R.C.PEPIPE CLASS III	731.000	LF
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(S)	1180	TRENCH EXCAVATION	766.800	CY
613(T)	1181	STANDARD BEDDING MATERIAL	240.200	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	3,212.700	SY
619(C)	0924	SAWING PAVEMENT	9,057.000	LF
622(A)	4746	PIPE RAILING	136.000	LF
641	1552	MOBILIZATION	1.000	LSUM
653(A)	5915	EDGE DRAIN CONDUIT-PERFORATED	8,062.000	LF
653(B)	5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	150.000	LF
SECTION NO. 0002		Y000-TRAFFIC		
802(B)	8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	650.000	LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	35.000	LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	250.000	LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	10.000	LF
803	8065	PULL BOX(SIZE I)	4.000	EA
803	8066	PULL BOX(SIZE II)	1.000	EA
803	8067	PULL BOX(SIZE III)	4.000	EA
804(A)	2915	STRUCTURAL CONCRETE	10.220	CY
804(B)	2916	REINFORCING STEEL	1,532.240	LB
806(A)	8283	32'MHP 20'T.S.& 6'LMA(G.STL.)	2.000	EA
806(A)	8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	2.000	EA
809(A)	8090	(PL)ROADWAY LUMINAIRE	4.000	EA
810(A)	3118	SERVICE POLE	1.000	EA
811	8044	1/C NO.10 ELECT.COND.	900.000	LF
825	8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A)	8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	10.000	EA
828(B)	8138	LOOP DETECTOR WIRE	3,250.000	LF
830	8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831	8170	1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	8.000	EA
831	8286	1WAY5SEC.ADJ.SIG.HD.S-19	2.000	EA
831	8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA
833	3030	BACKPLATE	10.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	625.000	LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	115.000	LF
834(A)	8209	9/C TRAF.SIG.EL.CABLE	216.000	LF
834(A)	8211	15/C TRAF.SIG.EL.CABLE	200.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,860.000	LF
850(A)	8110	SHEET ALUMINUM SIGNS	253.800	SF
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUM.)	42.500	SF

SECTION NO. 0002		Y000-TRAFFIC		
851(C)	8327	2 1/4" SQUARE TUBE POST	371.000	LF
851(C)	8598	SQUARE TUBE POSTS	49.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	17,777.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	37.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
855(B)	8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	1.000	EA
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	34,000.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1,000.000	LF
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	25,000.000	LF
880(A)	8812	ARROW DISPLAY(TYPE C)	550.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5,500.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	31,350.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,325.000	SD
880(C)	8836	BARRICADES(TYPE II)	5,500.000	SD
880(C)	8842	BARRICADES(TYPE III)	46,200.000	SD
880(C)	8848	WING BARRICADES	825.000	SD
880(D)	8854	VERTICAL PANELS	27,500.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	97,625.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	68,750.000	SD
880(F)	8878	DRUMS	68,750.000	SD
SECTION NO. 0003		Y030-TRAFFIC LIGHTING		
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	4,600.000	LF
803	8067	PULL BOX(SIZE III)	15.000	EA
804(A)	2915	STRUCTURAL CONCRETE	33.100	CY
804(B)	2916	REINFORCING STEEL	1,410.000	LB
806(C)	8964	50' MTG & 10' HLMA(G.STL.)	25.000	EA
809(A)	8090	(PL)ROADWAY LUMINAIRE	25.000	EA
811	8038	1/C NO.4 ELECT.COND.	15,720.000	LF
890(A)	8712	(PL)REMOVAL OF LIGHT POLE	27.000	EA
SECTION NO. 0004		STAK-STAKING		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0005		Y031-TRAFFIC SIGNALS (NON-PARTICIPATING)		
802(B)	8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	95.000	LF
802(B)	8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	330.000	LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	65.000	LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	225.000	LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	45.000	LF
803	8065	PULL BOX(SIZE I)	3.000	EA
803	8066	PULL BOX(SIZE II)	1.000	EA
803	8067	PULL BOX(SIZE III)	2.000	EA
804(A)	2915	STRUCTURAL CONCRETE	10.480	CY
804(B)	2916	REINFORCING STEEL	1,572.380	LB
806(A)	8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	2.000	EA
806(A)	8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	2.000	EA
809(A)	8090	(PL)ROADWAY LUMINAIRE	4.000	EA
811	8040	1/C NO.6 ELECT.COND.	200.000	LF
811	8046	1/C NO.12 ELECT.COND.	1,340.000	LF
825	8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA

SECTION NO.	0005	Y031-TRAFFIC SIGNALS (NON-PARTICIPATING)		
828(A)	8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	8.000	EA
828(B)	8138	LOOP DETECTOR WIRE	990.000	LF
830	8000	PEDESTRIAN PUSH BUTTON	2.000	EA
831	8170	1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	8.000	EA
831	8286	1WAY5SEC.ADJ.SIG.HD.S-19	2.000	EA
831	8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	2.000	EA
833	3030	BACKPLATE	10.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	620.000	LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	245.000	LF
834(A)	8210	12/C TRAF.SIG.EL.CABLE	240.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,245.000	LF
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUM.)	42.000	SF

LNTCIQA	FEDERAL PROJECT	PAGE 29
CALL ORDER : 240	CONTRACT ID : 000478	
LETTING DATE : January 25, 2001	PCN : 1855704	
LETTING TIME : 10:30 A.M.		
COUNTIES: WASHINGTON	PROJECTS : NHY-18N(25)TR	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 4.32	
	RES. ENG.: 81TUL	
	CAL. DAYS: 60	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 TRAFFIC SIGNALS AT THE INTERSECTION OF US-60 AND MADISON
 BLVD. IN BARTLESVILLE
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
230(A) 2806	SOLID SLAB SODDING	217.000	SY
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	463.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	39.000	SY
619(C) 0924	SAWING PAVEMENT	100.000	LF
641 1552	MOBILIZATION	1.000	LSUM
802(B) 8332	1" PVC SCH.40 PLASTIC CONDUIT BORED	160.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	1,000.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	50.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	240.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	50.000	LF
803 8065	PULL BOX(SIZE I)	3.000	EA
803 8066	PULL BOX(SIZE II)	1.000	EA
803 8067	PULL BOX(SIZE III)	4.000	EA
804(A) 2915	STRUCTURAL CONCRETE	11.000	CY
804(B) 2916	REINFORCING STEEL	1,625.000	LB
806(A) 8834	40' MHP 25' TS & 8' LMA(G.STL.)	1.000	EA
806(A) 8842	40' MHP 30' TS & 8' LMA(G.STL.)	1.000	EA
806(A) 8852	40' MHP 35' TS & 10' LMA(G.STL.)	2.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	4.000	EA
811 8040	1/C NO.6 ELECT.COND.	100.000	LF
811 8044	1/C NO.10 ELECT.COND.	1,220.000	LF
825 8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A) 8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	12.000	EA
828(B) 8138	LOOP DETECTOR WIRE	3,300.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	10.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	2.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA
833 3030	BACKPLATE	12.000	EA
834(A) 8207	5/C TRAF.SIG.EL.CABLE	1,230.000	LF
834(A) 8210	12/C TRAF.SIG.EL.CABLE	510.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	2,250.000	LF
840(A) 8592	(PL)E.P.S. OPTICAL EMITTER	2.000	EA
840(B) 8593	(PL)E.P.S. OPTICAL DETECTOR	4.000	EA
840(C) 8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	575.000	LF

SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
840(D) 8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	66.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,700.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	6.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3,900.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 31
CALL ORDER : 280	CONTRACT ID : 010026	
LETTING DATE : January 25, 2001	PCN : 1865304	
LETTING TIME : 10:30 A.M.		
COUNTIES: JOHNSTON	PROJECTS : MC-135C(31)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 31ADA	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 BRIDGE OVER THE WASHITA RIVER OVERFLOW 4.1 MILES NORTH OF
 THE MARSHALL COUNTY LINE ON SH-1
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE PAINTING		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 32
CALL ORDER : 290	CONTRACT ID : 010027	
LETTING DATE : January 25, 2001	PCN : 1865204	
LETTING TIME : 10:30 A.M.		
COUNTIES: KINGFISHER	PROJECTS : MC-137C(21)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 42ELR	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 BRIDGE OVER TURKEY CREEK 1.6 MILES WEST OF THE JCT OF
 US-81/SH-51 ON SH-51 WEST OF HENNESSEY
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE PAINTING		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 300
LETTING DATE : January 25, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: KINGFISHER

STATE PROJECT
CONTRACT ID : 010028
PCN : 1865206
PROJECTS : MC-137C(22)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 42ELR
CAL. DAYS: 30

PAGE 33

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
JOINT SEAL
BRIDGE OVER TURKEY CREEK 1.6 MILES WEST OF THE JCT OF
US-81/SH-51 ON SH-51 WEST OF HENNESSEY
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-JOINT SEALING		
419 4152	CONCRETE JOINT REHABILITATION	295.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	25.000	LF
504(I) 6389	ELASTOMERIC MORTAR	7.000	CF
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 34
CALL ORDER : 310	CONTRACT ID : 010029	
LETTING DATE : January 25, 2001	PCN : 1864404	
LETTING TIME : 10:30 A.M.		
COUNTIES: MUSKOGEE	PROJECTS : CMC-151N(68)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 11MUS	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 BRIDGE OVER CHANDLER ROAD 2.1 MILES SOUTH OF THE JCT. OF
 US-62/SH-165 ON SH-165 IN MUSKOGEE
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE PAINTING		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM