

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : January 29, 2001

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- February 22, 2001

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF February 22, 2001 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS IS \$25.00 PLUS TAX FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 PLUS TAX, OR 1996 METRIC STD SPEC \$27.00 + TAX OR 1999 METRIC AND ENGLISH STD SPEC \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT SHALL, WITHIN (14) WORKING DAYS FROM THE DATE THE CONTRACT IS RECEIVED, COMPLETE ITS EXECUTION OF THE CONTRACT AND RETURN A COPY OF THE EXECUTED CONTRACT TO THE SUCCESSFUL BIDDER.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

OKLAHOMA DEPARTMENT OF TRANSPORTATION
DATE : January 29, 2001
NOTICE TO CONTRACTORS -- February 22, 2001
LNTCNCA
LETTING

CALL
ORDER FEDERAL/STATE PROJECT NUMBER JOB PIECE PROPOSAL PLANS
 PRICE PRICE PAGE

*** NO PROPOSALS IN LETTING FOR SPECIFIED PUBLICATION DATE ***

LNTCIQA	STATE PROJECT	PAGE 1
CALL ORDER : 040	CONTRACT ID : 010062	
LETTING DATE : February 22, 2001	PCN : 1879304	
LETTING TIME : 10:30 A.M.		
COUNTIES: BLAINE	PROJECTS : SAP-106D(36)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 51CLI	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ROMAN NOSE STATE PARK-LODGE ENTRANCE, PARKING LOT AND
 MAINTENANCE AREA ROAD
 PROJ. LGTH.= 0.19 MILES
 FLEX. ESALS= 0.5 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(A) 5275	(SP)ASPHALT CONCRETE TYPE A(PATCH)(PG)	120.000	TON
411(C) 6560	(SP)ASPHALT CONC.TYPE C(PG 64-22 OK)	550.000	TON

LNTCIQA	STATE PROJECT	PAGE 2
CALL ORDER : 050	CONTRACT ID : 010063	
LETTING DATE : February 22, 2001	PCN : 1868704	
LETTING TIME : 10:30 A.M.		
COUNTIES: BRYAN	PROJECTS : SAP-107N(51)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 2.16	
	RES. ENG.: 23MAD	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR(FLAME STRAIGHTING)
 OVERHEIGHT VEHICLE DAMAGE ON US-69 6.6 MILES NORTH OF
 US-69B IN DURANT
 PROJ. LGTH.= 0.00 MILES

ITEM NO.		DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001		X271-BRIDGE 'A'		
504(H)	6390	RAPID CURE JOINT SEALANT	81.600	LF
540	4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
540	4505	(PL)REPAIR BRIDGE ITEMS	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
876(C)	8482	(PL)TRUCK MOUNTED ATTENUATOR	14.000	SD
890	7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 3
CALL ORDER : 060	CONTRACT ID : 010038	
LETTING DATE : February 22, 2001	PCN : 1867904	
LETTING TIME : 10:30 A.M.		
COUNTIES: CARTER	PROJECTS : STPY-110C(71)TR	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 1.62	
	RES. ENG.: 72ARD	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
SCHOOL SIGNS
ON US-77 AT SPRINGER PUBLIC SCHOOL IN SPRINGER
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-SCHOOL ZONE WARNING FLASHER SIGN		
641 1552	MOBILIZATION	1.000	LSUM
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	150.000	LF
804(A) 2915	STRUCTURAL CONCRETE	0.800	CY
804(B) 2916	REINFORCING STEEL	52.600	LB
810(A) 3118	SERVICE POLE	2.000	EA
811 8044	1/C NO.10 ELECT.COND.	500.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	44.760	SF
851(B) 3220	4"@10.79 GALV.STL.PIPE POST	24.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	84.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	528.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA

LNTCIQA	STATE PROJECT	PAGE 4
CALL ORDER : 070	CONTRACT ID : 010064	
LETTING DATE : February 22, 2001	PCN : 1878904	
LETTING TIME : 10:30 A.M.		
COUNTIES: CARTER	PROJECTS : SAP-110D(73)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 72ARD	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 SURFACE(ASPHALT)
 LAKE MURRAY STATE PARK-HORSESHOE RIDGE CAMPGROUND AND
 SUNSET BEACH AREA
 PROJ. LGTH.= 0.5 MILES
 FLEX EASELS= 0.3 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
209 0120	MACHINE GRADING	26.000	STA
408 5774	PRIME COAT	989.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,216.000	TON

LNTCIQA	FEDERAL PROJECT	PAGE 5
CALL ORDER : 100	CONTRACT ID : 010040	
LETTING DATE : February 22, 2001	PCN : 1811904	
LETTING TIME : 10:30 A.M.		
COUNTIES: CLEVELAND	PROJECTS : STPY-114A(40)TR	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 9.97	
	RES. ENG.: 32PUR	
	CAL. DAYS: 120	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
INTERSECTION MODIFICATION AND TRAFFIC SIGNALS
SH-77H(12TH AVENUE NE) AND MORREN DRIVE IN NORMAN
PROJ. LGTH.= 0.137 MILES
FLEX. ESALS= 0.3 MILLION
ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	J000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	4349 (PL)UNCLASSIFIED EXCAVATION	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
209	0120 MACHINE GRADING	0.880	STA
222	2801 TEMPORARY BALE BARRIER	300.000	LF
223	2801 TEMPORARY SILT FENCE	300.000	LF
230(A)	2806 SOLID SLAB SODDING	1,855.000	SY
233(A)	2817 VEGETATIVE MULCHING	0.380	AC
310(B)	0149 SUBGRADE, METHOD B	4,224.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	75.000	TON
408	5774 PRIME COAT	670.300	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,026.700	TON
414(A1)	5753 8" P.C. DOWEL JOINTED CONCRETE PAVEMENT	3,902.400	SY
414(B1)	5757 8" H.E.S. DOWEL JOINTED CONCRETE PAV	250.000	SY
509(D)	0325 CLASS C CONCRETE	10.000	CY
609(A)	0380 CONC.CURB(8" BARRIER-INTEGRAL)	1,463.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	180.900	SY
610(B)	0399 6" CONCRETE DRIVEWAY (H.E.S.)	111.300	SY
611(D)	4215 MANHOLE FRAME & COVER	2.000	EA
611(E)	5115 INLET CICI DES. 2 (D)	1.000	EA
611(E)	5872 INLET W/LRG.JCT.BOX,CICI-JB-1,DES.2(B)	1.000	EA
611(E)	5874 INLET W/LRG.JCT.BOX,CICI-JB-1,DES.2(D)	1.000	EA
611(F)	5325 INLET CICI DES. 2 (ADD'L DEPTH)	0.250	VF
611(G)	4488 INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	6.000	EA
611(K)	4488 CAST IRON CURB INLETS	16.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	12.000	LF
613(P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	100.000	LF
613(Q)	1096 6" NON-PERF.PIPE UNDERDRAIN RND.	100.000	LF
613(R)	1100 PIPE UNDERDRAIN COVER MAT'L.	10.000	CY
613(S)	1180 TRENCH EXCAVATION	21.500	CY
613(T)	1181 STANDARD BEDDING MATERIAL	3.200	CY
619(B)	4726 REMOVAL OF CURB AND GUTTER	995.000	LF
619(B)	4727 REMOVAL OF CONCRETE PAVEMENT	342.100	SY
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	2,774.100	SY

SECTION NO. 0001		J000-ROADWAY		
619(B)	4778	REMOVAL OF EXISTING STRUCTURES	5.000	EA
619(B)	4792	REMOVAL OF SIDEWALK	156.600	SY
619(C)	0924	SAWING PAVEMENT	668.000	LF
641	1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002		Y030-TRAFFIC SIGNALS		
802(B)	8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	213.000	LF
802(B)	8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	55.000	LF
802(B)	8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	313.000	LF
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	987.000	LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	14,528.000	LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	192.000	LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	49.000	LF
803	8065	PULL BOX(SIZE I)	3.000	EA
803	8066	PULL BOX(SIZE II)	1.000	EA
803	8067	PULL BOX(SIZE III)	29.000	EA
804(A)	2915	STRUCTURAL CONCRETE	10.900	CY
804(B)	2916	REINFORCING STEEL	1,644.600	LB
806(A)	8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(A)	8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(A)	8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	1.000	EA
806(A)	8732	POLE & 40' TS MST.ARM(G.STL.)	1.000	EA
809(A)	8090	(PL)ROADWAY LUMINAIRE	3.000	EA
811	8040	1/C NO.6 ELECT.COND.	300.000	LF
811	8044	1/C NO.10 ELECT.COND.	1,014.000	LF
825	8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A)	8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	12.000	EA
828(B)	8138	LOOP DETECTOR WIRE	3,660.000	LF
830	8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831	8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000	EA
831	8286	1WAY5SEC.ADJ.SIG.HD.S-19	2.000	EA
831	8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA
833	3030	BACKPLATE	10.000	EA
834	8358	(PL)UNDERGROUND COMMUNICATION CABLE	17,000.000	LF
834(A)	8207	5/C TRAF.SIG.EL.CABLE	950.000	LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	135.000	LF
834(A)	8209	9/C TRAF.SIG.EL.CABLE	235.000	LF
834(A)	8211	15/C TRAF.SIG.EL.CABLE	215.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	2,040.000	LF
840(B)	8593	(PL)E.P.S. OPTICAL DETECTOR	3.000	EA
840(C)	8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	405.000	LF
840(D)	8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A)	8110	SHEET ALUMINUM SIGNS	5.000	SF
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUM.)	93.000	SF
851	8642	(PL)2 1/4" SQUARE TUBE POST	13.500	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,895.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000	EA
857(A)	8947	PAVE.MARKERS CLASS C TYPE 2-C	16.000	EA
857(A)	8950	PAVE.MARKERS CLASS C TYPE 2-D	54.000	EA
890	7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
890(A)	8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
SECTION NO. 0003		STAK-STAKING		

LNTCIQA

FEDERAL PROJECT

PAGE 7

SECTION NO. 0003

STAK-STAKING

642 0098

STAKING

1.000

LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 8
CALL ORDER : 135	CONTRACT ID : 010032	
LETTING DATE : February 22, 2001	PCN : 1703104	
LETTING TIME : 10:30 A.M.		
COUNTIES: CRAIG	PROJECTS : STP-118C(12)UR	
	DBE/WBE GOALS: 5.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 11.33	
	RES. ENG.: 83CLA	
	CAL. DAYS: 210	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 TALEQUAH STREET OVER BULL CREEK IN VINITA
 PROJ. LGTH.= 0.094 MILES
 FLEX. ESALS= 3.0 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	1,346.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	150.000	LF
223	2802 TEMPORARY SILTATION SCREEN	685.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	6.000	EA
230(A)	2806 SOLID SLAB SODDING	10,032.000	SY
233(A)	2817 VEGETATIVE MULCHING	1.400	AC
303	0192 AGGREGATE BASE	345.000	CY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	100.000	TON
407	0250 TACK COAT	287.000	GAL
408	5774 (SU)PRIME COAT	359.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	402.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	185.000	TON
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	3.000	CY
509(E)	0325 CLASS C CONCRETE	10.000	CY
511(A)	0332 REINFORCING STEEL	171.000	LB
610(A)	4141 4" CONCRETE SIDEWALK	6.000	SY
611(D)	4215 MANHOLE FRAME & COVER	1.000	EA
611(J)	0487 JUNCTION BOXES	41.400	CF
611(L)	5118 DROP INLET GRATE (SMD TYPE 2B)	1.000	EA
613(B)	4498 43" X 26" R.C.PIPE ARCH CLASS A-III	110.000	LF
613(D)	0689 18" CORR. GALV. STEEL PIPE	30.000	LF
613(D)	0690 24" CORR. GALV. STEEL PIPE	34.000	LF
613(M)	0897 18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	0898 24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(S)	1180 TRENCH EXCAVATION	157.000	CY
613(T)	1181 STANDARD BEDDING MATERIAL	74.000	CY
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	1,343.000	SY
619(B)	5918 REMOVAL OF EXISTING PIPE	40.000	LF
619(C)	0924 SAWING PAVEMENT	107.000	LF
624(C)	4459 FENCE-STYLE SWF (5 BARBED WIRE)	546.000	LF
625(B)	1252 REMOVE AND RECONSTRUCT FENCE	160.000	LF

SECTION NO. 0001		I000-ROADWAY		
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002		X028-BRIDGE 'A'		
202(C)	1301	UNCLASSIFIED EXCAVATION	2,673.500	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	339.300	CY
505(A)	1380	CONCRETE RAIL	210.000	LF
509(B)	1328	CLASS A CONCRETE	586.400	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	72,775.000	LB
511(B)	6009	EPOXY COATED REINFORCING STEEL (GR 60)	48,030.000	LB
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	370.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	124.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003		Y000-TRAFFIC		
804	2915	STRUCTURAL CONCRETE	1.440	CY
804	2916	REINFORCING STEEL	144.000	LB
850(A)	8215	SHEET ALUMINUM SIGNS	67.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POSTS	44.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,873.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	200.000	LF
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	250.000	LF
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	250.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	1,440.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	720.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	720.000	SD
880(J)	8021	BARRICADES(TYPE III)	1,680.000	SD
880(M)	8024	TYPE A LIGHT	3,840.000	SD
SECTION NO. 0004		STAK-STAKING		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0005		Y060-NON PARTICIPATING (CITY) WATERLINE		
509(E)	0325	CLASS C CONCRETE	7.200	CY
616(A)	5124	12" DUCTILE IRON PIPE	258.000	LF
616(E)	0879	1" CORPORATION STOPS	2.000	EA
616(I)	0024	12" SOLID SLEEVE	2.000	EA
616(K)	0065	12" 11 1/4 DEGREE FITTING	4.000	EA
SECTION NO. 0006		Y060-NON PARTICIPATING (CITY) SEWER		
611(A)	2657	MANHOLE (4' DIA.)	4.000	EA
611(D)	4215	MANHOLE FRAME & COVER	4.000	EA
616(A)	5124	12" DUCTILE IRON PIPE	441.000	LF
619(B)	4742	REMOVAL OF MANHOLES	1.000	EA
619(B)	5878	REMOVAL OF 8" DUCTILE IRON PIPE	168.000	LF

LNTCIQA	FEDERAL PROJECT	PAGE 10
CALL ORDER : 165	CONTRACT ID : 010169	
LETTING DATE : February 22, 2001	PCN : 1654604	
LETTING TIME : 10:30 A.M.		
COUNTIES: HARPER	PROJECTS : STP-130C(10)CO	
	DBE/WBE GOALS: 4.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 7.52	
	RES. ENG.: 61BUF	
	CAL. DAYS: 150	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY BRIDGE OVER SLEEPING BEAR CREEK, 9.0 MILES SOUTH AND
 1.0 MILES EAST OF THE JUNCTION OF US-64/SH-34.
 PROJ. LGTH.= 0.217 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2,300.000	LF
227 0100	TEMPORARY SILT DIKE	700.000	LF
230(A) 2806	SOLID SLAB SODDING	9,562.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.980	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	484.000	TON
509(D) 0325	CLASS C CONCRETE	51.000	CY
SECTION NO. 0002 X081-BRIDGE "A"			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	65.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	770.000	LF
504(E) 1380	CONCRETE RAIL (TR1)	447.000	LF
506(A) 1322	STRUCTURAL STEEL	4,420.000	LB
509(A) 1326	CLASS AA CONCRETE	150.900	CY
509(B) 1328	CLASS A CONCRETE	112.200	CY
511(A) 1332	REINFORCING STEEL	48,240.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	537.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	537.000	LF
514(N) 6300	(PL)PAINTING PILING	100.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	148.000	LF
601A-1 1353	TYPE I-A PLAIN RIPRAP	2,630.000	TON
601A-2 1355	TYPE I-A FILTER BLANKET	680.000	TON
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
850(A) 8215	SHEET ALUMINUM SIGNS	10.000	SF
851(C) 8597	FLANGE CHANNEL POSTS(4.0 LB./FT.)	29.340	LF
880(J) 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 11
CALL ORDER : 180	CONTRACT ID : 010045	
LETTING DATE : February 22, 2001	PCN : 1771104	
LETTING TIME : 10:30 A.M.		
COUNTIES: JEFFERSON	PROJECTS : BRO-134D(14)CO	
	DBE/WBE GOALS: 4.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 3.24	
	RES. ENG.: 72ARD	
	CAL. DAYS: 150	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY BRIDGE OVER CREEK APPROXIMATELY 8.69 KILOMETERS WEST
 AND 7.564 KILOMETERS SOUTH OF THE JUNCTION OF US-70/SH-89
 EAST OF WAURIKA.
 PROJ. LGTH.= 0.239 KILOMETERS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	480.000	M
227 M0100	TEMPORARY SILT DIKE	101.000	M
230(A) M2806	SOLID SLAB SODDING	2,540.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.510	HA
303 M0192	AGGREGATE BASE	329.000	M3
408 M5774	PRIME COAT	3,731.000	L
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M5216	700MM X 500MM CORR. GALV. ST. PIPE ARCH		9.000 M
613(M) M4516	700MM X 500MM PREFAB.CULV.END SEC., ARCH		2.000 EA
SECTION NO. 0002	X028-BRIDGE 'A'		
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	123.000	M3
509(B) M1328	CLASS A CONCRETE	246.800	M3
511(A) M1332	REINFORCING STEEL	28,105.000	KG
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 12
CALL ORDER : 190	CONTRACT ID : 010068	
LETTING DATE : February 22, 2001	PCN : 1876804	
LETTING TIME : 10:30 A.M.		
COUNTIES: JOHNSTON	PROJECTS : SAP-135C(32)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 1.62	
	RES. ENG.: 31ADA	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 EROSION CONTROL(DRIFT REMOVAL)
 THE WASHITA RIVER NEAR RAVIA ON SH-1
 PROJ. LGTH.= 0.00 MILES

ITEM NO.		DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001		X031-BRIDGE 'A'		
201	6215	(PL)REMOVE DRIFT AND SILT	1.000	LSUM
533	6329	(PL)BRIDGE RESEARCH	1.000	LSUM
641	1399	MOBILIZATION	1.000	LSUM
890	7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 13
CALL ORDER : 201	CONTRACT ID : 010033	
LETTING DATE : February 22, 2001	PCN : 1868304	
LETTING TIME : 10:30 A.M.		
COUNTIES: MULTIPLE CO.	PROJECTS : SBSIY-35-4(188)147TR	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 3.24	
	RES. ENG.: 45STL	
	CAL. DAYS: 60	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
SAFETY IMPROVEMENTS
RUMBLE STRIP AT VARIOUS LOCATIONS ALONG I-35 BEGINNING AT
THE LOGAN/OKLAHOMA COUNTY LINE AND EXTENDING NORTH.
PROJ. LGTH.= 0.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 SFTY-RUMBLE STRIPS(BASE BID)			
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	579,195.000	LF
641 1552	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002 SFTY-RUMBLE STRIPS(ADD ALTERNATE 1)			
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	371,290.000	LF
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	162,466.000	LF
641 1552	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0003 SFTY-RUMBLE STRIPS(ADD ALTERNATE 2)			
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	261,569.000	LF
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	121,227.000	LF
641 1552	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0004 SFTY-RUMBLE STRIPS(ADD ALTERNATE 3)			
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	239,395.000	LF
641 1552	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 14
CALL ORDER : 205	CONTRACT ID : 010007	
LETTING DATE : February 22, 2001	PCN : 1859004	
LETTING TIME : 10:30 A.M.		
COUNTIES: LEFLORE	PROJECTS : FH-514(001)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 22HEV	
	CAL. DAYS: 60	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 HOLSON VALLEY ROAD BEGINNING APPROXIMATELY 6.5 MILE EAST OF
 THE JUNCTION OF HOLSON VALLEY ROAD/US-271 AND EXTENDING EAST
 PROJ. LGTH.= 7.32 MILE
 FLEX. ESALS= 1.8 MILLION
 ASPH. GRADE= 64-220K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY FH-514(001)		
411(A) 5280	(SP)ASPH.CONC.TYPE A(PATCH)(PG 64-22 OK)	280.000	TON
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	12,400.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,926.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	154,600.000	LF

LNTCIQA	FEDERAL PROJECT	PAGE 15
CALL ORDER : 210	CONTRACT ID : 010047	
LETTING DATE : February 22, 2001	PCN : 1495904	
LETTING TIME : 10:30 A.M.		
COUNTIES: LOVE	PROJECTS : IMY-35-1(107)017IR	
CARTER	DBE/WBE GOALS: 10.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 51.24	
	RES. ENG.: 72ARD	
	CAL. DAYS: 420	LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 RESURFACE(UNBONDED P.C.C.)
 ON I-35 BEGINNING APPROXIMATELY 6.6 MILE SOUTH OF THE
 LOVE/CARTER COUNTY LINE AND EXTENDING NORTH.
 PROJ. LGTH.= 6.64 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	J000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	21,100.000	CY
202(C)	0184 UNCLASSIFIED BORROW	54,834.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221	2800 TEMPORARY SLOPE DRAINS	300.000	LF
222	2801 TEMPORARY BALE BARRIER	300.000	LF
223	2801 TEMPORARY SILT FENCE	300.000	LF
230(A)	2806 SOLID SLAB SODDING	25,135.000	SY
303	0192 AGGREGATE BASE	15,909.000	CY
307(A)	4233 LIME	838.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	46,524.000	SY
310(B)	0149 SUBGRADE, METHOD B	52,598.000	SY
325	5271 SEPARATOR FABRIC	94.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	9,798.000	TON
407	0250 TACK COAT	625.000	GAL
408	5774 PRIME COAT	40,147.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	2,097.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	40,390.000	TON
413(D)	4868 (SP)RUMBLE STRIP-METHOD PCC-CON	135,574.000	LF
414(A)	0263 11" P.C. CONCRETE PAVEMENT	21,759.000	SY
414(A1)	5760 11" P.C. DOWEL JOINTED CONCRETE PAVEMENT	23,507.000	SY
414(I)	5275 P.C. CONCRETE FOR PAVEMENT	78,733.000	CY
414(J)	5400 P.C. CONCRETE PAVEMENT(PLACEMENT ONLY)	255,058.000	SY
417	5267 COLD MILLING PAVEMENT	934.000	SY
509(B)	0321 CLASS A CONCRETE	7.000	CY
511(A)	0332 REINFORCING STEEL	315.000	LB
613(D)	0689 18" CORR. GALV. STEEL PIPE	150.000	LF
613(D)	0691 30" CORR. GALV. STEEL PIPE	80.000	LF
619(B)	4727 REMOVAL OF CONCRETE PAVEMENT	23,509.000	SY
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	9,199.000	SY
619(B)	4780 REMOVAL OF GUARD RAIL	23,065.000	LF
619(B)	4791 REMOVAL OF CURB	2,640.000	LF
619(C)	0924 SAWING PAVEMENT	1,596.000	LF
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	19,479.000	LF
623(F)	5686 GUARD RAIL ANCHOR UNIT (TYPE D-BF)	31.000	EA

SECTION NO. 0001	J000-ROADWAY			
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	43.000	EA	
641 1552	MOBILIZATION	1.000	LSUM	
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM	
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	768.000	LF	
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED		216.000 LF	
653(C) 5946	OUTLET LATERAL HEADWALL	16.000	EA	
SECTION NO. 0002	X081-BRIDGE 'A' (OVERLAY)			
504(F) 1381	CONCRETE PARAPET	243.500	LF	
504(H) 6390	RAPID CURE JOINT SEALANT	38.000	LF	
509(A) 0325	(PL)H.E.S. CONCRETE CLASS AA	33.300	CY	
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	
SECTION NO. 0003	X081-BRIDGE 'B' (OVERLAY)			
504(F) 1381	CONCRETE PARAPET	243.500	LF	
504(H) 6390	RAPID CURE JOINT SEALANT	38.000	LF	
509(A) 0325	(PL)H.E.S. CONCRETE CLASS AA	33.300	CY	
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	
SECTION NO. 0004	X081-BRIDGE 'C' (OVERLAY)			
504(F) 1381	CONCRETE PARAPET	213.480	LF	
504(H) 6390	RAPID CURE JOINT SEALANT	39.000	LF	
509(A) 1326	CLASS AA CONCRETE	60.800	CY	
511(B) 6010	EPOXY COATED REINFORCING STEEL	5,290.000	LB	
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	
SECTION NO. 0005	X081-BRIDGE 'D' (OVERLAY)			
504(F) 1381	CONCRETE PARAPET	213.440	LF	
504(H) 6390	RAPID CURE JOINT SEALANT	39.000	LF	
509(A) 1326	CLASS AA CONCRETE	60.800	CY	
511(B) 6010	EPOXY COATED REINFORCING STEEL	5,290.000	LB	
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	
SECTION NO. 0006	X081-BRIDGE 'E' (OVERLAY)			
504(F) 1381	CONCRETE PARAPET	213.480	LF	
504(H) 6390	RAPID CURE JOINT SEALANT	39.000	LF	
509(A) 1326	CLASS AA CONCRETE	60.800	CY	
511(B) 6010	EPOXY COATED REINFORCING STEEL	5,290.000	LB	
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	
SECTION NO. 0007	X081-BRIDGE 'F' (OVERLAY)			
504(F) 1381	CONCRETE PARAPET	213.520	LF	
504(H) 6390	RAPID CURE JOINT SEALANT	39.400	LF	
509(A) 1326	CLASS AA CONCRETE	60.800	CY	
511(B) 6010	EPOXY COATED REINFORCING STEEL	5,290.000	LB	
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	
SECTION NO. 0008	X081-BRIDGE 'G' (OVERLAY)			

SECTION NO. 0008		X081-BRIDGE 'G' (OVERLAY)			
504(F)	1381	CONCRETE PARAPET	346.000	LF	
511(B)	6010	EPOXY COATED REINFORCING STEEL	1,050.000	LB	
619(B)	2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	
SECTION NO. 0009		X081-BRIDGE 'H' (OVERLAY)			
504(F)	1381	CONCRETE PARAPET	346.000	LF	
511(B)	6010	EPOXY COATED REINFORCING STEEL	1,050.000	LB	
619(B)	2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	
SECTION NO. 0010		X081-BRIDGE 'I' (REPLACEMENT)			
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,047.292	LF	
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	498.333	LF	
504(A)	1304	APPROACH SLAB	91.200	SY	
504(C)	6276	(PL)SEALED EXPANSION JOINTS	126.000	LF	
504(F)	1381	CONCRETE PARAPET	741.334	LF	
506(A)	1322	STRUCTURAL STEEL	890.000	LB	
509(A)	1326	CLASS AA CONCRETE	389.200	CY	
509(B)	1328	CLASS A CONCRETE	161.000	CY	
511(A)	1332	REINFORCING STEEL	43,080.000	LB	
511(B)	6010	EPOXY COATED REINFORCING STEEL	144,270.000	LB	
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	14,085.000	SY	
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	320.000	LF	
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	5,000.000	TON	
601(A-2)	1355	TYPE I-A FILTER BLANKET	1,250.000	TON	
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM	
SECTION NO. 0011		X081-BRIDGE 'J' (REPLACEMENT)			
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,047.292	LF	
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	498.333	LF	
504(A)	1304	APPROACH SLAB	91.111	SY	
504(C)	6276	(PL)SEALED EXPANSION JOINTS	126.000	LF	
504(F)	1381	CONCRETE PARAPET	741.334	LF	
506(A)	1322	STRUCTURAL STEEL	890.000	LB	
509(A)	1326	CLASS AA CONCRETE	389.200	CY	
509(B)	1328	CLASS A CONCRETE	161.000	CY	
511(A)	1332	REINFORCING STEEL	43,080.000	LB	
511(B)	6010	EPOXY COATED REINFORCING STEEL	144,270.000	LB	
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	14,085.000	SY	
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	320.000	LF	
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM	
SECTION NO. 0012		X081-BRIDGE 'K' (OVERLAY)			
504(F)	1381	CONCRETE PARAPET	218.000	LF	
504(H)	6390	RAPID CURE JOINT SEALANT	38.000	LF	
509(A)	1326	CLASS AA CONCRETE	62.800	CY	
511(B)	6010	EPOXY COATED REINFORCING STEEL	6,440.000	LB	
619(B)	2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	
SECTION NO. 0013		X081-BRIDGE 'L' (OVERLAY)			

SECTION NO. 0013 X081-BRIDGE 'L' (OVERLAY)

504(F)	1381	CONCRETE PARAPET	218.000	LF
504(H)	6390	RAPID CURE JOINT SEALANT	38.000	LF
509(A)	1326	CLASS AA CONCRETE	62.800	CY
511(B)	6010	EPOXY COATED REINFORCING STEEL	6,440.000	LB
619(B)	2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION NO. 0014 Y008-CONST.TRAFFIC CONTROL

627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	83,800.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	30,100.000	LF
854(A)	8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	115,000.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	153,200.000	LF
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5,000.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	76.000	EA
878(A)	8520	PORTABLE MODULAR GLARE SCREEN UNIT	195.000	EA
880(A)	8812	ARROW DISPLAY(TYPE C)	1,080.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	10,800.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5,400.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	75,600.000	SD
880(C)	8836	BARRICADES(TYPE II)	5,400.000	SD
880(C)	8842	BARRICADES(TYPE III)	32,400.000	SD
880(C)	8848	WING BARRICADES	2,160.000	SD
880(D)	8854	VERTICAL PANELS	243,000.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	54,000.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	351,000.000	SD
880(F)	8878	DRUMS	108,000.000	SD

SECTION NO. 0015 Y002-SIGNING & STRIPING

509(D)	0325	CLASS C CONCRETE	13.660	CY
511(A)	0332	REINFORCING STEEL	562.000	LB
855(A)	8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	187,800.000	LF
857(A)	8947	PAVE.MARKERS CLASS C TYPE 2-C	25.000	EA
857(B)	8962	REMOVE & RESET CLASS C PAVE. MARKERS	772.000	EA
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	38.000	EA

SECTION NO. 0016 STAK-STAKING

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

LNTCIQA	STATE PROJECT	PAGE 19
CALL ORDER : 240	CONTRACT ID : 010069	
LETTING DATE : February 22, 2001	PCN : 1878504M	
LETTING TIME : 10:30 A.M.		
COUNTIES: MCCURTAIN	PROJECTS : SAP-145D(47)(48)(49)(50)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 21ANT	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEAVER'S BEND STATE PARK-LOOP ABOVE AREA B & RIVER BEND
 HOCHATOWN-AREA B & C CAMPGROUNDS AND BEACH ACCESS
 PROJ. LGTH.= 2.5 MILES
 FLEX. ESALS= 0.3 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY SAP-145D(47)		
407 0250	TACK COAT	325.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	730.000	TON
SECTION NO. 0002	I000-ROADWAY SAP-145D(48)		
407 0250	TACK COAT	775.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,735.000	TON
SECTION NO. 0003	I000-ROADWAY SAP-145(49)		
407 0250	TACK COAT	195.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	435.000	TON
SECTION NO. 0004	I000-ROADWAY SAP-145D(50)		
407 0250	TACK COAT	325.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	725.000	TON

LNTCIQA	FEDERAL PROJECT	PAGE 20
CALL ORDER : 250	CONTRACT ID : 010050	
LETTING DATE : February 22, 2001	PCN : 1624205M	
LETTING TIME : 10:30 A.M.		
COUNTIES: NOBLE	PROJECTS : STPY-152B(33)/IMY-35-4(177)199	
PAYNE	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 9.18	
	RES. ENG.: 41PER	
	CAL. DAYS: 90	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

JOINT SEAL
I-35; RED ROCK CREEK, 21.8 MI. N. OF PAYNE C/L/COW CR .7 MI
E. OF PERRY/WILD HORSE CR 6.7 MI E OF LOGAN C/L ON SH-33
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 X041-BRIDGE 'A' STPY-152B(33)			
502	6116 (PL)FALSEWORK JACKING	1.000	LSUM
504(H)	6390 RAPID CURE JOINT SEALANT	75.200	LF
504(I)	6389 ELASTOMERIC MORTAR	4.050	CF
509	6386 (PL)SILICONE CONSTRUCTION JOINT	72.000	LF
509(A)	1326 CLASS AA CONCRETE	4.400	CY
511(A)	1332 REINFORCING STEEL	990.000	LB
535	6164 (PL)FIXED BEARING ASSEMBLY	9.000	EA
535	6165 (PL)EXPANSION BEARING ASSEMBLY	7.000	EA
540	4505 (PL)REPAIR BRIDGE ITEMS	7.000	EA
619(B)	2500 (PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 X041-BRIDGE 'A' AND 'B' IMY-35-4(177)199			
407	0250 TACK COAT	310.000	GAL
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	510.000	TON
417	5267 COLD MILLING PAVEMENT	3,070.000	SY
504(H)	6390 RAPID CURE JOINT SEALANT	242.500	LF
504(I)	6389 ELASTOMERIC MORTAR	59.100	CF
505	6139 (PL)MEMBRANE	3,070.000	SY
505(B)	6019 CLASS B BRIDGE DECK REPAIR	50.000	SY
505(C)	6020 CLASS C BRIDGE DECK REPAIR	50.000	SY
509(A)	1326 CLASS AA CONCRETE	28.000	CY
511(A)	1332 REINFORCING STEEL	8,720.000	LB
619(B)	2500 (PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM
SECTION NO. 0003 Y002-TRAFFIC IMY-35-4(177)199			
855(A)	8812 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,700.000	LF
857(A)	8947 PAVE.MARKERS CLASS C TYPE 2-C	8.000	EA
876(C)	8482 (PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(K)	8908 SURVEILLANCE TRAFFIC CONTROL	60.000	SD
882(B)	8306 PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION NO. 0003	Y002-TRAFFIC	IMY-35-4(177)199		
890	7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0004	X131-BRIDGE 'A'	STPY-160B(55)		
504(H)	6390	RAPID CURE JOINT SEALANT	124.000	LF
509	6386	(PL)SILICONE CONSTRUCTION JOINT	180.000	LF
641	1399	MOBILIZATION	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 22
CALL ORDER : 260	CONTRACT ID : 010051	
LETTING DATE : February 22, 2001	PCN : 1747304	
LETTING TIME : 10:30 A.M.		
COUNTIES: NOBLE	PROJECTS : STP-152C(22)CO	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 2.70	
	RES. ENG.: 41PER	
	CAL. DAYS: 90	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 COUNTY ROAD BEGIN 3.0 MILES SOUTH OF KAY COUNTY LINE AND
 4.3 MILES WEST OF US-177 AND EXTEND EAST
 PROJ. LGTH.= 4.262 MILES
 FLEX. ESALS= 0.6 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 0184	UNCLASSIFIED BORROW	500.000	CY
317(A) 4252	(SP)FLY ASH	2,967.000	TON
317(B) 4254	SUBGRADE MODIFICATION	60,808.000	SY
407 0250	TACK COAT	2,859.000	GAL
408 5774	PRIME COAT	9,045.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	9,905.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,424.000	TON
509(B) 0321	CLASS A CONCRETE	53.000	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	4.000	CY
511(A) 0332	REINFORCING STEEL	4,823.000	LB
613(B) 0491	18" R.C.PIPE CLASS III	12.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	60.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(13 LB/FT)	140.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	14,516.000	LF
854(B) 8809	TRAFFIC STRIPE(PAINT)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 23
CALL ORDER : 280	CONTRACT ID : 010053	
LETTING DATE : February 22, 2001	PCN : 0813904M	
LETTING TIME : 10:30 A.M.		
COUNTIES: OKMULGEE	PROJECTS : BRFY-56C(229)/STPY-156C(18)	
	DBE/WBE GOALS: 7.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 25.35	
	RES. ENG.: 11MUS	
	CAL. DAYS: 210	LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE & DRAIN
 ON SH-56 BEGINNING APPROXIMATELY 3.22 KILOMETERS WEST OF THE
 CITY OF OKMULGEE AND EXTENDING EAST.
 PROJ. LGTH.= 1.241 KILOMETERS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 C000-ROADWAY BRFY-156C(229)			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	50.000	M3
202(E) M0110	EMBANKMENTS	163,774.000	M3
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	300.000	M
226 M2805	TEMPORARY SEDIMENT REMOVAL	30.000	M3
227 M0100	TEMPORARY SILT DIKE	2,660.000	M
232(A) M2813	SEEDING METHOD A	11.650	HA
233(A) M2817	VEGETATIVE MULCHING	11.650	HA
241 M2832	MOWING	11.650	HA
325 M4951	(PL)GEOTEXTILE MAT	2,000.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	308.900	T
613(D) M0689	450MM CORR. GALV. STEEL PIPE	12.500	M
613(D) M0692	900MM CORR. GALV. STEEL PIPE	76.000	M
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
624(C) M4458	FENCE-STYLE SWF (4 BARBED WIRE)	2,227.170	M
624(C) M4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,073.150	M
624(D) M4288	FENCE-STYLE CLF (1200MM HIGH, CLASS A)	124.950	M
624(E) M5852	GATES-STYLE CLF(1200MM HI X 5400MM LONG)	1.000	EA
640 M1426	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
654(A) M7049	(SP)PREFABRICATED WICK DRAIN	152,812.000	M
654(B) M7050	(SP)PREFABRICATED STRIP DRAIN	9,890.000	M
SECTION NO. 0002 C000-ROADWAY STPY-156C(18)			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	50.000	M3
202(E) M0110	EMBANKMENTS	81,223.000	M3
222 M2801	TEMPORARY BALE BARRIER	50.000	M
223 M2802	TEMPORARY SILT FENCE	250.000	M
226 M2805	TEMPORARY SEDIMENT REMOVAL	20.000	M3
227 M0100	TEMPORARY SILT DIKE	1,174.000	M
232(A) M2813	SEEDING METHOD A	6.400	HA
233(A) M2817	VEGETATIVE MULCHING	6.400	HA

SECTION NO. 0002		C000-ROADWAY STPY-156C(18)		
241	M2832	MOWING	6.400	HA
325	M4951	(PL)GEOTEXTILE MAT	2,000.000	M2
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	250.000	T
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
624(C)	M4458	FENCE-STYLE SWF (4 BARBED WIRE)	622.710	M
654(A)	M7049	(SP)PREFABRICATED WICK DRAIN	77,535.000	M
654(B)	M7050	(SP)PREFABRICATED STRIP DRAIN	5,918.000	M
SECTION NO. 0003		Y008-CONST.TRAFFIC CONTROL BRFY-156C(229)		
627(G)	M4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	30.000	M
627(H)	M5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	655.000	M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	100.000	M
856(G)	M8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	200.000	EA
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3,800.000	M
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	3,600.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	3,000.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	4,500.000	SD
880(C)	M8836	BARRICADES(TYPE II)	1,200.000	SD
880(C)	M8842	BARRICEDES(TYPE III)	1,800.000	SD
880(C)	M8848	WING BARRICADES	1,200.000	SD
880(D)	M8854	VERTICAL PANELS	4,500.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	6,600.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	12,000.000	SD
880(F)	M8878	DRUMS	7,500.000	SD
SECTION NO. 0004		Y002-SIGNING & STRIPING BRFY-156C(229)		
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	7,168.000	M
SECTION NO. 0005		STAK-STAKING BRFY-156C(229)		
642	M0098	STAKING	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 25
CALL ORDER : 305	CONTRACT ID : 000480	
LETTING DATE : February 22, 2001	PCN : 1699808	
LETTING TIME : 10:30 A.M.		
COUNTIES: PAYNE	PROJECTS : CIP-160B(51)IP	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 30.21	
	RES. ENG.: 45STL	
	CAL. DAYS: 180	LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES(ASPHALT)
 ON SH-51 OVER LITTLE STILLWATER CREEK APPROXIMATELY 1.0
 MILE WEST OF THE JUNCTION SH-51/SH-108.
 PROJ. LGTH.= 0.39 MILE
 FLEX. ESALS= 9.54 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-160B(51)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	7,897.000	CY
202(C)	0184 UNCLASSIFIED BORROW	5,839.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	540.000	LF
223	2801 TEMPORARY SILT FENCE	1,350.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	1.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	12.000	CY
229	4318 DITCH LINER PROTECTION	2,051.000	LF
230(A)	2806 SOLID SLAB SODDING	2,077.000	SY
230(B)	2807 MULCH SODDING	13,397.000	SY
230(F)	2812 WATERING	619.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
234(A)	2824 FERTILIZING (10-20-10)	1.600	TON
234(A)	4406 FERTILIZING (0-46-0)	1.000	TON
241	2832 MOWING	5.000	AC
307(A)	4233 LIME	183.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	13,671.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	103.000	TON
407	0250 TACK COAT	5,022.000	GAL
408	5774 PRIME COAT	3,035.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	7,198.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,400.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,305.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,062.000	TON
417	5267 COLD MILLING PAVEMENT	5,184.000	SY
420(A)	4242 FABRIC REINFORCEMENT	6,048.000	SY
420(B)	4268 BITUMINOUS BINDER	1,513.000	GAL
509(D)	0325 CLASS C CONCRETE	293.000	CY
601(D)	1390 TYPE IV GROUTED RIPRAP	20.000	SY
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	1.000	EA
613(CC)	7188 TYPE C4 CULVERT END TREATMENT	5.000	EA
613(CC)	7192 TYPE BB4 CULVERT END TREATMENT	1.000	EA

SECTION NO. 0001		I000-ROADWAY CIP-160B(51)IP		
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	5.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	1.000	EA
613(D)	4526	(PL) CORR. GALV. STEEL PIPE ARCH	168.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	156.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	150.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	350.000	LF
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(Q)	1097	8" NON-PERF. PIPE UNDERDRAIN RND.	300.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	659.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	8,460.000	SY
619(C)	0924	SAWING PAVEMENT	3,952.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,313.000	LF
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	8571	(SP) G.E.T. GUARD RAIL END SECTION	6.000	EA
624(A)	4281	FENCE-STYLE WWF	14,083.000	LF
624(B)	4460	GATES-STYLE WWF (4.5' HIGH X 10' LONG)	2.000	EA
624(B)	4462	GATES-STYLE WWF (4.5' HIGH X 12' LONG)	2.000	EA
624(B)	4466	GATES-STYLE WWF (4.5' HIGH X 16' LONG)	11.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	12,803.000	LF
624(D)	4292	FENCE-STYLE CLF (6' HIGH, CLASS A)	230.000	LF
624(D)	4293	FENCE-STYLE CLF (6' HIGH, CLASS B)	274.000	LF
625(C)	1253	REMOVE AND STORE GUARD RAIL	1,150.000	LF
SECTION NO. 0002		X081-BRIDGE 'A' CIP-160B(51)IP		
202(A)	1301	UNCLASSIFIED EXCAVATION	1,620.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F)	6352	GRANULAR BACKFILL	155.000	CY
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	986.300	LF
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	821.300	LF
504(A)	1304	APPROACH SLAB	365.200	SY
504(E)	6239	CONCRETE RAIL (TR3)	412.000	LF
506(A)	1322	STRUCTURAL STEEL	11,000.000	LB
509(A)	1326	CLASS AA CONCRETE	411.800	CY
509(B)	1328	CLASS A CONCRETE	204.800	CY
511(A)	1332	REINFORCING STEEL	12,770.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	100,750.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	624.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	624.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	849.000	SY
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	216.000	LF
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	3,400.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	1,085.000	TON
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	166.000	LF
613(Q)	1096	6" NON-PERF. PIPE UNDERDRAIN RND.	81.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	26.000	CY
613(S)	1180	TRENCH EXCAVATION	17.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	12.000	CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640	1398	FIELD OFFICE	1.000	EA

SECTION NO. 0002	X081-BRIDGE 'A'	CIP-160B(51)IP		
641	1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	Y002-TRAFFIC SIGNING & STRIPING	CIP-160B(51)IP		
850(A)	8110	SHEET ALUMINUM SIGNS	23.000	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	55.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	17,677.000	LF
SECTION NO. 0004	Y008-CONST.TRAFFIC CONTROL	CIP-160B(51)IP		
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	120.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4,800.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	13,200.000	LF
856(G)	8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	1,208.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	17,000.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	30.000	EA
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,100.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7,800.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,600.000	SD
880(C)	8842	BARRICADES(TYPE III)	5,400.000	SD
880(C)	8848	WING BARRICADES	1,200.000	SD
880(D)	8854	VERTICAL PANELS	200.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	4,800.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	30,000.000	SD
880(F)	8878	DRUMS	37,840.000	SD
880(G)	8884	TUBE CHANNELIZERS	18,920.000	SD
SECTION NO. 0005	STAK-STAKING			
642	0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 28
CALL ORDER : 310	CONTRACT ID : 010056	
LETTING DATE : February 22, 2001	PCN : 1792404	
LETTING TIME : 10:30 A.M.		
COUNTIES: POTTAWATOMIE	PROJECTS : BHIY-NBIP-0(108)000	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 1.62	
	RES. ENG.: 33WEW	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 OVER COUNTY ROAD, 7.6 MILES EAST OF OKLAHOMA COUNTY LINE
 PARALLEL BRIDGES ON I-40
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE "A"		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002	X231-BRIDGE "B"		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 29
CALL ORDER : 320	CONTRACT ID : 010057	
LETTING DATE : February 22, 2001	PCN : 1792405	
LETTING TIME : 10:30 A.M.		
COUNTIES: POTTAWATOMIE	PROJECTS : BHIY-40-5(349)181	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 1.62	
	RES. ENG.: 33WEW	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 JOINT SEAL
 OVER COUNTY ROAD, 7.6 MILES EAST OF OKLAHOMA COUNTY LINE
 PARALLEL BRIDGES ON I-40
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE "A"		
504(H) 6390	RAPID CURE JOINT SEALANT	220.000	LF
641 1399	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002	X231-BRIDGE "B"		
504(H) 6390	RAPID CURE JOINT SEALANT	220.000	LF

LNTCIQA	STATE PROJECT	PAGE 30
CALL ORDER : 345	CONTRACT ID : 010070	
LETTING DATE : February 22, 2001	PCN : 1697909	
LETTING TIME : 10:30 A.M.		
COUNTIES: ROGERS	PROJECTS : CIP-166C(31)IP	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 29.13	
	RES. ENG.: 83CLA	
	CAL. DAYS: 240	LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-66 BEGINNING APPROXIMATELY 4.0 MILE SOUTH & 3.0 MILE
 WEST OF THE JUNCTION OF SH-66/SH-28 IN THE TOWN OF CHELSEA.
 PROJ. LGTH.= 2.311 MILE
 FLEX. ESALS= 5.7 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	33,643.000	CY
202(B)	0105 MUCK EXCAVATION	434.000	CY
202(C)	0184 UNCLASSIFIED BORROW	7,387.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	31.000	STA
222	2801 TEMPORARY BALE BARRIER	1,720.000	LF
223	2801 TEMPORARY SILT FENCE	4,750.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	7.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	5.000	EA
230(A)	2806 SOLID SLAB SODDING	26,951.000	SY
230(B)	2807 MULCH SODDING	67,376.000	SY
232(D)	2816 WATERING	5,653.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	18.100	AC
241	2832 MOWING	63.000	AC
303	0192 AGGREGATE BASE	12,527.000	CY
307(A)	4233 LIME	1,638.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	74,446.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	24.000	TON
407	0250 TACK COAT	6,832.000	GAL
408	5774 PRIME COAT	10,334.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	14,089.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	7,062.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,479.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	5,100.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	144.000	CY
509(B)	0321 CLASS A CONCRETE	647.600	CY
509(D)	0325 CLASS C CONCRETE	64.400	CY
511(A)	0332 REINFORCING STEEL	104,055.000	LB
601(A)	0533 TYPE I PLAIN RIPRAP	452.000	CY
601(E)	6312 FILTER FABRIC (RIPRAP)	905.000	SY
611(E)	5327 INLET GPI TYPE 1 (DES. 1)	6.000	EA
613(B)	0491 18" R.C.P.IPE CLASS III	650.000	LF

SECTION NO. 0001		I000-ROADWAY		
613(B)	0492	24" R.C.PIPE CLASS III	165.000	LF
613(B)	0496	48" R.C.PIPE CLASS III	146.000	LF
613(D)	0689	18" CORR. GALV. STEEL PIPE	417.000	LF
613(G)	0760	18" GALV. STEEL CULVERT END SEC. RND.	15.000	EA
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M)	5738	48" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(MM)	7500	TYPE A4 SLOPED CONCRETE END SECTION	10.000	EA
613(MM)	7520	TYPE A6 SLOPED CONCRETE END SECTION	17.000	EA
613(S)	1180	TRENCH EXCAVATION	782.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	486.600	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C)	0924	SAWING PAVEMENT	3,850.000	LF
641	1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002		Y060-WATERLINE		
616(A)	5121	6" DUCTILE IRON PIPE	854.000	LF
616(B)	5218	2" POLYVINYL CHLORIDE (PVC) PIPE	1,828.000	LF
616(B)	5223	6" POLYVINYL CHLORIDE (PVC) PIPE	7,602.000	LF
616(D)	0860	4" VALVES	1.000	EA
616(D)	0861	6" VALVES	4.000	EA
616(D)	1050	2" GATE VALVE	3.000	EA
616(F)	5204	(PL)METER INSTALLATION 5/8"	6.000	EA
616(I)	0030	12" STEEL CASING	151.000	LF
616(I)	5260	(PL)14" STEEL CASING	332.000	LF
SECTION NO. 0003		Y008-CONST.TRAFFIC CONTROL		
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	300.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	300.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	300.000	LF
850(A)	8110	SHEET ALUMINUM SIGNS	225.000	SF
851(C)	8321	1 3/4" SQUARE TUBE POST	226.000	LF
851(C)	8327	2 1/4" SQUARE TUBE POST	354.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	59,387.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	8.000	EA
855(B)	8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	880.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,220.000	LF
856(G)	8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	100.000	EA
857(A)	8938	PAVE.MARKERS CLASS C TYPE 2	271.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	37,880.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	30.000	EA
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	360.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	8,730.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	13,410.000	SD
880(C)	8842	BARRICADES(TYPE III)	3,420.000	SD
880(C)	8848	WING BARRICADES	4,410.000	SD
880(D)	8854	VERTICAL PANELS	3,870.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	9,090.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	5,940.000	SD
880(F)	8878	DRUMS	6,660.000	SD
SECTION NO. 0004		STAK-STAKING		

LNTCIQA

STATE PROJECT

PAGE 32

SECTION NO. 0004

STAK-STAKING

642 0098

STAKING

1.000

LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 33
CALL ORDER : 350	CONTRACT ID : 010059	
LETTING DATE : February 22, 2001	PCN : 1497904M	
LETTING TIME : 10:30 A.M.		
COUNTIES: TEXAS	PROJECTS : NHY-8N(18)/NHY-8N(45)	
	DBE/WBE GOALS: 10.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 30.21	
	RES. ENG.: 62GUY	
	CAL. DAYS: 180	LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
SURFACING(ASPHALT)
ON US-54 BEGINNING APPROXIMATELY 1.0 MILE NORTH OF THE TOWN
OF GOODWELL AND EXTENDING NORTH.
PROJ. LGTH.= 6.652 MILE
FLEX. ESALS= 21.6 MILLION
ASPH. GRADE= 64-220K, 70-280K & 76-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY NHY-8N(18)		
202(E) 0184	UNCLASSIFIED BORROW	26,196.000	CY
205 7174	(PL)TOPSOIL-LUMP SUM	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	43,895.000	LF
226 2805	TEMPORARY SEDIMENT REMOVAL	439.000	CY
230(G) 2812	WATERING	1.100	MGAL
232(B) 2814	SEEDING METHOD B	10.100	AC
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
233(C) 2819	ASPHALT MULCHING	15,224.000	GAL
234(A) 2824	FERTILIZING (10-20-10)	2.500	TON
234(A) 4406	FERTILIZING (0-46-0)	0.800	TON
241 2832	MOWING	42.500	AC
303 0192	AGGREGATE BASE	5.000	CY
317(A) 4252	(SP)FLY ASH	4,860.000	TON
317(C) 4254	SUBGRADE MODIFICATION	89,981.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	59.000	TON
407 0250	TACK COAT	18,272.000	GAL
408 5774	PRIME COAT	18,689.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	14,942.000	TON
411(AH) 6650	(SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	23,892.000	TON
411(AH) 6670	(SP)ASPHALT CONC.TYPE AH(PG 76-28 OK)	15,454.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,989.000	TON
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	7,586.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	41,110.000	LF
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	770.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	190.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	77.000	CY
613(S) 1180	TRENCH EXCAVATION	20.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	23.000	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	13,910.000	SY
619(B) 8305	REMOVAL OF SIGNS	4.000	EA
619(C) 0924	SAWING PAVEMENT	20,865.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	3.000	EA
640 1426	FIELD OFFICE	1.000	EA

SECTION NO. 0001		I000-ROADWAY NHY-8N(18)		
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	OUTLET LATERAL HEADWALL	6.000	EA
804	2915	STRUCTURAL CONCRETE	6.000	CY
804	2916	REINFORCING STEEL	24.000	LB
SECTION NO. 0002		I000-ROADWAY NHY-8N(45)		
202(E)	0184	UNCLASSIFIED BORROW	17,916.000	CY
205	7174	(PL)TOPSOIL-LUMP SUM	1.000	LSUM
223	2801	TEMPORARY SILT FENCE	29,430.000	LF
226	2805	TEMPORARY SEDIMENT REMOVAL	294.000	CY
230(G)	2812	WATERING	0.700	MGAL
232(B)	2814	SEEDING METHOD B	6.700	AC
233(A)	2817	VEGETATIVE MULCHING	0.700	AC
233(C)	2819	ASPHALT MULCHING	10,099.000	GAL
234(A)	2824	FERTILIZING (10-20-10)	1.700	TON
234(A)	4406	FERTILIZING (0-46-0)	0.500	TON
241	2832	MOWING	28.200	AC
303	0192	AGGREGATE BASE	5.000	CY
317(A)	4252	(SP)FLY ASH	3,622.000	TON
317(C)	4254	SUBGRADE MODIFICATION	67,055.000	SY
403(A)	0217	TRAFFIC BOUND SURFACE COURSE TYPE A	38.900	TON
407	0250	TACK COAT	12,548.000	GAL
408	5774	PRIME COAT	12,827.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	10,485.000	TON
411(AH)	6650	(SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	16,173.000	TON
411(AH)	6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	10,466.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,097.000	TON
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	5,139.000	TON
413(A)	4861	RUMBLE STRIP-METHOD AC-CON	27,173.000	LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	510.000	LF
613(Q)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	130.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY
613(S)	1180	TRENCH EXCAVATION	13.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	16.000	CY
619(B)	8305	REMOVAL OF SIGNS	7.000	EA
629(E)	5048	REMOVE AND RESET MAILBOX	3.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	OUTLET LATERAL HEADWALL	4.000	EA
804	2915	STRUCTURAL CONCRETE	6.000	CY
804	2916	REINFORCING STEEL	72.000	LB
SECTION NO. 0003		Y008-CONST.TRAFFIC CONTROL NHY-8N(18)		
850(A)	8215	SHEET ALUMINUM SIGNS	513.000	SF
851(B)	3215	1 1/2@2.72 GALV.STL.PIPE POST	234.000	LF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	934.000	LF
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POST	14.000	LF
853(B)	3311	DELINEATORS TYPE 1 CODE 2	10.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	30.000	EA
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	96,413.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	20.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	10.000	EA

SECTION NO.	0003	Y008-CONST.TRAFFIC CONTROL	NHY-8N(18)		
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	47,293.000	LF	
880(E)	8017	SIGNS 6.26 TO 15.99 SF	720.000	SD	
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	720.000	SD	
880(J)	8021	BARRICADES(TYPE III)	360.000	SD	
880(K)	8022	WING BARRICADES	120.000	SD	
880(P)	8027	DRUMS	2,250.000	SD	
SECTION NO.	0004	Y008-CONST.TRAFFIC CONTROL	NHY-8N(45)		
850(A)	8215	SHEET ALUMINUM SIGNS	445.000	SF	
851(B)	3215	1 1/2@2.72 GALV.STL.PIPE POST	199.000	LF	
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	759.000	LF	
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POST	45.000	LF	
853(B)	3311	DELINEATORS TYPE 1 CODE 2	8.000	EA	
853(E)	3314	DELINEATORS TYPE 2 CODE 2	24.000	EA	
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	73,962.000	LF	
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	16.000	EA	
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	8.000	EA	
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	37,583.000	LF	
880(E)	8017	SIGNS 6.26 TO 15.99 SF	600.000	SD	
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	600.000	SD	
880(J)	8021	BARRICADES(TYPE III)	360.000	SD	
880(K)	8022	WING BARRICADES	120.000	SD	
880(P)	8027	DRUMS	1,800.000	SD	
SECTION NO.	0005	STAK-STAKING	NHY-8N(18)		
642	0098	STAKING	1.000	LSUM	
SECTION NO.	0006	STAK-STAKING	NHY-8N(45)		
642	0098	STAKING	1.000	LSUM	

LNTCIQA	STATE PROJECT	PAGE 36
CALL ORDER : 440	CONTRACT ID : 010080	
LETTING DATE : February 22, 2001	PCN : 1875104	
LETTING TIME : 10:30 A.M.		
COUNTIES: CADD0	PROJECTS : MC-108C(66)PT1	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE JCT OF SH-58/SH-19, EXTEND NORTH ON SH-58
 PROJ. LGTH.= 7.00 MILES
 FLEX. ESALS= 1.2 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	9,600.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	73,920.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	55,440.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 37
CALL ORDER : 450	CONTRACT ID : 010081	
LETTING DATE : February 22, 2001	PCN : 1875105	
LETTING TIME : 10:30 A.M.		
COUNTIES: CADD0	PROJECTS : MC-108C(66)PT.2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 7.00 MILES NORTH OF SH-58/SH-19, EXTEND NORTH
 TO CARNEGIE ON SH-58
 PROJ. LGTH.= 4.92 MILES
 FLEX. ESALS= 1.2 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,825.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	51,960.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	38,975.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 38
CALL ORDER : 460	CONTRACT ID : 010082	
LETTING DATE : February 22, 2001	PCN : 1875104C	
LETTING TIME : 10:30 A.M.		
COUNTIES: CADD0	PROJECTS : MC-108C(66)PT.1 & 2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE JCT. OF SH-58/SH-19, EXTEND NORTH
 TO CARNEGIE ON SH-58
 PROJ. LGTH.= 11.92 MILES
 FLEX. ESALS= 1.2 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-108C(66)PT.1		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	9,600.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	73,920.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	55,440.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-108C(66)PT.2		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,825.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	51,960.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	38,975.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 39
CALL ORDER : 470	CONTRACT ID : 010083	
LETTING DATE : February 22, 2001	PCN : 1874904	
LETTING TIME : 10:30 A.M.		
COUNTIES: COMANCHE	PROJECTS : MC-116C(55)PT.1	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE JCT. OF SH-17/US-277 IN ELGIN,EXTEND EAST
 ON SH-17
 PROJ. LGTH.= 7.37 MILES
 FLEX. ESALS= 2.1 MILLION
 ASPH. GRADE= 64.22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	540.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,750.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	75,608.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,100.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	57,250.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 40
CALL ORDER : 480	CONTRACT ID : 010084	
LETTING DATE : February 22, 2001	PCN : 1874905	
LETTING TIME : 10:30 A.M.		
COUNTIES: COMANCHE	PROJECTS : MC-116C(55)PT.2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 7.37 MILES EAST OF JCT. SH-17/US-277 IN ELGIN,EXTEND
 EAST TO COMANCHE/GRADY COUNTY LINE ON SH-17
 PROJ. LGTH.= 5.05 MILES
 FLEX. ESALS= 2.1 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	370.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,220.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	46,720.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	480.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	39,230.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 41
CALL ORDER : 490	CONTRACT ID : 010085	
LETTING DATE : February 22, 2001	PCN : 1874904C	
LETTING TIME : 10:30 A.M.		
COUNTIES: COMANCHE	PROJECTS : MC-116C(55)PT.1 & 2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE JCT. SH-17/US-277 IN ELGIN,EXTEND
 EAST TO COMANCHE/GRADY COUNTY LINE ON SH-17
 PROJ. LGTH.= 12.42 MILES
 FLEX. ESALS= 2.1 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY MC-116C(55)PT.1			
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	540.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,750.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	75,608.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,100.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	57,250.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY MC-116C(55)PT.2			
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	370.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,220.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	46,720.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	480.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	39,230.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 42
CALL ORDER : 500	CONTRACT ID : 010086	
LETTING DATE : February 22, 2001	PCN : 1875004	
LETTING TIME : 10:30 A.M.		
COUNTIES: COTTON	PROJECTS : MC-117C(17)PT.1	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE TILLMAN COUNTY LINE, EXTEND EAST ON US-70
 PROJ. LGTH.= 6.87 MILES
 FLEX. ESALS=2.6 MILES
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	11,550.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	96,900.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 43
CALL ORDER : 510	CONTRACT ID : 010087	
LETTING DATE : February 22, 2001	PCN : 1875005	
LETTING TIME : 10:30 A.M.		
COUNTIES: COTTON	PROJECTS : MC-117C(17)PT.2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 6.87 MILES EAST OF THE TILLMAN COUNTY LINE, EXTEND
 EAST ON US-70 TO JCT. OF US-70/US-277 IN RANDLETT
 PROJ. LGTH.= 2.63 MILES
 FLEX. ESALS= 2.6 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,700.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	37,100.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 44
CALL ORDER : 520	CONTRACT ID : 010088	
LETTING DATE : February 22, 2001	PCN : 1875004C	
LETTING TIME : 10:30 A.M.		
COUNTIES: COTTON	PROJECTS : MC-117C(17)PT.1 & 2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE TILLMAN COUNTY LINE, EXTEND EAST ON US-70
 TO JCT. OF US-70/US-277 IN RANDLETT
 PROJ. LGTH.= 9.5 MILES
 FLEX. ESALS= 2.6 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-117C(17)PT.1		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	11,550.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	96,900.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-117C(17)PT.2		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,700.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	37,100.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 45
CALL ORDER : 530	CONTRACT ID : 010089	
LETTING DATE : February 22, 2001	PCN : 1875104SC	
LETTING TIME : 10:30 A.M.		
COUNTIES: CADDO	PROJECTS : MC-108(66)PT1,2/MC-116C(55)PT1	
COMANCHE	DBE/WBE GOALS: 0.00	
COTTON	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 73ANA	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
VARIOUS LOCATIONS IN CADDO, COMANCHE AND COTTON COUNTIES
PROJ. LGTH.= 33.84 MILES
FLEX. ESALS= 1.2 MILLION
ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY MC-108C(66)PT.1			
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	9,600.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	73,920.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	55,440.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY MC-108C(66)PT.2			
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,825.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	51,960.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	38,975.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 I000-ROADWAY MC-116C(55)PT.1			
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	540.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,750.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	75,608.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,100.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	57,250.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004 I000-ROADWAY MC-116C(55)PT.2			
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	370.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,220.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	46,720.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	480.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	39,230.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
SECTION NO. 0005

STATE PROJECT
I000-ROADWAY MC-117C(17)PT.1

PAGE 46

202(C)	4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	11,550.000	TON
854(A)	8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	96,900.000	LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0006 I000-ROADWAY MC-117C(17)PT.2

202(C)	4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,700.000	TON
854(A)	8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	37,100.000	LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 47
CALL ORDER : 690	CONTRACT ID : 010105	
LETTING DATE : February 22, 2001	PCN : 1872904	
LETTING TIME : 10:30 A.M.		
COUNTIES: KIOWA	PROJECTS : MC-128B(46) PT1	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 52ALT	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN APPROX. 1375 FT NORTH OF JACKSON COUNTY LINE ON US-283
 EXTEND NORTH TO KIOWA/GREER COUNTY LINE ON US-283 AND SH-44
 PROJ. LGTH.= 3.76 MILES
 FLEX. ESALS= 1.09 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	338.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,109.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 48
CALL ORDER : 700	CONTRACT ID : 010106	
LETTING DATE : February 22, 2001	PCN : 1872905	
LETTING TIME : 10:30 A.M.		
COUNTIES: GREER	PROJECTS : MC-128B(46) PT2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 52ALT	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT KIOWA COUNTY LINE, EXTEND NORTHEAST ON SH-44
 PROJ. LGTH.= 5.18 MILES
 FLEX. ESALS= 1.09 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	438.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,665.000	TON
417 5267	COLD MILLING PAVEMENT	3,346.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 49
CALL ORDER : 710	CONTRACT ID : 010107	
LETTING DATE : February 22, 2001	PCN : 1872906	
LETTING TIME : 10:30 A.M.		
COUNTIES: GREER	PROJECTS : MC-128B(46) PT3	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 52ALT	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESERFACE(ASPHALT)
 BEGIN APPROX 5.18 MILES NORTHEAST OF KIOWA COUNTY LINE,
 EXTEND NORTHEAST ON SH-44 TO JCT SH-9 IN LONE WOLF
 PROJ. LGTH.= 5.18 MILES
 FLEX. ESALS= 1.09 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	466.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,731.000	TON
417 5267	COLD MILLING PAVEMENT	2,249.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 50
CALL ORDER : 720	CONTRACT ID : 010108	
LETTING DATE : February 22, 2001	PCN : 1872904C	
LETTING TIME : 10:30 A.M.		
COUNTIES: GREER	PROJECTS : MC-128B(46) PT.1, 2 & 3	
KIOWA	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 52ALT	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

RESURFACE(ASPHALT)
 BEGIN APPROX 5.18 MILES NORTHEAST OF KIOWA COUNTY LINE,
 EXTEND NORTHEAST ON SH-44 TO JCT SH-9 IN LONE WOLF
 PRLJ. LGTH.= 14.12 MILES
 FLEX. ESALS= 1.09 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-128B(46)PT 1		
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	338.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,109.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-128B(46) PT 2		
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	438.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,665.000	TON
417 5267	COLD MILLING PAVEMENT	3,346.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	I000-ROADWAY MC-128B(46) PT 3		
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	466.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,731.000	TON
417 5267	COLD MILLING PAVEMENT	2,249.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 51
CALL ORDER : 730	CONTRACT ID : 010109	
LETTING DATE : February 22, 2001	PCN : 1873904	
LETTING TIME : 10:30 A.M.		
COUNTIES: KAY	PROJECTS : IMC-136A(53)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 41PER	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 I-35 BETWEEN MILE POST 210 & 215, SOUTHBOUND OUTER LANE
 PROJ. LGTH.= 5.00 MILES
 FLEX. ESALS= 32.3 MILLION
 ASPH. GRADE= 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
318 5112	ECONocreTE BASE	100.000	SY
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-280K)	2,500.000	TON
414(B) 5913	H.E.S. CONCRETE (FULL DEPTH PATCHING)	100.000	SY
417 5267	COLD MILLING PAVEMENT	20,000.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	20,000.000	LF
857(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	160.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8702	(PL)REMOVAL OF CLASS C PAVEMENT MARKERS	160.000	EA

LNTCIQA	STATE PROJECT	PAGE 52
CALL ORDER : 740	CONTRACT ID : 010110	
LETTING DATE : February 22, 2001	PCN : 1874104	
LETTING TIME : 10:30 A.M.		
COUNTIES: LOGAN	PROJECTS : IMC-142A(59)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 41PER	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 I-35 BETWEEN MILE POST 164 & 163, SOUTHBOUND OUTER LANE
 PROJ. LGTH.= 1.0 MILES
 FLEX. ESALS= 32.3 MILLION
 ASPH. GRADE= 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
318 5112	ECONocreTE BASE	100.000	SY
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-280K)	150.000	TON
414(B) 5913	H.E.S. CONCRETE (FULL DEPTH PATCHING)	100.000	SY
417 5267	COLD MILLING PAVEMENT	1,000.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,000.000	LF
857(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	8.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8702	(PL)REMOVAL OF CLASS C PAVEMENT MARKERS	8.000	EA

LNTCIQA	STATE PROJECT	PAGE 53
CALL ORDER : 750	CONTRACT ID : 010111	
LETTING DATE : February 22, 2001	PCN : 1874204	
LETTING TIME : 10:30 A.M.		
COUNTIES: OKLAHOMA	PROJECTS : IMC-155A(264)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 41PER	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 I-35 BETWEEN MILE POST 145.9 & 146.7, NORTHBOUND OUTER LANE
 PROJ. LGTH.= 0.8 MILES
 FLEX. ESALS= 32.3 MILLION
 ASPH. GRADE= 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(A) 6520	(SP)ASPHALT CONCRETE TYPE A(PG 76-28 OK)	1,200.000	TON
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	800.000	TON
417 5267	COLD MILLING PAVEMENT	5,900.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,000.000	LF
857(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	60.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8702	(PL)REMOVAL OF CLASS C PAVEMENT MARKERS	60.000	EA

LNTCIQA	STATE PROJECT	PAGE 54
CALL ORDER : 760	CONTRACT ID : 010112	
LETTING DATE : February 22, 2001	PCN : 1873904C	
LETTING TIME : 10:30 A.M.		
COUNTIES: KAY	PROJECTS : IMC-136A(53)/IMC-142A(59)/IMC-	
LOGAN	DBE/WBE GOALS: 0.00	
OKLAHOMA	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 41PER	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 I-35 BETWEEN MILE POST 210 AND 146.7 SOUTHBOUND AND
 NORTHBOUND OUTSIDE LANES
 PROJ. LGTH.= 6.8 MILES
 FLEX. ESALS= 32.3 MILLION
 ASPH. GRADE= 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY IMC-136A(53)			
318 5112	ECONOCRETE BASE	100.000	SY
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-280K)	2,500.000	TON
414(B) 5913	H.E.S. CONCRETE (FULL DEPTH PATCHING)	100.000	SY
417 5267	COLD MILLING PAVEMENT	20,000.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	20,000.000	LF
857(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	160.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8702	(PL)REMOVAL OF CLASS C PAVEMENT MARKERS	160.000	EA
SECTION NO. 0002 I000-ROADWAY IMC-142A(59)			
318 5112	ECONOCRETE BASE	100.000	SY
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-280K)	150.000	TON
414(B) 5913	H.E.S. CONCRETE (FULL DEPTH PATCHING)	100.000	SY
417 5267	COLD MILLING PAVEMENT	1,000.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,000.000	LF
857(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	8.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8702	(PL)REMOVAL OF CLASS C PAVEMENT MARKERS	8.000	EA
SECTION NO. 0003 I000-ROADWAY IMC-155A(264)			
411(A) 6520	(SP)ASPHALT CONCRETE TYPE A(PG 76-28 OK)	1,200.000	TON
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-280K)	800.000	TON
417 5267	COLD MILLING PAVEMENT	5,900.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,000.000	LF
857(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	60.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8702	(PL)REMOVAL OF CLASS C PAVEMENT MARKERS	60.000	EA