

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : January 29, 2001

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- February 22, 2001

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF February 22, 2001 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS IS \$25.00 PLUS TAX FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 PLUS TAX, OR 1996 METRIC STD SPEC \$27.00 + TAX OR 1999 METRIC AND ENGLISH STD SPEC \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT SHALL, WITHIN (14) WORKING DAYS FROM THE DATE THE CONTRACT IS RECEIVED, COMPLETE ITS EXECUTION OF THE CONTRACT AND RETURN A COPY OF THE EXECUTED CONTRACT TO THE SUCCESSFUL BIDDER.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

OKLAHOMA DEPARTMENT OF TRANSPORTATION
DATE : January 29, 2001
NOTICE TO CONTRACTORS -- February 22, 2001
LNTCNCA
LETTING

CALL
ORDER FEDERAL/STATE PROJECT NUMBER JOB PIECE PROPOSAL PLANS
 PRICE PRICE PAGE

*** NO PROPOSALS IN LETTING FOR SPECIFIED PUBLICATION DATE ***

LNTCIQA	FEDERAL PROJECT	PAGE 1
CALL ORDER : 010	CONTRACT ID : 010035	
LETTING DATE : February 22, 2001	PCN : 1255604	
LETTING TIME : 2:00 P.M.		
COUNTIES: BLAINE	PROJECTS : NHY-10N(005)	
	DBE/WBE GOALS: 10.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 62.57	
	RES. ENG.: 51CLI	
	CAL. DAYS: 480	LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(SUPERPAVE)
 ON US-281 BEGINNING AT THE NORTH EDGE OF THE TOWN OF GEARY
 AND EXTENDING NORTH.
 PROJ. LGTH.= 8.3675 KILOMETERS
 FLEX. ESALS= 6.8 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY NHY-10N(005)		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	165,725.000	M3
202(C) M0184	UNCLASSIFIED BORROW	96,521.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	513.000	M
223 M2802	TEMPORARY SILT FENCE	6,680.000	M
224 M2803	TEMPORARY SEDIMENT FILTER	25.000	EA
225 M2804	TEMPORARY SEDIMENT BASIN	28.000	EA
230(A) M2806	SOLID SLAB SODDING	30,163.000	M2
230(B) M2807	MULCH SODDING	433,652.000	M2
233(A) M2817	VEGETATIVE MULCHING	86.730	HA
241 M2832	MOWING	43.370	HA
317(A) M4252	(SP)FLY ASH	9,509.000	T
317(B) M4254	SUBGRADE MODIFICATION	165,060.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,466.700	T
407 M0250	TACK COAT	79,964.000	L
408 M5853	PRIME COAT	125,012.000	L
411(B1)M5876	(SP)ASPH.CONC., 25MM NOM MAX(PG 70-28 OK)	24,732.000	T
411(B1)M5877	(SP)ASPH.CONC., 25MM NOM MAX(PG 64-22 OK)	49,989.000	T
411(C1)M5877	(SP)ASPH.CONC., 19MM NOM MAX(PG 70-28 OK)	14,631.000	T
411(C1)M5878	(SP)ASPH.CONC., 19MM NOM MAX(PG 64-22 OK)	6,274.000	T
417 M4659	(PL)FOG SEAL	12,151.000	L
417 M5267	COLD MILLING PAVEMENT	26,998.000	M2
509(B) M0321	CLASS A CONCRETE	2,669.400	M3
509(E) M0325	CLASS C CONCRETE	54.000	M3
511(A) M0332	REINFORCING STEEL	248,919.400	KG
611(E) M6002	INLET (SMD-TYPE 2)	18.000	EA
613(B) M0405	450MM R.C.PIPES CLASS III	201.000	M
613(B) M0409	600MM R.C.PIPES CLASS III	293.000	M
613(CC)M7186	TYPE A4 CULVERT END TREATMENT	27.000	EA
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	7.000	EA
613(CC)M7197	TYPE B6 CULVERT END TREATMENT	17.000	EA
613(D) M0689	450MM CORR. GALV. STEEL PIPE	444.700	M

SECTION NO. 0001	I000-ROADWAY	NHY-10N(005)		
613(D) M0690	600MM CORR. GALV. STEEL PIPE	78.000	M	
613(MM)M5263	450MM SLP.CONC END SEC(SD 6-GR)	2.000	EA	
613(P) M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	50.000	M	
613(Q) M1097	200MM NON-PERF.PIPE UNDERDRAIN RND.	100.000	M	
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	32,939.000	M2	
619(B) M4778	REMOVAL OF EXISTING STRUCTURES	20.000	EA	
619(C) M0924	SAWING PAVEMENT	176.000	M	
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	900.450	M	
623(F) M4447	GUARD RAIL ANCHOR UNIT (TYPE B)	8.000	EA	
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	16.000	EA	
623(H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA	
624(C) M7180	FENCE-STYLE SWF (5 BARBED WIRE)	7,300.500	M	
640 M1426	FIELD OFFICE	1.000	EA	
641 M1552	MOBILIZATION	1.000	LSUM	
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM	
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL	NHY-10N(005)		
850(A) M8110	SHEET ALUMINUM SIGNS	46.260	M2	
851(C) M8321	44MM SQUARE TUBE POST	106.440	M	
851(C) M8327	57MM SQUARE TUBE POST	193.500	M	
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	42,059.000	M	
855(B) M8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	1.000	EA	
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM	
890(A) M8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM	
SECTION NO. 0003	STAK-STAKING	NHY-10N(005)		
642 M0098	STAKING	1.000	LSUM	

LNTCIQA	FEDERAL PROJECT	PAGE 3
CALL ORDER : 020	CONTRACT ID : 010036	
LETTING DATE : February 22, 2001	PCN : 1255610	
LETTING TIME : 2:00 P.M.		
COUNTIES: BLAINE	PROJECTS : NHY-10N(17)	
	DBE/WBE GOALS: 5.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 62.57	
	RES. ENG.: 51CLI	
	CAL. DAYS: 360	LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 BRIDGES & APPROACHES
 ON US-281 OVER AN UNNAMED CREEK AND HORSE CREEK NORTH OF
 GEARY.
 PROJ. LGTH.= 0.0805 KILOMETERS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 X081-BRIDGE 'A' NHY-10N(17)			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	M3
501(F) M6352	GRANULAR BACKFILL	100.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	86.800	M
504(A) M1304	APPROACH SLAB	148.400	M2
504(F) M1381	CONCRETE PARAPET	68.000	M
506(A) M1322	STRUCTURAL STEEL	370.000	KG
509(A) M1326	CLASS AA CONCRETE	89.500	M3
509(B) M1328	CLASS A CONCRETE	45.400	M3
511(A) M1332	REINFORCING STEEL	3,140.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	9,140.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	124.200	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	124.200	M
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	288.000	M2
601A-1 M1353	TYPE I-A PLAIN RIPRAP	572.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	175.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	20.000	M
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002 X081-BRIDGE 'B' NHY-10N(17)			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	M3
501(F) M6352	GRANULAR BACKFILL	100.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	86.800	M
504(A) M1304	APPROACH SLAB	148.400	M2
504(F) M1381	CONCRETE PARAPET	68.000	M
506(A) M1322	STRUCTURAL STEEL	370.000	KG
509(A) M1326	CLASS AA CONCRETE	89.500	M3
509(B) M1328	CLASS A CONCRETE	45.400	M3
511(A) M1332	REINFORCING STEEL	3,140.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	9,140.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	116.200	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	116.200	M
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	288.000	M2
601A-1 M1353	TYPE I-A PLAIN RIPRAP	572.000	T

SECTION NO. 0002	X081-BRIDGE 'B' NHY-10N(17)		
601A-2 M1355	TYPE I-A FILTER BLANKET	175.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	20.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE 'C' NHY-10N(17)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	M3
501(F) M6352	GRANULAR BACKFILL	130.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	226.800	M
504(A) M1304	APPROACH SLAB	350.400	M2
504(C) M6276	(PL)SEALED EXPANSION JOINTS	16.800	M
504(F) M1381	CONCRETE PARAPET	174.000	M
506(A) M1322	STRUCTURAL STEEL	2,910.000	KG
509(A) M1326	CLASS AA CONCRETE	183.800	M3
509(B) M1328	CLASS A CONCRETE	155.500	M3
511(A) M1332	REINFORCING STEEL	6,200.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	32,950.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	209.800	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	209.800	M
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	875.000	M2
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	44.200	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,490.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	497.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	34.000	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	20.000	M
SECTION NO. 0004	X081-BRIDGE 'D' NHY-10N(17)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	M3
501(F) M6352	GRANULAR BACKFILL	130.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	226.800	M
504(A) M1304	APPROACH SLAB	350.400	M2
504(C) M6276	(PL)SEALED EXPANSION JOINTS	16.800	M
504(F) M1381	CONCRETE PARAPET	174.000	M
506(A) M1322	STRUCTURAL STEEL	2,910.000	KG
509(A) M1326	CLASS AA CONCRETE	183.800	M3
509(B) M1328	CLASS A CONCRETE	155.300	M3
511(A) M1332	REINFORCING STEEL	6,200.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	33,010.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	231.400	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	231.400	M
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	875.000	M2
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	51.200	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,490.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	497.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	34.000	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	20.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0005	STAK-STAKING NHY-10N(17)		
642 M0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 5
CALL ORDER : 030	CONTRACT ID : 010037	
LETTING DATE : February 22, 2001	PCN : 1255604C	
LETTING TIME : 2:00 P.M.		
COUNTIES: BLAINE	PROJECTS : NHY-10N(005)/NHY-10N(17)	
	DBE/WBE GOALS: 8.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 62.57	
	RES. ENG.: 51CLI	
	CAL. DAYS: 540	LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(SUPERPAVE)
 ON US-281 BEGINNING AT THE NORTH EDGE OF THE TOWN OF GEARY
 AND EXTENDING NORTH.
 PROJ. LGTH.= 8.448 KILOMETERS
 FLEX. ESALS= 6.8 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY NHY-10N(005)		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	165,725.000	M3
202(C) M0184	UNCLASSIFIED BORROW	96,521.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	513.000	M
223 M2802	TEMPORARY SILT FENCE	6,680.000	M
224 M2803	TEMPORARY SEDIMENT FILTER	25.000	EA
225 M2804	TEMPORARY SEDIMENT BASIN	28.000	EA
230(A) M2806	SOLID SLAB SODDING	30,163.000	M2
230(B) M2807	MULCH SODDING	433,652.000	M2
233(A) M2817	VEGETATIVE MULCHING	86.730	HA
241 M2832	MOWING	43.370	HA
317(A) M4252	(SP)FLY ASH	9,509.000	T
317(B) M4254	SUBGRADE MODIFICATION	165,060.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,466.700	T
407 M0250	TACK COAT	79,964.000	L
408 M5853	PRIME COAT	125,012.000	L
411(B1)M5876	(SP)ASPH.CONC., 25MM NOM MAX(PG 70-28 OK)	24,732.000	T
411(B1)M5877	(SP)ASPH.CONC., 25MM NOM MAX(PG 64-22 OK)	49,989.000	T
411(C1)M5877	(SP)ASPH.CONC., 19MM NOM MAX(PG 70-28 OK)	14,631.000	T
411(C1)M5878	(SP)ASPH.CONC., 19MM NOM MAX(PG 64-22 OK)	6,274.000	T
417 M4659	(PL)FOG SEAL	12,151.000	L
417 M5267	COLD MILLING PAVEMENT	26,998.000	M2
509(B) M0321	CLASS A CONCRETE	2,669.400	M3
509(E) M0325	CLASS C CONCRETE	54.000	M3
511(A) M0332	REINFORCING STEEL	248,919.400	KG
611(E) M6002	INLET (SMD-TYPE 2)	18.000	EA
613(B) M0405	450MM R.C.PIPES CLASS III	201.000	M
613(B) M0409	600MM R.C.PIPES CLASS III	293.000	M
613(CC)M7186	TYPE A4 CULVERT END TREATMENT	27.000	EA
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	7.000	EA
613(CC)M7197	TYPE B6 CULVERT END TREATMENT	17.000	EA
613(D) M0689	450MM CORR. GALV. STEEL PIPE	444.700	M

SECTION NO. 0001		I000-ROADWAY NHY-10N(005)		
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	78.000	M
613(MM)	M5263	450MM SLP.CONC END SEC(SD 6-GR)	2.000	EA
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	50.000	M
613(Q)	M1097	200MM NON-PERF.PIPE UNDERDRAIN RND.	100.000	M
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	32,939.000	M2
619(B)	M4778	REMOVAL OF EXISTING STRUCTURES	20.000	EA
619(C)	M0924	SAWING PAVEMENT	176.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	900.450	M
623(F)	M4447	GUARD RAIL ANCHOR UNIT (TYPE B)	8.000	EA
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	16.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
624(C)	M7180	FENCE-STYLE SWF (5 BARBED WIRE)	7,300.500	M
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002		X081-BRIDGE 'A' NHY-10N(17)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	M3
501(F)	M6352	GRANULAR BACKFILL	100.000	M3
503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	86.800	M
504(A)	M1304	APPROACH SLAB	148.400	M2
504(F)	M1381	CONCRETE PARAPET	68.000	M
506(A)	M1322	STRUCTURAL STEEL	370.000	KG
509(A)	M1326	CLASS AA CONCRETE	89.500	M3
509(B)	M1328	CLASS A CONCRETE	45.400	M3
511(A)	M1332	REINFORCING STEEL	3,140.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	9,140.000	KG
514(A)	M6013	PILES, FURNISHED (HP 310X79)	124.200	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	124.200	M
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	288.000	M2
601A-1	M1353	TYPE I-A PLAIN RIPRAP	572.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	175.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q)	M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	20.000	M
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0003		X081-BRIDGE 'B' NHY-10N(17)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	M3
501(F)	M6352	GRANULAR BACKFILL	100.000	M3
503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	86.800	M
504(A)	M1304	APPROACH SLAB	148.400	M2
504(F)	M1381	CONCRETE PARAPET	68.000	M
506(A)	M1322	STRUCTURAL STEEL	370.000	KG
509(A)	M1326	CLASS AA CONCRETE	89.500	M3
509(B)	M1328	CLASS A CONCRETE	45.400	M3
511(A)	M1332	REINFORCING STEEL	3,140.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	9,140.000	KG
514(A)	M6013	PILES, FURNISHED (HP 310X79)	116.200	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	116.200	M
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	288.000	M2
601A-1	M1353	TYPE I-A PLAIN RIPRAP	572.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	175.000	T

SECTION NO. 0003	X081-BRIDGE 'B' NHY-10N(17)		
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	20.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004	X081-BRIDGE 'C' NHY-10N(17)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	M3
501(F) M6352	GRANULAR BACKFILL	130.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	226.800	M
504(A) M1304	APPROACH SLAB	350.400	M2
504(C) M6276	(PL)SEALED EXPANSION JOINTS	16.800	M
504(F) M1381	CONCRETE PARAPET	174.000	M
506(A) M1322	STRUCTURAL STEEL	2,910.000	KG
509(A) M1326	CLASS AA CONCRETE	183.800	M3
509(B) M1328	CLASS A CONCRETE	155.500	M3
511(A) M1332	REINFORCING STEEL	6,200.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	32,950.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	209.800	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	209.800	M
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	875.000	M2
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	44.200	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,490.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	497.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	34.000	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	20.000	M
SECTION NO. 0005	X081-BRIDGE 'D' NHY-10N(17)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	M3
501(F) M6352	GRANULAR BACKFILL	130.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	226.800	M
504(A) M1304	APPROACH SLAB	350.400	M2
504(C) M6276	(PL)SEALED EXPANSION JOINTS	16.800	M
504(F) M1381	CONCRETE PARAPET	174.000	M
506(A) M1322	STRUCTURAL STEEL	2,910.000	KG
509(A) M1326	CLASS AA CONCRETE	183.800	M3
509(B) M1328	CLASS A CONCRETE	155.300	M3
511(A) M1332	REINFORCING STEEL	6,200.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	33,010.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	231.400	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	231.400	M
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	875.000	M2
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	51.200	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,490.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	497.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	34.000	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	20.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0006	Y008-CONST.TRAFFIC CONTROL NHY-10N(005)		
850(A) M8110	SHEET ALUMINUM SIGNS	46.260	M2
851(C) M8321	44MM SQUARE TUBE POST	106.440	M
851(C) M8327	57MM SQUARE TUBE POST	193.500	M

SECTION NO. 0006	Y008-CONST.TRAFFIC CONTROL	NHY-10N(005)		
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)		42,059.000	M
855(B) M8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)		1.000	EA
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
890(A) M8722	(PL)REMOVAL OF EXISTING SIGNS		1.000	LSUM
SECTION NO. 0007	STAK-STAKING	NHY-10N(005)		
642 M0098	STAKING		1.000	LSUM
SECTION NO. 0008	STAK-STAKING	NHY-10N(17)		
642 M0098	STAKING		1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 9
CALL ORDER : 080	CONTRACT ID : 010065	
LETTING DATE : February 22, 2001	PCN : 1879104	
LETTING TIME : 2:00 P.M.		
COUNTIES: CHEROKEE	PROJECTS : SAP-111D(41)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 11MUS	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 SEQUAYAH STATE PARK-WESTERN HILLS LODGE PARKION LOT
 PROJ. LGTH.= 0.00 MILES
 FLEX. ESALS= 0.5 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.		DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001		I000-ROADWAY		
407	0250	TACK COAT	825.000	GAL
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,850.000	TON

LNTCIQA	FEDERAL PROJECT	PAGE 10
CALL ORDER : 090	CONTRACT ID : 010039	
LETTING DATE : February 22, 2001	PCN : 1793704	
LETTING TIME : 2:00 P.M.		
COUNTIES: CLEVELAND	PROJECTS : IMY-35-2(242)118	
	DBE/WBE GOALS: 9.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 94.39	
	RES. ENG.: 32PUR	
	CAL. DAYS: 450	LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 BRIDGE REDECKING & REHABILITATION
 ON I-35 OVER 5TH STREET AND MAIN STREET IN MOORE.
 PROJ. LGTH.= 1.055 MILE
 FLEX. ESALS= 49.5 MILLION
 ASPH. GRADE= 62-220K, 70-280K & 76-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
202(A) 0183	UNCLASSIFIED EXCAVATION	3,387.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
230(A) 2806	SOLID SLAB SODDING	5,000.000	SY
243 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	6.000	EA
317(A) 4252	(SP)FLY ASH	823.000	TON
317(B) 4254	SUBGRADE MODIFICATION	17,255.000	SY
317(C) 4253	LIME	187.000	TON
317(D) 4254	SCARIFY, BLADE MIX OF SUBGRADE W/LIME TRT	8,628.000	SY
407 0250	TACK COAT	6,754.000	GAL
408 5774	PRIME COAT	3,575.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	12,981.000	TON
411(A) 6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,899.000	TON
411(A) 6520	(SP)ASPHALT CONCRETE TYPE A(PG 76-28 OK)	1,120.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	3,608.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,933.000	TON
411(B) 6550	(SP)ASPHALT CONCRETE TYPE B(PG 76-28 OK)	1,064.000	TON
414(A) 0260	8" P.C. CONCRETE PAVEMENT	138.000	SY
417 4659	(PL)FOG SEAL	619.000	GAL
417 5267	COLD MILLING PAVEMENT	37,078.000	SY
501(G) 6309	CLSM BACKFILL	2.000	CY
509(B) 0321	CLASS A CONCRETE	3.000	CY
509(B) 4153	CLASS A CONCRETE (MED.BAR.DES.1-A)	214.000	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	32.000	CY
511(A) 0332	REINFORCING STEEL	6,385.000	LB
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	91.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	68.000	SY
611(A) 2657	MANHOLE (4' DIA.)	1.000	EA
611(E) 5102	INLET CICI DES. 1 (B)	1.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM, CIG-GRT-VG-F)	17.000	EA
611(K) 4488	CAST IRON CURB INLETS	3.000	EA
613(B) 0491	18" R.C.PIPE CLASS III	914.000	LF
613(B) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	34.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	300.000	LF

SECTION NO. 0001		I000-ROADWAY		
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY
613(S)	1180	TRENCH EXCAVATION	488.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	391.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	131.000	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	4,601.000	SY
619(B)	4780	REMOVAL OF GUARD RAIL	5,946.000	LF
619(C)	0924	SAWING PAVEMENT	26,421.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	3,718.000	LF
623(D)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
624(D)	4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	3,754.000	LF
627(I)	4317	CONCRETE MEDIAN BARRIER, DESIGN 1	3,625.000	LF
SECTION NO. 0002		X231-BRIDGE 'A'		
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	290.000	CY
501(G)	6309	CLSM BACKFILL	500.000	CY
502	6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A)	1304	APPROACH SLAB	892.800	SY
504(C)	6276	(PL)SEALED EXPANSION JOINTS	131.660	LF
504(F)	1381	CONCRETE PARAPET	398.800	LF
506(A)	1322	STRUCTURAL STEEL	90,170.000	LB
509(A)	1326	CLASS AA CONCRETE	518.800	CY
509(B)	1328	CLASS A CONCRETE	299.400	CY
509(D)	0325	CLASS C CONCRETE	5.000	CY
510(C)	6138	SLOPE WALL (5")	922.000	SY
511	6306	(PL)MECHANICAL SPLICES	1,324.000	EA
511(A)	1332	REINFORCING STEEL	7,070.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	128,190.000	LB
512(A)	1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B)	6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
514(A)	6010	PILES, FURNISHED (HP 10X42)	200.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	200.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	846.000	SY
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	126.000	LF
520(A)	6058	PREPARATION OF CRACKS ABOVE WATER	50.000	LF
520(C)	6060	EPOXY RESIN ABOVE WATER	5.000	GAL
535	6280	(PL)REMOVE AND RE-ERECT STEEL BEAMS	42.000	EA
609(D)	0398	BITUMINOUS CURBING	470.000	LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	46.000	LF
613(Q)	6207	6" NON-PERF.PIPES UNDERDRAIN RND.	44.000	LF
619(B)	2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
627(I)	4317	CONCRETE MEDIAN BARRIER, DESIGN 1	199.900	LF
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0003		X231-BRIDGE 'B'		
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	290.000	CY
501(G)	6309	CLSM BACKFILL	500.000	CY
502	6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A)	1304	APPROACH SLAB	892.800	SY

SECTION NO. 0003	X231-BRIDGE 'B'		
504(C)	6276	(PL)SEALED EXPANSION JOINTS	131.660 LF
504(F)	1381	CONCRETE PARAPET	398.800 LF
506(A)	1322	STRUCTURAL STEEL	90,170.000 LB
509(A)	1326	CLASS AA CONCRETE	539.300 CY
509(B)	1328	CLASS A CONCRETE	323.300 CY
509(D)	0325	CLASS C CONCRETE	10.000 CY
510(C)	6138	SLOPE WALL (5")	922.000 SY
511	6306	(PL)MECHANICAL SPLICES	1,324.000 EA
511(A)	1332	REINFORCING STEEL	7,820.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	128,190.000 LB
512(A)	1323	PAINTING EXISTING STRUCTURES	1.000 LSUM
512(B)	6303	COLLECTION & HANDLING OF WASTE	1.000 LSUM
514(A)	6010	PILES, FURNISHED (HP 10X42)	211.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	211.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	849.000 SY
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	122.000 LF
520(A)	6058	PREPARATION OF CRACKS ABOVE WATER	50.000 LF
520(C)	6060	EPOXY RESIN ABOVE WATER	5.000 GAL
535	6280	(PL)REMOVE AND RE-ERECT STEEL BEAMS	42.000 EA
609(D)	0398	BITUMINOUS CURBING	650.000 LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000 LF
613(Q)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000 LF
619(B)	2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000 LSUM
627(I)	4317	CONCRETE MEDIAN BARRIER, DESIGN 1	199.900 LF
SECTION NO. 0004	Y008-CONST.TRAFFIC CONTROL		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	20,100.000 LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	23,040.000 LF
627(K)	4319	MOVABLE CONC.MEDIAN BARR.(REALIGN/RESET)	268,800.000 LF
627(L)	4320	MOVABLE CONC.MEDIAN BAR.(REMOVE/INSTALL)	13,440.000 LF
627(M)	4321	MOVABLE CONCRETE MEDIAN BARR. (RELOCATE)	6,720.000 LF
627(N)	4322	MOVABLE CONC.MED.BAR.(TRNSF.& TRNSP VEH)	1.000 LSUM
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	83,200.000 LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	4,000.000 LF
856(G)	8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	8,000.000 EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	49,620.000 LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	38.000 EA
876(C)	8482	(PL)TRUCK MOUNTED ATTENUATOR	200.000 SD
880(A)	8812	ARROW DISPLAY(TYPE C)	200.000 SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	39,000.000 SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	16,250.000 SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	19,500.000 SD
880(C)	8836	BARRICADES(TYPE II)	1,300.000 SD
880(C)	8842	BARRICADES(TYPE III)	16,250.000 SD
880(C)	8848	WING BARRICADES	5,200.000 SD
880(D)	8854	VERTICAL PANELS	52,000.000 SD
880(E)	8860	WARNING LIGHTS(TYPE A)	53,300.000 SD
880(E)	8872	WARNING LIGHTS(TYPE C)	169,000.000 SD
880(F)	8878	DRUMS	117,000.000 SD
880(L)	8911	TRAFFIC SURVEILLANCE, POLICE	100.000 HOUR
882(B)	8306	PORT.CHANGEABLE MESSAGE SIGN	1,300.000 SD
SECTION NO. 0005	Y002-SIGNING & STRIPING		

SECTION NO. 0005		Y002-SIGNING & STRIPING		
809(D)	8453	OVERHEAD SIGN LUMINAIRE	8.000	EA
850(B)	8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	808.000	SF
852	8603	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	180.000	LF
852	8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL	246.000	LF
852A/B	8973	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.95'	2.000	EA
852A/B	9015	OVHD.SN.STR.TYPE E-1 ALUM./G.STL.	3.000	EA
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	37,388.000	LF
857(A)	8947	PAVE.MARKERS CLASS C TYPE 2-C	300.000	EA
890(A)	8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
890(A)	8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
SECTION NO. 0006		Y030-HIGHWAY LIGHTING		
802(A)	8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	435.000	LF
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	63.000	LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	5,806.000	LF
803	8065	PULL BOX(SIZE I)	1.000	EA
804(A)	2915	STRUCTURAL CONCRETE	76.700	CY
804(B)	2916	REINFORCING STEEL	7,518.460	LB
806(C)	8949	45'MHP & TWIN H.L.MST.ARM(G.STL.)	27.000	EA
809(A)	8090	(PL)ROADWAY LUMINAIRE	54.000	EA
810(A)	3118	SERVICE POLE	1.000	EA
811	8052	2/C NO.12 ELECT.COND.	4,050.000	LF
811	8054	2/C NO.4 ELECTRICAL CONDUCTOR	6,455.000	LF
811	8060	2/C NO.10 ELECTRICAL CONDUCTOR	476.000	LF
SECTION NO. 0007		STAK-STAKING		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0008		X231-TIME 'B' BID		
644	7211	(SP)TIME (B) BID	8,000.000	DAY

LNTCIQA	STATE PROJECT	PAGE 14
CALL ORDER : 110	CONTRACT ID : 010066	
LETTING DATE : February 22, 2001	PCN : 1879204	
LETTING TIME : 2:00 P.M.		
COUNTIES: CLEVELAND	PROJECTS : SAP-114D(58)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 32PUR	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 LAKE THUNDERBIRD STATE PARK- FISHERMAN'S POINT, ROADWAY,
 RV PADS AND PARKING LOT
 PROJ. LGTH.= 0.5 MILES
 FLEX. ESALS= 0.5 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	1,246.000	GAL
408 5774	PRIME COAT	571.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,732.000	TON

LNTCIQA	STATE PROJECT	PAGE 15
CALL ORDER : 120	CONTRACT ID : 010041	
LETTING DATE : February 22, 2001	PCN : 1876404	
LETTING TIME : 2:00 P.M.		
COUNTIES: COAL	PROJECTS : BRFY-NBIP(209)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 2.16	
	RES. ENG.: 31ADA	
	CAL. DAYS: 60	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 AT MUDDY BOGGY CREEK AND OVERFLOW, 1.44 MILE EAST OF
 COALGATE ON SH-43
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE 'A'		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002	X031-BRIDGE 'B'		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 16
CALL ORDER : 130	CONTRACT ID : 010042	
LETTING DATE : February 22, 2001	PCN : 1016704	
LETTING TIME : 2:00 P.M.		
COUNTIES: COMANCHE	PROJECTS : STPY-16C(280)	
	DBE/WBE GOALS: 10.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 29.13	
	RES. ENG.: 71DUN	
	CAL. DAYS: 360	LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND BRIDGE
 FROM THE JCT. OF SH-58/SH-49 JUST EAST OF MEDICINE PARK EAST
 TO I-44
 PROJ. LGTH.= 5.256 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	C000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	291,667.400	M3
202(D) M0186	SELECT BORROW	6,337.000	M3
205 M4230	TYPE A-SALVAGED TOPSOIL	36,255.300	M3
221 M2800	TEMPORARY SLOPE DRAINS	200.000	M
224 M2803	TEMPORARY SEDIMENT FILTER	13.000	EA
227 M0100	TEMPORARY SILT DIKE	2,270.000	M
229 M4318	DITCH LINER PROTECTION	4,499.000	M
230(A) M2806	SOLID SLAB SODDING	448.500	M2
230(G) M2812	WATERING	77,557.400	KL
232(B) M2814	SEEDING METHOD B	28.550	HA
233(A) M2817	VEGETATIVE MULCHING	28.500	HA
234(A) M2824	FERTILIZING (10-20-10)	31.030	T
234(A) M4406	FERTILIZING (0-46-0)	4.850	T
241 M2832	MOWING	28.550	HA
501(A) M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	2,422.400	M3
509(B) M0321	CLASS A CONCRETE	515.100	M3
509(C) M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	1.600	M3
509(E) M0325	CLASS C CONCRETE	1,701.200	M3
511(A) M0332	REINFORCING STEEL	49,962.800	KG
601(A) M0533	TYPE I PLAIN RIPRAP	220.600	M3
601A-2 M0538	TYPE I-A FILTER BLANKET	68.700	T
611(E) M6000	INLET (SMD-TYPE 1)	11.000	EA
613(B) M0409	600MM R.C.P.IPE CLASS III	58.300	M
613(B) M0417	1050MM R.C.P.IPE CLASS III	28.000	M
613(B) M0491	450MM R.C.P.IPE CLASS III	460.400	M
613(B) M4409	700MM X 450MM R.C.P.IPE ARCH CLASS A-III	20.000	M
613(C) M4373	SP. END SECTION OF 450MM RCP ROUND	12.000	EA
613(C) M4375	SP. END SECTION OF 600MM RCP ROUND	2.000	EA
613(C) M4381	SP. END SECTION OF 1050MM RCP ROUND	2.000	EA
613(C) M4804	SP. END SECT. OF 700MM X 450MM RCP ARCH	2.000	EA
613(CC) M4880	450MM CULVERT END TREATMENT(RS-GR)	15.000	EA
613(CC) M4881	600MM CULVERT END TREATMENT(RS-GR)	3.000	EA
613(D) M0689	450MM CORR. GALV. STEEL PIPE	20.000	M

SECTION NO. 0001		C000-ROADWAY	
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	12.800 M
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	140.000 M
613(Q)	M1097	200MM NON-PERF. PIPE UNDERDRAIN RND.	400.000 M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	343.000 M3
613(S)	M1180	TRENCH EXCAVATION	1,134.400 M3
613(T)	M1181	STANDARD BEDDING MATERIAL	395.600 M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	M0291	REMOVAL OF HEADWALL	3.000 EA
619(B)	M4725	REMOVAL OF FENCE	6,282.000 M
624(A)	M4281	FENCE-STYLE WWF	6,734.000 M
624(B)	M4464	GATES-STYLE WWF(1350MM HI X 4200MM LONG)	1.000 EA
640	M1398	FIELD OFFICE	1.000 EA
641	M1399	MOBILIZATION	1.000 LSUM
SECTION NO. 0002		X028-BRIDGE "A"	
202(A)	M4349	(PL)UNCLASSIFIED EXCAVATION	1.000 LSUM
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	453.800 M3
509(B)	M0321	CLASS A CONCRETE	981.800 M3
511(A)	M0332	REINFORCING STEEL	119,200.000 KG
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
SECTION NO. 0003		X028-BRIDGE "B"	
202(A)	M4349	(PL)UNCLASSIFIED EXCAVATION	1.000 LSUM
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	141.100 M3
509(B)	M0321	CLASS A CONCRETE	284.700 M3
511(A)	M0332	REINFORCING STEEL	26,820.000 KG
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
SECTION NO. 0004		Y008-TRAFFIC ITEMS	
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	400.000 M
856(A)	M3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	400.000 M
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	400.000 M
880(E)	M8017	SIGNS 0.60 M2 TO 1.47 M2	9,000.000 SD
880(F)	M8018	SIGNS 1.48 M2 TO 3.06 M2	4,500.000 SD
880(J)	M8021	BARRICADES(TYPE III)	6,600.000 SD
880(K)	M8022	WING BARRICADES	2,100.000 SD
880(M)	M8024	TYPE A LIGHT	16,500.000 SD
880(O)	M8026	TYPE C LIGHT	2,400.000 SD
880(P)	M8027	DRUMS	2,400.000 SD
961.30	M8550	(PL)FLAGGER	90.000 DAY
961.42	M8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	100.000 EA
SECTION NO. 0005		STAK-STAKING	
642	M0098	STAKING	1.000 LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 18
CALL ORDER : 140	CONTRACT ID : 010043	
LETTING DATE : February 22, 2001	PCN : 1792204M	
LETTING TIME : 2:00 P.M.		
COUNTIES: GARVIN	PROJECTS : BHIY-NBIP-0(111)(205)000	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 3.24	
	RES. ENG.: 32PUR	
	CAL. DAYS: 60	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 SH-145 OVER I-35, 6.7 MILES NORTH OF SH-19 ON I-35 AND
 COUNTY ROAD OVER I-35 1.0 MILE SOUTH OF SH-19 ON I-35
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE 'A' BHIY-NBIP-0(111)000		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X231-BRIDGE 'A' BHIY-NBIP-0(205)000		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 19
CALL ORDER : 150	CONTRACT ID : 010044	
LETTING DATE : February 22, 2001	PCN : 1792205M	
LETTING TIME : 2:00 P.M.		
COUNTIES: GARVIN	PROJECTS : BHIY-35-2(241)079/BHIY-35-2(24	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 4.31	
	RES. ENG.: 32PUR	
	CAL. DAYS: 90	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 JOINT REPAIR/SEAL
 SH-145 OVER I-35 APPROXIMATELY 2.0 MILE WEST OF THE TOWN OF
 PAOLI; COUNTY ROAD OVER I-35 APPROXIMATELY 1.0 MILE SOUTH
 OF THE JUNCTION OF I-35/SH-19.
 PROJ. LGTH.= 0.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	X231-BRIDGE 'A' BHIY-35-2(241)079		
501(G) 6309	CLSM BACKFILL	20.000	CY
504(H) 6390	RAPID CURE JOINT SEALANT	172.000	LF
504(I) 6389	ELASTOMERIC MORTAR	7.000	CF
509 6386	(PL)SILICONE CONSTRUCTION JOINT	231.000	LF
509(A) 0325	(PL)H.E.S. CONCRETE CLASS AA	4.000	CY
509(D) 0325	CLASS C CONCRETE	25.000	CY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	70.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	6.000	GAL
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X231-BRIDGE 'A' BHIY-35-2(268)071		
501(G) 6309	CLSM BACKFILL	100.000	CY
502(A) 6173	ENGINEERED FALSEWORK	1.000	LSUM
502(B) 6174	FALSEWORK ENGINEERING SERVICES	1.000	LSUM
509 6386	(PL)SILICONE CONSTRUCTION JOINT	72.000	LF
509(D) 0325	CLASS C CONCRETE	25.000	CY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	75.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	6.000	GAL
535 6347	(PL)MODIFY EXPANSION BEARINGS	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 20
CALL ORDER : 160	CONTRACT ID : 000103	
LETTING DATE : February 22, 2001	PCN : 1286504	
LETTING TIME : 2:00 P.M.		
COUNTIES: GRANT	PROJECTS : HDPY-9269(002)HP	
	DBE/WBE GOALS: 10.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 8.09	
	RES. ENG.: 43ENI	
	CAL. DAYS: 150	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-60 BEGINNING APPROXIMATELY 1.0 MILE SOUTH AND 3.2
 MILE WEST OF LAMONT AND EXTENDING WEST.
 PROJ. LGTH.= 3.750 MI.
 FLEX. ESALS= 2.1 MILLION
 ASPH. GRADE= 64-220K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0111	LINEAR GRADING	180.000	STA
222 2801	TEMPORARY BALE BARRIER	1,000.000	LF
230(A) 2806	SOLID SLAB SODDING	23,252.000	SY
230(B) 2807	MULCH SODDING	173,399.000	SY
232(A) 2813	SEEDING METHOD A	38.500	AC
233(A) 2817	VEGETATIVE MULCHING	40.700	AC
241 2832	MOWING	40.700	AC
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	286.000	TON
408 5774	(SU)PRIME COAT	98.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	184.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	67.000	TON
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	494.000	CY
509(B) 0321	CLASS A CONCRETE	250.000	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	21.000	CY
511(A) 0332	REINFORCING STEEL	23,628.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	4,600.000	TON
613(CC) 7200	TYPE E6 CULVERT END TREATMENT	8.000	EA
613(D) 0694	48" CORR. GALV. STEEL PIPE	328.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	8.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	718.000	SY
619(C) 0924	SAWING PAVEMENT	144.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	4,000.000	LF
629(E) 5048	(SU)REMOVE AND RESET MAILBOX	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
859(A) 8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	2,400.000	LF
900.22 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
901.80 6380	(PL)SETTING PRECAST REINF.CONC.BOX SECT.	126.000	LF
931.97 7011	(PL) TEMPORARY SILT FENCE	678.000	LF
961.33 8580	(PL)REMOVE & RESET EXISTING SIGNS	15.000	EA
SECTION NO. 0002	STAK-STAKING		

LNTCIQA

FEDERAL PROJECT

PAGE 21

SECTION NO. 0002

STAK-STAKING

642 0098

STAKING

1.000

LSUM

LNTCIQA	STATE PROJECT	PAGE 22
CALL ORDER : 170	CONTRACT ID : 010067	
LETTING DATE : February 22, 2001	PCN : 1683604	
LETTING TIME : 2:00 P.M.		
COUNTIES: JACKSON	PROJECTS : CB-133D(16)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 2.16	
	RES. ENG.: 52ALT	
	CAL. DAYS: 120	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES(RCB)
 CO. BR. OVER UNNAMED CREEK, 2 MILES EAST AND 3.2 MILES SOUT
 OF INTERSECTION OF SH-34 AND US-62
 PROJ. LGTH.= 0.011 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X028-BRIDGE "A"		
202(A) M1301	UNCLASSIFIED EXCAVATION	710.000	M3
202(G) M6181	EARTHWORK	1.000	LSUM
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	35.000	M3
504(E) M1380	CONCRETE RAIL (TR1)	23.400	M
509(B) M1328	CLASS A CONCRETE	148.500	M3
511(A) M1332	REINFORCING STEEL	13,520.000	KG
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 23
CALL ORDER : 200	CONTRACT ID : 010046	
LETTING DATE : February 22, 2001	PCN : 1588704	
LETTING TIME : 2:00 P.M.		
COUNTIES: KAY	PROJECTS : IMY-35-4(170)229IR	
	DBE/WBE GOALS: 3.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 31.28	
	RES. ENG.: 41PER	
	CAL. DAYS: 540	LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON I-35 OVER THE CHICKASKIA RIVER APPROXIMATELY 3.7
 KILOMETERS SOUTH OF THE JUNCTION OF I-35/US-177.
 PROJ. LGTH.= 0.888 KILOMETERS
 FLEX. ESALS= 30.0 MILLION
 ASPH. GRADE= 64-220K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	J000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000
202(A)	M0183	UNCLASSIFIED EXCAVATION	4,203.000
202(C)	M0184	UNCLASSIFIED BORROW	22,529.000
209	M0120	MACHINE GRADING	1.790
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000
222	M2801	TEMPORARY BALE BARRIER	50.000
223	M2802	TEMPORARY SILT FENCE	400.000
224	M2803	TEMPORARY SEDIMENT FILTER	1.000
226	M2805	TEMPORARY SEDIMENT REMOVAL	20.000
227	M0100	TEMPORARY SILT DIKE	50.000
230(A)	M2806	SOLID SLAB SODDING	28,224.000
230(F)	M2812	WATERING	5,080.000
233(A)	M2817	VEGETATIVE MULCHING	2.820
234(A)	M2824	FERTILIZING (10-20-10)	3.100
241	M2832	MOWING	2.820
244	M7015	(SP)FLY ASH	1,296.000
317(B)	M4253	SUBGRADE MODIFICATION	22,636.000
319	M5200	(SP)OPEN GRADED BIT. BASE (PG 64-22 OK)	3,533.000
325	M5271	SEPARATOR FABRIC	10,197.000
407	M0250	TACK COAT	11,445.000
408	M5774	PRIME COAT	24,169.000
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	7,430.000
411(BH)	M6680	(SP)ASPHALT CONCRETE TYPE BH(PG 64-22 OK)	2,045.000
413(D)	M4868	RUMBLE STRIP-METHOD PCC-CON	800.000
414(A)	M0264	300MM P.C. CONCRETE PAVEMENT	4,909.000
414(A1)	M5756	300MM P.C. DOWEL JOINTED CONCRETE PAV	10,636.000
509(B)	M4783	CLASS A CONCRETE (MEDIAN BARRIER)	6.380
509(D)	M0325	CLASS C CONCRETE	18.340
511(A)	M0332	REINFORCING STEEL	258.000
609(D)	M0398	BITUMINOUS CURBING	372.000
611(E)	M6000	INLET (SMD-TYPE 1)	1.000
613(B)	M0405	450MM R.C.PIPE CLASS III	24.000
613(CC)	M7196	TYPE A6 CULVERT END TREATMENT	1.000

SECTION NO. 0001

J000-ROADWAY

613(D)	M0689	450MM CORR. GALV. STEEL PIPE	504.000	M
613(S)	M1180	TRENCH EXCAVATION	17.810	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	12.070	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	29,798.000	M2
619(B)	M4780	REMOVAL OF GUARD RAIL	200.000	M
619(C)	M0924	SAWING PAVEMENT	4,242.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	673.120	M
623(F)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	10.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
653(A)	M5915	EDGE DRAIN CONDUIT-PERFORATED	1,376.000	M
653(B)	M5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	30.000	M
653(C)	M5946	OUTLET LATERAL HEADWALL	4.000	EA
870(A)	M8011	SAND FILLED IMPACT ATTEN.MODULE	8.000	EA

SECTION NO. 0002

X081-BRIDGE 'A'

501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F)	M6352	GRANULAR BACKFILL	116.000	M3
503(A)	M6281	PRESTRESSED CONCRETE BEAMS (72 BT)	1,197.000	M
504(A)	M1304	APPROACH SLAB	221.400	M2
504(F)	M1381	CONCRETE PARAPET	436.400	M
506(A)	M1322	STRUCTURAL STEEL	6,970.000	KG
509(A)	M1326	CLASS AA CONCRETE	638.500	M3
509(B)	M1328	CLASS A CONCRETE	232.300	M3
511(A)	M1332	REINFORCING STEEL	8,780.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	23,170.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	334.400	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	334.400	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	2,335.000	M2
516(A)	M6098	DRILLED SHAFTS 1800MM DIAMETER	74.400	M
601B-1	M1359	TYPE II-A SP. PLAIN RIPRAP	960.000	T
601B-2	M1361	TYPE II-A FILTER BLANKET	120.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q)	M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	10.400	M
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640	M1398	FIELD OFFICE	1.000	EA
641	M1399	MOBILIZATION	1.000	LSUM
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION NO. 0003

C081-BRIDGE 'B'

501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F)	M6352	GRANULAR BACKFILL	116.000	M3
503(A)	M6281	PRESTRESSED CONCRETE BEAMS (72 BT)	1,197.000	M
504(A)	M1304	APPROACH SLAB	221.400	M2
504(F)	M1381	CONCRETE PARAPET	436.400	M
506(A)	M1322	STRUCTURAL STEEL	6,970.000	KG
509(A)	M1326	CLASS AA CONCRETE	638.500	M3
509(B)	M1328	CLASS A CONCRETE	232.300	M3
511(A)	M1332	REINFORCING STEEL	8,780.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	87,740.000	KG

SECTION NO. 0003	C081-BRIDGE 'B'		
514(A) M6011	PILES, FURNISHED (HP 250X62)	334.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	334.400	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	2,335.000	M2
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER	74.400	M
601B-1 M1359	TYPE II-A SP. PLAIN RIPRAP	960.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	120.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q) M6207	150MM NON-PERF. PIPE UNDERDRAIN RND.	10.400	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004	X900-ROAD WEATHER INFORMATION SYSTEM		
645 M1427	ROAD WEATHER INFORMATION SYSTEM	1.000	LSUM
SECTION NO. 0005	X081-BRIDGE 'A' (STAINLESS REIN. STEEL)		
511(C) M0200	(PL) STAINLESS STEEL CLADDED REINF. STEEL	67,880.000	KG
SECTION NO. 0006	Y008-CONST. TRAFFIC CONTROL		
627(G) M4316	RELOC. PORT. TYPE PRECAST CONC. MEDIAN BARR	1,836.000	M
627(H) M5856	DEL. PORT. TYPE PREC. CONCRETE MEDIAN BARR	3,672.000	M
855(A) M8812	TRAFFIC STRIPE (PLASTIC) (100MM WIDE)	9,000.000	M
856(A) M8839	CONSTR. TRAFF. STR. (PAINT) (100MM WIDE)	8,000.000	M
856(C) M8851	REM. PAVEMENT MARKING TAPE (100MM WIDE)	8,000.000	M
856(G) M8887	(PL) CONST. ZONE PAV. MKRS (FLEX TAB) TYP. 2-1	6,000.000	EA
857(A) M8947	PAVE. MARKERS CLASS C TYPE 2-C	130.000	EA
859(A) M8006	PAVEMENT MRKNG. REMOVAL (TRAF. STRP)	3,400.000	M
870(A) M8011	SAND FILLED IMPACT ATTEN. MODULE	19.000	EA
876(C) M8482	(PL) TRUCK MOUNTED ATTENUATOR	300.000	SD
878(A) M8511	MODULAR GLARE SCREEN	141.000	EA
880(A) M8812	ARROW DISPLAY (TYPE C)	1,200.000	SD
880(B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	15,000.000	SD
880(B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	14,400.000	SD
880(B) M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	12,000.000	SD
880(B) M8827	CONSTRUCTION SIGNS 3.07 M2 & OVER	100.000	SD
880(C) M8836	BARRICADES (TYPE II)	2,400.000	SD
880(C) M8842	BARRICADES (TYPE III)	12,000.000	SD
880(C) M8848	WING BARRICADES	2,400.000	SD
880(D) M8854	VERTICAL PANELS	36,000.000	SD
880(E) M8860	WARNING LIGHTS (TYPE A)	38,400.000	SD
880(E) M8872	WARNING LIGHTS (TYPE C)	72,000.000	SD
880(F) M8878	DRUMS	36,000.000	SD
SECTION NO. 0007	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 26
CALL ORDER : 270	CONTRACT ID : 010052	
LETTING DATE : February 22, 2001	PCN : 0813804	
LETTING TIME : 2:00 P.M.		
COUNTIES: OKLAHOMA	PROJECTS : BRFY-55C(664)	
	DBE/WBE GOALS: 10.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 32.36	
	RES. ENG.: 44EDM	
	CAL. DAYS: 135	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 AT COFFEE CREEK AND SOLDIER CREEK NEAR ARCADIA ON SH-66
 PROJ. LGTH.= 1.531 KM.
 FLEX. ESALS= 2.5 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	25,141.000 M3
202(C)	M0184	UNCLASSIFIED BORROW	11,352.000 M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
223	M2802	TEMPORARY SILT FENCE	250.000 M
226	M2805	TEMPORARY SEDIMENT REMOVAL	30.000 M3
227	M0100	TEMPORARY SILT DIKE	100.000 M
229	M4318	DITCH LINER PROTECTION	261.300 M
230(A)	M2806	SOLID SLAB SODDING	38,128.000 M2
230(F)	M2812	WATERING	6,863.000 KL
232(B)	M2814	SEEDING METHOD B	3.810 HA
233(A)	M2817	VEGETATIVE MULCHING	3.810 HA
234(A)	M2824	FERTILIZING (10-20-10)	4.190 T
234(A)	M4406	FERTILIZING (0-46-0)	0.650 T
235(A)	M0100	(PL)ROCK FILTER DAM, TYPE 1	50.000 M3
241	M2832	MOWING	3.810 HA
317(A)	M4252	(SP)FLY ASH	1,206.790 T
317(B)	M4254	SUBGRADE MODIFICATION	22,701.022 M2
317(C)	M4253	LIME	40.230 T
317(D)	M4254	SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	2,270.102 M2
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	28.220 T
407	M0250	TACK COAT	17,117.400 L
408	M5774	PRIME COAT	18,932.151 L
411(AH)	M6650	(SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	7,384.697 T
411(AH)	M6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	2,185.577 T
411(BH)	M6680	(SP)ASPHALT CONCRETE TYPE BH(PG 64-22 OK)	1,932.666 T
411(BH)	M6690	(SP)ASPHALT CONCRETE TYPE BH(PG 70-28 OK)	1,561.421 T
413(A)	M4861	RUMBLE STRIP-METHOD AC-CON	2,819.454 M
417	M5267	COLD MILLING PAVEMENT	390.000 M2
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	6.520 M3
509(B)	M0321	CLASS A CONCRETE	32.000 M3
509(E)	M0325	CLASS C CONCRETE	114.174 M3
511(A)	M0332	REINFORCING STEEL	1,765.000 KG
601(A)	M0297	TYPE I PLAIN RIPRAP	56.000 T

SECTION NO. 0001

I000-ROADWAY

601A-2	M0538	TYPE I-A FILTER BLANKET	18.500	T
610(G)	M4475	BITUMINOUS DRIVEWAY (150MM)	1,154.000	M2
613(B)	M0409	600MM R.C.PIPE CLASS III	20.000	M
613(CC)	M7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(CC)	M7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D)	M0689	450MM CORR. GALV. STEEL PIPE	47.150	M
613(D)	M5208	550MM X 325MM CORR. GALV. ST. PIPE ARCH	11.000	M
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH	18.900	M
613(G)	M7036	680MM X 500MM GALV.STL.CULV.END SEC.ARCH	2.000	EA
613(M)	M0897	450MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	137.000	M
613(Q)	M1097	200MM NON-PERF.PIPE UNDERDRAIN RND.	82.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	62.000	M3
613(S)	M1180	TRENCH EXCAVATION	178.200	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	11.950	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M0291	REMOVAL OF HEADWALL	2.000	EA
619(B)	M4725	REMOVAL OF FENCE	1,000.000	M
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	380.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	9,717.260	M2
619(C)	M0924	SAWING PAVEMENT	129.800	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	110.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	9.000	EA
624(A)	M4281	FENCE-STYLE WWF	217.260	M
624(B)	M4466	GATES-STYLE WWF(1350MM HI X 4800MM LONG)	1.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	697.680	M
625(C)	M1253	REMOVE AND STORE GUARD RAIL	636.270	M
625(E)	M1255	REMOVE AND STORE GUIDE POSTS	314.000	EA
629(C)	M4960	MAILBOX	2.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM

SECTION NO. 0002

X081-BRIDGE 'A'

202(A)	M1301	UNCLASSIFIED EXCAVATION	3,000.000	M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	105.000	M3
501(F)	M6352	GRANULAR BACKFILL	82.000	M3
503(A)	M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	190.800	M
504(A)	M1304	APPROACH SLAB	307.000	M2
504(C)	M6276	(PL)SEALED EXPANSION JOINTS	28.660	M
504(E)	M6239	CONCRETE RAIL (TR3)	153.000	M
506(A)	M1322	STRUCTURAL STEEL	2,175.000	KG
509(A)	M1326	CLASS AA CONCRETE	159.500	M3
509(B)	M1328	CLASS A CONCRETE	113.800	M3
509(D)	M0325	CLASS C CONCRETE	16.000	M3
511(A)	M1332	REINFORCING STEEL	5,240.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	20,940.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	513.000	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	513.000	M
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	391.800	M2
516(A)	M6095	DRILLED SHAFTS 1350MM DIAMETER	105.600	M
601A-1	M1353	TYPE I-A PLAIN RIPRAP	1,700.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	450.000	T

SECTION NO. 0002	X081-BRIDGE 'A'		
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	29.400	M
613(Q) M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	9.800	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE 'B'		
202(A) M1301	UNCLASSIFIED EXCAVATION	1,500.000	M3
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(F) M6352	GRANULAR BACKFILL	76.000	M3
503(A) M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	166.800	M
504(A) M1304	APPROACH SLAB	152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)	108.400	M
506(A) M1322	STRUCTURAL STEEL	1,725.000	KG
509(A) M1326	CLASS AA CONCRETE	147.100	M3
509(B) M1328	CLASS A CONCRETE	74.900	M3
509(D) M0325	CLASS C CONCRETE	16.000	M3
511(A) M1332	REINFORCING STEEL	2,950.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	17,405.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	356.600	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	356.600	M
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	320.000	M2
516(A) M6094	DRILLED SHAFTS 1200MM DIAMETER	113.600	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,600.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	400.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.600	M
613(Q) M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	7.400	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004	Y008-TRAFFIC CONTROL		
627(G) M4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	1,600.000	M
627(H) M5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	3,200.000	M
850(A) M8110	SHEET ALUMINUM SIGNS	2.320	M2
851(C) M8327	57MM SQUARE TUBE POST	15.000	M
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	7,330.400	M
871 M8709	(PL)CONST.ZONE QUADGUARD IMPACT ATTEN.	1,480.000	SD
890 M7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0005	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 29
CALL ORDER : 290	CONTRACT ID : 010054	
LETTING DATE : February 22, 2001	PCN : 1792604	
LETTING TIME : 2:00 P.M.		
COUNTIES: OKMULGEE	PROJECTS : IMY-NBIP-0(114)000IR	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 2.16	
	RES. ENG.: 11MUS	
	CAL. DAYS: 60	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 OVER RAILROAD, 5.5 MILES EAST OF OKFUSKEE COUNTY LINE
 ON I-40
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X131-BRIDGE 'A'		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X131-BRIDGE 'B'		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 30
CALL ORDER : 300	CONTRACT ID : 010055	
LETTING DATE : February 22, 2001	PCN : 1792605	
LETTING TIME : 2:00 P.M.		
COUNTIES: OKMULGEE	PROJECTS : IMY-40-6(277)239IR	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 2.70	
	RES. ENG.: 11MUS	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 JOINT SEAL/REPAIR
 I-40 OVER THE BURLINGTON NORTHERN-SANTA FE RAILROAD APPROX.
 1.0 MILE WEST OF THE JUNCTION OF I-40/INDIAN NATION TURNPIKE
 PROJ. LGTH.= 0.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X131-BRIDGE 'A'		
504(H) 6390	RAPID CURE JOINT SEALANT	216.000	LF
504(I) 6389	ELASTOMERIC MORTAR	3.000	CF
506(A) 1322	STRUCTURAL STEEL	1,800.000	LB
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X131-BRIDGE 'B'		
504(H) 6390	RAPID CURE JOINT SEALANT	216.000	LF
504(I) 6389	ELASTOMERIC MORTAR	3.000	CF
506(A) 1322	STRUCTURAL STEEL	1,800.000	LB

LNTCIQA	FEDERAL PROJECT	PAGE 31
CALL ORDER : 340	CONTRACT ID : 010058	
LETTING DATE : February 22, 2001	PCN : 1790504	
LETTING TIME : 2:00 P.M.		
COUNTIES: ROGER MILLS	PROJECTS : BR0-165D(15)C0	
	DBE/WBE GOALS: 10.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 3.78	
	RES. ENG.: 51CLI	
	CAL. DAYS: 120	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER WILD HORSE CREEK APPROX. 3.5 MILES
 NORTH AND 1.8 MILES WEST OF STRONG CITY
 PROJ. LGTH.= 0.169 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	E000-ROADWAY		
230(A) 2806	SOLID SLAB SODDING	1,980.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.400	AC
509(D) 0325	CLASS C CONCRETE	10.000	CY
SECTION NO. 0002	X081-BRIDGE 'A'		
202(G) 6181	EARTHWORK	1.000	LSUM
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	230.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	118.000	LF
504(E) 1380	CONCRETE RAIL (TR1)	63.000	LF
509(A) 1326	CLASS AA CONCRETE	26.300	CY
509(B) 1328	CLASS A CONCRETE	72.800	CY
511(A) 1332	REINFORCING STEEL	9,342.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	515.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	515.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	715.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	320.000	TON
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 32
CALL ORDER : 341	CONTRACT ID : 010172	
LETTING DATE : February 22, 2001	PCN : 1746904	
LETTING TIME : 2:00 P.M.		
COUNTIES: SEQUOYAH	PROJECTS : ACBRFY-168A(35)GB	
LEFLORE	DBE/WBE GOALS: 5.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 83.60	
	RES. ENG.: 12SAL	
	CAL. DAYS: 720	LIQ. DAM: \$ 4000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-59 BEGINNING APPROXIMATELY 4.7 MILE NORTH OF THE
 JUNCTION OF US-59/SH-9 AND EXTENDING NORTH.
 PROJ. LGTH.= 2.39 MILE
 FLEX. ESALS= 15.0 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY ACBRFY-168A(35)GB		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0105	MUCK EXCAVATION	16,920.000	CY
202(G) 0110	EMBANKMENTS	1,365,204.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221 2800	TEMPORARY SLOPE DRAINS	2,545.000	LF
222 2801	TEMPORARY BALE BARRIER	256.000	LF
223 2801	TEMPORARY SILT FENCE	17,153.000	LF
226 2805	TEMPORARY SEDIMENT REMOVAL	600.000	CY
227 0100	TEMPORARY SILT DIKE	720.000	LF
229 4318	DITCH LINER PROTECTION	10,607.000	LF
230(A) 2806	SOLID SLAB SODDING	24,052.000	SY
230(E) 2811	BROADCAST SPRIGGING (METHOD B)	232,320.000	SY
232(A) 2813	SEEDING METHOD A	24.000	AC
233(A) 2817	VEGETATIVE MULCHING	70.000	AC
234(A) 2824	FERTILIZING (10-20-10)	26.000	TON
241 2832	MOWING	60.000	AC
317(A) 4252	(SP)FLY ASH	9,771.000	TON
317(C) 4254	SUBGRADE MODIFICATION	147,988.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,402.000	TON
407 0250	TACK COAT	16,656.000	GAL
408 5853	PRIME COAT	38,534.000	GAL
411(AH) 6650	(SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	51,959.000	TON
411(AH) 6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	13,382.000	TON
411(BH) 6680	(SP)ASPHALT CONCRETE TYPE BH(PG64-220K)	4,471.000	TON
411(BH) 6690	(SP)ASPHALT CONCRETE TYPE BH(PG70-280K)	8,925.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	41,248.000	LF
417 5267	COLD MILLING PAVEMENT	200.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	325.000	CY
509(B) 0321	CLASS A CONCRETE	1,197.000	CY
509(B) 4153	CLASS A CONCRETE (MED.BAR.DES.1-A)	11.000	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	6.500	CY
509(E) 0325	CLASS C CONCRETE	1,441.000	CY
511(A) 0332	REINFORCING STEEL	194,045.000	LB

SECTION NO.	0001	I000-ROADWAY	ACBRFY-168A(35)GB		
601(A)	0297	TYPE I PLAIN RIPRAP	495.000	TON	
601A-2	0538	TYPE I-A FILTER BLANKET	98.000	TON	
609(B)	1501	1'-8" COMB.CRB.& GUT.(6" MNTBLE)	1,197.000	LF	
611(E)	6000	INLET (SMD-TYPE 1)	4.000	EA	
611(E)	6002	INLET (SMD-TYPE 2)	4.000	EA	
613(B)	0405	18" R.C.PIPES CLASS III	789.000	LF	
613(B)	0409	24" R.C.PIPES CLASS III	402.000	LF	
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	2.000	EA	
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	4.000	EA	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	8.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	8.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	348.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	263.000	LF	
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	16.000	EA	
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	6.000	EA	
613(S)	1180	TRENCH EXCAVATION	174.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	395.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	60,810.000	SY	
619(C)	0924	SAWING PAVEMENT	500.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	975.000	LF	
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA	
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA	
624(A)	4281	FENCE-STYLE WWF	2,206.000	LF	
624(B)	4284	GATES-STYLE WWF (4.5' HIGH X 12' LONG)	2.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,276.000	LF	
628(A)	4317	CONCRETE MEDIAN BARRIER DESIGN 1	3,911.000	LF	
629(A)	4958	MAILBOX INSTALLATION-SINGLE	3.000	EA	
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA	
629(C)	4960	MAILBOX	6.000	EA	
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	12.000	EA	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM	
SECTION NO.	0002	Y002-TRAFFIC SIGNING	ACBRFY-168A(35)GB		
804	2915	STRUCTURAL CONCRETE	3.500	CY	
850(A)	8110	SHEET ALUMINUM SIGNS	591.000	SF	
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	701.000	LF	
853(A)	3310	DELINEATORS TYPE 1 CODE 1	128.000	EA	
853(B)	3311	DELINEATORS TYPE 1 CODE 2	6.000	EA	
853(C)	3312	DELINEATORS TYPE 1 CODE 3	12.000	EA	
853(E)	3314	DELINEATORS TYPE 2 CODE 2	18.000	EA	
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	77,000.000	LF	
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA	
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	61,350.000	LF	
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA	
880(D)	8016	SIGNS 0 TO 6.25 SF	9,000.000	SD	
880(E)	8017	SIGNS 6.26 TO 15.99 SF	29,850.000	SD	
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	31,200.000	SD	
880(J)	8021	BARRICADES(TYPE III)	12,000.000	SD	
880(J)	8318	BARRICADES(TYPE III)	10.000	EA	

SECTION NO. 0002	Y002-TRAFFIC SIGNING	ACBRFY-168A(35)GB		
880(K) 8022	WING BARRICADES	5,000.000	SD	
880(M) 8024	TYPE A LIGHT	26,800.000	SD	
880(M) 8330	(PL)SPEED MONITORING DEVICE	2.000	EA	
880(O) 8026	TYPE C LIGHT	40,400.000	SD	
880(P) 8027	DRUMS	40,400.000	SD	
960.18 8142	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM	
SECTION NO. 0003	STAK-STAKING	ACBRFY-168A(35)GB		
642 0098	STAKING	1.000	LSUM	

LNTCIQA	FEDERAL PROJECT	PAGE 35
CALL ORDER : 342	CONTRACT ID : 010173	
LETTING DATE : February 22, 2001	PCN : 1746907	
LETTING TIME : 2:00 P.M.		
COUNTIES: SEQUOYAH	PROJECTS : ACBRFY-168A(70)GB	
LEFLORE	DBE/WBE GOALS: 3.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 83.60	
	RES. ENG.: 12SAL	
	CAL. DAYS: 600	LIQ. DAM: \$ 4000

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON US-59 OVER THE ARKANSAS RIVER AT THE SEQUOYAH/LEFLORE
 COUNTY LINE.
 PROJ. LGTH.= 0.356 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X071-BRIDGE 'A' ACBRFY-168A(70)GB		
414(C) 1304	APPROACH SLABS	526.500	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	4,682.000	CY
501(G) 6309	CLSM BACKFILL	686.000	CY
503(A) 6281	PRESTRESSED CONCRETE BEAMS (72 BT)	5,197.900	LF
504(C) 6169	(PL)MODULAR EXPANSION JOINTS	162.000	LF
504(C) 6276	(PL)SEALED EXPANSION JOINTS	81.330	LF
504(F) 1381	CONCRETE PARAPET	3,876.560	LF
506(A) 6010	(PL)STRUCTURAL STEEL A709 GR50	2,878,884.000	LB
506(A) 6015	(PL)STRUCTURAL STEEL A709 GR70	3,968,678.000	LB
509(A) 1326	CLASS AA CONCRETE	9,918.000	CY
509(B) 1328	CLASS A CONCRETE	334.000	CY
510(C) 6138	SLOPE WALL (5")	2,086.000	SY
511(A) 1332	REINFORCING STEEL	571,737.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	1,436,908.000	LB
514(A) 6012	PILES, FURNISHED (HP 14X73)	5,000.000	LF
514(B) 6296	PILES, DRIVEN (HP 14X73)	5,000.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	56.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	7,962.000	SY
516(A) 6126	DRILLED SHAFTS 108" DIAMETER	477.000	LF
516(A) 6135	DRILLED SHAFTS 144" DIAMETER	1,037.000	LF
516(C) 6200	CROSSHOLE SONIC LOGGING	3.000	EA
516(D) 6400	CSL ACCESS TUBES	13,673.000	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	32.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	6,700.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	1,977.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	386.000	LF
613(Q) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	116.000	LF
613(R) 1395	PIPE UNDERDRAIN COVER MAT'L.	346.800	CY
613(S) 1396	TRENCH EXCAVATION	30.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	30.000	CY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	1,938.280	LF
640 1398	FIELD OFFICE	1.000	EA

SECTION NO.	0001	X071-BRIDGE 'A'	ACBRFY-168A(70)GB		
641	1399	MOBILIZATION		1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL		1.000	LSUM
801	6238	(PL)BRIDGE NAVIGATION LIGHTING		1.000	LSUM
SECTION NO.	0002	STAK-STAKING	ACBRFY-168A(70)GB		
642	0098	STAKING		1.000	LSUM
SECTION NO.	0003	X071-NON-PARTICIPATING(5/8"INSERTS)	ACBRFY-168A(70)GB		
504	6176	(PL)INSERTS		561.000	EA
SECTION NO.	0004	X071-NON-PARTICIPATING(3/4"INSERTS)	ACBRFY-168A(70)GB		
504	6176	(PL)INSERTS		374.000	EA

LNTCIQA	FEDERAL PROJECT	PAGE 37
CALL ORDER : 343	CONTRACT ID : 010174	
LETTING DATE : February 22, 2001	PCN : 1746904C	
LETTING TIME : 2:00 P.M.		
COUNTIES: SEQUOYAH	PROJECTS : ACBRFY-168A(35)GB/ACBRFY-168A(	
LEFLORE	DBE/WBE GOALS: 5.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 83.60	
	RES. ENG.: 12SAL	
	CAL. DAYS: 720	LIQ. DAM: \$ 4000

CONTRACT DESCRIPTION:

GRADE, DRAIN, BRIDGE & SURFACE(ASPHALT)
ON US-59 BEGINNING APPROXIMATELY 4.7 MILE NORTH OF THE
JUNCTION OF US-59/SH-9 AND EXTENDING NORTH.
PROJ. LGTH.= 2.746 MILE
FLEX. ESALS= 15.0 MILLION
ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY ACBRFY-168A(35)GB		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0105	MUCK EXCAVATION	16,920.000	CY
202(G) 0110	EMBANKMENTS	1,365,204.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221 2800	TEMPORARY SLOPE DRAINS	2,545.000	LF
222 2801	TEMPORARY BALE BARRIER	256.000	LF
223 2801	TEMPORARY SILT FENCE	17,153.000	LF
226 2805	TEMPORARY SEDIMENT REMOVAL	600.000	CY
227 0100	TEMPORARY SILT DIKE	720.000	LF
229 4318	DITCH LINER PROTECTION	10,607.000	LF
230(A) 2806	SOLID SLAB SODDING	24,052.000	SY
230(E) 2811	BROADCAST SPRIGGING (METHOD B)	232,320.000	SY
232(A) 2813	SEEDING METHOD A	24.000	AC
233(A) 2817	VEGETATIVE MULCHING	70.000	AC
234(A) 2824	FERTILIZING (10-20-10)	26.000	TON
241 2832	MOWING	60.000	AC
317(A) 4252	(SP)FLY ASH	9,771.000	TON
317(C) 4254	SUBGRADE MODIFICATION	147,988.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,402.000	TON
407 0250	TACK COAT	16,656.000	GAL
408 5853	PRIME COAT	38,534.000	GAL
411(AH) 6650	(SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	51,959.000	TON
411(AH) 6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	13,382.000	TON
411(BH) 6680	(SP)ASPHALT CONCRETE TYPE BH(PG64-220K)	4,471.000	TON
411(BH) 6690	(SP)ASPHALT CONCRETE TYPE BH(PG70-280K)	8,925.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	41,248.000	LF
417 5267	COLD MILLING PAVEMENT	200.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	325.000	CY
509(B) 0321	CLASS A CONCRETE	1,197.000	CY
509(B) 4153	CLASS A CONCRETE (MED.BAR.DES.1-A)	11.000	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	6.500	CY
509(E) 0325	CLASS C CONCRETE	1,441.000	CY
511(A) 0332	REINFORCING STEEL	194,045.000	LB

SECTION NO.	0001	I000-ROADWAY	ACBRFY-168A(35)GB		
601(A)	0297	TYPE I PLAIN RIPRAP	495.000	TON	
601A-2	0538	TYPE I-A FILTER BLANKET	98.000	TON	
609(B)	1501	1'-8" COMB.CRB.& GUT.(6" MNTBLE)	1,197.000	LF	
611(E)	6000	INLET (SMD-TYPE 1)	4.000	EA	
611(E)	6002	INLET (SMD-TYPE 2)	4.000	EA	
613(B)	0405	18" R.C.PIPE CLASS III	789.000	LF	
613(B)	0409	24" R.C.PIPE CLASS III	402.000	LF	
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	2.000	EA	
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	4.000	EA	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	8.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	8.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	348.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	263.000	LF	
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	16.000	EA	
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	6.000	EA	
613(S)	1180	TRENCH EXCAVATION	174.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	395.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	60,810.000	SY	
619(C)	0924	SAWING PAVEMENT	500.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	975.000	LF	
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA	
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA	
624(A)	4281	FENCE-STYLE WWF	2,206.000	LF	
624(B)	4284	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	2.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,276.000	LF	
628(A)	4317	CONCRETE MEDIAN BARRIER DESIGN 1	3,911.000	LF	
629(A)	4958	MAILBOX INSTALLATION-SINGLE	3.000	EA	
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA	
629(C)	4960	MAILBOX	6.000	EA	
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	12.000	EA	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM	
SECTION NO.	0002	X071-BRIDGE 'A'	ACBRFY-168A(70)GB		
414(C)	1304	APPROACH SLABS	526.500	SY	
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	4,682.000	CY	
501(G)	6309	CLSM BACKFILL	686.000	CY	
503(A)	6281	PRESTRESSED CONCRETE BEAMS (72 BT)	5,197.900	LF	
504(C)	6169	(PL)MODULAR EXPANSION JOINTS	162.000	LF	
504(C)	6276	(PL)SEALED EXPANSION JOINTS	81.330	LF	
504(F)	1381	CONCRETE PARAPET	3,876.560	LF	
506(A)	6010	(PL)STRUCTURAL STEEL A709 GR50	2,878,884.000	LB	
506(A)	6015	(PL)STRUCTURAL STEEL A709 GR70	3,968,678.000	LB	
509(A)	1326	CLASS AA CONCRETE	9,918.000	CY	
509(B)	1328	CLASS A CONCRETE	334.000	CY	
510(C)	6138	SLOPE WALL (5")	2,086.000	SY	
511(A)	1332	REINFORCING STEEL	571,737.000	LB	
511(B)	6010	EPOXY COATED REINFORCING STEEL	1,436,908.000	LB	
514(A)	6012	PILES, FURNISHED (HP 14X73)	5,000.000	LF	
514(B)	6296	PILES, DRIVEN (HP 14X73)	5,000.000	LF	

SECTION NO. 0002	X071-BRIDGE 'A'	ACBRFY-168A(70)GB		
514(F)	6354	PILE LOAD TEST (DYNAMIC)	56.000	EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	7,962.000	SY
516(A)	6126	DRILLED SHAFTS 108" DIAMETER	477.000	LF
516(A)	6135	DRILLED SHAFTS 144" DIAMETER	1,037.000	LF
516(C)	6200	CROSSHOLE SONIC LOGGING	3.000	EA
516(D)	6400	CSL ACCESS TUBES	13,673.000	LF
535	6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535	6165	(PL)EXPANSION BEARING ASSEMBLY	32.000	EA
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	6,700.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	1,977.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	386.000	LF
613(Q)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	116.000	LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	346.800	CY
613(S)	1396	TRENCH EXCAVATION	30.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	30.000	CY
619(B)	2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
627(I)	4317	CONCRETE MEDIAN BARRIER, DESIGN 1	1,938.280	LF
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
801	6238	(PL)BRIDGE NAVIGATION LIGHTING	1.000	LSUM
SECTION NO. 0003	Y002-TRAFFIC SIGNING	ACBRFY-168A(35)GB		
804	2915	STRUCTURAL CONCRETE	3.500	CY
850(A)	8110	SHEET ALUMINUM SIGNS	591.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	701.000	LF
853(A)	3310	DELINEATORS TYPE 1 CODE 1	128.000	EA
853(B)	3311	DELINEATORS TYPE 1 CODE 2	6.000	EA
853(C)	3312	DELINEATORS TYPE 1 CODE 3	12.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	18.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	77,000.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	61,350.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA
880(D)	8016	SIGNS 0 TO 6.25 SF	9,000.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	29,850.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	31,200.000	SD
880(J)	8021	BARRICADES(TYPE III)	12,000.000	SD
880(J)	8318	BARRICADES(TYPE III)	10.000	EA
880(K)	8022	WING BARRICADES	5,000.000	SD
880(M)	8024	TYPE A LIGHT	26,800.000	SD
880(M)	8330	(PL)SPEED MONITORING DEVICE	2.000	EA
880(O)	8026	TYPE C LIGHT	40,400.000	SD
880(P)	8027	DRUMS	40,400.000	SD
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
SECTION NO. 0004	STAK-STAKING	ACBRFY-168A(35)GB		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0005	STAK-STAKING	ACBRFY-168A(70)GB		

SECTION NO.	0005	STAK-STAKING	ACBRFY-168A(70)GB		
642	0098	STAKING		1.000	LSUM
SECTION NO.	0006	X071-NON-PARTICIPATING(5/8"INSERTS)	ACBRFY-168A(70)GB		
504	6176	(PL)INSERTS		561.000	EA
SECTION NO.	0007	X071-NON-PARTICIPATING(3/4"INSERTS)	ACBRFY-168A(70)GB		
504	6176	(PL)INSERTS		374.000	EA

LNTCIQA	STATE PROJECT	PAGE 41
CALL ORDER : 380	CONTRACT ID : 010074	
LETTING DATE : February 22, 2001	PCN : 1879004	
LETTING TIME : 2:00 P.M.		
COUNTIES: WOODS	PROJECTS : SAP-176D(43)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 61BUF	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 LITTLE SAHARA STATE PARK-ENTRANCE TO EXIT AREA OF MAIN
 PARK AND ENTRANCE TO EXIT OF DUMP STATION
 PROJ. LGTH.= 0.00 MILES
 FLEX. ESALS= N/A
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
402(C) 0215	PREPARATION OF BASE	1.000	STA
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,815.000	TON

LNTCIQA	STATE PROJECT	PAGE 42
CALL ORDER : 540	CONTRACT ID : 010090	
LETTING DATE : February 22, 2001	PCN : 1874804	
LETTING TIME : 2:00 P.M.		
COUNTIES: CARTER	PROJECTS : MC-110C(72)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 72ARD	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 3.71 MILES SOUTH OF JCT. SH-76/SH-53W ,EXTEND NORTH
 TO JCT. SH-76/SH-53W
 PROJ. LGTH.= 3.71 MILES
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,300.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	52,360.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 43
CALL ORDER : 550	CONTRACT ID : 010091	
LETTING DATE : February 22, 2001	PCN : 1875204	
LETTING TIME : 2:00 P.M.		
COUNTIES: LOVE	PROJECTS : IMC-143N(23)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 72ARD	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE NORTH END OF RAILROAD OVERPASS (MILE POST 8),
 EXTEND NORTH ON I-35 (OUTSIDE SOUTHBOUND LANES ONLY)
 PROJ. LGTH.= 3.8 MILES
 FLEX. ESALS= 12.6 MILLION
 ASPH. GRADE= 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-280K)	2,975.000	TON
417 5267	COLD MILLING PAVEMENT	26,752.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	25,500.000	LF
857(B) 8962	REMOVE & RESET CLASS C PAVE. MARKERS	225.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	25,500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 44
CALL ORDER : 560	CONTRACT ID : 010092	
LETTING DATE : February 22, 2001	PCN : 1874804C	
LETTING TIME : 2:00 P.M.		
COUNTIES: CARTER	PROJECTS : MC-110C(72)/IMC-143N(23)	
LOVE	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 72ARD	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 3.71 MILES SOUTH OF JCT SH-76/SH-53W EXT. NORTH ON
 SH-76 AND EXT NORTH FROM MILE POST 8 ON I-35
 PROJ. LGTH.= 7.51 MILES
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 64-22 OK, 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-110C(72)		
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,300.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	52,360.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY IMC-143N(23)		
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-280K)	2,975.000	TON
417 5267	COLD MILLING PAVEMENT	26,752.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	25,500.000	LF
857(B) 8962	REMOVE & RESET CLASS C PAVE. MARKERS	225.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	25,500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 45
CALL ORDER : 570	CONTRACT ID : 010093	
LETTING DATE : February 22, 2001	PCN : 1873704	
LETTING TIME : 2:00 P.M.		
COUNTIES: GARFIELD	PROJECTS : MC-124C(28)PT.1	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 ON SH-132 BEGINNING AT THE GARFIELD/KINGFISHER COUNTY LINE
 AND EXTENDING NORTH.
 PROJ. LGTH.= 6.69 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-124C(28)PT.1		
402(A) 0204	BITUMINOUS BINDER	185.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	1,040.000	TON

LNTCIQA	STATE PROJECT	PAGE 46
CALL ORDER : 580	CONTRACT ID : 010094	
LETTING DATE : February 22, 2001	PCN : 1873705	
LETTING TIME : 2:00 P.M.		
COUNTIES: GARFIELD	PROJECTS : MC-124C(28)PT.2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 ON SH-132 BEGINNING APPROXIMATELY 6.69 MILE NORTH OF THE
 GARFIELD/KINGFISHER COUNT LINE AND EXTENDING NORTH.
 PROJ. LGTH.= 2.57 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-124C(28)PT.2		
402(A) 0204	BITUMINOUS BINDER	73.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	410.000	TON

LNTCIQA	STATE PROJECT	PAGE 47
CALL ORDER : 590	CONTRACT ID : 010095	
LETTING DATE : February 22, 2001	PCN : 1873704C	
LETTING TIME : 2:00 P.M.		
COUNTIES: GARFIELD	PROJECTS : MC-124C(28)PT.1&2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 ON SH-132 BEGINNING AT THE GARFIELD/KINGFISHER COUNTY LINE
 AND EXTENDING NORTH.
 PROJ. LGTH.= 9.26 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-124C(28)PT.1		
402(A) 0204	BITUMINOUS BINDER	185.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	1,040.000	TON
SECTION NO. 0002	F000-ARMOR COAT MC-124C(28)PT.2		
402(A) 0204	BITUMINOUS BINDER	73.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	410.000	TON

LNTCIQA	STATE PROJECT	PAGE 48
CALL ORDER : 600	CONTRACT ID : 010096	
LETTING DATE : February 22, 2001	PCN : 1873804	
LETTING TIME : 2:00 P.M.		
COUNTIES: GRANT	PROJECTS : MC-127B(36)PT.1	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 SH-11 BEGINNING APPROXIMATELY 3.0 MILE EAST OF THE JUNCTION
 OF SH-11/US-81 IN THE TOWN OF MEDFORD AND EXTENDING EAST.
 PROJ. LGTH.= 7.98 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-127B(36)PT.1		
402(A) 0204	BITUMINOUS BINDER	320.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	1,800.000	TON

LNTCIQA	STATE PROJECT	PAGE 49
CALL ORDER : 610	CONTRACT ID : 010097	
LETTING DATE : February 22, 2001	PCN : 1873805	
LETTING TIME : 2:00 P.M.		
COUNTIES: GRANT	PROJECTS : MC-127B(36)PT.2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 SH-11 BEGINNING APPROXIMATELY 11.0 MILE EAST OF THE JUNCTION
 OF SH-11/US-81 IN THE TOWN OF MEDFORD AND EXTENDING EAST TO
 THE GRANT/KAY COUNTY LINE.
 PROJ. LGTH.= 3.82 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-127B(36)PT.2		
402(A) 0204	BITUMINOUS BINDER	155.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	870.000	TON

LNTCIQA	STATE PROJECT	PAGE 50
CALL ORDER : 620	CONTRACT ID : 010098	
LETTING DATE : February 22, 2001	PCN : 1873804C	
LETTING TIME : 2:00 P.M.		
COUNTIES: GRANT	PROJECTS : MC-127B(36)PT.1&2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 SH-11 BEGINNING APPROXIMATELY 3.0 MILE EAST OF THE JUNCTION
 OF SH-11/US-81 IN THE TOWN OF MEDFORD AND EXTENDING EAST TO
 THE GRANT/KAY COUNTY LINE.
 PROJ. LGTH.= 11.80 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-127B(36)PT.1		
402(A) 0204	BITUMINOUS BINDER	320.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	1,800.000	TON
SECTION NO. 0002	F000-ARMOR COAT MC-127B(36)PT.2		
402(A) 0204	BITUMINOUS BINDER	155.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	870.000	TON

LNTCIQA	STATE PROJECT	PAGE 51
CALL ORDER : 630	CONTRACT ID : 010099	
LETTING DATE : February 22, 2001	PCN : 1874504	
LETTING TIME : 2:00 P.M.		
COUNTIES: KINGFISHER	PROJECTS : MC-137C(23)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 ON SH-51 BEGINNING AT THE KINGFISHER/BLAINE COUNTY LINE AND
 EXTENDING EAST.
 PROJ. LGTH.= 3.07 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-137C(23)		
402(A) 0204	BITUMINOUS BINDER	92.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	520.000	TON

LNTCIQA	STATE PROJECT	PAGE 52
CALL ORDER : 640	CONTRACT ID : 010100	
LETTING DATE : February 22, 2001	PCN : 1874604	
LETTING TIME : 2:00 P.M.		
COUNTIES: KINGFISHER	PROJECTS : MC-137C(24)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 ON SH-132 BEGINNING AT THE JUNCTION OF SH-132/SH-51 AND
 EXTENDING NORTH TO THE KINGFISHER/GARFIELD COUNTY LINE.
 PROJ. LGTH.= 3.32 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT		
402(A) 0204	BITUMINOUS BINDER	95.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	530.000	TON

LNTCIQA	STATE PROJECT	PAGE 53
CALL ORDER : 650	CONTRACT ID : 010101	
LETTING DATE : February 22, 2001	PCN : 1874704	
LETTING TIME : 2:00 P.M.		
COUNTIES: NOBLE	PROJECTS : MC-152C(37)PT.1	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 ON SH-15 BEGINNING AT THE JUNCTION OF SH-15/US-77 AND
 EXTENDING EAST.
 PROJ. LGTH.= 6.19 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-152C(37)PT.1		
402(A) 0204	BITUMINOUS BINDER	165.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	920.000	TON

LNTCIQA	STATE PROJECT	PAGE 54
CALL ORDER : 660	CONTRACT ID : 010102	
LETTING DATE : February 22, 2001	PCN : 1874705	
LETTING TIME : 2:00 P.M.		
COUNTIES: NOBLE	PROJECTS : MC-152C(37)PT.2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 ON SH-15 BEGINNING APPROXIMATELY 6.0 MILE EAST OF THE
 JUNCTION OF SH-15/US-77 AND EXTENDING EAST.
 PROJ. LGTH.= 5.95 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-152C(37)PT.2		
402(A) 0204	BITUMINOUS BINDER	180.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	1,010.000	TON

LNTCIQA	STATE PROJECT	PAGE 55
CALL ORDER : 670	CONTRACT ID : 010103	
LETTING DATE : February 22, 2001	PCN : 1874704C	
LETTING TIME : 2:00 P.M.		
COUNTIES: NOBLE	PROJECTS : MC-152C(37)PT.1&2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 43ENI	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 ON SH-15 BEGINNING AT THE JUNCTION OF SH-15/US-77 AND
 EXTENDING EAST TO THE JUNCTION OF SH-15/US-177.
 PROJ. LGTH.= 12.1 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-152C(37)PT.1		
402(A) 0204	BITUMINOUS BINDER	165.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	920.000	TON
SECTION NO. 0002	F000-ARMOR COAT MC-152C(37)PT.2		
402(A) 0204	BITUMINOUS BINDER	180.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	1,010.000	TON

LNTCIQA	STATE PROJECT	PAGE 56
CALL ORDER : 680	CONTRACT ID : 010104	
LETTING DATE : February 22, 2001	PCN : 1873704SC	
LETTING TIME : 2:00 P.M.		
COUNTIES: GARFIELD	PROJECTS : MC-124C(28)PT1&2/MC-127B(36)PT	
GRANT	DBE/WBE GOALS: 0.00	
KINGFISHER	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
OTHERS		
	RES. ENG.: 43ENI	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ARMOR COAT)
 ARMOR COAT ALONG SH-132, SH-11, SH-51 AND SH-15 IN GARFIELD,
 GRANT, KINGFISHER AND NOBLE COUNTIES IN DIVISION 4.
 PROJ. LGTH.= 39.59 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT MC-124C(28)PT.1		
402(A) 0204	BITUMINOUS BINDER	185.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	1,040.000	TON
SECTION NO. 0002	F000-ARMOR COAT MC-124C(28)PT.2		
402(A) 0204	BITUMINOUS BINDER	73.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	410.000	TON
SECTION NO. 0003	F000-ARMOR COAT MC-127B(36)PT.1		
402(A) 0204	BITUMINOUS BINDER	320.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	1,800.000	TON
SECTION NO. 0004	F000-ARMOR COAT MC-127B(36)PT.2		
402(A) 0204	BITUMINOUS BINDER	155.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	870.000	TON
SECTION NO. 0005	F000-ARMOR COAT MC-137C(23)		
402(A) 0204	BITUMINOUS BINDER	92.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	520.000	TON
SECTION NO. 0006	F000-ARMOR COAT MC-137C(24)		
402(A) 0204	BITUMINOUS BINDER	95.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	530.000	TON
SECTION NO. 0007	F000-ARMOR COAT MC-152C(37)PT.1		
402(A) 0204	BITUMINOUS BINDER	165.000	TON
402B4P 0216	PRECOATED NO.3-C COVER AGGREGATE	920.000	TON
SECTION NO. 0008	F000-ARMOR COAT MC-152C(37)PT.2		

LNTCIQA

STATE PROJECT

PAGE 57

SECTION NO. 0008 F000-ARMOR COAT MC-152C(37)PT.2

402(A)	0204	BITUMINOUS BINDER	180.000	TON
402B4P	0216	PRECOATED NO.3-C COVER AGGREGATE	1,010.000	TON

LNTCIQA	STATE PROJECT	PAGE 58
CALL ORDER : 790	CONTRACT ID : 010115	
LETTING DATE : February 22, 2001	PCN : 1874004	
LETTING TIME : 2:00 P.M.		
COUNTIES: LOGAN	PROJECTS : MC-142A(58)	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 44EDM	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 MICROSURFACE
 FROM JCT. I-35/US-77 EXTEND NORTH TO INDUSTRIAL ROAD
 ON US-77
 PROJ. LGTH.= 4.67 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-MIRCOSURFACE		
407 0250	TACK COAT	3,600.000	GAL
410(A) 4324	EMULSIFIED ASPHALT	180.000	TON
410(C) 4760	TYPE II AGGREGATE	1,900.000	TON
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	18,000.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 59
CALL ORDER : 870	CONTRACT ID : 010123	
LETTING DATE : February 22, 2001	PCN : 1872304	
LETTING TIME : 2:00 P.M.		
COUNTIES: WOODS	PROJECTS : MC-176B(42)PT1	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 61BUF	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 1.524 MILES SOUTH OF CONCRETE SECTION SOUTH OF
 JCT. US-281/US-64 IN ALVA EXT. NORTH ON US-281
 PROJ. LGTH.= 1.524 MILES
 FLEX. ESALS= 3.1 MILLION
 ASPH. GRADE= 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
411(B) 6550	(SP)ASPHALT CONCRETE TYPE B(PG 76-28 OK)	5,400.000	TON
417 5268	COLD MILLING PAVEMENT (2")	44,704.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 60
CALL ORDER : 880	CONTRACT ID : 010124	
LETTING DATE : February 22, 2001	PCN : 1872305	
LETTING TIME : 2:00 P.M.		
COUNTIES: WOODS	PROJECTS : MC-176B(42) PT2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 61BUF	
	CAL. DAYS:	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT END OF CONCRETE SECTION WEST OF ALVA, EXTEND
 WEST ON US-64
 PROJ. LGTH.= 1.37 MILES
 FLEX. ESALS= 3.1 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	400.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,150.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA	STATE PROJECT	PAGE 61
CALL ORDER : 890	CONTRACT ID : 010125	
LETTING DATE : February 22, 2001	PCN : 1872304C	
LETTING TIME : 2:00 P.M.		
COUNTIES: WOODS	PROJECTS : MC-176B(42) PT.1.PT.2	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 0.00	
	RES. ENG.: 61BUF	
	CAL. DAYS: LIQ. DAM: \$ 500	

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 EXTEND SOUTH AND WEST OF JCT. US-281/US-64 IN ALVA
 PROJ. LGTH.= 2.894 MILES
 FLEX. ESALS= 3.1 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK.76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-RESURFACE(ASPHALT) MC-176B(42)PT 1			
411(B) 6550	(SP)ASPHALT CONCRETE TYPE B(PG 76-28 OK)	5,400.000	TON
417 5268	COLD MILLING PAVEMENT (2")	44,704.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 I000-RESURFACE(ASPHALT) MC-176B(42)PT 2			
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	400.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,150.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM