

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : April 24, 2001

NOTICE TO CONTRACTORS -- May 24, 2001

LNTCNCA
LETTING

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF May 24, 2001 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS IS \$25.00 PLUS TAX FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 PLUS TAX, OR 1996 METRIC STD SPEC \$27.00 + TAX OR 1999 METRIC AND ENGLISH STD SPEC \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT SHALL, WITHIN (14) WORKING DAYS FROM THE DATE THE CONTRACT IS RECEIVED, COMPLETE ITS EXECUTION OF THE CONTRACT AND RETURN A COPY OF THE EXECUTED CONTRACT TO THE SUCCESSFUL BIDDER.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

OKLAHOMA DEPARTMENT OF TRANSPORTATION
DATE : April 24, 2001
NOTICE TO CONTRACTORS -- May 24, 2001

LNTCNCA
LETTING

CALL ORDER	FEDERAL/STATE PROJECT NUMBER	JOB PIECE	PROPOSAL PRICE	PLANS PRICE	PAGE
*** NO PROPOSALS IN LETTING FOR SPECIFIED PUBLICATION DATE ***					

LNTCIQA
CALL ORDER : 015
LETTING DATE : May 24, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: ALFALFA
ELLIS
MAJOR

FEDERAL PROJECT
CONTRACT ID : 010181
PCN : 1891804
PROJECTS : STPY-130E(43)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 4.32
RES. ENG.: 61BUF
CAL. DAYS: 60 LIQ. DAM: \$ 500

PAGE 1

CONTRACT DESCRIPTION:
BRIDGE WATERPROOF SEAL
SILANE BRIDGE DECK TREATMENT AT VARIOUS LOCATIONS IN ALFALFA
ELLIS AND MAJOR COUNTIES ALL IN DIVISION # 6
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A', 'B', 'C', 'D', 'E' & 'F'		
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	7,065.100	SY
520 6421	(PL)HMWM CRACK PREPARATION	3,038.000	LF
520 6422	(PL)HMWM RESIN	20.400	GAL
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 030
 LETTING DATE : May 24, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: COMANCHE
 COTTON

FEDERAL PROJECT
 CONTRACT ID : 010211
 PCN : 1868004M

PAGE 2

PROJECTS : IMG-44-1(52)33TR/IMG-44-1(53)0
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 8.63
 RES. ENG.: 73ANA
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRARDRAIL
 BEGIN AT THE OKLAHOMA/TEXAS STATE LINE AND EXTEND NORTH TO
 THE H. E. BAILEY TURNPIKE ON I-44
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	SFTY-GUARDRAIL IMG-44-1(52)33TR		
202(A) 0183	UNCLASSIFIED EXCAVATION	2.500	CY
202(C) 1302	UNCLASSIFIED BORROW	3,488.900	CY
209 0120	MACHINE GRADING	348.890	STA
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,264.210	TON
509(D) 0325	CLASS C CONCRETE	24.510	CY
511(A) 0332	REINFORCING STEEL	1,725.730	LB
611(E) 6002	INLET (SMD-TYPE 2)	4.000	EA
619(B) 4780	REMOVAL OF GUARD RAIL	29,737.500	LF
619(C) 0924	SAWING PAVEMENT	34,889.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	22,100.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	37.000	EA
623(F) 4451	GUARD RAIL ANCHOR UNIT (TYPE F)	12.000	EA
623(F) 4452	GUARD RAIL ANCHOR UNIT (TYPE G)	40.000	EA
623(F) 4453	GUARD RAIL ANCHOR UNIT (TYPE GE)	15.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	9.000	EA
623(G) 0940	GUARD RAIL BLOCKOUT REPLACEMENT	4,650.000	LF
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	71.000	EA
641 1552	MOBILIZATION	1.000	LSUM
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	711.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	66.000	EA
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	270.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
884(B) 8421	(PL)CONC.BRIDGE PARAPET RETROFIT	30.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
SECTION NO. 0002	SAFT-GUARDRAIL IMG-44-1(53)000TR		
202(C) 1302	UNCLASSIFIED BORROW	98.900	CY
209 0120	MACHINE GRADING	9.890	STA
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	44.320	TON
509(D) 0325	CLASS C CONCRETE	10.020	CY
511(A) 0332	REINFORCING STEEL	474.000	LB
619(B) 4780	REMOVAL OF GUARD RAIL	975.000	LF
619(C) 0924	SAWING PAVEMENT	989.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	900.000	LF

SECTION NO. 0002	SAFT-GUARDRAIL	IMG-44-1(53)000TR		
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA	
623(F) 4451	GUARD RAIL ANCHOR UNIT (TYPE F)	2.000	EA	
623(F) 4453	GUARD RAIL ANCHOR UNIT (TYPE GE)	2.000	EA	
623(G) 0940	GUARD RAIL BLOCKOUT REPLACEMENT	512.500	LF	
641 1552	MOBILIZATION	1.000	LSUM	
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	46.000	EA	
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	40.000	EA	
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	135.000	SD	
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM	

LNTCIQA
CALL ORDER : 035
LETTING DATE : May 24, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: CREEK

FEDERAL PROJECT
CONTRACT ID : 010221
PCN : 0926112
PROJECTS : STPY-119B(68)RW
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 84SS
CAL. DAYS: 30

PAGE 4

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
RIGHT-OF-WAY CLEARANCE
BEGIN 16 MILES EAST OF SH-99 ON SH-33 AND EXTEND EAST
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROWA-RIGHT-OF-WAY CLEARANCE		
643 M0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM
643 M0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION		14.000 EA

LNTCIQA
CALL ORDER : 040
LETTING DATE : May 24, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: GARFIELD

STATE PROJECT
CONTRACT ID : 010217
PCN : 1873104
PROJECTS : SAP-124C(27)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 1.62
RES. ENG.: 43ENI
CAL. DAYS: 30

PAGE 5

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
BRIDGE REPAIR
BRIDGE OVER US-64 ON SH-74 SOUTH OF GARBER
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X281-BRIDGE REPAIR		
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	22.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	1.000	S.Y.
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 050
 LETTING DATE : May 24, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: KAY

FEDERAL PROJECT
 CONTRACT ID : 010046
 PCN : 1588704

PAGE 6

PROJECTS : IMY-35-4(170)229IR
 DBE/WBE GOALS: 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 31.28
 RES. ENG.: 41PER
 CAL. DAYS: 540 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON I-35 OVER THE CHICKASKIA RIVER APPROXIMATELY 3.7
 KILOMETERS SOUTH OF THE JUNCTION OF I-35/US-177.
 PROJ. LGTH.= 0.888 KILOMETERS
 FLEX. ESALS= 30.0 MILLION
 ASPH. GRADE= 64-220K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	J000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	4,203.000	M3
202(C) M0184	UNCLASSIFIED BORROW	22,529.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
209 M0120	MACHINE GRADING	1.790	STA
222 M2801	TEMPORARY BALE BARRIER	50.000	M
223 M2802	TEMPORARY SILT FENCE	400.000	M
224 M2803	TEMPORARY SEDIMENT FILTER	1.000	EA
226 M2805	TEMPORARY SEDIMENT REMOVAL	20.000	M3
227 M0100	TEMPORARY SILT DIKE	50.000	M
230(A) M2806	SOLID SLAB SODDING	28,224.000	M2
233(A) M2817	VEGETATIVE MULCHING	2.820	HA
241 M2832	MOWING	2.820	HA
244 M7015	(SP)FLY ASH	1,296.000	T
317(B) M4254	SUBGRADE MODIFICATION	22,636.000	M2
319 M5200	(SP)OPEN GRADED BIT. BASE (PG 64-22 OK)	3,533.000	T
325 M5271	SEPARATOR FABRIC	10,197.000	M2
407 M0250	TACK COAT	11,445.000	L
408 M5774	PRIME COAT	24,169.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	7,430.000	T
411(BH)M6680	(SP)ASPHALT CONCRETE TYPE BH(PG 64-22 OK)	2,045.000	T
413(D) M4868	RUMBLE STRIP-METHOD PCC-CON	800.000	M
414(A) M0264	300MM P.C. CONCRETE PAVEMENT	4,909.000	M2
414(A1)M5756	300MM P.C. DOWEL JOINTED CONCRETE PAV	10,636.000	M2
509(C) M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	6.380	M3
509(D) M0325	CLASS C CONCRETE	18.340	M3
511(A) M0332	REINFORCING STEEL	258.000	KG
609(D) M0398	BITUMINOUS CURBING	372.000	M
611(E) M6000	INLET (SMD-TYPE 1)	1.000	EA
613(B) M0405	450MM R.C.PIPE CLASS III	24.000	M
613(CC)M7196	TYPE A6 CULVERT END TREATMENT	1.000	EA
613(D) M0689	450MM CORR. GALV. STEEL PIPE	504.000	M
613(S) M1180	TRENCH EXCAVATION	17.810	M3

SECTION NO. 0001		J000-ROADWAY		
613(T)	M1181	STANDARD BEDDING MATERIAL	12.070	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	29,798.000	M2
619(B)	M4780	REMOVAL OF GUARD RAIL	200.000	M
619(C)	M0924	SAWING PAVEMENT	4,242.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	673.120	M
623(F)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	10.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
653(A)	M5915	EDGE DRAIN CONDUIT-PERFORATED	1,376.000	M
653(B)	M5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	30.000	M
653(C)	M5946	OUTLET LATERAL HEADWALL	4.000	EA
870(A)	M8011	SAND FILLED IMPACT ATTEN.MODULE	8.000	EA
SECTION NO. 0002		X900-ROAD WEATHER INFORMATION SYSTEM		
645	M1427	ROAD WEATHER INFORMATION SYSTEM	1.000	LSUM
SECTION NO. 0003		Y008-CONST.TRAFFIC CONTROL		
627(G)	M4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	1,836.000	M
627(H)	M5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	3,672.000	M
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	9,000.000	M
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	8,000.000	M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	8,000.000	M
856(G)	M8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	6,000.000	EA
857(A)	M8947	PAVE.MARKERS CLASS C TYPE 2-C	130.000	EA
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3,400.000	M
870(A)	M8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA
876(C)	M8482	(PL)TRUCK MOUNTED ATTENUATOR	300.000	SD
878(A)	M8511	MODULAR GLARE SCREEN	141.000	EA
880(A)	M8812	ARROW DISPLAY(TYPE C)	1,200.000	SD
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	15,000.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	14,400.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	12,000.000	SD
880(B)	M8827	CONSTRUCTION SIGNS 3.07 M2 & OVER	100.000	SD
880(C)	M8836	BARRICADES(TYPE II)	2,400.000	SD
880(C)	M8842	BARRICEDES(TYPE III)	12,000.000	SD
880(C)	M8848	WING BARRICADES	2,400.000	SD
880(D)	M8854	VERTICAL PANELS	36,000.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	38,400.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	72,000.000	SD
880(F)	M8878	DRUMS	36,000.000	SD
SECTION NO. 0004		STAK-STAKING		
642	M0098	STAKING	1.000	LSUM
SECTION NO. 0005		X081-BRIDGE 'A' (PCB ALT.)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F)	M6352	GRANULAR BACKFILL	116.000	M3
503(A)	M6281	PRESTRESSED CONCRETE BEAMS (72 BT)	1,197.000	M
504(A)	M1304	APPROACH SLAB	221.400	M2

SECTION NO. 0005	X081-BRIDGE 'A' (PCB ALT.)		
504(F) M1381	CONCRETE PARAPET	436.400	M
506(A) M1322	STRUCTURAL STEEL	6,970.000	KG
509(A) M1326	CLASS AA CONCRETE	638.500	M3
509(B) M1328	CLASS A CONCRETE	232.300	M3
511(A) M1332	REINFORCING STEEL	8,780.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	23,170.000	KG
511(C) M0200	(PL)STAINLESS STEEL CLADDED REINF.STEEL	67,880.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	334.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	334.400	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	2,335.000	M2
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER	88.800	M
601B-1 M1359	TYPE II-A SP. PLAIN RIPRAP	960.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	120.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	10.400	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION NO. 0006	X031-BRIDGE 'A' (STEEL ALT.)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F) M6352	GRANULAR BACKFILL	116.000	M3
504(A) M1304	APPROACH SLAB	221.400	M2
504(F) M1381	CONCRETE PARAPET	436.400	M
506(A) M1322	STRUCTURAL STEEL	319,270.000	KG
509(A) M1326	CLASS AA CONCRETE	543.800	M3
509(B) M1328	CLASS A CONCRETE	230.900	M3
511(A) M1332	REINFORCING STEEL	3,370.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	22,970.000	KG
511(C) M0200	(PL)STAINLESS STEEL CLADDED REINF.STEEL	75,110.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	334.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	334.400	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	1,272.000	M2
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER	88.800	M
601B-1 M1359	TYPE II-A SP. PLAIN RIPRAP	960.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	120.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	10.400	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION NO. 0007	X081-BRIDGE 'B' (PCB ALT.)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F) M6352	GRANULAR BACKFILL	116.000	M3
503(A) M6281	PRESTRESSED CONCRETE BEAMS (72 BT)	1,197.000	M
504(A) M1304	APPROACH SLAB	221.400	M2
504(F) M1381	CONCRETE PARAPET	436.400	M

SECTION NO. 0007	X081-BRIDGE 'B' (PCB ALT.)		
506(A) M1322	STRUCTURAL STEEL	6,970.000	KG
509(A) M1326	CLASS AA CONCRETE	638.500	M3
509(B) M1328	CLASS A CONCRETE	232.300	M3
511(A) M1332	REINFORCING STEEL	8,780.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	89,840.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	334.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	334.400	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	2,335.000	M2
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER	88.800	M
601B-1 M1359	TYPE II-A SP. PLAIN RIPRAP	960.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	120.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q) M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	10.400	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0008	X031-BRIDGE 'B' (STEEL ALT.)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F) M6352	GRANULAR BACKFILL	116.000	M3
504(A) M1304	APPROACH SLAB	221.400	M2
504(F) M1381	CONCRETE PARAPET	436.400	M
506(A) M1322	STRUCTURAL STEEL	319,270.000	KG
509(A) M1326	CLASS AA CONCRETE	543.800	M3
509(B) M1328	CLASS A CONCRETE	230.900	M3
511(A) M1332	REINFORCING STEEL	3,370.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	96,620.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	334.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	334.400	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	1,272.000	M2
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER	88.800	M
601B-1 M1359	TYPE II-A SP. PLAIN RIPRAP	960.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	120.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.800	M
613(Q) M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	10.400	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

LNTCIQA
CALL ORDER : 080
LETTING DATE : May 24, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: LINCOLN

STATE PROJECT
CONTRACT ID : 010218
PCN : 1871404

PAGE 10

PROJECTS :
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: DISTRICT 3 (ADA)
CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
----------	-------------	----------	-------

LNTCIQA
 CALL ORDER : 095
 LETTING DATE : May 24, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: MCCURTAIN

STATE PROJECT
 CONTRACT ID : 010168
 PCN : 1884104
 PROJECTS : CIP-145N(52)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 16.72
 RES. ENG.: 21ANT
 CAL. DAYS: 340

PAGE 11

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 FROM APPROX. 0.25 MILE WEST OF GARVIN, EXTEND EAST ON US-70
 PROJ. LGTH.= 2.652 MILES
 FLEX. ESALS= 5.57 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	145,295.000	CY
202(C)	0184 UNCLASSIFIED BORROW	5,000.000	CY
202(D)	0186 SELECT BORROW	6,500.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
224	2803 TEMPORARY SEDIMENT FILTER	11.000	EA
227	0100 TEMPORARY SILT DIKE	5,765.000	LF
229	4318 DITCH LINER PROTECTION	575.000	LF
230(A)	2806 SOLID SLAB SODDING	16,677.900	SY
230(D)	2810 BROADCAST SPRIGGING (METHOD A)	121,348.100	SY
230(F)	2812 WATERING	5,449.500	MGAL
232(B)	2814 SEEDING METHOD B	10.000	AC
233(A)	2817 VEGETATIVE MULCHING	28.100	AC
234(A)	2824 FERTILIZING (10-20-10)	13.600	TON
234(A)	4406 FERTILIZING (0-46-0)	1.900	TON
241	2832 MOWING	25.100	AC
303	0192 AGGREGATE BASE	10,497.300	CY
307(A)	4233 LIME	359.000	TON
317(A)	4252 (SP)FLY ASH	3,681.800	TON
317(B)	4254 SUBGRADE MODIFICATION	64,122.400	SY
317(D)	4254 SCARIFY, BLADE MIX OF SUBGRADE W/LIME TRT	22,496.000	SY
325	5271 SEPARATOR FABRIC	56,051.200	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	4,617.700	TON
407	0250 TACK COAT	6,237.900	GAL
408	5774 PRIME COAT	23,839.700	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,187.300	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	16,466.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	502.100	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	7,687.100	TON
417	5268 COLD MILLING PAVEMENT (2")	10,321.000	SY
420(A)	4242 FABRIC REINFORCEMENT	10,180.200	SY
420(B)	4268 BITUMINOUS BINDER	2,545.100	GAL
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	74.200	CY
509(B)	0321 CLASS A CONCRETE	170.700	CY

SECTION NO. 0001		I000-ROADWAY	
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	20.300 CY
509(D)	0325	CLASS C CONCRETE	238.500 CY
511(A)	1332	REINFORCING STEEL	26,616.700 LB
601(A)	0533	TYPE I PLAIN RIPRAP	537.000 CY
609(B)	1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	5,898.700 LF
610(B)	0604	6" CONCRETE DRIVEWAY	78.500 SY
611(E)	6000	INLET (SMD-TYPE 1)	3.000 EA
611(E)	6002	INLET (SMD-TYPE 2)	7.000 EA
613(B)	0491	18" R.C.PE PIPE CLASS III	345.000 LF
613(B)	0492	24" R.C.PE PIPE CLASS III	948.000 LF
613(B)	0493	30" R.C.PE PIPE CLASS III	160.000 LF
613(B)	0494	36" R.C.PE PIPE CLASS III	94.000 LF
613(B)	4504	19" X 30" R.C.PE ELL. CLASS HE-III	128.000 LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	3.000 EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	7.000 EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	2.000 EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	3.000 EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	4.000 EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	2.000 EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	120.000 LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	248.000 LF
613(D)	0691	30" CORR. GALV. STEEL PIPE	142.000 LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	88.000 LF
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	4.000 EA
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	13.000 EA
613(M)	5732	30" PREFAB. CULVERT END SEC., ROUND	4.000 EA
613(M)	5734	36" PREFAB. CULVERT END SEC., ROUND	1.000 EA
613(MM)	7520	TYPE A6 SLOPED CONCRETE END SECTION	2.000 EA
613(MM)	7521	TYPE B6 SLOPED CONCRETE END SECTION	2.000 EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	2,000.000 LF
613(Q)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	400.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	750.000 CY
613(S)	1180	TRENCH EXCAVATION	1,223.100 CY
613(T)	1181	STANDARD BEDDING MATERIAL	415.200 CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	0291	REMOVAL OF HEADWALL	8.000 EA
619(B)	4725	REMOVAL OF FENCE	11,571.000 LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	12,837.000 SY
619(C)	0924	SAWING PAVEMENT	9,413.000 LF
624(A)	4281	FENCE-STYLE WWF	9,495.000 LF
624(B)	4464	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	12.000 EA
629(A)	4958	MAILBOX INSTALLATION-SINGLE	13.000 EA
629(C)	4960	MAILBOX	13.000 EA
640	1398	FIELD OFFICE	1.000 EA
641	1399	MOBILIZATION	1.000 LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000 LSUM
SECTION NO. 0002		ROWA-RIGHT-OF-WAY CLEARANCE	
643	0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000 LSUM
643	0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION	6.000 EA
SECTION NO. 0003		Y000-TRAFFIC	

SECTION NO. 0003		Y000-TRAFFIC		
509(B)	0321	CLASS A CONCRETE	41.600	CY
850(A)	8110	SHEET ALUMINUM SIGNS	175.900	SF
851(C)	8324	2" SQUARE TUBE POST	44.000	LF
851(C)	8327	2 1/4" SQUARE TUBE POST	528.000	LF
853	9024	DELINEATORS(TYPE 1, CODE 1)	24.000	EA
853	9039	DELINEATORS(TYPE 2, CODE 3)	6.000	EA
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	36,855.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	10,030.000	LF
856(G)	8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	6,000.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	8,140.000	LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,640.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6,600.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	17,490.000	SD
880(C)	8836	BARRICADES(TYPE II)	1,320.000	SD
880(C)	8842	BARRICADES(TYPE III)	10,230.000	SD
880(C)	8848	WING BARRICADES	1,320.000	SD
880(D)	8854	VERTICAL PANELS	12,870.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	1,320.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	15,840.000	SD
880(F)	8878	DRUMS	16,500.000	SD
SECTION NO. 0004		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA
CALL ORDER : 105
LETTING DATE : May 24, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: GRANT
 KAY
 OKLAHOMA

FEDERAL PROJECT
CONTRACT ID : 010189
PCN : 1891904
PROJECTS : STPY-152E(38)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 7.01
RES. ENG.: 41PER
CAL. DAYS: 60 LIQ. DAM: \$ 500

PAGE 14

CONTRACT DESCRIPTION:
BRIDGE WATERPROOF SEAL
SILANE BRIDGE DECK TREATMENT AT VARIOUS LOCATIONS IN
OKLAHOMA, KAY AND GRANT COUNTIES ALL IN DIVISION # 4
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A', 'B', 'C', 'D', 'E', 'F', 'G', 'H', 'J', 'K' & 'L'		
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	21,849.000	SY
520 6421	(PL)HMWM CRACK PREPARATION	5,417.000	LF
520 6422	(PL)HMWM RESIN	36.100	GAL
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 130
 LETTING DATE : May 24, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: OKLAHOMA

STATE PROJECT
 CONTRACT ID : 010219
 PCN : 1900104

PAGE 15

PROJECTS : SAP-155N(268)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.70
 RES. ENG.: 460KC
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 SIGNING
 OVERHEAD SIGN REPLACEMENT AT BRYANT AVENUE ON I-240
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 Y008-TRAFFIC CONTROL			
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	4.000	HOUR
SECTION NO. 0002 Y002-SIGNING & STRIPING			
641 1552	MOBILIZATION	1.000	LSUM
802(C) 8360	0.75" ALUM.COND.EXP.	100.000	LF
809(D) 8453	OVERHEAD SIGN LUMINAIRE	3.000	EA
811 8044	1/C NO.10 ELECT.COND.	300.000	LF
811 8046	1/C NO.12 ELECT.COND.	1,500.000	LF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	197.340	SF
852 8603	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL		95.000 LF
852 8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL		95.000 LF
852A/B 8973	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.95'	1.000	EA

LNTCIQA
CALL ORDER : 135
LETTING DATE : May 24, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: OKLAHOMA

FEDERAL PROJECT
CONTRACT ID : 010190
PCN : 1864304
PROJECTS : IMY-40-5(360)157
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 1.62
RES. ENG.: 460KC
CAL. DAYS: 30 LIQ. DAM: \$ 500

PAGE 16

CONTRACT DESCRIPTION:
BRIDGE REPAIR
BRIDGE REPAIR I-40 OVER SE 29TH ST. IN OKLAHOMA CITY
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X271-BRIDGE 'A'		
521(A) 6210	PNEUMATICALLY PLACED MORTAR	220.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)		330.000 S.Y.
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 136
LETTING DATE : May 24, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: OKLAHOMA

FEDERAL PROJECT
CONTRACT ID : 010195
PCN : 1772304
PROJECTS : IMY-NBIP(102)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 2.70
RES. ENG.: 460KC
CAL. DAYS: 90

PAGE 17

LIQ. DAM: \$ 5000

CONTRACT DESCRIPTION:
BRIDGE PAINTING(METALIZING)
NORTHWEST 23RD STREET BRIDGE OVER I-44 IN OKLAHOMA CITY.
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 PAINT PROJECT			
504(H) 6390	RAPID CURE JOINT SEALANT	176.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0002 Y008-CONST.TRAFFIC CONTROL			
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	100.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

LNTCIQA
 CALL ORDER : 140
 LETTING DATE : May 24, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: OTTAWA

FEDERAL PROJECT
 CONTRACT ID : 010215
 PCN : 1887004

PAGE 18

PROJECTS : STPG-158B(34)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.93
 RES. ENG.: 83CLA
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 SAFETY IMPROVEMENT
 US-69A: BNSF RAILROAD OVERPASS 1.2 MILE EAST OF US-69
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y002-WARNING FLASHER SIGNAL		
509(D) 0325	CLASS C CONCRETE	10.340	CY
641 1552	MOBILIZATION	1.000	LSUM
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	130.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,600.000	LF
803 8065	PULL BOX(SIZE I)	10.000	EA
804(A) 2915	STRUCTURAL CONCRETE	8.800	CY
804(B) 2916	REINFORCING STEEL	1,868.000	LB
806(A) 8728	POLE & 30' TS MST.ARM(G.STL.)	2.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8044	1/C NO.10 ELECT.COND.	5,400.000	LF
827 8620	SOLID STATE FLASHER CONTROLLER(TYPE I)	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	70.000	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	225.000	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	51.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	181.250	LF
851(C) 8321	1 3/4" SQUARE TUBE POST	40.000	LF
851(C) 8324	2" SQUARE TUBE POST	82.500	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	30.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA

LNTCIQA
 CALL ORDER : 145
 LETTING DATE : May 24, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: TULSA

FEDERAL PROJECT
 CONTRACT ID : 010016
 PCN : 1708204M

PAGE 19

PROJECTS : NHIY-15N(16)/BHFY-15N(17)
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 145.63
 RES. ENG.: 81TUL
 CAL. DAYS: 740 LIQ. DAM: \$ 8000

CONTRACT DESCRIPTION:

GRADE, DRAIN, BRIDGE AND SURFACE(ASPHALT)
 SH51; BEG. AT S. SHERIDAN RD. EXT. FR. SHERIDAN TO W. OF
 MEMORIAL INCLUDES CROSS ST. AT MEMORIAL & M.L. & BRIDGES
 PROJ. LGTH.= 1.853 MILES
 FLEX. ESALS= 56 MILLION
 ASPH. GRADE= 64-22 OK, 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY NHIY-15N(16)		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	61,050.000	CY
202(C) 0184	UNCLASSIFIED BORROW	95,230.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221 2800	TEMPORARY SLOPE DRAINS	200.000	LF
222 2801	TEMPORARY BALE BARRIER	865.000	LF
223 2802	TEMPORARY SILTATION SCREEN	5,355.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	20.000	EA
226 2805	TEMPORARY SEDIMENT REMOVAL	500.000	CY
230(A) 2806	SOLID SLAB SODDING	67,392.000	SY
233(A) 2817	VEGETATIVE MULCHING	14.000	AC
241 2832	MOWING	30.000	AC
303 0192	AGGREGATE BASE	50,203.000	CY
317(C) 4253	LIME	2,900.000	TON
317(D) 4254	SCARIFY, BLADE MIX OF SUBGRADE W/LIME TRT	32,000.000	SY
319 5200	(SP) OPEN GRADED BIT. BASE (PG 64-22 OK)	23,745.000	TON
325 5271	SEPARATOR FABRIC	146,203.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	480.000	TON
408 5774	PRIME COAT	20,075.000	GAL
411(S2) 5930	(SP) ASPH. CONC., TYPE S2 (PG 64-22 OK)	37,815.000	TON
411(S3) 5935	(SP) ASPH. CONC., TYPE S3 (PG 76-28 OK)	10,588.000	TON
411(S3) 5945	(SP) ASPH. CONC., TYPE S3 (PG 64-22 OK)	5,081.000	TON
411(S3) 6210	(SP) ASPH. CONC., TYPE S3 (PATCH) (PG 64-22 OK)	180.000	TON
411(S4) 5950	(SP) ASPH. CONC., TYPE S4 (PG 76-28 OK)	14,472.000	TON
411(S4) 5960	(SP) ASPH. CONC., TYPE S4 (PG 64-22 OK)	5,056.000	TON
414(A) 0260	8" P.C. CONCRETE PAVEMENT	2,023.000	SY
414(AA) 5753	8" P.C. DOWEL JOINTED CONCRETE PAVEMENT	3,380.000	SY
414(AA) 5754	9" P.C. DOWEL JOINTED CONCRETE PAVEMENT	24,065.000	SY
414(B) 5072	9" H.E.S. CONCRETE (PATCHING)	425.000	SY
414(B1) 5758	9" H.E.S. DOWEL JOINTED CONCRETE PAV	300.000	SY
417 5267	COLD MILLING PAVEMENT	60,681.000	SY
509(B) 0321	CLASS A CONCRETE	76.000	CY
509(B) 4153	CLASS A CONCRETE (MED. BAR. DES. 1-A)	826.000	CY

SECTION NO. 0001	I000-ROADWAY NHIY-15N(16)		
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	37.000	CY
509(E) 0325	CLASS C CONCRETE	1,365.000	CY
510 6350	(PL)STEEL SHEET PILING	1,200.000	SY
510(C) 6136	SLOPE WALL (6")	2,346.000	SY
511(A) 0332	REINFORCING STEEL	83,497.000	LB
601(A-1)1352	TYPE I-A PLAIN RIPRAP	50.000	CY
601(A-2)0537	TYPE I-A FILTER BLANKET	17.000	CY
602(C) 4205	FILTER FABRIC	15,000.000	SY
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	338.000	LF
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	5,435.000	LF
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	2,661.000	LF
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	2,373.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	1,397.000	SY
610(A) 0650	(PL)4" DECORATIVE CONCRETE SIDEWALK	131.000	SY
610(B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	1,021.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	178.000	SY
610(C) 5824	DECORATIVE MEDIAN CONCRETE	2,755.000	SY
611(D) 4215	MANHOLE FRAME & COVER	11.000	EA
611(E) 5115	INLET CICI DES. 2 (D)	3.000	EA
611(E) 5117	INLET CICI DES. 2 (2B)	10.000	EA
611(E) 5118	INLET CICI DES. 2 (B-D)	2.000	EA
611(E) 5119	INLET CICI DES. 2 (2D)	2.000	EA
611(E) 5331	INLET GPI TYPE 1 (DES. 5)	1.000	EA
611(E) 5338	INLET GPI TYPE 2 (DES. 12)	3.000	EA
611(E) 5339	INLET GPI TYPE 2 (DES. 13)	1.000	EA
611(E) 5340	INLET GPI TYPE 2 (DES. 14)	1.000	EA
611(E) 5692	INLET MEDIAN BARRIER DES. 2	6.000	EA
611(E) 6000	INLET (SMD-TYPE 1)	12.000	EA
611(E) 6006	INLET (SMD-TYPE 2B)	1.000	EA
611(E) 7126	INLET MEDIAN BARRIER, TYPE I, DES.1	8.000	EA
611(E) 7140	INLET MEDIAN BARRIER, TYPE II, DES.1	18.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	239.000	EA
611(J) 0487	JUNCTION BOXES	598.000	CF
611(K) 4488	CAST IRON CURB INLETS	114.000	EA
611(L) 4207	DROP INLET GRATE (GPI-TYPE A)	11.000	EA
611(L) 4208	DROP INLET GRATE (GPI-TYPE B)	6.000	EA
611(L) 4209	DROP INLET GRATE (SMD-TYPE 1)	13.000	EA
611(L) 4210	DROP INLET GRATE (SMD-TYPE 2)	1.000	EA
613(B) 0403	15" R.C.PIPE CLASS III	32.000	LF
613(B) 0491	18" R.C.PIPE CLASS III	4,262.000	LF
613(B) 0492	24" R.C.PIPE CLASS III	1,982.000	LF
613(B) 0493	30" R.C.PIPE CLASS III	198.000	LF
613(B) 0494	36" R.C.PIPE CLASS III	1,359.000	LF
613(B) 0495	42" R.C.PIPE CLASS III	60.000	LF
613(B) 0496	48" R.C.PIPE CLASS III	118.000	LF
613(C) 4373	SP. END SECTION OF 18" RCP ROUND	1.000	EA
613(C) 4375	SP. END SECTION OF 24" RCP ROUND	2.000	EA
613(C) 4379	SP. END SECTION OF 36" RCP ROUND	2.000	EA
613(D) 0688	12" CORR. GALV. STEEL PIPE	180.000	LF
613(D) 0689	18" CORR. GALV. STEEL PIPE	138.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	570.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	452.000	CY
613(U) 4500	24" JACKED CONDUIT	83.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

SECTION NO. 0001	I000-ROADWAY	NHIY-15N(16)		
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	18,115.000	SY	
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	54,298.000	SY	
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	1,861.000	SY	
619(B) 4791	REMOVAL OF CURB	4,984.000	LF	
619(B) 6130	REMOVAL OF 4" CONCRETE DIVIDING STRIP	833.000	SY	
619(C) 0924	SAWING PAVEMENT	14,286.000	LF	
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	2,075.000	LF	
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	7,200.000	LF	
640 1426	FIELD OFFICE	1.000	EA	
641 1552	MOBILIZATION	1.000	LSUM	
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM	
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	18,522.000	LF	
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	727.000	LF	
653(C) 5946	OUTLET LATERAL HEADWALL	28.000	EA	
931.73 5950	(PL)SLOTTED DRAIN	200.000	LF	
SECTION NO. 0002	Y220-SOUND WALL 'A'	NHIY-15N(16)		
510(B) 6334	SOUND BARRIER WALL	3,227.000	SY	
SECTION NO. 0003	Y007-RETAINING WALL 'A'	NHIY-15N(16)		
510(A) 6333	RETAINING WALL	2,534.000	SY	
510(B) 6334	SOUND BARRIER WALL	1,730.000	SY	
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	1,586.000	LF	
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	1,435.000	CY	
SECTION NO. 0004	Y007-RETAINING WALL 'B'	NHIY-15N(16)		
504(F) 1381	CONCRETE PARAPET	594.000	LF	
510(A) 6333	RETAINING WALL	695.000	SY	
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	606.000	LF	
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	355.000	CY	
SECTION NO. 0005	Y007-RETAINING WALL 'C'	NHIY-15N(16)		
504(F) 1381	CONCRETE PARAPET	433.000	LF	
510(A) 6333	RETAINING WALL	405.000	SY	
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	445.000	LF	
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	156.000	CY	
SECTION NO. 0006	X028-BRIDGE BOX 'R'	NHIY-15N(16)		
202(A) 1301	UNCLASSIFIED EXCAVATION	9,540.000	CY	
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	425.000	CY	
509(B) 1328	CLASS A CONCRETE	1,203.000	CY	
510(C) 6136	SLOPE WALL (6")	198.000	SY	
511(A) 1332	REINFORCING STEEL	159,900.000	LB	
601(A-1)1352	TYPE I-A PLAIN RIPRAP	520.000	CY	
601(A-2)0537	TYPE I-A FILTER BLANKET	200.000	CY	
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM	
SECTION NO. 0007	X028-BRIDGE BOX 'Y'	NHIY-15N(16)		

SECTION NO. 0007	X028-BRIDGE BOX 'Y' NHIY-15N(16)		
202(A) 1301	UNCLASSIFIED EXCAVATION	6,570.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	480.000	CY
509(B) 1328	CLASS A CONCRETE	926.000	CY
510(C) 6136	SLOPE WALL (6")	1,074.000	SY
511(A) 1332	REINFORCING STEEL	112,810.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
624(D) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	240.000	LF
SECTION NO. 0008	X028-BRIDGE BOX 'Z' NHIY-15N(16)		
202(A) 1301	UNCLASSIFIED EXCAVATION	431.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	84.000	CY
509(B) 1328	CLASS A CONCRETE	251.000	CY
510(C) 6136	SLOPE WALL (6")	4,424.000	SY
511(A) 1332	REINFORCING STEEL	106,600.000	LB
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	118.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	160.000	CY
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA
624(D) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	875.000	LF
624(E) 5847	GATES-STYLE CLF (4'HIGH X 12'LONG)	1.000	EA
SECTION NO. 0009	X081-BRIDGE 'T' BHFY-15N(17)		
511(A) 1332	REINFORCING STEEL	45,500.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	214,610.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	2,282.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	2,282.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,541.000	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	360.000	LF
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	150.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0010	X081-BRIDGE 'U' BHFY-15N(17)		
414(C) 0309	APPROACH SLABS	696.300	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	530.000	CY
501(G) 6309	CLSM BACKFILL	390.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	751.000	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,430.000	LF
504(C) 6250	SEALED EXPANSION JOINT	162.500	LF
504(F) 1381	CONCRETE PARAPET	730.500	LF
506(A) 1322	STRUCTURAL STEEL	19,330.000	LB
509(A) 1326	CLASS AA CONCRETE	545.500	CY
509(B) 1328	CLASS A CONCRETE	678.200	CY
510(C) 6138	SLOPE WALL (5")	2,286.000	SY
511(A) 1332	REINFORCING STEEL	38,060.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	175,940.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1,699.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1,699.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,382.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	360.000	LF
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	592.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	192.000	LF

SECTION NO. 0010	X081-BRIDGE 'U' BHFY-15N(17)		
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0011	X031-BRIDGE 'X' NHIY-15N(16)		
414(C) 0309	APPROACH SLABS	534.400	SY
419 4152	CONCRETE JOINT REHABILITATION	138.000	LF
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	CY
501(C) 1308	SUBSTRUCTURE EXCAVATION ROCK	35.000	CY
501(G) 6309	CLSM BACKFILL	74.000	CY
504(C) 6250	SEALED EXPANSION JOINT	123.900	LF
504(F) 1381	CONCRETE PARAPET	910.300	LF
506(A) 1322	STRUCTURAL STEEL	161,940.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	1,428.000	SY
509(A) 1326	CLASS AA CONCRETE	854.800	CY
509(B) 1328	CLASS A CONCRETE	288.400	CY
510(C) 6138	SLOPE WALL (5")	238.000	SY
511(A) 1332	REINFORCING STEEL	23,460.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	163,350.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
514(A) 6011	PILES, FURNISHED (HP 12X53)	235.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	235.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,912.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	100.000	LF
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	324.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	28.000	GAL
540 4501	(PL)REPAIR BRIDGE ITEMS	68.200	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	28.000	LF
619(B) 2510	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	(PL)REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
619(B) 2535	(PL)REMOVAL OF BRIDGE ITEM (TYPE C)	8.000	EA
619(B) 2545	(PL)REMOVAL OF BRIDGE ITEM (TYPE D)	3.000	EA
619(B) 2555	(PL)REMOVAL OF BRIDGE ITEM (TYPE E)	8.000	EA
623(A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	80.000	LF
SECTION NO. 0012	Y000-TRAFFIC CONTROL NHIY-15N(16)		
627(G) 4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	16,040.000	LF
627(H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	30,220.000	LF
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	90.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	80.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	230.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	6,562.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	1,200.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,300.000	LF
803 8065	PULL BOX(SIZE I)	25.000	EA
803 8066	PULL BOX(SIZE II)	14.000	EA
804(A) 2915	STRUCTURAL CONCRETE	224.440	CY
804(B) 2916	REINFORCING STEEL	15,393.000	LB
828(B) 8138	LOOP DETECTOR WIRE	2,900.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	644.600	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	601.280	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	2,482.640	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	75.000	LF

SECTION NO. 0012	Y000-TRAFFIC CONTROL NHIY-15N(16)		
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	90.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	169.500	LF
851(C) 8324	2" SQUARE TUBE POST	89.500	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	296.000	LF
852 8603	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	390.000	LF
852 8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL	346.000	LF
852A/B 3304	OVHD.SN.STR.TYP.E1 AL./G.STL.	6.000	EA
852A/B 8958	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.75'	4.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	103,755.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	26.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	12.000	EA
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	144,927.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,000.000	LF
856(G) 8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	1,000.000	EA
857(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	1,150.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	9,500.000	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	189.000	EA
874(B) 8031	RELOC.OF CONSTRUCTION ZONE G.R.E.A.T.	2.000	EA
874(C) 8032	CONSTRUCTION ZONE G.R.E.A.T.	1,300.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	1,000.000	SD
878(A) 8520	PORTABLE MODULAR GLARE SCREEN UNIT	587.000	EA
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	150,300.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	52,500.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	50,300.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	1,100.000	SD
880(C) 8836	BARRICADES(TYPE II)	7,100.000	SD
880(C) 8842	BARRICADES(TYPE III)	23,200.000	SD
880(C) 8848	WING BARRICADES	13,100.000	SD
880(D) 8854	VERTICAL PANELS	32,800.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	109,100.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	416,000.000	SD
880(F) 8878	DRUMS	412,000.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	2,000.000	SD
890(A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
890(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	60.000	EA
SECTION NO. 0013	STAK-STAKING NHIY-15N(16)		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0014	Y060-WATER LINE(NON-PART.)		
615(D) 0200	(PL)2" AIR RELIEF VALVE & VAULT	3.000	EA
615(D) 0300	SANITARY SEWER SERVICE CONNECTION	3.000	EA
616 0152	27" WELDED STEEL CONDUIT	205.000	LF
616(A) 5121	6" DUCTILE IRON PIPE	10.000	LF
616(A) 5122	8" DUCTILE IRON PIPE	20.000	LF
616(A) 5124	12" DUCTILE IRON PIPE	2,559.000	LF
616(D) 1070	6" GATE VALVE	6.000	EA
616(D) 1080	8" GATE VALVE	1.000	EA
616(D) 1100	12" GATE VALVE	6.000	EA
616(D) 7060	VALVE BOX	13.000	EA
616(D) 7078	VALVE BOX EXTENSION	26.000	EA

SECTION NO. 0014 Y060-WATER LINE(NON-PART.)

616(G)	1192	FIRE HYDRANTS	5.000	EA
616(I)	0018	6" SOLID SLEEVE	1.000	EA
616(I)	0020	8" SOLID SLEEVE	2.000	EA
616(I)	0024	12" SOLID SLEEVE	1.000	EA
616(J)	0027	8" X 8" X 8" TEE	1.000	EA
616(J)	0030	12" X 12" X 6" TEE	6.000	EA
616(K)	0047	12" 45 DEGREE FITTING	2.000	EA
616(K)	0054	12" 22 1/2 DEGREE FITTING	10.000	EA
616(K)	0065	12" 11 1/4 DEGREE FITTING	8.000	EA
616(L)	0082	12" X 8" REDUCER	2.000	EA
616(N)	0094	SHORT WATER SERVICE & RESET METER	4.000	EA
616(N)	0096	LONG WATER SERVICE & RESET METER	8.000	EA

SECTION NO. 0015 Y060-SANITARY SEWER(NON-PART)

611(A)	2658	MANHOLE (5' DIA.)	8.000	EA
611(A)	2659	MANHOLE (6' DIA.)	1.000	EA
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	47.700	VF
611(B)	2682	ADD'L.DEPTH IN MANHOLE (6' DIA.)	6.140	VF
615(D)	0300	SANITARY SEWER SERVICE CONNECTION	2.000	EA
616(A)	5122	8" DUCTILE IRON PIPE	127.240	LF
616(A)	5894	16" DUCTILE IRON PIPE	971.300	LF
616(I)	0040	21" STEEL CASING	97.000	LF
616(I)	0042	(PL)30" STEEL CASING	723.000	LF

LNTCIQA
CALL ORDER : 200
LETTING DATE : May 24, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: DEWEY

STATE PROJECT
CONTRACT ID : 010128
PCN : 1902704

PAGE 26

PROJECTS : MC-122C(23)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 51CLI
CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
JOINT SEAL
OVER KIZER CREEK, CAMP CREEK AND DEEP CREEK, 8.9 MILES
13.3 MILES AND 17.1 MILES EAST OF SH-34 ON US-60
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-JOINT SEAL		
419 4152	CONCRETE JOINT REHABILITATION	221.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	255.000	LF
504(I) 6389	ELASTOMERIC MORTAR	20.600	CF
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 251
LETTING DATE : May 24, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: STEPHENS

STATE PROJECT
CONTRACT ID : 010196
PCN : 1883404
PROJECTS : CMC-169A(50)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 71DUN
CAL. DAYS: 100

PAGE 27

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
RESURFACE(PC CONCRETE PATCHING)
BEGIN AT JCT US-81A/US-81 AND EXTEND EAST TO 10TH STREET ON
US-81A IN DUNCAN
PROJ. LGTH.= 0.45 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	J000-ROADWAY		
202(A) 0183	UNCLASSIFIED EXCAVATION	1,560.000	CY
414 5169	(PL)CRACK SEALING P.C.PAVEMENT	14,000.000	LF
414(B) 5070	7" H.E.S. CONCRETE (PATCHING)	1,960.000	SY
414(B) 5913	H.E.S. CONCRETE (FULL DEPTH PATCHING)	1,540.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	10,300.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM