

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : April 24, 2001

NOTICE TO CONTRACTORS -- May 24, 2001

LNTCNCA
LETTING

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF May 24, 2001 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS IS \$25.00 PLUS TAX FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 PLUS TAX, OR 1996 METRIC STD SPEC \$27.00 + TAX OR 1999 METRIC AND ENGLISH STD SPEC \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT SHALL, WITHIN (14) WORKING DAYS FROM THE DATE THE CONTRACT IS RECEIVED, COMPLETE ITS EXECUTION OF THE CONTRACT AND RETURN A COPY OF THE EXECUTED CONTRACT TO THE SUCCESSFUL BIDDER.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

OKLAHOMA DEPARTMENT OF TRANSPORTATION
DATE : April 24, 2001
NOTICE TO CONTRACTORS -- May 24, 2001

LNTCNCA
LETTING

CALL ORDER	FEDERAL/STATE PROJECT NUMBER	JOB PIECE	PROPOSAL PRICE	PLANS PRICE	PAGE
*** NO PROPOSALS IN LETTING FOR SPECIFIED PUBLICATION DATE ***					

LNTCIQA
 CALL ORDER : 020
 LETTING DATE : May 24, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: CANADIAN

FEDERAL PROJECT
 CONTRACT ID : 010210
 PCN : 1778404
 PROJECTS : BRO-109D(40)CO
 DBE/WBE GOALS: 12.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.24
 RES. ENG.: 42ELR
 CAL. DAYS: 90

PAGE 1

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE AT UNNAMED CREEK 6.5 MILES SOUTH AND 6.5 MILE
 WEST OF CALUMET
 PROJ. LGTH.= 0.207 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,055.000	LF
227	0100 TEMPORARY SILT DIKE	150.000	LF
230(A)	2806 SOLID SLAB SODDING	8,680.000	SY
233(A)	2817 VEGETATIVE MULCHING	3.600	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	580.000	TON
509(D)	0325 CLASS C CONCRETE	67.000	CY
613(D)	0690 24" CORR. GALV. STEEL PIPE	166.000	LF
613(M)	5730 24" PREFAB. CULVERT END SEC., ROUND	8.000	EA
629(E)	5048 REMOVE AND RESET MAILBOX	3.000	EA
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	64.000	CY
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	276.670	LF
504(E)	1380 CONCRETE RAIL (TR1)	197.000	LF
506(A)	1322 STRUCTURAL STEEL	1,620.000	LB
509(A)	1326 CLASS AA CONCRETE	54.700	CY
509(B)	1328 CLASS A CONCRETE	48.800	CY
511(A)	1332 REINFORCING STEEL	19,280.000	LB
514(A)	6011 PILES, FURNISHED (HP 12X53)	544.000	LF
514(B)	6294 PILES, DRIVEN (HP 12X53)	544.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	1,060.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	330.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880(J)	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642	0098 STAKING	1.000	LSUM

LNTCIQA
CALL ORDER : 025
LETTING DATE : May 24, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: CIMARRON

FEDERAL PROJECT
CONTRACT ID : 010177
PCN : 1635504
PROJECTS : BRFY-NBIP(90)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 1.62
RES. ENG.: 62GUY
CAL. DAYS: 90

PAGE 2

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
BRIDGE PAINTING
OVER BEAVER RIVER, 11.21 MILES NORTH OF TEXAS STATE LINE
ON US-385
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE "A"		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 026
LETTING DATE : May 24, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: CIMARRON

FEDERAL PROJECT
CONTRACT ID : 010178
PCN : 1635505
PROJECTS : BRFY-113C(18)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 2.70
RES. ENG.: 62GUY
CAL. DAYS: 30

PAGE 3

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
JOINT SEAL
OVER BEAVER RIVER, 11.21 MILES NORTH OF TEXAS STATE LINE
ON US-385
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE "A"		
504(C) 6276	(PL)SEALED EXPANSION JOINTS	91.500	LF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	60.000	SY
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509 6386	(PL)SILICONE CONSTRUCTION JOINT	1,232.000	LF
540 4501	(PL)REPAIR BRIDGE ITEMS	30.000	SY
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 028
 LETTING DATE : May 24, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: CLEVELAND
 MCCLAIN

STATE PROJECT
 CONTRACT ID : 010220
 PCN : 1897904
 PROJECTS : SAP-114A(63)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 17.26
 RES. ENG.: 32PUR
 CAL. DAYS: 30

PAGE 4

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 SIGNING
 ALONG I-35 IN NORMAN
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y002-SIGNING		
641 1552	MOBILIZATION	1.000	LSUM
804(A) 2915	STRUCTURAL CONCRETE	17.100	CY
804(B) 2916	REINFORCING STEEL	3,930.000	LB
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	1,735.000	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	1,704.500	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	307.180	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	64.100	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	50.400	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	156.800	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	13.000	HOUR
890(A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
890(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM

LNTCIQA
CALL ORDER : 060
LETTING DATE : May 24, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: KAY

FEDERAL PROJECT
CONTRACT ID : 010212
PCN : 1865404

PAGE 5

PROJECTS : STPIY-35-4(187)215TR
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 7.55
RES. ENG.: 41PER
CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
LIGHTING
AT THE INTERSECTION OF I-35/US-60 WEST OF TONKAWA
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 Y030-LIGHTING			
641 1552	MOBILIZATION	1.000	LSUM
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	430.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	8,446.000	LF
803 8065	PULL BOX(SIZE I)	7.000	EA
804(A) 2915	STRUCTURAL CONCRETE	30.740	CY
804(B) 2916	REINFORCING STEEL	1,770.200	LB
806(C) 8928	40'MHP & 15' H.L.MST.ARM(G.STL.)	53.000	EA
807 8092	BREAKAWAY BASE (DES. B)	53.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	53.000	EA
811 8038	1/C NO.4 ELECT.COND.	19,170.000	LF
811 8046	1/C NO.12 ELECT.COND.	6,360.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 070
 LETTING DATE : May 24, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: LEFLORE

FEDERAL PROJECT
 CONTRACT ID : 010206
 PCN : 1169410
 PROJECTS : STPY-140A(006)
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 41.53
 RES. ENG.: 22HEV
 CAL. DAYS: 400

PAGE 6

LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 ON US-59B(POTEAU BYPASS) AT MCMURTY CREEK AND WITTEVILLE
 ROAD
 PROJ. LGTH.= 0.115 KM.
 FLEX. ESALS= 2.650 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BREIGE 'A'		
414(C) M0309	APPROACH SLABS	232.200	M2
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	320.000	M3
501(G) M6309	CLSM BACKFILL	180.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	298.500	M
504(C) M6250	SEALED EXPANSION JOINT	13.630	M
504(F) M1381	CONCRETE PARAPET	157.700	M
506(A) M1322	STRUCTURAL STEEL	3,450.000	KG
509(A) M1326	CLASS AA CONCRETE	192.400	M3
509(B) M1328	CLASS A CONCRETE	149.000	M3
510(C) M6135	SLOPE WALL (125MM)	920.000	M2
511(A) M1332	REINFORCING STEEL	5,870.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	32,550.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	33.600	M
514(A) M6013	PILES, FURNISHED (HP 310X79)	160.800	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	33.600	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	160.800	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	759.600	M2
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	22.400	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,300.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	280.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	29.200	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	28.000	M
613(R) M1100	PIPE UNDERDRAIN COVER MAT'L.	10.000	M3
613(S) M1180	TRENCH EXCAVATION	10.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	10.000	M3
640 M1426	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'B'		
414(C) M0309	APPROACH SLABS	232.200	M2
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	320.000	M3
501(G) M6309	CLSM BACKFILL	180.000	M3

SECTION NO. 0002

X081-BRIDGE 'B'

503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	298.500	M
504(C)	M6250	SEALED EXPANSION JOINT	13.630	M
504(F)	M1381	CONCRETE PARAPET	157.700	M
506(A)	M1322	STRUCTURAL STEEL	3,450.000	KG
509(A)	M1326	CLASS AA CONCRETE	192.400	M3
509(B)	M1328	CLASS A CONCRETE	149.000	M3
510(C)	M6135	SLOPE WALL (125MM)	920.000	M2
511(A)	M1332	REINFORCING STEEL	5,870.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	32,550.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	33.600	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	160.800	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	33.600	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	160.800	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	759.600	M2
516(A)	M6096	DRILLED SHAFTS 1500MM DIAMETER	22.400	M
601A-1	M1353	TYPE I-A PLAIN RIPRAP	1,300.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	280.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	29.200	M
613(Q)	M6207	150MM NON-PERF.PPIPE UNDERDRAIN RND.	28.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	10.000	M3
613(S)	M1180	TRENCH EXCAVATION	10.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	10.000	M3

SECTION NO. 0003

X281-BRIDGE 'D'

414(C)	M0309	APPROACH SLABS	251.800	M2
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	320.000	M3
501(G)	M6309	CLSM BACKFILL	180.000	M3
503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	268.500	M
504(C)	M6250	SEALED EXPANSION JOINT	13.630	M
504(F)	M1381	CONCRETE PARAPET	149.600	M
506(A)	M1322	STRUCTURAL STEEL	3,500.000	KG
509(A)	M1326	CLASS AA CONCRETE	192.200	M3
509(B)	M1328	CLASS A CONCRETE	175.200	M3
510(C)	M6135	SLOPE WALL (125MM)	950.000	M2
511(A)	M1332	REINFORCING STEEL	14,740.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	39,550.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	42.800	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	134.600	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	42.800	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	134.600	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	14.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	932.000	M2
516(A)	M6096	DRILLED SHAFTS 1500MM DIAMETER	20.000	M
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	29.200	M
613(Q)	M6207	150MM NON-PERF.PPIPE UNDERDRAIN RND.	28.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	10.000	M3
613(S)	M1180	TRENCH EXCAVATION	10.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	10.000	M3

SECTION NO. 0004

X281-BRIDGE 'E'

414(C)	M0309	APPROACH SLABS	251.800	M2
--------	-------	----------------	---------	----

SECTION NO. 0004		X281-BRIDGE 'E'		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	320.000	M3
501(G)	M6309	CLSM BACKFILL	180.000	M3
503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	268.500	M
504(C)	M6250	SEALED EXPANSION JOINT	13.630	M
504(F)	M1381	CONCRETE PARAPET	149.600	M
506(A)	M1322	STRUCTURAL STEEL	3,500.000	KG
509(A)	M1326	CLASS AA CONCRETE	192.200	M3
509(B)	M1328	CLASS A CONCRETE	175.200	M3
510(C)	M6135	SLOPE WALL (125MM)	950.000	M2
511(A)	M1332	REINFORCING STEEL	14,740.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	39,550.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	42.800	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	134.600	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	42.800	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	134.600	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	14.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	932.000	M2
516(A)	M6096	DRILLED SHAFTS 1500MM DIAMETER	20.000	M
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	29.200	M
613(Q)	M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	28.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	10.000	M3
613(S)	M1180	TRENCH EXCAVATION	10.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	10.000	M3
SECTION NO. 0005		Y000-TRAFFIC		
880(C)	M8842	BARRICADES (TYPE III)	16.000	SD
880(J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0006		STAK-STAKING		
642	M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 090
 LETTING DATE : May 24, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: LOGAN

FEDERAL PROJECT
 CONTRACT ID : 010213
 PCN : 1876204

PAGE 9

PROJECTS : STPG-142C(60)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.24
 RES. ENG.: 44EDM
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION
 AT THE INTERSECTION OF SH-74 AND SH-74F
 PROJ. LGTH.= 0.199 MILES
 FLEX. ESALS=
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 1302	UNCLASSIFIED BORROW	350.000	CY
209 0120	MACHINE GRADING	121.000	STA
407 0250	TACK COAT	340.000	GAL
408 5774	PRIME COAT	179.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		604.000 TON
411(B) 6550	(SP)ASPHALT CONCRETE TYPE B(PG 76-28 OK)		678.000 TON
611(E) 5733	INLET CDI 24" RCP(45SK)	1.000	EA
613(B) 0492	24" R.C.PIPE CLASS III	30.000	LF
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	440.000	SY
619(C) 0924	SAWING PAVEMENT	1,153.000	LF
641 1552	MOBILIZATION	1.000	LSUM
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,140.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
857(A) 8911	PAVE.MARKERS CLASS A TYPE 2-C	16.000	EA
857(A) 8914	PAVE.MARKERS CLASS A TYPE 2-D	82.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000	EA

LNTCIQA
 CALL ORDER : 100
 LETTING DATE : May 24, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: MUSKOGEE

FEDERAL PROJECT
 CONTRACT ID : 010129
 PCN : 1841704
 PROJECTS : STPY-13N(66)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 7.01
 RES. ENG.: 11MUS
 CAL. DAYS: 60

PAGE 10

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION & TRAFFIC SIGNALS
 AT HANCOCK STREET AND BORDER AVENUE ON US-69 IN MUSKOGEE
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
202(A) 0183	UNCLASSIFIED EXCAVATION	344.000	CY
230(A) 2806	SOLID SLAB SODDING	1,253.000	SY
303 5912	AGGREGATE BASE	279.000	TON
407 0250	TACK COAT	14.000	GAL
408 5774	PRIME COAT	33.000	GAL
411(A) 4263	ASPHALT CONCRETE TYPE A	52.000	TON
411(B) 4264	ASPHALT CONCRETE TYPE B	91.000	TON
414(B) 0301	9" H.E.S. CONCRETE PAVEMENT	879.000	SY
417 5267	COLD MILLING PAVEMENT	661.000	SY
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	600.000	LF
609(B) 0387	1'-8" COMB.CRB.& GUT.(6" BARRIER-NOTCH)	55.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	655.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	497.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	110.000	SY
619(C) 0924	SAWING PAVEMENT	1,250.000	LF
641 1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002 Y031-TRAFFIC SIGNAL			
802(B) 8332	1" PVC SCH.40 PLASTIC CONDUIT BORED	50.000	LF
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	125.000	LF
802(B) 8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	100.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	1,240.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	205.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	595.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	120.000	LF
803 8065	PULL BOX(SIZE I)	6.000	EA
803 8066	PULL BOX(SIZE II)	2.000	EA
803 8067	PULL BOX(SIZE III)	8.000	EA
804(A) 2915	STRUCTURAL CONCRETE	23.500	CY
804(B) 2916	REINFORCING STEEL	3,547.300	LB
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	3.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8726	POLE & 25' TS MST.ARM(G.STL.)	1.000	EA
806(A) 8728	POLE & 30' TS MST.ARM(G.STL.)	1.000	EA

SECTION NO. 0002		Y031-TRAFFIC SIGNAL		
809(A)	8090	(PL)ROADWAY LUMINAIRE	6.000	EA
811	8040	1/C NO.6 ELECT.COND.	400.000	LF
811	8044	1/C NO.10 ELECT.COND.	2,650.000	LF
825	8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	2.000	EA
828(A)	8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	17.000	EA
828(B)	8138	LOOP DETECTOR WIRE	70,400.000	LF
831	8231	1WAY3SEC.ADJ.SIG.HD.S-6	16.000	EA
831	8252	1WAY3SEC.ADJ.SIG.HD.S-9	4.000	EA
833	3030	BACKPLATE	20.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	1,710.000	LF
834(A)	8209	9/C TRAF.SIG.EL.CABLE	720.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	3,915.000	LF
840(A)	8592	(PL)E.P.S. OPTICAL EMITTER	2.000	EA
840(B)	8593	(PL)E.P.S. OPTICAL DETECTOR	8.000	EA
840(C)	8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	1,845.000	LF
840(D)	8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	4.000	EA
850(A)	8110	SHEET ALUMINUM SIGNS	64.000	SF
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUM.)	96.000	SF
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POST	12.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	10,784.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	7.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	4,000.000	LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A)	8724	(PL)REMOVAL OF EXISTING SIGNS	10.000	EA
SECTION NO. 0003		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA
CALL ORDER : 110
LETTING DATE : May 24, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: OKLAHOMA

FEDERAL PROJECT
CONTRACT ID : 010214
PCN : 1870904
PROJECTS : IMY-40-4(375)143
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 1.62
RES. ENG.: 42ELR
CAL. DAYS: 30 LIQ. DAM: \$ 500

PAGE 12

CONTRACT DESCRIPTION:
BRIDGE REPAIR
I-40 UNDER ROCKWELL AVE. 2 MILES EAST OF CANADIAN
COUNTY LINE
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X271-BRIDGE 'A'		
521(A) 6210	PNEUMATICALLY PLACED MORTAR	15.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)		35.000 S.Y.
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 120
 LETTING DATE : May 24, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 010052
 PCN : 0813804
 PROJECTS : BRFY-55C(664)
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 37.22
 RES. ENG.: 44EDM
 CAL. DAYS: 135

PAGE 13

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 AT COFFEE CREEK AND SOLDIER CREEK NEAR ARCADIA ON SH-66
 PROJ. LGTH.= 1.531 KM.
 FLEX. ESALS= 2.5 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	25,141.000	M3
202(C) M0184	UNCLASSIFIED BORROW	11,352.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	250.000	M
226 M2805	TEMPORARY SEDIMENT REMOVAL	30.000	M3
227 M0100	TEMPORARY SILT DIKE	100.000	M
229 M4318	DITCH LINER PROTECTION	261.000	M
230(A) M2806	SOLID SLAB SODDING	38,128.000	M2
230(F) M2812	WATERING	6,863.000	KL
232(B) M2814	SEEDING METHOD B	3.810	HA
233(A) M2817	VEGETATIVE MULCHING	3.810	HA
234(A) M2824	FERTILIZING (10-20-10)	4.190	T
234(A) M4406	FERTILIZING (0-46-0)	0.650	T
235(A) M0100	(PL)ROCK FILTER DAM, TYPE 1	50.000	M3
241 M2832	MOWING	3.810	HA
317(A) M4252	(SP)FLY ASH	1,207.000	T
317(B) M4254	SUBGRADE MODIFICATION	22,701.000	M2
317(C) M4253	LIME	40.000	T
317(D) M4254	SCARIFY, MIX BLADE OF SUBGRADE W/LIME TRT	2,270.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	128.000	T
407 M0250	TACK COAT	17,117.000	L
408 M5774	PRIME COAT	18,932.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	7,385.000	T
411(A) M6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,186.000	T
411(BH)M6680	(SP)ASPHALT CONCRETE TYPE BH(PG 64-22 OK)	1,933.000	T
411(BH)M6690	(SP)ASPHALT CONCRETE TYPE BH(PG 70-28 OK)	1,561.000	T
413(A) M4861	RUMBLE STRIP-METHOD AC-CON	2,820.000	M
417 M5267	COLD MILLING PAVEMENT	390.000	M2
501(A) M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	7.000	M3
509(B) M0321	CLASS A CONCRETE	32.000	M3
509(D) M0325	CLASS C CONCRETE	119.000	M3
511(A) M0332	REINFORCING STEEL	1,765.000	KG
601(A) M0297	TYPE I PLAIN RIPRAP	56.000	T

SECTION NO. 0001

I000-ROADWAY

601A-2	M0538	TYPE I-A FILTER BLANKET	19.000	T
610(G)	M4475	BITUMINOUS DRIVEWAY (150MM)	1,154.000	M2
613(B)	M0409	600MM R.C.PIPE CLASS III	20.000	M
613(CC)	M7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(CC)	M7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D)	M0689	450MM CORR. GALV. STEEL PIPE	47.000	M
613(D)	M5208	550MM X 325MM CORR. GALV. ST. PIPE ARCH	11.000	M
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH	19.000	M
613(G)	M7036	680MM X 500MM GALV.STL.CULV.END SEC.ARCH	2.000	EA
613(M)	M0897	450MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	137.000	M
613(Q)	M1097	200MM NON-PERF.PIPE UNDERDRAIN RND.	82.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	62.000	M3
613(S)	M1180	TRENCH EXCAVATION	178.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	53.000	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M0291	REMOVAL OF HEADWALL	2.000	EA
619(B)	M4725	REMOVAL OF FENCE	1,370.000	M
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	380.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	10,750.000	M2
619(C)	M0924	SAWING PAVEMENT	130.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	110.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	9.000	EA
624(A)	M4281	FENCE-STYLE WWF	217.000	M
624(B)	M4466	GATES-STYLE WWF(1350MM HI X 4800MM LONG)	1.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	698.000	M
625(C)	M1253	REMOVE AND STORE GUARD RAIL	636.000	M
625(E)	M1255	REMOVE AND STORE GUIDE POSTS	314.000	EA
629(C)	M4960	MAILBOX	2.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM

SECTION NO. 0002

X081-BRIDGE 'A'

202(A)	M1301	UNCLASSIFIED EXCAVATION	1,450.000	M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	230.000	M3
501(F)	M6352	GRANULAR BACKFILL	107.000	M3
503(A)	M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	286.200	M
504(A)	M1304	APPROACH SLAB	468.500	M2
504(C)	M6276	(PL)SEALED EXPANSION JOINTS	19.830	M
504(E)	M6239	CONCRETE RAIL (TR3)	303.700	M
506(A)	M1322	STRUCTURAL STEEL	2,720.000	KG
509(A)	M1326	CLASS AA CONCRETE	190.500	M3
509(B)	M1328	CLASS A CONCRETE	168.800	M3
509(D)	M1331	CLASS C CONCRETE	16.000	M3
511	M6306	(PL)MECHANICAL SPLICES	810.000	EA
511(A)	M1332	REINFORCING STEEL	15,805.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	30,340.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	447.000	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	447.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	565.000	M2
516(A)	M6094	DRILLED SHAFTS 1200MM DIAMETER	130.000	M

SECTION NO. 0002	X081-BRIDGE 'A'		
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,840.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	385.000	T
609(D) M0398	BITUMINOUS CURBING	108.800	M
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	38.000	M
613(Q) M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	15.400	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE 'B'		
202(A) M1301	UNCLASSIFIED EXCAVATION	200.000	M3
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(F) M6352	GRANULAR BACKFILL	76.000	M3
503(A) M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	166.800	M
504(A) M1304	APPROACH SLAB	152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)	108.400	M
506(A) M1322	STRUCTURAL STEEL	1,725.000	KG
509(A) M1326	CLASS AA CONCRETE	147.100	M3
509(B) M1328	CLASS A CONCRETE	80.800	M3
509(D) M1331	CLASS C CONCRETE	16.000	M3
511(A) M1332	REINFORCING STEEL	2,950.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	17,405.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	356.600	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	356.600	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	10.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	320.000	M2
516(A) M6094	DRILLED SHAFTS 1200MM DIAMETER	113.600	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,340.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	275.000	T
609(D) M0398	BITUMINOUS CURBING	108.800	M
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.600	M
613(Q) M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	7.400	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004	Y008-TRAFFIC CONTROL		
627(G) M4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	1,600.000	M
627(H) M5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	3,200.000	M
850(A) M8110	SHEET ALUMINUM SIGNS	2.320	M2
851(C) M8327	57MM SQUARE TUBE POST	15.000	M
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	7,330.400	M
871 M8709	(PL)CONST.ZONE QUADGUARD IMPACT ATTEN.	1,480.000	SD
890 M7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0005	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 146
 LETTING DATE : May 24, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: TULSA

FEDERAL PROJECT
 CONTRACT ID : 010131
 PCN : 0637442
 PROJECTS : NHIY-44-2(390)229
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 12.95
 RES. ENG.: 81TUL
 CAL. DAYS: 210 LIQ. DAM: \$ 500

PAGE 16

CONTRACT DESCRIPTION:
 DECORATIVE BARRIER WALL
 DECORATIVE BARRIER WALL ALONG I-44 BETWEEN YALE AND 41ST
 STREET IN THE CITY OF TULSA.
 PROJ. LGTH.= 0.0 MILES
 ASPH. GRADE= 64-220K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y220-ROADWAY		
201 0181	SELECTIVE CLEARING	1.000	LSUM
202(E) 0110	EMBANKMENTS	38,356.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	408.000	LF
223 2801	TEMPORARY SILT FENCE	8,199.000	LF
227 0100	TEMPORARY SILT DIKE	6,971.000	LF
230(A) 2806	SOLID SLAB SODDING	40,788.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.400	AC
241 2832	MOWING	15.000	AC
303 0192	AGGREGATE BASE	807.000	CY
310(B) 0149	SUBGRADE, METHOD B	4,745.000	SY
408 5774	PRIME COAT	12,934.000	GAL
411(C) 6560	(SP)ASPHALT CONC.TYPE C(PG 64-22 OK)	448.000	TON
510(D) 0100	(PL)DECORATIVE WALL	3,180.000	LF
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	1,218.000	LF
610(A) 0606	8" CONCRETE SIDEWALK	44.000	SY
612(A) 0641	MANHOLES ADJUST TO GRADE	5.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	5,409.000	SY
623(M) 6500	(PL)STATIONARY BOLLARD	10.000	EA
623(M) 6510	(PL)REMOVABLE BOLLARD	5.000	EA
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	3,576.000	LF
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	Y002-SIGNING & STRIPING		
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,255.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	500.000	LF
SECTION NO. 0004	STAK-STAKING		

642	0098	STAKING	1.000	LSUM
SECTION NO. 0005 Y060-SANITARY SEWER RELOCATION - NON PARTICIPATORY PAY ITEMS				
202(A)	0103	COMMON EXCAVATION	3,200.000	CY
611(A)	2657	MANHOLE (4' DIA.)	12.000	EA
611(A)	2658	MANHOLE (5' DIA.)	2.000	EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	71.000	VF
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	17.000	VF
611(D)	4215	MANHOLE FRAME & COVER	14.000	EA
615(G)	6131	STANDARD BEDDING MATERIAL	600.000	CY
616(A)	5122	8" DUCTILE IRON PIPE	1,040.000	LF
616(A)	5124	12" DUCTILE IRON PIPE	404.000	LF
616(B)	5225	8" POLYVINYL CHLORIDE (PVC) PIPE	275.000	LF
616(B)	5229	12" POLYVINYL CHLORIDE (PVC) PIPE	2,569.000	LF
616(I)	0040	21" STEEL CASING	670.000	LF
616(I)	5271	(PL)27" STEEL CASING	60.000	LF
619(B)	4742	REMOVAL OF MANHOLES	1.000	EA

LNTCIQA
 CALL ORDER : 147
 LETTING DATE : May 24, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: TULSA

FEDERAL PROJECT
 CONTRACT ID : 010198
 PCN : 1871504
 PROJECTS : IMY-244-2(391)004
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.93
 RES. ENG.: 81TUL
 CAL. DAYS: 90 LIQ. DAM: \$ 500

PAGE 18

CONTRACT DESCRIPTION:
 JOINT SEAL
 OVER ARKANSAS RIVER 4.1 MILE NORTH OF I-44 ON I-244
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 MAIN-BRIDGE 'A'			
503(A) 6123	PRESTRESSED CONCRETE BEAMS	45.300	LF
504(H) 6390	RAPID CURE JOINT SEALANT	2,952.000	LF
505(A) 6018	CLASS A BRIDGE DECK REPAIR	50.000	SY
509(A) 1326	CLASS AA CONCRETE	14.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	3,000.000	LB
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	111.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	2,457.000	S.Y.
535 6282	(PL)ELASTOMERIC BEARING PADS	2.000	EA
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
619(B) 2510	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0002 MAIN-BRIDGE 'B'			
504(H) 6390	RAPID CURE JOINT SEALANT	2,876.000	LF
505(A) 6018	CLASS A BRIDGE DECK REPAIR	50.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	2,646.000	S.Y.
SECTION NO. 0003 Y008-TRAFFIC CONTROL			
627(H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	440.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	55.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 150
 LETTING DATE : May 24, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: WOODS

FEDERAL PROJECT
 CONTRACT ID : 010216
 PCN : 1257004
 PROJECTS : STPY-76B(117)
 DBE/WBE GOALS: 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 50.16
 RES. ENG.: 61BUF
 CAL. DAYS: 150

PAGE 19

LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 WIDEN AND RESURFACE(SUPERPAVE)
 FROM ALVA EAST ON US-64
 PROJ. LGTH.= 2.783 KM.
 FLEX. ESALS= 3.6 MILLION
 ASPH. GRADE= SUPERPAVE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	31,186.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	690.000	M
226 M2805	TEMPORARY SEDIMENT REMOVAL	565.000	M3
227 M0100	TEMPORARY SILT DIKE	480.000	M
229 M4318	DITCH LINER PROTECTION	158.000	M
230(A) M2806	SOLID SLAB SODDING	96,044.000	M2
230(F) M2812	WATERING	17,287.000	KL
234(A) M2824	FERTILIZING (10-20-10)	10.600	T
235(D) M0103	(PL)ROCK FILTER DAM, TYPE 4	44.000	M3
241 M2832	MOWING	10.000	HA
242 M0400	(PL)STABILIZED CONSTRUCTION EXIT	2.000	EA
243 M0450	(PL)TEMPORARY INLET SEDIMENT FILTER	3.000	EA
317(A) M4252	(SP)FLY ASH	1,634.000	T
317(B) M4254	SUBGRADE MODIFICATION	30,832.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	67.000	T
407 M0250	TACK COAT	11,697.000	L
408 M5774	PRIME COAT	22,412.000	L
411(S2)M5930	(SP)ASPH.CONC.,TYPE S2(PG 64-22 OK)	6,103.000	T
411(S3)M5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	5,661.000	T
411(S3)M5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	2,593.000	T
411(S4)M5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	2,831.000	T
411(S4)M5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1,203.000	T
414(A1)M5755	250MM P.C. DOWEL JOINTED CONCRETE PAV	15,482.000	M2
420(A) M4242	FABRIC REINFORCEMENT	18,680.000	M2
420(B) M4268	BITUMINOUS BINDER	20,548.000	L
501(A) M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	90.000	M3
509(B) M1328	CLASS A CONCRETE	262.000	M3
509(C) M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	1.000	M3
509(D) M0325	CLASS C CONCRETE	29.000	M3
511(A) M0332	REINFORCING STEEL	21,045.000	KG
601(A) M0297	TYPE I PLAIN RIPRAP	77.000	T
602(C) M4155	FILTER FABRIC	50.000	M2

SECTION NO. 0001

I000-ROADWAY

609(A)	M0380	CONC.CURB(200MM BARRIER-INTEGRAL)	423.000	M
609(B)	M1526	800MM COMB.CRB.& GUT.(200MM BAR.)	529.000	M
610(A)	M0602	100MM CONCRETE SIDEWALK	920.000	M2
610(B)	M0604	150MM CONCRETE DRIVEWAY	1,827.000	M2
611(D)	M4215	MANHOLE FRAME & COVER	2.000	EA
611(E)	M5106	INLET CICI DES. 1 (2A)	1.000	EA
611(E)	M5115	INLET CICI DES. 2 (D)	1.000	EA
611(E)	M5388	INLET CDI RCB DES. 2	1.000	EA
611(E)	M5474	INLET CDI RCB(30SK) DES. 2	1.000	EA
611(F)	M5320	INLET CICI DES 1 (ADD'L DEPTH)	0.360	M
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)	0.340	M
611(F)	M5537	INLET CDI RCB DES. 2,(ADD'L DEPTH)	1.000	M
611(F)	M5623	INLET CDI RCB(30SK) DES. 2 (ADD'L DEPTH)		1.000 M
611(G)	M2672	INLT FRM&GRT(SSIF2FRM,SSG1 GRT)	3.000	EA
611(J)	M0487	JUNCTION BOXES	1.800	M3
611(K)	M4488	CAST IRON CURB INLETS	9.000	EA
612(A)	M0641	MANHOLES ADJUST TO GRADE	1.000	EA
613(B)	M0492	600MM R.C.PIPE CLASS III	12.500	M
613(D)	M0689	450MM CORR. GALV. STEEL PIPE	125.500	M
613(D)	M0691	750MM CORR. GALV. STEEL PIPE	8.000	M
613(D)	M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH		18.900 M
613(M)	M0897	450MM PREFAB. CULVERT END SEC., ROUND	14.000	EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	M4502	510MM X 380MM PREFAB.CULV.END SEC., ARCH		4.000 EA
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	150.000	M
613(Q)	M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	50.000	M
613(S)	M1180	TRENCH EXCAVATION	14.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	39.000	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M0291	REMOVAL OF HEADWALL	11.000	EA
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	7,940.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	1,351.000	M2
619(B)	M4782	REMOVAL OF CONCRETE CURB	663.000	M
619(C)	M0924	SAWING PAVEMENT	4,612.000	M
622(A)	M4746	PIPE RAILING	38.000	M
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	352.000	M
624(D)	M4288	FENCE-STYLE CLF (1200MM HIGH, CLASS A)		54.000 M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C)	M4960	MAILBOX	2.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION NO. 0002

Y008-TRAFFIC CONTROL

880(J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
--------	-------	------------------------------	-------	------

SECTION NO. 0003

Y002-TRAFFIC SIGNING AND STRIPING

511(A)	M0332	REINFORCING STEEL	108.900	KG
804	M2915	STRUCTURAL CONCRETE	1.600	M3
850(A)	M8110	SHEET ALUMINUM SIGNS	21.770	M2
851(C)	M8327	57MM SQUARE TUBE POST	73.980	M

SECTION NO. 0003	Y002-TRAFFIC SIGNING AND STRIPING		
851(C) M8330	64MM SQUARE TUBE POST	73.120	M
853(C) M3312	DELINEATORS TYPE 1 CODE 3	30.000	EA
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	14,155.000	M
855(B) M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	20.000	EA
855(B) M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
857(A) M8935	PAVE.MARKERS CLASS C TYPE 1-B	46.000	EA
857(A) M8947	PAVE.MARKERS CLASS C TYPE 2-C	61.000	EA
857(A) M8950	PAVE.MARKERS CLASS C TYPE 2-D	426.000	EA
961.33 M8580	(PL)REMOVE & RESET EXISTING SIGNS	11.000	EA
SECTION NO. 0004	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
CALL ORDER : 195
LETTING DATE : May 24, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: BECKHAM

STATE PROJECT
CONTRACT ID : 010175
PCN : 1911204

PAGE 22

PROJECTS : MC-105A(55)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 51CLI
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
BRIDGE PAINTING
SH-6: OVER I-40 IN ELK CITY
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE 'A' & 'B'		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 250
LETTING DATE : May 24, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: STEPHENS

STATE PROJECT
CONTRACT ID : 010151
PCN : 1909204
PROJECTS : CMC-169N(62)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 71DUN
CAL. DAYS:

PAGE 23

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
BEGIN AT US-81 AND EXTEND EAST TO SH-7A (EASTLAND DRIVE)
IN DUNCAN
PROJ. LGTH.= 2.50 MILES
FLEX. ESALS= 3.0 MILLION
ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	10,610.000	TON
417 5267	COLD MILLING PAVEMENT	108,225.000	SY
828(B) 8141	LOOP DETECTOR WIRE(PREFORMED)	8,200.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	77,400.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	30.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	17.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM