

LNTCIQA
 CALL ORDER : 050
 LETTING DATE : June 21, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: GRANT

FEDERAL PROJECT
 CONTRACT ID : 010229
 PCN : 1788604
 PROJECTS : BRFY-127B(28)
 DBE/WBE GOALS: 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 16.18
 RES. ENG.:
 CAL. DAYS: 150

PAGE 1

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 TRIBUTARY OF DEER CREEK ON SH-11; 13.5 MILES EAST OF JCT.
 US-81/SH-11
 PROJ. LGTH.= 0.128 MILES
 FLEX. ESALS= 2.58 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	3,001.000	CY
202(C)	0184 UNCLASSIFIED BORROW	8,831.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	100.000	LF
223	2802 TEMPORARY SILTATION SCREEN	400.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	20.000	CY
230(A)	2806 SOLID SLAB SODDING	10,033.000	SY
230(F)	2812 WATERING	602.000	MGAL
232(A)	2813 SEEDING METHOD A	2.100	AC
233(A)	2817 VEGETATIVE MULCHING	2.100	AC
234(A)	2824 FERTILIZING (10-20-10)	1.000	TON
241	2832 MOWING	2.100	AC
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	55.000	TON
407	0250 TACK COAT	435.000	GAL
408	5774 PRIME COAT	701.000	GAL
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	896.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	897.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	496.000	TON
417	5268 COLD MILLING PAVEMENT (2")	2,798.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	21.000	CY
509(B)	0321 CLASS A CONCRETE	93.000	CY
511(A)	0332 REINFORCING STEEL	7,179.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	103.000	TON
613(D)	0698 72" CORR. GALV. STEEL PIPE	240.000	LF
613(D)	4527 21" X 15" CORR. GALV. STEEL PIPE ARCH	54.000	LF
613(D)	4528 28" X 20" CORR. GALV. STEEL PIPE ARCH	34.000	LF
613(M)	4504 21" X 15" PREFAB. CULVERT END SEC., ARCH	4.000	EA
613(M)	4516 28" X 20" PREFAB. CULVERT END SEC., ARCH	2.000	EA
619(B)	0291 REMOVAL OF HEADWALL	2.000	EA
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	2,738.000	SY
619(B)	4780 REMOVAL OF GUARD RAIL	740.000	LF
624(C)	4459 FENCE-STYLE SWF (5 BARBED WIRE)	857.000	LF
SECTION NO. 0002	STAK-STAKING		

642	0098	STAKING	1.000	LSUM
SECTION NO. 0003		X081-BRIDGE 'A' ALT. # 1		
202(A)	1301	UNCLASSIFIED EXCAVATION	3,200.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	310.000	CY
501(G)	6309	CLSM BACKFILL	152.000	CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	498.330	LF
504(A)	1304	APPROACH SLAB	281.100	SY
504(C)	6250	SEALED EXPANSION JOINT	47.600	LF
504(E)	6239	CONCRETE RAIL (TR3)	325.800	LF
506(A)	1322	STRUCTURAL STEEL	3,020.000	LB
509(A)	1326	CLASS AA CONCRETE	120.000	CY
509(B)	1328	CLASS A CONCRETE	96.300	CY
511(A)	1332	REINFORCING STEEL	3,990.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	33,380.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	475.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	475.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	573.000	SY
601(A)	1351	TYPE I PLAIN RIPRAP	1,300.000	TON
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	660.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	180.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	96.000	LF
613(Q)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	70.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	100.000	LF
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
855(A)	8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	5,000.000	LF
880(J)	8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004		X071-BRIDGE 'A' ALT. # 2		
202(A)	1301	UNCLASSIFIED EXCAVATION	3,200.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	310.000	CY
501(G)	6309	CLSM BACKFILL	152.000	CY
504(A)	1304	APPROACH SLAB	281.100	SY
504(C)	6250	SEALED EXPANSION JOINT	47.600	LF
504(E)	6239	CONCRETE RAIL (TR3)	325.800	LF
506(A)	1322	STRUCTURAL STEEL	102,650.000	LB
509(A)	1326	CLASS AA CONCRETE	109.500	CY
509(B)	1328	CLASS A CONCRETE	96.300	CY
511(A)	1332	REINFORCING STEEL	3,400.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	33,120.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	475.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	475.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	413.000	SY
601(A)	1351	TYPE I PLAIN RIPRAP	1,300.000	TON
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	660.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	180.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	96.000	LF
613(Q)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	70.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	100.000	LF
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA

LNTCIQA
SECTION NO. 0004

FEDERAL PROJECT
X071-BRIDGE 'A' ALT. # 2

PAGE 3

623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
855(A)	8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	5,000.000	LF
880(J)	8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA

FEDERAL PROJECT

PAGE 4

CALL ORDER : 080

CONTRACT ID : 010231

LETTING DATE : June 21, 2001

PCN : 1500104

LETTING TIME : 2:00 P.M.

COUNTIES: LEFLORE

PROJECTS : STPY-40A(425)

DBE/WBE GOALS: 9.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE: \$ 30.74

RES. ENG.:

CAL. DAYS: 240 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:

GRADE, DRAIN, BRIDGE AND SURFACE(SUPERPAVE)
BEGIN JUST WEST OF THE KCS RAILROAD BRIDGE IN SPIRO EXTEND
EAST TO COFFEE CREEK ROAD ON US-271
PROJ. LGTH.= 4.899 KM.
FLEX. ESALS= 5.8 MILLION
ASPH. GRADE= 64-22 OK, 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	126,255.000 M3
202(C)	M0184	UNCLASSIFIED BORROW	50,000.000 M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
222	M2801	TEMPORARY BALE BARRIER	500.000 M
224	M2803	TEMPORARY SEDIMENT FILTER	10.000 EA
227	M0100	TEMPORARY SILT DIKE	500.000 M
230(A)	M2806	SOLID SLAB SODDING	58,930.000 M2
232(A)	M2813	SEEDING METHOD A	2.316 HA
233(A)	M2817	VEGETATIVE MULCHING	5.790 HA
234(A)	M4406	FERTILIZING (0-46-0)	0.985 T
241	M2832	MOWING	5.790 HA
307(B)	M4235	200MM LIME TREATED SUBGRADE	56,046.000 M2
317(A)	M4252	(SP)FLY ASH	6,500.000 T
317(B)	M4254	SUBGRADE MODIFICATION	112,145.000 M2
317(C)	M4253	LIME	1,075.000 T
319	M5190	OPEN GRADED BITUMINOUS BASE	25,009.000 T
325	M5271	SEPARATOR FABRIC	126,098.000 M2
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,850.000 T
407	M0250	TACK COAT	134,703.000 L
408	M5774	PRIME COAT	192,457.000 L
411(S2)	M5930	(SP)ASPH.CONC., TYPE S2(PG 64-22 OK)	33,155.000 T
411(S3)	M5935	(SP)ASPH.CONC., TYPE S3(PG 76-28 OK)	17,504.000 T
411(S3)	M5945	(SP)ASPH.CONC., TYPE S3(PG 64-22 OK)	10,182.000 T
411(S4)	M5950	(SP)ASPH.CONC., TYPE S4(PG 76-28 OK)	11,350.000 T
411(S4)	M5960	(SP)ASPH.CONC., TYPE S4(PG 64-22 OK)	4,417.000 T
414(B)	M0301	225MM H.E.S. CONCRETE PAVEMENT	62.250 M2
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	123.520 M3
509(A)	M0325	(PL)H.E.S. CONCRETE CLASS AA	62.250 M3
509(B)	M0321	CLASS A CONCRETE	518.000 M3
509(D)	M0325	CLASS C CONCRETE	267.000 M3
510(C)	M6135	SLOPE WALL (125MM)	945.000 M2
511(A)	M0332	REINFORCING STEEL	31,775.000 KG
609(B)	M1524	800MM COMB.CRB.& GUT.(150MM MNTBLE)	64.000 M

SECTION NO. 0001

I000-ROADWAY

609(B)	M1526	800MM COMB.CRB.& GUT.(200MM BAR.)	6,463.000	M
610(A)	M0602	100MM CONCRETE SIDEWALK	6,667.000	M2
610(B)	M5016	200MM CONCRETE DRIVEWAY	668.000	M2
610(C)	M0608	100MM CONCRETE DIVIDING STRIP	20.250	M2
611(A)	M2657	MANHOLE (1200MM DIA.)	4.000	EA
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200MM DIA.)	1.410	VM
611(D)	M4215	MANHOLE FRAME & COVER	6.000	EA
611(E)	M4012	(PL)SPECIAL INLET DRAIN	2.000	EA
611(E)	M5120	INLET CICI DES. 3 (STD)	4.000	EA
611(E)	M5122	INLET CICI DES. 3 (D)	1.000	EA
611(E)	M5329	INLET GPI TYPE 1 (DES. 3)	1.000	EA
611(E)	M5982	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3	2.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)	2.000	EA
611(E)	M6002	INLET (SMD-TYPE 2)	2.000	EA
611(F)	M5330	INLET CICI DES 3 (ADD'L DEPTH)	0.820	M
611(E)	M5122	INLET CICI DES. 3 (D)	0.450	EA
611(F)	M5982	INLET W/SJB,CICI-JB-1,DES 3(ADD DPTH)	1.050	M
611(G)	M4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	20.000	EA
611(K)	M4488	CAST IRON CURB INLETS	24.000	EA
611(L)	M4207	DROP INLET GRATE (GPI-TYPE A)	1.000	EA
611(L)	M4208	DROP INLET GRATE (GPI-TYPE B)	1.000	EA
611(N)	M3650	(PL)HEAVY WELD STEEL GRATE	1,881.000	KG
613(B)	M0405	450MM R.C.PIPE CLASS III	265.400	M
613(B)	M0409	600MM R.C.PIPE CLASS III	195.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III	37.600	M
613(B)	M0415	900MM R.C.PIPE CLASS III	112.000	M
613(CC)	M7186	TYPE A4 CULVERT END TREATMENT	90.000	EA
613(CC)	M7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(D)	M0688	300MM CORR. GALV. STEEL PIPE	30.000	M
613(D)	M0689	450MM CORR. GALV. STEEL PIPE	636.300	M
613(M)	M0897	450MM PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	M0900	900MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	118.000	M
613(Q)	M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	352.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	89.000	M3
613(S)	M1180	TRENCH EXCAVATION	870.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	453.000	M3
619(B)	M0291	REMOVAL OF HEADWALL	27.000	EA
619(B)	M4726	REMOVAL OF CURB AND GUTTER	549.000	M
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	2,505.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	64,164.000	M2
619(C)	M0924	SAWING PAVEMENT	5,657.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	220.980	M
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,052.230	M
624(D)	M4288	FENCE-STYLE CLF (1200MM HIGH, CLASS A)	82.946	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	12.000	EA
629(B)	M4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C)	M4960	MAILBOX	18.000	EA
640	M1426	FIELD OFFICE	1.000	EA
640	M1427	LABORATORY	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(A)	M5915	EDGE DRAIN CONDUIT-PERFORATED	8,679.000	M
653(B)	M5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	60.000	M

LNTCIQA
SECTION NO. 0002

FEDERAL PROJECT
X028-BRIDGE 'A'

PAGE 6

202(A)	M1301	UNCLASSIFIED EXCAVATION	1,048.000	M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	110.000	M3
501(G)	M6309	CLSM BACKFILL	25.000	M3
509(B)	M1328	CLASS A CONCRETE	171.000	M3
511(A)	M1332	REINFORCING STEEL	14,000.000	KG
619(B)	M0291	REMOVAL OF HEADWALL	2.000	EA

SECTION NO. 0003 Y002-TRAFFIC SIGNING

850(A)	M8110	SHEET ALUMINUM SIGNS	20.580	M2
851(C)	M8327	57MM SQUARE TUBE POST	143.850	M
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	21,064.000	M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	94.000	EA
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	14,850.000	M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	14,850.000	M
856(G)	M8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	3,800.000	EA
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	14,850.000	M
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	3,000.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	1,800.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	2,400.000	SD
880(C)	M8842	BARRICEDES(TYPE III)	600.000	SD
880(C)	M8848	WING BARRICADES	600.000	SD
880(D)	M8854	VERTICAL PANELS	43,688.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	1,200.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	87,376.000	SD
880(F)	M8878	DRUMS	43,688.000	SD
880(G)	M8884	TUBE CHANNELIZERS	43,688.000	SD
890(A)	M8724	(PL)REMOVAL OF EXISTING SIGNS	8.000	EA

SECTION NO. 0004 STAK-STAKING

642	M0098	STAKING	1.000	LSUM
-----	-------	---------	-------	------

LNTCIQA
 CALL ORDER : 101
 LETTING DATE : June 21, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: LOGAN

FEDERAL PROJECT
 CONTRACT ID : 010184
 PCN : 1698505
 PROJECTS : STPY-142B(11)
 DBE/WBE GOALS: 12.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 58.79
 RES. ENG.:
 CAL. DAYS: 360

PAGE 7

LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 FROM I-35 EAST ON SH-33 EAST OF GUTHRIE
 PROJ. LGTH.= 5.813 MILES
 FLEX. ESALS= 6.7 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	221,445.000	CY
202(B)	0105 MUCK EXCAVATION	3,500.000	CY
202(C)	0184 UNCLASSIFIED BORROW	36,806.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,000.000	LF
223	2801 TEMPORARY SILT FENCE	13,505.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	172.000	CY
227	0100 TEMPORARY SILT DIKE	4,364.000	LF
229	4318 DITCH LINER PROTECTION	6,892.000	LF
230(A)	2806 SOLID SLAB SODDING	37,218.000	SY
230(B)	2807 MULCH SODDING	194,037.000	SY
230(F)	2812 WATERING	13,371.000	MGAL
232(A)	2813 SEEDING METHOD A	90.800	AC
233(A)	2817 VEGETATIVE MULCHING	138.200	AC
234(A)	2824 FERTILIZING (10-20-10)	37.100	TON
234(A)	4406 FERTILIZING (0-46-0)	4.300	TON
241	2832 MOWING	69.100	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	25.000	EA
317(A)	4252 (SP)FLY ASH	8,773.000	TON
317(B)	4254 SUBGRADE MODIFICATION	177,004.000	SY
317(C)	4253 LIME	1,918.000	TON
317(D)	4254 SCARIFY, BLADE MIX OF SUBGRADE W/LIME TRT	88,502.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,056.000	TON
407	0250 TACK COAT	23,912.000	GAL
408	5774 PRIME COAT	28,761.000	GAL
411(Q)	5880 (SP)ASPH.CONC., 1" NOM MAX(PG64-220K)	51,643.000	TON
411(R)	5882 (SP)ASPH.CONC., 3/4" NOM MAX(PG70-280K)	20,402.000	TON
411(R)	5883 (SP)ASPH.CONC., 3/4" NOM MAX(PG64-220K)	9,064.000	TON
411(S)	5885 (SP)ASPH.CONC., 1/2" NOM MAX(PG70-280K)	13,424.000	TON
411(S)	5886 (SP)ASPH.CONC., 1/2" NOM MAX(PG64-220K)	6,032.000	TON
414(B)	5913 H.E.S. CONCRETE (FULL DEPTH PATCHING)	2,500.000	SY
425	5195 DIAMOND GRINDING CONCRETE PAVEMENT	1,660.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	127.000	CY
509(B)	0321 CLASS A CONCRETE	386.000	CY

SECTION NO. 0001

I000-ROADWAY

509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	3.000	CY
509(D)	0325	CLASS C CONCRETE	1,368.000	CY
511(A)	0332	REINFORCING STEEL	59,225.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP	4.000	TON
601(E)	6312	FILTER FABRIC (RIPRAP)	173.000	SY
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	50.000	SY
611(D)	4215	MANHOLE FRAME & COVER	1.000	EA
611(E)	5336	INLET GPI TYPE 2 (DES. 10)	1.000	EA
611(E)	5337	INLET GPI TYPE 2 (DES. 11)	2.000	EA
611(E)	6002	INLET (SMD-TYPE 2)	9.000	EA
611(E)	6006	INLET (SMD-TYPE 2B)	1.000	EA
611(E)	7180	INLET GPI, TYPE 2 (DES.11A)	1.000	EA
611(F)	5375	INLET GPI TYPE 2 (ADD'L DEPTH)	10.000	VF
611(J)	0487	JUNCTION BOXES	35.000	CF
611(L)	4207	DROP INLET GRATE (GPI-TYPE A)	8.000	EA
611(L)	4208	DROP INLET GRATE (GPI-TYPE B)	4.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	498.000	LF
613(B)	0493	30" R.C.PIPE CLASS III	215.000	LF
613(B)	0494	36" R.C.PIPE CLASS III	561.000	LF
613(B)	0495	42" R.C.PIPE CLASS III	195.000	LF
613(B)	0496	48" R.C.PIPE CLASS III	228.000	LF
613(B)	4499	51" X 31" R.C.PIPE ARCH CLASS A-III	242.000	LF
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	14.000	EA
613(CC)	7192	TYPE BB4 CULVERT END TREATMENT	1.000	EA
613(CC)	7193	TYPE CC4 CULVERT END TREATMENT	2.000	EA
613(CC)	7195	TYPE EE4 CULVERT END TREATMENT	1.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	14.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	1.000	EA
613(CC)	7205	TYPE EE6 CULVERT END TREATMENT	1.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	43.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	40.000	LF
613(D)	0694	48" CORR. GALV. STEEL PIPE	236.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	1,760.000	LF
613(M)	4540	51" X 31" PREFAB. CULVERT END SEC., ARCH	3.000	EA
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	5734	36" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M)	5736	42" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	5738	48" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	2,500.000	LF
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	500.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	100.000	CY
613(S)	1180	TRENCH EXCAVATION	2,575.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	1,556.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	2,000.000	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	24,633.000	SY
619(B)	4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	8,038.000	SY
619(C)	0924	SAWING PAVEMENT	810.000	LF
624(B)	4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	5.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	4,997.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	7.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	MAILBOX	8.000	EA

SECTION NO. 0001 I000-ROADWAY

629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	8.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM

SECTION NO. 0002 Y002-TRAFFIC SIGNING

804(A)	2915	STRUCTURAL CONCRETE	0.420	CY
850(A)	8110	SHEET ALUMINUM SIGNS	954.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	98.100	LF
851(C)	8327	2 1/4" SQUARE TUBE POST	2,083.000	LF
853	9030	DELINEATORS(TYPE 1, CODE 3)	27.000	EA
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	156,975.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	52.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	26.000	EA
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	154,372.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	25,480.000	LF
857(A)	8932	PAVE.MARKERS CLASS C TYPE 1-A	817.000	EA
857(A)	8950	PAVE.MARKERS CLASS C TYPE 2-D	98.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	85,127.000	LF
890A/B	8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	15.000	EA

SECTION NO. 0003 Y031-TRAFFIC OPERATIONS

627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	1,000.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	1,000.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	1,000.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	76.000	EA
880(A)	8812	ARROW DISPLAY(TYPE C)	1,040.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	11,440.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	15,600.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	27,040.000	SD
880(C)	8842	BARRICADES(TYPE III)	31,200.000	SD
880(D)	8854	VERTICAL PANELS	251,160.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	62,400.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	275,080.000	SD
880(F)	8878	DRUMS	41,600.000	SD

SECTION NO. 0004 STAK-STAKING

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

LNTCIQA
 CALL ORDER : 110
 LETTING DATE : June 21, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: MAJOR

FEDERAL PROJECT
 CONTRACT ID : 010234
 PCN : 1882104
 PROJECTS : STP-147D(67)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.62
 RES. ENG.:
 CAL. DAYS: 30 LIQ. DAM: \$ 500

PAGE 10

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN APPROX 7.0 MI SOUTH & 5.0 MI EAST OF FAIRVIEW, EXT
 NORTH ON COUNTY ROAD
 PROJ. LGTH.= 2.581 MILES
 FLEX. ESALS= 0.33 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	3,451.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,274.000	TON
417 5271	COLD MILLING PAVEMENT (4")	1,762.000	SY
850(A) 8110	SHEET ALUMINUM SIGNS	21.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	56.000	LF
853 9039	DELINEATORS(TYPE 2, CODE 3)	10.000	EA
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	12,952.000	LF
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
LNTCIQA	FEDERAL PROJECT		PAGE 11

CALL ORDER : 130
 LETTING DATE : June 21, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: NOWATA
 ROGERS
 WAGONER

CONTRACT ID : 010236
 PCN : 1793304M
 PROJECTS : BRFY-NBIP(155)/NHY-NBIP(152)/
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.86
 RES. ENG.:
 CAL. DAYS: 180 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 ON US-60 4.7 MI. E. OF JCT. US-69 NOWATA CO/ON US-69 6.4 MI
 N. MUSKOGEE C/L WAGONER CO/US412 7.7 MI E JCT I-44 ROGERS CO
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE 'A" BRFY-NBIP(155)		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	10.000	SD
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X031-BRIDGE 'A' NHY-NBIP(152)		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

641	1399	MOBILIZATION	1.000	LSUM
876(C)	8482	(PL)TRUCK MOUNTED ATTENUATOR	10.000	SD
880(J)	8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 X031-BRIDGE 'B' NHY-NBIP(152)				
512(A)	1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B)	6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
SECTION NO. 0004 X031-BRIDGE 'A' BHFY-NBIP(158)				
512(A)	1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B)	6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641	1399	MOBILIZATION	1.000	LSUM
876(C)	8482	(PL)TRUCK MOUNTED ATTENUATOR	10.000	SD
880(J)	8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
LNTCIQA FEDERAL PROJECT			PAGE 12	
CALL ORDER : 140		CONTRACT ID : 010237		
LETTING DATE : June 21, 2001		PCN : 1793305M		
LETTING TIME : 2:00 P.M.				
COUNTIES: NOWATA		PROJECTS : BRFY-18N(23)/NHY-19N(65)/BHFY-		
ROGERS		DBE/WBE GOALS: 0.00		
WAGONER		GUARANTY : 5% OF BID TOTAL		
		PLAN PRICE: \$ 5.94		
		RES. ENG.:		
		CAL. DAYS: 150 LIQ. DAM: \$ 500		

CONTRACT DESCRIPTION:

JOINT SEAL

ON US-60 4.7 MI E. OF JCT US-69 NOWATA CO/ON US-69 6.4 MI N.
MUSKOGEE C/L WAGONER CO/US-412 7.7 MI E JCT I-44 ROGERS CO
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	BRIDGE 'A' - JOINT SEAL AND REPAIR - BRFY-18N(23)		
504(H) 6390	RAPID CURE JOINT SEALANT	260.000	LF
509(A) 0325	(SP)H.E.S. CONCRETE CLASS AA	5.900	CY
619(B) 2515	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	2.000	EA
641 1399	MOBILIZATION	1.000	LSUM
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	25.000	SD
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	BRIDGE 'A' - JOINT SEAL AND REPAIR - NHY-19N(65)		
504(H) 6390	RAPID CURE JOINT SEALANT	288.000	LF
504(I) 6389	ELASTOMERIC MORTAR	5.000	CF
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
641 1399	MOBILIZATION	1.000	LSUM
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	50.000	SD
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	BRIDGE 'B' - JOINT SEAL AND REPAIR - NHY-19N(65)		
504(H) 6390	RAPID CURE JOINT SEALANT	288.000	LF
504(I) 6389	ELASTOMERIC MORTAR	5.000	CF
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
SECTION NO. 0004	BRIDGE 'A' - JOINT SEAL AND REPAIR - BHFY-13N(63)		
504(H) 6390	RAPID CURE JOINT SEALANT	143.300	LF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	50.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	50.000	SY

641	1399	MOBILIZATION	1.000	LSUM
876(C)	8482	(PL)TRUCK MOUNTED ATTENUATOR	50.000	SD
880(J)	8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
LNTCIQA		FEDERAL PROJECT		PAGE 13

CALL ORDER : 190 CONTRACT ID : 010241
 LETTING DATE : June 21, 2001 PCN : 1868604
 LETTING TIME : 2:00 P.M.
 COUNTIES: PAYNE PROJECTS : STPY-160B(72)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.39
 RES. ENG.:
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 AT EAST INTERSECTION OF US-177/SH-33 IN PERKINS
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
609(A)	0380 CONC.CURB(8" BARRIER-INTEGRAL)	234.000	LF
610(C)	0608 4" CONCRETE DIVIDING STRIP	179.140	SY
641	1552 MOBILIZATION	1.000	LSUM
802(B)	8332 1" PVC SCH.40 PLASTIC CONDUIT BORED	40.000	LF
802(B)	8336 1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	336.000	LF
802(B)	8338 1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	460.000	LF
802(B)	8342 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	32.000	LF
802(B)	8344 3" PVC SCH.40 PLASTIC CONDUIT BORED	205.000	LF
802(B)	8346 3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	55.000	LF
803	8065 PULL BOX(SIZE I)	3.000	EA
803	8066 PULL BOX(SIZE II)	1.000	EA
803	8067 PULL BOX(SIZE III)	4.000	EA
804(A)	2915 STRUCTURAL CONCRETE	10.800	CY
804(B)	2916 REINFORCING STEEL	1,645.000	LB
806(A)	8312 32'MH POLE 40'TS & 10'LMA(G.STL.)	2.000	EA
806(A)	8350 32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(A)	8730 POLE & 35' TS MST.ARM(G.STL.)	1.000	EA
809(A)	8090 (PL)ROADWAY LUMINAIRE	3.000	EA
811	8040 1/C NO.6 ELECT.COND.	100.000	LF
811	8044 1/C NO.10 ELECT.COND.	1,058.000	LF
825	8550 VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A)	8135 SOL.STE.DIGITAL IND.VEH.LP.DET.	8.000	EA
828(B)	8138 LOOP DETECTOR WIRE	2,304.000	LF
831	8170 1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	8.000	EA
831	8171 1WAY3SEC.ADJ.SIG.HD.(MAM)S-9	2.000	EA
833	3030 BACKPLATE	10.000	EA
834(A)	8207 5/C TRAF.SIG.EL.CABLE	845.000	LF
834(A)	8209 9/C TRAF.SIG.EL.CABLE	292.000	LF
834(B)	8220 2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,971.000	LF
850(C)	8118 MAST ARM MOUNTED SIGNS(ALUM.)	50.020	SF
855(A)	8812 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	13,606.000	LF
855(B)	8818 TRAFFIC STRIPE(PLASTIC)(ARROWS)	3.000	EA
855(B)	8821 TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
859(A)	8006 PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	13,600.000	LF
880(J)	8905 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 210
 LETTING DATE : June 21, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: POTTAWATOMIE

STATE PROJECT
 CONTRACT ID : 010245
 PCN : 1877204
 PROJECTS : CIP-163C(67)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 18.34
 RES. ENG.:
 CAL. DAYS: 210

PAGE 14

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 BEGIN AT SH-102 AND EXTEND EAST TO MACOMB ON SH-59B
 PROJ. LGTH.= 2.7487 MILES
 FLEX. ESALS= 0.47 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	35,952.000	CY
202(C)	0184 UNCLASSIFIED BORROW	25,940.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	525.000	LF
223	2801 TEMPORARY SILT FENCE	780.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	7.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	7.000	EA
230(A)	2806 SOLID SLAB SODDING	25,913.000	SY
230(F)	2812 WATERING	2,064.000	MGAL
232(B)	2814 SEEDING METHOD B	12.840	AC
233(A)	2817 VEGETATIVE MULCHING	37.240	AC
233(C)	2819 ASPHALT MULCHING	55,875.000	GAL
317(A)	4252 (SP)FLY ASH	977.000	TON
317(B)	4254 SUBGRADE MODIFICATION	30,055.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	831.000	TON
407	0250 TACK COAT	2,979.000	GAL
408	5774 PRIME COAT	4,639.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	9,530.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	3,509.000	TON
509(B)	1328 CLASS A CONCRETE	20.000	CY
509(D)	0325 CLASS C CONCRETE	567.000	CY
601(A-1)	0536 TYPE I-A PLAIN RIPRAP	421.000	TON
601A-2	0538 TYPE I-A FILTER BLANKET	108.000	TON
613(B)	0493 30" R.C.PIPE CLASS III	80.000	LF
613(B)	0492 24" R.C.PIPE CLASS III	125.000	LF
613(B)	0495 42" R.C.PIPE CLASS III	243.000	LF
613(B)	0496 48" R.C.PIPE CLASS III	104.000	LF
613(B)	4427 60" X 36" R.C.PIPE ARCH CLASS A-III	166.000	LF
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	10.000	EA
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	12.000	EA
613(CC)	7194 TYPE DD4 CULVERT END TREATMENT	2.000	EA
613(D)	0690 24" CORR. GALV. STEEL PIPE	228.000	LF
613(D)	4528 28" X 20" CORR. GALV. STEEL PIPE ARCH	40.000	LF
613(D)	0689 18" CORR. GALV. STEEL PIPE	216.000	LF

SECTION NO. 0001

I000-ROADWAY

613(M)	5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	5736	42" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M)	5738	48" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	400.000	LF
613(Q)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	200.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	21,000.000	SY
624(A)	4281	FENCE-STYLE WWF	3,756.000	LF
624(B)	4464	GATES-STYLE WWF (4.5' HIGH X 14' LONG)	9.000	EA
624(B)	5264	GATES-STYLE WWF (4.5' HIGH X 20' LONG)	5.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	13,030.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	4.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	MAILBOX	6.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	5.000	EA
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM

SECTION NO. 0002

I000-ROADWAY- ALTERNATE 1

201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183	UNCLASSIFIED EXCAVATION	9,504.000	CY
202(C)	1302	UNCLASSIFIED BORROW	635.000	CY
205	4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801	TEMPORARY BALE BARRIER	105.000	LF
223	2801	TEMPORARY SILT FENCE	1,200.000	LF
224	2803	TEMPORARY SEDIMENT FILTER	3.000	EA
225	2804	TEMPORARY SEDIMENT BASIN	3.000	EA
230(A)	2806	SOLID SLAB SODDING	6,498.000	SY
230(F)	2812	WATERING	580.000	MGAL
232(B)	2814	SEEDING METHOD B	4.000	AC
233(A)	2817	VEGETATIVE MULCHING	11.160	AC
317(A)	4252	(SP) FLY ASH	169.000	TON
317(B)	4254	SUBGRADE MODIFICATION	5,165.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	559.000	TON
407	0250	TACK COAT	1,365.000	GAL
408	5774	PRIME COAT	922.000	GAL
411(A)	6500	(SP) ASPHALT CONCRETE TYPE A (PG 64-22 OK)	1,728.000	TON
411(B)	6530	(SP) ASPHALT CONCRETE TYPE B (PG 64-22 OK)	2,140.000	TON
509(B)	1328	CLASS A CONCRETE	10.000	CY
509(D)	0325	CLASS C CONCRETE	172.000	CY
609(B)	1500	1'-8" COMB. CRB. & GUT. (4" MNTBLE)	1,466.000	LF
610(A)	0602	4" CONCRETE SIDEWALK	24.300	SY
610(B)	0604	6" CONCRETE DRIVEWAY	245.000	SY
611(E)	5336	INLET GPI TYPE 2 (DES. 10)	1.000	EA
613(B)	0493	30" R.C. PIPE CLASS III	54.000	LF
613(B)	0494	36" R.C. PIPE CLASS III	59.000	LF
613(B)	4497	36" X 22" R.C. PIPE ARCH CLASS A-III	320.000	LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(CC)	7192	TYPE BB4 CULVERT END TREATMENT	6.000	EA
613(D)	0690	24" CORR. GALV. STEEL PIPE	194.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	38.000	LF
613(D)	0689	18" CORR. GALV. STEEL PIPE	85.000	LF
613(M)	5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA

SECTION NO. 0002 I000-ROADWAY- ALTERNATE 1

613(M)	5734	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF
613(Q)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	100.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	2,200.000	SY
624(A)	4281	FENCE-STYLE WWF	220.000	LF
624(B)	4464	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	1.000	EA
624(B)	5264	GATES-STYLE WWF (4.5'HIGH X 20'LONG)	1.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,643.000	LF
624(D)	4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	210.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	3.000	EA
629(C)	4960	MAILBOX	3.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	3.000	EA

SECTION NO. 0003 Y000-TRAFFIC

850(A)	8110	SHEET ALUMINUM SIGNS	40.250	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	63.000	LF
851(C)	8330	2 1/2" SQUARE TUBE POST	21.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	33,459.000	LF
880(J)	8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0004 Y000-TRAFFIC - ALTERNATE 1

850(A)	8110	SHEET ALUMINUM SIGNS	118.250	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	254.000	LF
851(C)	8330	2 1/2" SQUARE TUBE POST	66.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	16,925.000	LF
880(J)	8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0005 STAK-STAKING

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

SECTION NO. 0006 STAK-STAKING - ALTERNATE 1

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

LNTCIQA
 CALL ORDER : 238
 LETTING DATE : June 21, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: WAGONER

STATE PROJECT
 CONTRACT ID : 010270
 PCN : 1909504M

PAGE 17

PROJECTS : CIP-173C(63)IP/CIP-173B(65)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.:
 CAL. DAYS: 45 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 0.53 MILE SOUTH OF JCT. SH-51/SH-72 EXTEND NORTH ON
 SH-72 AND AT THE JCT OF SH-51/SH-72 EXT. EAST ON SH-51
 PROJ. LGTH.= 1.43 MILES
 FLEX. ESALS= 3.12 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY CIP-173C(63)IP			
407 0250	TACK COAT	1,060.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,150.000	TON
417 5267	COLD MILLING PAVEMENT	12,500.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15,400.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	6.000	EA
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY CIP-173B(65)IP			
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
407 0250	TACK COAT	2,000.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	4,665.000	TON
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	28,450.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	40.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 300
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: MCCLAIN

STATE PROJECT
CONTRACT ID : 010253
PCN : 1907504
PROJECTS : MC-144B(042)PT 1
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

PAGE 18

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
SH-39: BEGIN AT GRADY COUNTY LINE, EXT EAST TO JCT. SH-59
PROJ. LGTH.= 6.39 MILE
FLEX ESALS= 0.6 MILLION
ASPH GRADE= 64-22 PG-OK, 70-28 PF-OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
407 0250	TACK COAT	4,638.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	200.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	7,506.000	TON
417 5267	COLD MILLING PAVEMENT	88,751.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 310
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: MCCLAIN

STATE PROJECT
CONTRACT ID : 010254
PCN : 1907505
PROJECTS : MC-144B(042)PT 2
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

PAGE 19

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
SH-39: BEGIN AT THE JCT. OF SH-59, EXT EAST TO JCT. SH-24
PROJ. LGTH.=4.02 MILE
FLEX ESALS= 0.6 MILLION
ASPH GRADE= 64-22 PG OK & 70-28 PG OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-144B(42)PT.2		
407 0250	TACK COAT	2,930.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	100.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	4,805.000	TON
417 5267	COLD MILLING PAVEMENT	56,602.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 320
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: MCCLAIN

STATE PROJECT
CONTRACT ID : 010255
PCN : 1907506

PAGE 20

PROJECTS : MC-144B(42)PT.3
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
SH-39: BEGIN AT JCT. SH-24, EXT EAST (WEST SIDE OF BRIDGE)
PROJ. LGTH.= 7.04 MILE
FLEX ESALS = 0.6 MILLION
ASPH GRADE = 64-22 PG OK & 70-28 PG OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-144B(42)PT.3		
407 0250	TACK COAT	5,156.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	200.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,376.000	TON
417 5267	COLD MILLING PAVEMENT	99,123.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 330
 LETTING DATE : June 21, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: MCCLAIN

STATE PROJECT
 CONTRACT ID : 010256
 PCN : 1907504C
 PROJECTS : MC-144B(42)PT.1, 2&3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.:
 CAL. DAYS: LIQ. DAM: \$ 500

PAGE 21

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 SH-39: BEGIN AT GRADY COUNTY LINE, EXTEND EAST TO WEST
 EDGE OF BEAVER CREEK BRIDGE.
 PROJ. LGTH.= 17.45 MILE
 FLEX ESALS = 0.6 MILLION
 ASPH GRADE = 64-22 PG OK & 70-28 PG OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY MC-144B(42)PT.1			
407 0250	TACK COAT	4,638.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	200.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	7,506.000	TON
417 5267	COLD MILLING PAVEMENT	88,751.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY MC-144B(42)PT.2			
407 0250	TACK COAT	2,930.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	100.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	4,805.000	TON
417 5267	COLD MILLING PAVEMENT	56,602.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 I000-ROADWAY MC-144B(42)PT.3			
407 0250	TACK COAT	5,156.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	200.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,376.000	TON
417 5267	COLD MILLING PAVEMENT	99,123.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 340
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: NOWATA

STATE PROJECT
CONTRACT ID : 010257
PCN : 1906804
PROJECTS : MC-153C(20)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

PAGE 22

CONTRACT DESCRIPTION:
RESURFACE(ARMOR COAT)
BEGIN AT ROGERS/NOWATA COUNTY LINE AND EXTEND NORTH TO
US-60 ON SH-28
PROJ. LGTH.= 7.2 MILES
FLEX. ESALS=0.5 MILLION
ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
402 5205	(PL)ARMOR COAT	161,000.000	SY
411(B) 5284	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	161,000.000	SY

LNTCIQA
CALL ORDER : 350
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: ROGERS

STATE PROJECT
CONTRACT ID : 010258
PCN : 1906904
PROJECTS : MC-166C(81)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS:

PAGE 23

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
RESURFACE(ARMOR COAT)
BEGIN AT CHELSEA AND EXTEND NORTHWEST ON SH-28 TO
NOWATA COUNTY LINE
PROJ. LGTH.= 7.3
FLEX. ESALS= 0.5 MILLION
ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY		
402 5205	(PL)ARMOR COAT	95,000.000	SY
411(B) 5284	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	95,000.000	SY

LNTCIQA
CALL ORDER : 360
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: NOWATA
ROGERS

STATE PROJECT
CONTRACT ID : 010259
PCN : 1906804C

PAGE 24

PROJECTS : MC-153C(20)/MC-166C(81)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
RESURFACE(ARMOR COAT)
BEGIN AT CHELSEA AND EXTEND NORTHWEST ON SH-28 TO
US-60 IN NOWATA COUNTY
PROJ. LGTH.= 14.5 MILES
FLEX. ESALS= 0.5 MILLION
ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY MC-153C(20)		
402 5205	(PL)ARMOR COAT	161,000.000	SY
411(B) 5284	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	161,000.000	SY
SECTION NO. 0002	F000-ROADWAY MC-166C(81)		
402 5205	(PL)ARMOR COAT	95,000.000	SY
411(B) 5284	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	95,000.000	SY

LNTCIQA
CALL ORDER : 370
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: PITTSBURG

STATE PROJECT
CONTRACT ID : 010260
PCN : 1907004
PROJECTS : MC-161N(81)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

PAGE 25

CONTRACT DESCRIPTION:
RESURFACE(CONCRETE)
FROM 0.85 MILE SOUTH OF JCT. SH-113/US-69 EXTEND NORTH
(SOUTHBOUND LANES ONLY)
PROJ. LGTH.= 1.55 MILES
FLEX. ESALS= 38 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	J000-ROADWAY		
414(I) 5275	P.C. CONCRETE FOR PAVEMENT	2,710.000	CY
414(J) 5400	P.C. CONCRETE PAVEMENT(PLACEMENT ONLY)	23,700.000	SY
417 5267	COLD MILLING PAVEMENT	23,700.000	SY

LNTCIQA
CALL ORDER : 380
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: PONTOTOC

STATE PROJECT
CONTRACT ID : 010261
PCN : 1907304
PROJECTS : CMC-162A(72)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

PAGE 26

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
FROM MONTE VISTA AVE IN ADA EXTEND EAST ON SH-1
PROJ. LGTH.= 2.88 MILES
FLEX. ESALS= 2.1 MILLION
ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	4,055.000	GAL
411(C) 6570	(SP)ASPHALT CONC.TYPE C(PG 70-28 OK)	4,542.000	TON
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 390
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: POTTAWATOMIE

STATE PROJECT
CONTRACT ID : 010262
PCN : 1907404
PROJECTS : CMC-163A(95)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

PAGE 27

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
FROM US-270B EXTEND EAST & NORTH TO PC SECTION SOUTH OF
I-40 ON SH-18 IN SHAWNEE
PROJ. LGTH.= 4.61 MILES
FLEX. ESALS= 6.5 MILLION
ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	6,749.000	GAL
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	300.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	15,095.000	TON
417 5267	COLD MILLING PAVEMENT	134,686.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 400
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: ROGER MILLS

STATE PROJECT
CONTRACT ID : 010263
PCN : 1907204
PROJECTS : CMC-165C(20)PT.1
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

PAGE 28

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
SH-33: BEGIN APPROX. 150 FT. EAST OF US-283, EXT EAST.
PROJ. LGTH.= 6.00 MILE
FLEX ESALS = 1.5 MILLION
ASPH GRADE = 70-28 PG OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-165C(20)PT.1		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	540.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,118.000	TON
417 5267	COLD MILLING PAVEMENT	8,852.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 410
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: ROGER MILLS

STATE PROJECT
CONTRACT ID : 010264
PCN : 1907205
PROJECTS : CMC-165C(20)PT.2
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

PAGE 29

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
SH-33: BEGIN APPROX. 6.00 MILE EAST OF US-283 EXT EAST.
PROJ. LGTH.= 6.00 MILE
FLEX ESALS = 1.5 MILLION
ASPH GRADE = 70-28 PG OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-165C(20)PT.2		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	540.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,294.000	TON
417 5267	COLD MILLING PAVEMENT	3,373.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 420
LETTING DATE : June 21, 2001
LETTING TIME : 2:00 P.M.
COUNTIES: ROGER MILLS

STATE PROJECT
CONTRACT ID : 010265
PCN : 1907206
PROJECTS : CMC-165C(20)PT.3
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: LIQ. DAM: \$ 500

PAGE 30

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
SH-33: BEGIN APPROX. 12.0 MILE EAST OF JCT. US-283 EXT EAST
PROJ. LGTH.= 5.83 MILE
FLEX ESALS = 1.5 MILLION
ASPH GRADE = 70-28 PG OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-165C(20)PT.3		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	525.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,449.000	TON
417 5267	COLD MILLING PAVEMENT	5,317.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 430
 LETTING DATE : June 21, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES: ROGER MILLS

STATE PROJECT
 CONTRACT ID : 010266
 PCN : 1907204C

PAGE 31

PROJECTS : CMC-165C(20)PT.1,2&3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.:
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 SH-33: (SOUTH OF ROLL): BEGIN APPROX. 150 FT EAST OF JCT
 US-283 AND EXT EAST TO JCT SH-34 AT HAMMON.
 PROJ. LGTH.= 17.83 MILE
 FLEX ESALS = 1.5 MILLION
 ASPH GRADE = 70-28 PG OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-165C(20)PT.1		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	540.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,118.000	TON
417 5267	COLD MILLING PAVEMENT	8,852.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY CMC-165C(20)PT.2		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	540.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,294.000	TON
417 5267	COLD MILLING PAVEMENT	3,373.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	I000-ROADWAY CMC-165C(20)PT.3		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	525.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,449.000	TON
417 5267	COLD MILLING PAVEMENT	5,317.000	SY
880(J) 8905	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM