

DATE : July 31, 2001 OKLAHOMA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS -- August 23, 2001

LNTCNCA
LETTING

LNTCNCA-D

SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING. FROM 30 MINUTES PRIOR TO THE BID OPENING UNTIL THE TIME OF THE BID OPENING, BID PROPOSALS MUST BE TURNED IN DIRECTLY TO THE ODOT COMMISSION ROOM LOCATED ON THE EAST SIDE OF THE LOBBY. THE SCHEDULED BID OPENING OF 10:30 A.M. August 23, 2001, FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$25.00 + tax FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 + tax, OR 1996 METRIC STANDARD SPECIFICATION \$27.00 + TAX, OR 1999 METRIC AND ENGLISH STANDARD SPECIFICATION \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE FOR BIDDING DOCUMENTS OR SPECIFICATION BOOKS PURCHASED BY PROSPECTIVE BIDDERS.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
 CALL ORDER : 010
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: ALFALFA

FEDERAL PROJECT
 CONTRACT ID : 010347
 PCN : 1694604
 PROJECTS : BRO-102D(10)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.24
 RES. ENG.:
 CAL. DAYS: 150 LIQ. DAM: \$ 500

PAGE 1

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER WEST CLAY CREEK, APPROX. 0.2 MILE WEST
 OF SH-8 AND 8.0 MILES NORTH OF SH-45
 PROJ. LGTH.= 0.208

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	E000-ROADWAY		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	2,200.000	LF
230(A) 2806	SOLID SLAB SODDING	6,300.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.600	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	663.000	TON
509(D) 0325	CLASS C CONCRETE	125.100	CY
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	44.000	LF
SECTION NO. 0002	X081-BRIDGE "A"		
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	530.010	LF
504(C) 6250	SEALED EXPANSION JOINT	29.420	LF
504(E) 1380	CONCRETE RAIL (TR1)	327.000	LF
506(A) 1322	STRUCTURAL STEEL	4,280.000	LB
509(A) 1326	CLASS AA CONCRETE	102.600	CY
509(B) 1328	CLASS A CONCRETE	76.100	CY
511(A) 1332	REINFORCING STEEL	34,010.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	739.500	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	739.500	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	208.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	380.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	70.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 030
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: BLAINE

FEDERAL PROJECT
 CONTRACT ID : 010349
 PCN : 1255504M

PAGE 2

PROJECTS : NHY-10N(002)/BRFY-10N(25)
 DBE/WBE GOALS: 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 69.04
 RES. ENG.:
 CAL. DAYS: 300 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND BRIDGE
 FROM 17.702 KM. SOUTHEAST OF WATONGA, EXTEND
 NORTHWEST ON US-270
 PROJ. LGTH.= 8.578 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	C000-ROADWAY NHY-10N(002)		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	125,979.000	M3
202(C) M0184	UNCLASSIFIED BORROW	123,028.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	3,174.000	M
229 M4318	DITCH LINER PROTECTION	229.000	M
230(A) M2806	SOLID SLAB SODDING	1,095.000	M2
230(B) M2807	MULCH SODDING	175,582.000	M2
233(A) M2817	VEGETATIVE MULCHING	11.440	HA
241 M2832	MOWING	57.000	HA
403(A) M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	1,000.000	T
501(A) M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	336.000	M3
509(B) M0321	CLASS A CONCRETE	1,213.000	M3
509(C) M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	6.000	M3
509(D) M0325	CLASS C CONCRETE	120.000	M3
511(A) M0332	REINFORCING STEEL	70,533.000	KG
611(D) M4274	MANHOLE FRAME (TYPE R)	3.000	EA
611(D) M4276	MANHOLE COVER GRATE	3.000	EA
611(E) M6002	INLET (SMD-TYPE 2)	5.000	EA
611(J) M0487	JUNCTION BOXES	57.360	M3
613(B) M0405	450MM R.C.PIPE CLASS III	223.000	M
613(CC)M7186	TYPE A4 CULVERT END TREATMENT	7.000	EA
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	10.000	EA
613(CC)M7196	TYPE A6 CULVERT END TREATMENT	21.000	EA
613(CC)M7197	TYPE B6 CULVERT END TREATMENT	10.000	EA
613(D) M0689	450MM CORR. GALV. STEEL PIPE	522.000	M
613(D) M0690	600MM CORR. GALV. STEEL PIPE	197.000	M
613(D) M0692	900MM CORR. GALV. STEEL PIPE	20.000	M
613(MM)M7500	TYPE A4 SLOPED CONCRETE END SECTION	3.000	EA
613(MM)M7520	TYPE A6 SLOPED CONCRETE END SECTION	2.000	EA
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	645.000	M
613(Q) M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	215.000	M
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M0291	REMOVAL OF HEADWALL	3.000	EA
624(C) M4459	FENCE-STYLE SWF (5 BARBED WIRE)	9,952.000	M
641 M1552	MOBILIZATION	1.000	LSUM

501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F) M6352	GRANULAR BACKFILL	56.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	99.500	M
504(A) M1304	APPROACH SLAB	152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)	64.400	M
506(A) M1322	STRUCTURAL STEEL	435.000	KG
509(A) M1326	CLASS AA CONCRETE	72.300	M3
509(B) M1328	CLASS A CONCRETE	31.600	M3
511(A) M1332	REINFORCING STEEL	2,835.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	7,880.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	177.600	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	177.600	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	16.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	205.000	M2
601A-1 M1353	TYPE I-A PLAIN RIPRAP	2,290.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	515.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.600	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	8.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION NO. 0003 X081 - BRIDGE "C" NHY-10N(002)

501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	330.000	M3
501(G) M6309	CLSM BACKFILL	170.000	M3
503(A) M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	238.500	M
504(A) M1304	APPROACH SLAB	286.400	M2
504(C) M6250	SEALED EXPANSION JOINT	34.560	M
504(E) M6239	CONCRETE RAIL (TR3)	144.500	M
506(A) M1322	STRUCTURAL STEEL	3,710.000	KG
509(A) M1326	CLASS AA CONCRETE	144.000	M3
509(B) M1328	CLASS A CONCRETE	148.400	M3
511(A) M1332	REINFORCING STEEL	6,820.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	24,885.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	173.600	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	173.600	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	570.000	M2
516(A) M6094	DRILLED SHAFTS 1200MM DIAMETER	62.400	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,970.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	410.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	34.800	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	15.600	M

SECTION NO. 0004 X081-BRIDGE "E" BRFY-10N(25)

501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F) M6352	GRANULAR BACKFILL	56.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	298.500	M
504(A) M1304	APPROACH SLAB	152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)	144.400	M
506(A) M1322	STRUCTURAL STEEL	2,730.000	KG
509(A) M1326	CLASS AA CONCRETE	183.800	M3
509(B) M1328	CLASS A CONCRETE	62.000	M3
511(A) M1332	REINFORCING STEEL	3,295.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	23,865.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	206.400	M

SECTION NO. 0004 X081-BRIDGE "E" BRFY-10N(25)

514(B) M6292	PILES, DRIVEN (HP 250X62)	206.400	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	16.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	623.000	M2
516(A) M6093	DRILLED SHAFTS 1050MM DIAMETER	106.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	2,160.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	355.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.600	M
613(Q) M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	8.000	M

SECTION NO. 0005 Y008-TRAFFIC ITEMS NHY-10N(002)

850(A) M8110	SHEET ALUMINUM SIGNS	18.500	M2
880(C) M8845	BARRICADES(TYPE III)	51.000	EA
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0006 STAK-STAKING NHY-10N(002)

642 M0098	STAKING	1.000	LSUM
-----------	---------	-------	------

LNTCIQA
 CALL ORDER : 060
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: CADD0

FEDERAL PROJECT
 CONTRACT ID : 010352
 PCN : 1811004
 PROJECTS : BR0-108D(62)C0
 DBE/WBE GOALS: 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.32
 RES. ENG.:
 CAL. DAYS: 150

PAGE 5

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER COBB CREEK, APPROX. 1.0 MILE EAST AND
 0.2 MILES SOUTH OF THE JCT OF SH-152/SH-58
 PROJ. LGTH.= 0.283 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002 X081-BRIDGE 'A' BR0-108D(62)C0			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	3,000.000	LF
227	0100 TEMPORARY SILT DIKE	120.000	LF
230(A)	2806 SOLID SLAB SODDING	2,550.000	SY
230(B)	2807 MULCH SODDING	9,450.000	SY
233(A)	2817 VEGETATIVE MULCHING	5.400	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,142.000	TON
509(D)	0325 CLASS C CONCRETE	20.000	CY
613(D)	4532 57" X 38" CORR. GALV. STEEL PIPE ARCH	50.000	LF
613(M)	4544 57" X 38" PREFAB. CULVERT END SEC., ARCH	2.000	EA
SECTION NO. 0003 STAK-STAKING BR0-108D(62)C0			
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	86.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	68.000	CY
503(A)	1311 PRESTRESSED CONCRETE BEAMS (TYPE II)	352.340	LF
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	276.170	LF
504(E)	1380 CONCRETE RAIL (TR1)	365.170	LF
506(A)	1322 STRUCTURAL STEEL	4,610.000	LB
509(A)	1326 CLASS AA CONCRETE	122.700	CY
509(B)	1328 CLASS A CONCRETE	101.900	CY
511(A)	1332 REINFORCING STEEL	41,316.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	584.200	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	584.200	LF
516(A)	6094 DRILLED SHAFTS 48" DIAMETER	132.620	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	1,410.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	366.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	100.000	LF
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
***** ERROR - NO PROPOSAL SECTION FOR ITEM 642		0098	, CONTRACT
010352	, SECTION 0004 *****		

LNTCIQA
 CALL ORDER : 070
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: GRADY

FEDERAL PROJECT
 CONTRACT ID : 010353
 PCN : 1821504
 PROJECTS : BR0-126D(37)C0
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.78
 RES. ENG.:
 CAL. DAYS: 150

PAGE 6

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER BUGGY CREEK APPROX. 0.6 MILE SOUTH AND
 2.5 MILES WEST OF MINCO
 PROJ. LGTH.= 0.236 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY BR0-126D(37)C0			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2,500.000	LF
227 0100	TEMPORARY SILT DIKE	120.000	LF
230(A) 2806	SOLID SLAB SODDING	1,634.000	SY
230(B) 2807	MULCH SODDING	5,523.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	918.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	52.000	LF
613(M) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	2.000	EA
SECTION NO. 0002 X081-BRIDGE "A" BR0-126D(37)C0			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	510.010	LF
504(E) 1380	CONCRETE RAIL (TR1)	321.000	LF
506(A) 1322	STRUCTURAL STEEL	3,830.000	LB
509(A) 1326	CLASS AA CONCRETE	98.200	CY
509(B) 1328	CLASS A CONCRETE	86.000	CY
511(A) 1332	REINFORCING STEEL	34,206.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	864.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	864.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	216.320	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1,533.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	432.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING BR0-126D(37)C0			
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 080
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: CADD0
 GRADY

FEDERAL PROJECT
 CONTRACT ID : 010354
 PCN : 1811004C

PAGE 7

PROJECTS : BR0-108D(62)C0/BR0-126D(37)C0
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 8.10
 RES. ENG.:
 CAL. DAYS: 300 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGES AND APPROACHES
 COUNTY BRIDGE OVER COBB CREEK, APPROX. 1.0 MILES EAST AND
 0.2 MILES
 SOUTH OF THE JCT. OF SH-152/SH-58/COUNTY BRIDGE OVER BUGGY
 CREEK,
 APPROX. 0.6 MILE SOUTH AND 2.5 MILES WEST OF MINCO
 PROJ. LGTH.= 0.519 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY BR0-108D(62)C0			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3,000.000	LF
227 0100	TEMPORARY SILT DIKE	120.000	LF
230(A) 2806	SOLID SLAB SODDING	2,550.000	SY
230(B) 2807	MULCH SODDING	9,450.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.400	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,142.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(D) 4532	57" X 38" CORR. GALV. STEEL PIPE ARCH	50.000	LF
613(M) 4544	57" X 38" PREFAB. CULVERT END SEC., ARCH	2.000	EA
SECTION NO. 0002 E000-ROADWAY BR0-126D(37)C0			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2,500.000	LF
227 0100	TEMPORARY SILT DIKE	120.000	LF
230(A) 2806	SOLID SLAB SODDING	1,634.000	SY
230(B) 2807	MULCH SODDING	5,523.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	918.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	52.000	LF
613(M) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	2.000	EA
SECTION NO. 0003 X081-BRIDGE 'A' BR0-108D(62)C0			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	86.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	68.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	352.340	LF
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	276.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	365.170	LF

SECTION NO. 0003 X081-BRIDGE 'A' BRO-108D(62)C0

506(A)	1322	STRUCTURAL STEEL	4,610.000	LB
509(A)	1326	CLASS AA CONCRETE	122.700	CY
509(B)	1328	CLASS A CONCRETE	101.900	CY
511(A)	1332	REINFORCING STEEL	41,316.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	584.200	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	584.200	LF
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	132.620	LF
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	1,410.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	366.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	100.000	LF
623(F)	6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399	MOBILIZATION	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0004 X081-BRIDGE "A" BRO-126D(37)C0

501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D)	6353	UNCLASSIFIED BACKFILL	50.000	CY
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	510.010	LF
504(E)	1380	CONCRETE RAIL (TR1)	321.000	LF
506(A)	1322	STRUCTURAL STEEL	3,830.000	LB
509(A)	1326	CLASS AA CONCRETE	98.200	CY
509(B)	1328	CLASS A CONCRETE	86.000	CY
511(A)	1332	REINFORCING STEEL	34,206.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	864.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	864.000	LF
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	216.320	LF
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	1,533.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	432.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399	MOBILIZATION	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0005 STAK-STAKING BRO-108D(62)C0

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

SECTION NO. 0006 STAK-STAKING BRO-126D(37)C0

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

LNTCIQA
 CALL ORDER : 091
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: CARTER

FEDERAL PROJECT
 CONTRACT ID : 010348
 PCN : 1757304
 PROJECTS : BRO-110D(45)CO
 DBE/WBE GOALS: 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.85
 RES. ENG.:
 CAL. DAYS: 150

PAGE 9

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE 12.874 KM. EAST AND 1.127 KM. SOUTH OF THE
 JCT.
 OF US-70/SH-76
 PROJ. LGTH.= 0.399 KM.
 FLEX. ESALS.= 1.0 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	1,200.000	M
227 M0100	TEMPORARY SILT DIKE	150.000	M
230(A) M2806	SOLID SLAB SODDING	2,745.000	M2
230(B) M2807	MULCH SODDING	6,700.000	M2
233(A) M2817	VEGETATIVE MULCHING	2.400	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	50.000	T
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	612.000	T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	300.000	T
509(D) M0325	CLASS C CONCRETE	104.000	M3
613(D) M4527	525MM X 375MM CORR. GALV. ST. PIPE ARCH	11.400	M
613(M) M4504	525MM X 375MM PREFAB.CULV.END SEC., ARCH	2.000	EA
850(A) M8110	SHEET ALUMINUM SIGNS	0.920	M2
851(D) M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	9.000	M
854(A) M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	1,600.000	M
SECTION NO. 0002 X081-BRIDGE "A"			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	22.000	M3
503(A) M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	189.000	M
504(E) M1380	CONCRETE RAIL (TR1)	113.700	M
506(A) M1322	STRUCTURAL STEEL	1,522.000	KG
509(A) M1326	CLASS AA CONCRETE	86.200	M3
509(B) M1328	CLASS A CONCRETE	71.720	M3
511(A) M1332	REINFORCING STEEL	18,370.620	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	153.540	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	153.540	M
516(A) M6094	DRILLED SHAFTS 1200MM DIAMETER	38.370	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,900.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	529.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION NO. 0002	X081-BRIDGE "A"		
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM
SECTION NO. 0004	Y000-NON-PARTICIPATING		
504 M6176	(PL)INSERTS	16.000	EA

LNTCIQA
CALL ORDER : 105
LETTING DATE : August 23, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: CHOCTAW

STATE PROJECT
CONTRACT ID : 010292
PCN : 1849404
PROJECTS : SAP-112D(32)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: 45 LIQ. DAM: \$ 500

PAGE 11

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
LAKE ACCESS FOR HUGO LAKE: BEGIN APPROX. 1.0 MILE NORTH
OF US-70 ON NS-428.5, EXTEND NORTH.
PROJ. LGTH.= 3.02 MILE
FLEX ESALS = 0.6 MILLION
ASPH GRADE = 64-22 PG OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
303 0192	AGGREGATE BASE	395.000	CY
408 5774	PRIME COAT	2,949.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	3,920.000	TON
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,027.000	SY
641 1552	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 110
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: CIMARRON

FEDERAL PROJECT
 CONTRACT ID : 010357
 PCN : 1768804
 PROJECTS : BRO-113D(14) CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.16
 RES. ENG.:
 CAL. DAYS: 150

PAGE 12

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 OVER FORK OF BEAVER CREEK, APPROX. 4.0 MILES EAST AND
 7.2 MILES SOUTH OF JCT. SH-3/SH-171
 PROJ. LGTH.= 0.132 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	1,300.000	LF
230(A) 2806	SOLID SLAB SODDING	5,150.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.200	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	399.000	TON
509(D) 0325	CLASS C CONCRETE	112.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	76.000	LF
SECTION NO. 0002 X081-BRIDGE			
202(A) 1301	UNCLASSIFIED EXCAVATION	1,620.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	160.000	CY
509(B) 1328	CLASS A CONCRETE	309.700	CY
511(A) 1332	REINFORCING STEEL	62,010.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 0098	STAKING	1.000	LSUM

LNTCIQA
CALL ORDER : 120
LETTING DATE : August 23, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: COAL

FEDERAL PROJECT
CONTRACT ID : 010358
PCN : 1876405
PROJECTS : BRFY-115C(015)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 4.85
RES. ENG.:
CAL. DAYS: 90

PAGE 13

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
BRIDGE REPAIR
SH-43 AT MUDDY BOGGY CREEK AND OVERFLOW, 1.44 MILE EAST OF
COALGATE
PROJ. LGTH. 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 X031 - BRIDGE 'A'			
504(H) 6390	RAPID CURE JOINT SEALANT	221.800	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 X031 - BRIDGE 'B'			
504(H) 6390	RAPID CURE JOINT SEALANT	559.300	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	2.000	EA
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	4.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	16.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	15.000	EA

LNTCIQA
CALL ORDER : 130
LETTING DATE : August 23, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: COMANCHE

FEDERAL PROJECT
CONTRACT ID : 010359
PCN :
PROJECTS : NHY-20N(15)
DBE/WBE GOALS: 6.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 1.62
RES. ENG.:
CAL. DAYS: 45 LIQ. DAM: \$ 500

PAGE 14

CONTRACT DESCRIPTION:
BANK PROTECTION
AT POST OAK CREEK APPROX. 8.0465 KM. WEST OF THE JCT. OF
US-62/SH-115 IN CACHE
PROJ. OGTH.= 0.00 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	MAIN-BANK PROTECTION		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M4349	(PL)UNCLASSIFIED EXCAVATION	1.000	LSUM
242 M0400	(PL)STABILIZED CONSTRUCTION EXIT	1.000	EA
601(B) M1357	TYPE II SP. PLAIN RIPRAP	2,560.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	520.000	T
619(B) M6364	REMOVAL OF EXISTING RIPRAP	1.000	LSUM
623(A) M1418	BEAM GUARD RAIL-W-BEAM-SINGLE	15.000	M
623(H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	1.000	EA
625(D) M1254	REMOVE AND RECONSTRUCT GUARD RAIL	55.000	M
641 M1399	MOBILIZATION	1.000	LSUM
850(A) M8110	SHEET ALUMINUM SIGNS	3.360	M2
851(C) M8321	44MM SQUARE TUBE POST	24.000	M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 140
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: COTTON

FEDERAL PROJECT
 CONTRACT ID : 010360
 PCN : 1790204
 PROJECTS : BRF-117D(13)C0
 DBE/WBE GOALS: 12.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.24
 RES. ENG.:
 CAL. DAYS: 90

PAGE 15

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER JACK CREEK, APPROX. 7.4 MILES WEST AND
 2.0 MILES NORTH OF THE JCT. OF US-277/SH-5A
 PROJ. LGTH.= 0.264 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY BRF-117D(13)C0			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2,800.000	LF
227 0100	TEMPORARY SILT DIKE	170.000	LF
230(A) 2806	SOLID SLAB SODDING	3,200.000	SY
230(B) 2807	MULCH SODDING	12,800.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.600	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,123.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
SECTION NO. 0002 X081-BRIDGE BRF-117D(13)C0			
202(C) 1302	UNCLASSIFIED BORROW	90.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	215.170	LF
506(A) 1322	STRUCTURAL STEEL	1,800.000	LB
509(A) 1326	CLASS AA CONCRETE	58.500	CY
509(B) 1328	CLASS A CONCRETE	58.400	CY
511(A) 1332	REINFORCING STEEL	21,318.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	142.400	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	323.400	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	142.400	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	323.400	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	920.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	190.000	TON
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING BRF-117D(13)C0			
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 150
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: JEFFERSON

FEDERAL PROJECT
 CONTRACT ID : 010361
 PCN : 1804304
 PROJECTS : BR0-134D(16)C0
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.32
 RES. ENG.:
 CAL. DAYS: 150

PAGE 16

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER AN UNNAMED CREEK. APPROX. 2.6 MILES NORTH
 AND 6.0 MILES WEST OF THE JCT. OF US-81/SH-32 IN RYAN
 PROJ. LGTH.= 0.288 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY BR0-134D(16)C0			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
227 0100	TEMPORARY SILT DIKE	3,799.000	LF
230(A) 2806	SOLID SLAB SODDING	5,853.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.400	AC
303 0192	AGGREGATE BASE	754.000	CY
408 5774	PRIME COAT	1,782.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0492	24" R.C.P.I.PE CLASS III	50.000	LF
613(B) 0496	48" R.C.P.I.PE CLASS III	34.000	LF
613(C) 4375	SP. END SECTION OF 24" RCP ROUND	1.000	EA
613(C) 4383	SP. END SECTION OF 48" RCP ROUND	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	20.720	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	64.000	LF
SECTION NO. 0002 X081-BRIDGE 'A' BR0-134D(16)C0			
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	147.000	CY
509(B) 1328	CLASS A CONCRETE	304.400	CY
511(A) 1332	REINFORCING STEEL	39,950.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	170.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	15.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING BR0-134D(16)C0			
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 160
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: COTTON
 JEFFERSON

FEDERAL PROJECT
 CONTRACT ID : 010362
 PCN : 1790204C

PAGE 17

PROJECTS : BRF-117D(13)C0/BRO-134D(16)
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 7.56
 RES. ENG.:
 CAL. DAYS: 240 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGES AND APPROACHES
 COUNTY BRIDGE OVER SANATAG CREEK, APPROX. 7.4 MILES WEST AND
 2.0 MILES NORTH OF THE JCT. OF US-277/SH-5A AND COUNTY
 BRIDGE
 OVER UNNAMED CREEK, APPROX. 2.6 MILES NORTH AND 6.0 MILES
 WEST OF THE JCT. OF US-81/SH-32 IN RYAN
 PROJ. LGTH.=0.552 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY BRF-117D(13)C0			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2,800.000	LF
227 0100	TEMPORARY SILT DIKE	170.000	LF
230(A) 2806	SOLID SLAB SODDING	3,200.000	SY
230(B) 2807	MULCH SODDING	12,800.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.600	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,123.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
SECTION NO. 0002 E000-ROADWAY BRO-134D(16)C0			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
227 0100	TEMPORARY SILT DIKE	3,799.000	LF
230(A) 2806	SOLID SLAB SODDING	5,853.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.400	AC
303 0192	AGGREGATE BASE	754.000	CY
408 5774	PRIME COAT	1,782.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0492	24" R.C.PIPE CLASS III	50.000	LF
613(B) 0496	48" R.C.PIPE CLASS III	34.000	LF
613(C) 4375	SP. END SECTION OF 24" RCP ROUND	1.000	EA
613(C) 4383	SP. END SECTION OF 48" RCP ROUND	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	20.720	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	64.000	LF
SECTION NO. 0003 X081-BRIDGE BRF-117D(13)C0			
202(C) 1302	UNCLASSIFIED BORROW	90.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.170	LF

SECTION NO. 0003 X081-BRIDGE BRF-117D(13)C0

504(E)	1380	CONCRETE RAIL (TR1)	215.170	LF
506(A)	1322	STRUCTURAL STEEL	1,800.000	LB
509(A)	1326	CLASS AA CONCRETE	58.500	CY
509(B)	1328	CLASS A CONCRETE	58.400	CY
511(A)	1332	REINFORCING STEEL	21,318.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	142.400	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	323.400	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	142.400	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	323.400	LF
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	920.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	190.000	TON
623(F)	6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399	MOBILIZATION	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0004 X081-BRIDGE 'A' BRO-134D(16)C0

501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	147.000	CY
509(B)	1328	CLASS A CONCRETE	304.400	CY
511(A)	1332	REINFORCING STEEL	39,950.000	LB
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	170.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	15.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641	1399	MOBILIZATION	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0005 STAK-STAKING BRF-117D(13)C0

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

SECTION NO. 0006 STAK-STAKING BRO-134D(16)C0

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

LNTCIQA
CALL ORDER : 260
LETTING DATE : August 23, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: JEFFERSON

STATE PROJECT
CONTRACT ID : 010386
PCN : 1907904
PROJECTS : SAP-134D(26)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.:
CAL. DAYS: 30 LIQ. DAM: \$ 500

PAGE 19

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
BETWEEN US-70/'G' STREET ON 8TH STREET IN WAURIKA
PROJ. LGTH.= 0.26 MILE
FLEX. ESALS=
ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(G) 0185	EARTHWORK	1.000	LSUM
303 0192	AGGREGATE BASE	650.000	CY
407 0250	TACK COAT	186.000	GAL
408 5774	PRIME COAT	1,852.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		897.000 TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		411.000 TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	2,746.000	LF

LNTCIQA
CALL ORDER : 280
LETTING DATE : August 23, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: LINCOLN

FEDERAL PROJECT
CONTRACT ID : 010372
PCN : 1635005
PROJECTS : BRFY-141C(87)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 3.24
RES. ENG.:
CAL. DAYS: 30

PAGE 20

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
BRIDGE REHABILITATION
ON SH-66 OVER SALT CREEK, 16.14 MILES EAST OF CHANDLER
PROJ. LGTH. 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031 - BRIDGE ITEMS		
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(H) 6390	RAPID CURE JOINT SEALANT	126.500	LF
504(I) 6389	ELASTOMERIC MORTAR	0.500	CF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
540 4505	(PL)REPAIR BRIDGE ITEMS	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 300
LETTING DATE : August 23, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: NOWATA

FEDERAL PROJECT
CONTRACT ID : 010374
PCN : 1779804
PROJECTS : BRF-153C(12)CO
DBE/WBE GOALS: 8.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 3.78
RES. ENG.:
CAL. DAYS: 150

PAGE 21

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
BRIDGE AND APPROACHES
COUNTY BRIDGE OVER CROW HOLLOW CREEK, 4.0 MILES SOUTH AND
3.0 MILES EAST OF SOUTH COFFEYVILLE
PROJ. LGSTH.= 0.274 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	E000-ROADWAY		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4,535.000	CY
202(C) 0184	UNCLASSIFIED BORROW	4,500.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	4,100.000	LF
230(A) 2806	SOLID SLAB SODDING	9,880.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.100	AC

403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,540.000	TON
509(D)	0325	CLASS C CONCRETE	10.000	CY
613(D)	0690	24" CORR. GALV. STEEL PIPE	52.000	LF
613(D)	0692	36" CORR. GALV. STEEL PIPE	36.000	LF
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	5734	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
850(A)	8110	SHEET ALUMINUM SIGNS	9.000	SF

SECTION NO. 0002 X081-BRIDGE 'A'

501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D)	6353	UNCLASSIFIED BACKFILL	40.000	CY
503(B)	6144	PRESTRESSED CONCRETE DOUBLE TEE	434.000	LF
504(E)	1380	CONCRETE RAIL (TR1)	265.000	LF
509(A)	1326	CLASS AA CONCRETE	78.500	CY
509(B)	1328	CLASS A CONCRETE	62.300	CY
511(A)	1332	REINFORCING STEEL	21,870.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	194.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	194.000	LF
516(A)	6092	DRILLED SHAFTS 36" DIAMETER	48.000	LF
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	2,050.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	440.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0003 STAK-STAKING

LNTCIQA

FEDERAL PROJECT

PAGE 22

SECTION NO. 0003

STAK-STAKING

642 0098

STAKING

1.000 LSUM

LNTCIQA
 CALL ORDER : 310
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: NOWATA

FEDERAL PROJECT
 CONTRACT ID : 010375
 PCN : 1784304
 PROJECTS : BR0-153D(13)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.85
 RES. ENG.:
 CAL. DAYS: 150

PAGE 23

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER WOLF CREEK, APPROX. 0.2 MILE NORTH AND
 2.4 MILES WEST OF DELAWARE
 PROJ. LGTH.= 0.496 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 6181	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1,000.000	LF
227 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	6,440.000	SY
232(A) 2813	SEEDING METHOD A	1.100	AC
233(A) 2817	VEGETATIVE MULCHING	4.800	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,070.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(D) 0689	18" CORR. GALV. STEEL PIPE	196.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	10.000	EA
SECTION NO. 0002 X081-BRIDGE "A"			
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	66.400	CY
504 6143	(PL)TUBULAR METAL TRAFFIC RAIL	100.000	LF
509(B) 1328	CLASS A CONCRETE	149.200	CY
511(A) 1332	REINFORCING STEEL	15,010.000	LB
623(F) 6032	GUARD RAIL ANCHOR UNIT (TYPE I)	4.000	EA
SECTION NO. 0003 X081-BRIDGE "B"			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	68.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	817.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	387.000	LF
509(A) 1326	CLASS AA CONCRETE	111.920	CY
509(B) 1328	CLASS A CONCRETE	71.500	CY
511(A) 1332	REINFORCING STEEL	30,555.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	175.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	175.000	LF
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	34.800	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1,235.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	320.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF

SECTION NO. 0003

X081-BRIDGE "B"

613(Q)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 320
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: NOWATA

FEDERAL PROJECT
 CONTRACT ID : 010376
 PCN : 1779804C

PAGE 25

PROJECTS : BRF-153C(12)C0/BR0-153D(13)C0
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 8.63
 RES. ENG.:
 CAL. DAYS: 300 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGES AND APPROACHES
 COUNTY BRIDGE OVER CROW HOLLOW CREEK, 4.0 MILES SOUTH AND
 3.0 MILES EAST OF SOUTH COFFEYVILLE AND COUNTY BRIDGE OVER
 WOLF CREEK, APPROX. 0.2 MILE NORTH AND 2.4 MILES WEST OF
 DELAWARE
 PROJ. LGTH.= 0.77 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY BRF-153C(12)C0			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4,535.000	CY
202(C) 0184	UNCLASSIFIED BORROW	4,500.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	4,100.000	LF
230(A) 2806	SOLID SLAB SODDING	9,880.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.100	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,540.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(D) 0690	24" CORR. GALV. STEEL PIPE	52.000	LF
613(D) 0692	36" CORR. GALV. STEEL PIPE	36.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	9.000	SF
SECTION NO. 0002 E000-ROADWAY BR0-153D(13)C0			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 6181	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1,000.000	LF
227 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	6,440.000	SY
232(A) 2813	SEEDING METHOD A	1.100	AC
233(A) 2817	VEGETATIVE MULCHING	4.800	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,070.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(D) 0689	18" CORR. GALV. STEEL PIPE	196.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	10.000	EA
SECTION NO. 0003 X081-BRIDGE 'A' BRF-153C(12)C0			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	40.000	CY

SECTION NO. 0003		X081-BRIDGE 'A' BRF-153C(12)C0		
503(B)	6144	PRESTRESSED CONCRETE DOUBLE TEE	434.000	LF
504(E)	1380	CONCRETE RAIL (TR1)	265.000	LF
509(A)	1326	CLASS AA CONCRETE	78.500	CY
509(B)	1328	CLASS A CONCRETE	62.300	CY
511(A)	1332	REINFORCING STEEL	21,870.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	194.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	194.000	LF
516(A)	6092	DRILLED SHAFTS 36" DIAMETER	48.000	LF
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	2,050.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	440.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004		X081-BRIDGE "A" BR0-153D(13)C0		
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	66.400	CY
504	6143	(PL)TUBULAR METAL TRAFFIC RAIL	100.000	LF
509(B)	1328	CLASS A CONCRETE	149.200	CY
511(A)	1332	REINFORCING STEEL	15,010.000	LB
623(F)	6032	GUARD RAIL ANCHOR UNIT (TYPE I)	4.000	EA
SECTION NO. 0005		X081-BRIDGE "B" BR0-153D(13)C0		
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	68.000	CY
501(D)	6353	UNCLASSIFIED BACKFILL	50.000	CY
503(B)	6144	PRESTRESSED CONCRETE DOUBLE TEE	817.500	LF
504(E)	1380	CONCRETE RAIL (TR1)	387.000	LF
509(A)	1326	CLASS AA CONCRETE	111.920	CY
509(B)	1328	CLASS A CONCRETE	71.500	CY
511(A)	1332	REINFORCING STEEL	30,555.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	175.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	175.000	LF
516(A)	6092	DRILLED SHAFTS 36" DIAMETER	34.800	LF
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	1,235.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	320.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(Q)	6207	6" NON-PERF.PIPES UNDERDRAIN RND.	30.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0006		STAK-STAKING BRF-153C(12)C0/BR0-153D13)C0		
642	0098	STAKING	1.000	LSUM

LNTCIQA
CALL ORDER : 335
LETTING DATE : August 23, 2001
LETTING TIME : 10:30 A.M.
COUNTIES: OKLAHOMA

STATE PROJECT
CONTRACT ID : 010416
PCN : 1934304
PROJECTS : E-SAP-155N(287)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 7.55
RES. ENG.:
CAL. DAYS: 45 LIQ. DAM: \$ 1000

PAGE 27

CONTRACT DESCRIPTION:
BRIDGE REPAIR
63RD STREET BRIDGE OVER US-77 (BROADWAY EXTENSION)
IN OKLAHOMA CITY
PROJ. LGTH.= 0.00 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
----------	-------------	----------	-------

LNTCIQA
 CALL ORDER : 380
 LETTING DATE : August 23, 2001
 LETTING TIME : 10:30 A.M.
 COUNTIES: PUSHMATAHA

FEDERAL PROJECT
 CONTRACT ID : 010382
 PCN : 1775304
 PROJECTS : BR0-164D(23)C0
 DBE/WBE GOALS: 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.85
 RES. ENG.:
 CAL. DAYS: 180

PAGE 28

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER LITTLE RIVER APPROX. 0.5 MILE SOUTH AND
 1.5 MILE EAST OF NASHOBA
 PROJ. LGTH.= 0.439 KM.
 FLEX. ESALS= 0.1 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 M0121	OBLITERATING ABANDONED ROAD	0.300	STA
223 M2802	TEMPORARY SILT FENCE	880.000	M
227 M0100	TEMPORARY SILT DIKE	140.000	M
230(A) M2806	SOLID SLAB SODDING	4,032.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.800	HA
303 M0192	AGGREGATE BASE	506.000	M3
408 M5774	PRIME COAT	2,971.000	L
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		459.000 T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		43.800 M
613(G) M7036	680MM X 500MM GALV.STL.CULV.END SEC.ARCH		8.000 EA
850(A) M8110	SHEET ALUMINUM SIGNS	0.790	M2
851(D) M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	5.500	M
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	50.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	380.520	M
504(C) M6250	SEALED EXPANSION JOINT	9.800	M
504(E) M1380	CONCRETE RAIL (TR1)	214.140	M
506(A) M1322	STRUCTURAL STEEL	2,066.000	KG
509(A) M1326	CLASS AA CONCRETE	171.300	M3
509(B) M1328	CLASS A CONCRETE	90.400	M3
511(A) M1332	REINFORCING STEEL	31,291.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	26.000	M
514(A) M6013	PILES, FURNISHED (HP 310X79)	85.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	26.000	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	85.400	M
516(A) M6095	DRILLED SHAFTS 1350MM DIAMETER	11.200	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	790.000	T

SECTION NO. 0002 X081-BRIDGE 'A'

601A-2 M1355	TYPE I-A FILTER BLANKET	220.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0003 STAK-STAKING

642 M0098	STAKING	1.000	LSUM
-----------	---------	-------	------

LNTCIQA	FEDERAL PROJECT	PAGE 30
CALL ORDER : 410	CONTRACT ID : 010384	
LETTING DATE : August 23, 2001	PCN : 1704104	
LETTING TIME : 10:30 A.M.		
COUNTIES: WAGONER	PROJECTS : STP-73C(38)CO	
	DBE/WBE GOALS: 7.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 8.63	
	RES. ENG.:	
	CAL. DAYS: 210	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE. DRAIN, SURFACE AND BRIDGE
 BEGIN 2.0 MILES SOUTH OF ROGERS COUNTY LINE AND 4.0 MILES
 EAST OF TULSA COUNTY LINE EXTEND NORTH ON MIDWAY ROAD
 PROJ. LGTH.= 3.307 KM.
 FLEX. ESALS=2.4 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	22,454.000	M3
202(C) M0184	UNCLASSIFIED BORROW	31,257.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 M0121	OBLITERATING ABANDONED ROAD	0.100	STA
223 M2802	TEMPORARY SILT FENCE	2,000.000	M
226 M2805	TEMPORARY SEDIMENT REMOVAL	300.000	M3
227 M0100	TEMPORARY SILT DIKE	1,050.000	M
230(A) M2806	SOLID SLAB SODDING	3,653.000	M2
232(B) M2814	SEEDING METHOD B	15.800	HA
233(A) M2817	VEGETATIVE MULCHING	23.700	HA
241 M2832	MOWING	7.900	HA
303 M0192	AGGREGATE BASE	6,275.000	M3
317(A) M4252	(SP)FLY ASH	736.000	T
317(B) M4254	SUBGRADE MODIFICATION	13,452.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3,646.000	T
407 M0250	TACK COAT	13,356.000	L
408 M5774	PRIME COAT	50,569.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	6,451.000	T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	3,388.000	T
501(A) M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	31.000	M3
509(B) M0321	CLASS A CONCRETE	143.200	M3
509(D) M0325	CLASS C CONCRETE	114.000	M3
511(A) M0332	REINFORCING STEEL	12,891.000	KG
601A-1 M0536	TYPE I-A PLAIN RIPRAP	209.000	T
601A-2 M0538	TYPE I-A FILTER BLANKET	52.000	T
613(B) M4423	1300MM X 795MM R.C.PIPE ARCH CLASS A-III	34.800	M
613(CC)M7186	TYPE A4 CULVERT END TREATMENT	40.000	EA

613(CC)M7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) M4527	525MM X 375MM CORR. GALV. ST. PIPE ARCH	263.400	M
613(D) M5224	910MM X 660MM CORR. GALV. ST. PIPE ARCH	15.000	M
613(M) M4540	1300MM X 795MM PREFAB.CULV.END SEC.,ARCH	2.000	EA
613(S) M1180	TRENCH EXCAVATION	271.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	102.000	M3

SECTION NO. 0001 I000-ROADWAY

619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	25.000	M2
619(C)	M0924	SAWING PAVEMENT	24.000	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	9.000	EA
629(B)	M4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C)	M4960	MAILBOX	19.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	19.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
850(A)	M8110	SHEET ALUMINUM SIGNS	15.000	M2
851(D)	M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	113.000	M
855(A)	M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	14,000.000	M
880(J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0002 X028-BRIDGE 'A'

202(A)	M1301	UNCLASSIFIED EXCAVATION	300.000	M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	83.000	M3
509(B)	M1328	CLASS A CONCRETE	328.000	M3
511(A)	M1332	REINFORCING STEEL	34,960.000	KG
601A-1	M1353	TYPE I-A PLAIN RIPRAP	1,330.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	400.000	T
602(A)	M4200	GABIONS	41.000	M3
602(C)	M4205	FILTER FABRIC	80.000	M2
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION NO. 0003 X028-BRIDGE 'B'

202(A)	M1301	UNCLASSIFIED EXCAVATION	189.000	M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	48.000	M3
509(B)	M1328	CLASS A CONCRETE	196.000	M3
511(A)	M1332	REINFORCING STEEL	17,585.000	KG
601A-1	M1353	TYPE I-A PLAIN RIPRAP	124.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	37.000	T
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION NO. 0004 X028-BRIDGE 'C'

202(A)	M1301	UNCLASSIFIED EXCAVATION	176.000	M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	40.000	M3
509(B)	M1328	CLASS A CONCRETE	166.000	M3
511(A)	M1332	REINFORCING STEEL	14,975.000	KG
601A-1	M1353	TYPE I-A PLAIN RIPRAP	500.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	150.000	T

SECTION NO. 0005 STAK-STAKING

642	M0098	STAKING	1.000	LSUM
-----	-------	---------	-------	------