

DATE : October 19, 2001 KLAHOMA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS -- November 15, 2001

LNTCNCA
LETTING

LNTCNCA-D

SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING. FROM 30 MINUTES PRIOR TO THE BID OPENING UNTIL THE TIME OF THE BID OPENING, BID PROPOSALS MUST BE TURNED IN DIRECTLY TO THE ODOT COMMISSION ROOM LOCATED ON THE EAST SIDE OF THE LOBBY. THE SCHEDULED BID OPENING OF 2:00 P.M. November 15, 2001, FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$25.00 + tax FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 + tax, OR 1996 METRIC STANDARD SPECIFICATION \$27.00 + TAX, OR 1999 METRIC AND ENGLISH STANDARD SPECIFICATION \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE FOR BIDDING DOCUMENTS OR SPECIFICATION BOOKS PURCHASED BY PROSPECTIVE BIDDERS.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

CALL ORDER : 040
 LETTING DATE : November 15, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES : CHOCTAW

CONTRACT ID : 010421
 PCN : 1819104
 PROJECTS : BR0-112D(28)C0
 DBE GOALS : 12.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 3.78
 CALENDAR DAYS : 100
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

BRIDGE AND APPROACHES(RCB) COUNTY BRIDGE OVER HORSE CREEK
 TRIBUTARY, 1.3 MILES NORTH OF GOODLAND. PROJ. LGTH.= 0.141
 MILES FLEX ESALS = 0.1 MILLION 64-22 PG OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
227 0100	TEMPORARY SILT DIKE	2,729.000	LF
230(A) 2806	SOLID SLAB SODDING	2,860.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.400	AC
303 0192	AGGREGATE BASE	692.000	CY
408 5774	PRIME COAT	930.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	371.000	TON
509(D) 0325	CLASS C CONCRETE	76.000	CY
613(D) 0693	42" CORR. GALV. STEEL PIPE	96.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	30.000	LF
613(G) 4571	28" X 20" GALV. STEEL CULV. END SEC.ARCH	2.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
SECTION NO. 0002	X028-BRIDGE "A"		
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	45.100	CY
504(F) 1381	CONCRETE PARAPET	55.200	LF
509(B) 1328	CLASS A CONCRETE	143.200	CY
511(A) 1332	REINFORCING STEEL	13,350.000	LB
601(B) 1357	TYPE II SP. PLAIN RIPRAP	110.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	3.000	EA
623(F) 6034	GUARD RAIL ANCHOR UNIT (TYPE III)	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0004	NON-PARTICIPATING		
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	924.000	LF

CALL ORDER : 040
LETTING DATE : November 15, 2001
LETTING TIME : 2:00 P.M.
COUNTIES : CHOCTAW

CONTRACT ID : 010421
PCN : 1819104
PROJECTS : BR0-112D(28)C0
DBE GOALS : 12.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : 3.78
CALENDAR DAYS : 100
RES. ENG.:
LIQ. DAM.: \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0004	NON-PARTICIPATING		
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	922.000	LF

CALL ORDER : 080
LETTING DATE : November 15, 2001
LETTING TIME : 2:00 P.M.
COUNTIES : CUSTER

CONTRACT ID : 010468
PCN : 0927612
PROJECTS : NHY-009N(075)RW
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : 0.00
CALENDAR DAYS : 90
RES. ENG.:
LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
RIGHT-OF-WAY CLEARANCE US-183 FROM I-40B IN CLINTON,
EXTENDING NORTH TO THE WASHITA RIVER PROJ. LGTH. = 2.871
KM

ITEM NO.		DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001		ROWA-RIGHT-OF-WAY CLEARANCE		
643	M0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM
643	M0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION	33.000	EA

CALL ORDER : 120
 LETTING DATE : November 15, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES : JEFFERSON

CONTRACT ID : 010469
 PCN : 1804404
 PROJECTS : BR0-134D(017)CO
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 3.78
 CALENDAR DAYS : 90
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

BRIDGE AND APPROACHES COUNTY BRIDGE OVER BEAVER CREEK,
 APPROXIMATELY 2.0 MILE NORTH AND 3.7 MILE WEST OF JCT.
 US-81/US-70 IN WAURIKA. PROJ. LGTH.= 0.188 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
227 0100	TEMPORARY SILT DIKE	2,483.000	LF
230(A) 2806	SOLID SLAB SODDING	4,154.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.800	AC
303 0192	AGGREGATE BASE	512.000	CY
408 5774	PRIME COAT	1,097.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
SECTION NO. 0002 X081-BRIDGE "A"			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	114.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	283.200	LF
506(A) 1322	STRUCTURAL STEEL	2,020.000	LB
509(A) 1326	CLASS AA CONCRETE	80.900	CY
509(B) 1328	CLASS A CONCRETE	63.800	CY
511(A) 1332	REINFORCING STEEL	26,910.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	200.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	750.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	200.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	750.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	835.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	235.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 0098	STAKING	1.000	LSUM

CALL ORDER : 240
 LETTING DATE : November 15, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES : OKFUSKEE

CONTRACT ID : 010403
 PCN : 1623504
 PROJECTS : BRFY-154C(005)
 DBE GOALS : 11.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 44.77
 CALENDAR DAYS : 330
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

GRADE, DRAIN, SURFACE AND BRIDGE NUYAKA AND YAHOLA CREEKS 4.
 8 MILES NORTH AND 8.2 MILES NORTH OF THE JCT. OF
 US-62/SH-56 ON SH-56 PROJ. LGTH.= 1.600 KM. FLEX. ESALS= 0.
 34 MILLION ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	75,092.000	M3
202(C) M0184	UNCLASSIFIED BORROW	4,500.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	300.000	M
224 M2803	TEMPORARY SEDIMENT FILTER	1.000	EA
226 M2805	TEMPORARY SEDIMENT REMOVAL	25.000	M3
227 M0100	TEMPORARY SILT DIKE	150.000	M
229 M4318	DITCH LINER PROTECTION	265.000	M
230(A) M2806	SOLID SLAB SODDING	44,390.000	M2
230(F) M2812	WATERING	7,991.000	KL
232(B) M2814	SEEDING METHOD B	15.160	HA
233(A) M2817	VEGETATIVE MULCHING	15.160	HA
234(A) M2824	FERTILIZING (10-20-10)	7.000	T
234(A) M4406	FERTILIZING (0-46-0)	2.000	T
241 M2832	MOWING	10.000	HA
307(A) M4233	LIME	756.000	T
307(B) M4235	200MM LIME TREATED SUBGRADE	19,284.000	M2
402 M5205	(PL)ARMOR COAT	97,043.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	712.000	T
407 M0250	TACK COAT	9,312.000	L
408 M5774	PRIME COAT	18,821.000	L
411(A) M5275	(SP)ASPHALT CONCRETE TYPE A(PATCH)(PG)	77.000	T
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	6,680.000	T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,310.000	T
501(A) M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	12.000	M3
509(B) M0321	CLASS A CONCRETE	36.000	M3
509(D) M0325	CLASS C CONCRETE	111.000	M3
511(A) M0332	REINFORCING STEEL	2,931.000	KG
609(D) M0398	BITUMINOUS CURBING	370.000	M
613(D) M0689	450MM CORR. GALV. STEEL PIPE	156.000	M
613(D) M0692	900MM CORR. GALV. STEEL PIPE	14.000	M
613(M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	16.000	EA
613(M) M0900	900MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	120.000	M

CALL ORDER : 240
 LETTING DATE : November 15, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES : OKFUSKEE

CONTRACT ID : 010403
 PCN : 1623504
 PROJECTS : BRFY-154C(005)
 DBE GOALS : 11.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 44.77
 CALENDAR DAYS : 330
 RES. ENG.:
 LIQ. DAM.: \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
613(Q) M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	40.000	M
613(R) M1100	PIPE UNDERDRAIN COVER MAT'L.	30.000	M3
613(S) M1180	TRENCH EXCAVATION	80.000	M3
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	10,076.000	M2
619(B) M4780	REMOVAL OF GUARD RAIL	561.000	M
619(C) M0924	SAWING PAVEMENT	26.000	M
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	172.000	M
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(F) M6032	GUARD RAIL ANCHOR UNIT (TYPE I)	1.000	EA
623(H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	7.000	EA
624(C) M4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,457.000	M
629(A) M4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) M4960	MAILBOX	2.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA
643 M0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION	1.000	EA
653(C) M5946	OUTLET LATERAL HEADWALL	2.000	EA
SECTION NO. 0002	X081-BRIDGE "A"		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F) M6352	GRANULAR BACKFILL	50.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	119.600	M
504(A) M1304	APPROACH SLAB	152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)	84.400	M
506(A) M1322	STRUCTURAL STEEL	400.000	KG
509(A) M1326	CLASS AA CONCRETE	102.900	M3
509(B) M1328	CLASS A CONCRETE	40.400	M3
511(A) M1332	REINFORCING STEEL	3,670.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	11,705.000	KG
514 M6260	(PL)PILOT HOLES	36.600	M
514(A) M6011	PILES, FURNISHED (HP 250X62)	77.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	77.000	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	14.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	322.000	M2
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,460.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	250.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.600	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	8.800	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE "B"		

CALL ORDER : 240
 LETTING DATE : November 15, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES : OKFUSKEE

CONTRACT ID : 010403
 PCN : 1623504
 PROJECTS : BRFY-154C(005)
 DBE GOALS : 11.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 44.77
 CALENDAR DAYS : 330
 RES. ENG.:
 LIQ. DAM.: \$ 500

501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(F) M6352	GRANULAR BACKFILL	40.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	87.600	M
504(A) M1304	APPROACH SLAB	162.200	M2
504(E) M6239	CONCRETE RAIL (TR3)	70.100	M
506(A) M1322	STRUCTURAL STEEL	385.000	KG
509(A) M1326	CLASS AA CONCRETE	88.800	M3
509(B) M1328	CLASS A CONCRETE	38.600	M3
511(A) M1332	REINFORCING STEEL	3,390.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	9,230.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	92.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	92.400	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	14.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	230.000	M2
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,080.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	125.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	26.000	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	8.800	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION NO. 0004 Y000-TRAFFIC ITEMS

854(A) M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	50,682.000	M
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	6,400.000	M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION NO. 0005 STAK-STAKING

642 M0098	STAKING	1.000	LSUM
-----------	---------	-------	------

CALL ORDER : 280
 LETTING DATE : November 15, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES : OTTAWA

CONTRACT ID : 010474
 PCN : 1831504
 PROJECTS : BR0-158D(29) CO
 DBE GOALS : 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 3.78
 CALENDAR DAYS : 140
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

BRIDGE AND APPROACHES COUNTY BRIDGE OVER HUDSON CREEK 3.4
 MILES NORTH AND 0.8 MILES WEST OF FAIRLAND PROJ LGTH= 0.131
 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	300.000	LF
223 2801	TEMPORARY SILT FENCE	1,500.000	LF
230(A) 2806	SOLID SLAB SODDING	3,383.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.325	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	510.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(F) 5100	18" PRECOATED CORR. STEEL PIPE	62.000	LF
613(G) 0760	18" GALV. STEEL CULVERT END SEC. RND.	2.000	EA
SECTION NO. 0002 E000-BRIDGE "A"			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	40.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	440.000	LF
504(E) 1380	CONCRETE RAIL (TR1)	265.000	LF
509(A) 1326	CLASS AA CONCRETE	82.000	CY
509(B) 1328	CLASS A CONCRETE	60.000	CY
511(A) 1332	REINFORCING STEEL	22,466.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	124.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	124.000	LF
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	34.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	399.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	109.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 0098	STAKING	1.000	LSUM

CALL ORDER : 300
 LETTING DATE : November 15, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES : SEMINOLE

CONTRACT ID : 010479
 PCN : 0836104
 PROJECTS : STP-67B(205) UR
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 4.85
 CALENDAR DAYS : 100
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

BRIDGE AND APPROACHES BRIDGE IN SEMINOLE, LOCATED ON
 STROTHERS AVE. OVER MAGNOLIA CREEK, 0.5 MILES WEST OF
 HARVEY ROAD. PROJ. LGTH.= 0.037 MILES ASPH GRADE = 64-22 PG
 OK FLEX ESALS = 1.8 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	340.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
230(A) 2806	SOLID SLAB SODDING	440.000	SY
303 0192	AGGREGATE BASE	131.000	CY
310(B) 0149	SUBGRADE, METHOD B	393.000	SY
407 0250	TACK COAT	63.000	GAL
408 5774	PRIME COAT	170.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	210.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	55.000	TON
609(B) 1523	2'-8" COMB.CRB.& GUT.(4" MNTBLE)	30.000	LF
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	370.000	LF
619(C) 0924	SAWING PAVEMENT	64.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	690.000	LF
SECTION NO. 0002	X031-BRIDGE 'A'		
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	200.000	CY
504(E) 1380	CONCRETE RAIL (TR1)	148.000	LF
509(B) 1328	CLASS A CONCRETE	455.000	CY
511(A) 1332	REINFORCING STEEL	90,086.000	LB
601A-1 0536	TYPE I-A PLAIN RIPRAP	1,100.000	TON
601A-2 0538	TYPE I-A FILTER BLANKET	210.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	200.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F) 6029	GUARD RAIL ANCHOR UNIT (TYPE A)	1.000	EA
623(F) 6030	GUARD RAIL ANCHOR UNIT (TYPE B)	3.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

CALL ORDER : 320
 LETTING DATE : November 15, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES : TULSA

CONTRACT ID : 010405
 PCN : 1914604
 PROJECTS : IMG-244-2(393)001 TR
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 10.25
 CALENDAR DAYS : 45
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 GUARDRAIL BEGIN AT MILE MARKER 1 AND EXTEND EAST TO MILE
 MARKER 4 ON I-244 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 1302	UNCLASSIFIED BORROW	1,500.000	CY
209 0120	MACHINE GRADING	86.580	STA
230(A) 2806	SOLID SLAB SODDING	1,200.000	SY
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	410.800	TON
509(B) 0321	CLASS A CONCRETE	9.890	CY
509(D) 0325	CLASS C CONCRETE	87.960	CY
511(A) 0332	REINFORCING STEEL	4,669.000	LB
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
619(B) 0291	REMOVAL OF HEADWALL	4.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	131.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	6,800.000	LF
619(C) 0924	SAWING PAVEMENT	8,988.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	5,937.500	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	9.000	EA
623(F) 4453	GUARD RAIL ANCHOR UNIT (TYPE GE)	5.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	11.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	14.000	EA
624(D) 4290	FENCE-STYLE CLF (5'HIGH, CLASS A)	165.000	LF
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	110.000	LF
641 1552	MOBILIZATION	1.000	LSUM
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	152.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	278.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 340
 LETTING DATE : November 15, 2001
 LETTING TIME : 2:00 P.M.
 COUNTIES : WASHITA

CONTRACT ID : 010461
 PCN : 1878004
 PROJECTS : CIP-175C(26)IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 8.09
 CALENDAR DAYS : 100
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 EROSION CONTROL EROSION CONTROL ALONG SH-44 IN BURNS FLATS
 PROJ. LGTH.= 0.457 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3,837.000	CY
202(C) 0184	UNCLASSIFIED BORROW	500.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	500.000	LF
223 2801	TEMPORARY SILT FENCE	4,830.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	10.000	EA
230(A) 2806	SOLID SLAB SODDING	7,500.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.500	AC
241 2832	MOWING	3.100	AC
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	15.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	79.400	CY
509(B) 0321	CLASS A CONCRETE	174.600	CY
509(D) 0325	CLASS C CONCRETE	17.250	CY
511(A) 0332	REINFORCING STEEL	42,535.000	LB
601(A-1)0536	TYPE I-A PLAIN RIPRAP	375.000	TON
601(A-2)0538	TYPE I-A FILTER BLANKET	200.000	TON
611(E) 6002	INLET (SMD-TYPE 2)	2.000	EA
613(B) 0491	18" R.C.PIPE CLASS III	12.000	LF
613(B) 0496	48" R.C.PIPE CLASS III	40.000	LF
613(D) 4534	71" X 47" CORR. GALV. STEEL PIPE ARCH	5,500.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	112.500	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	1.000	EA
624(D) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	305.000	LF
SECTION NO. 0002	Y000-TRAFFIC		
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM