

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.6b) AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW ACCEPTS BIDS ON LINE . TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR

<http://www.BIDX.com>



Notice

Electronic bid packages are available for the May 20, 2010 10:30 A.M. Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on April 29, 2010.

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on May 07, 2010. concerning this May 20 Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Print Services Branch off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes prior to the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby.

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

***Any firm bidding a project as a joint venture must complete the
"Request for Joint Venture" form which is posted on the ODOT website.***

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on
ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972

or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words "Pre-bid question(s) and the Call Order and the Let

*Plans for the project on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2009/plans.htm>*

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo/def2005.htm>

Reminder

Please be sure that bid bonds are stapled to the back of the proposal as instructed on the cover sheet of all proposals.

Do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mhenry@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Sealed Proposals sent by Registered Mail will be recieved through the ODOT Print Services Branch until 30 MINUTES PRIOR to the scheduled BID OPENING. From 30 MINUTES PRIOR to the BID OPENING until the Time of the BID OPENING, Bid Proposals must be turned in DIRECTLY to the ODOT COMMISSION Room located on the East side of the Lobby. The Scheduled BID OPENING is 10:30 A.M. May 20, 2010 , for the work listed below.

Each separate Proposal shall be accompanied by a CERTIFIED or CASHIER`S CHECK or BID BOND equal to 5% of the BID mad payable to the STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, as a Proposal Guaranty. Proposal Checks will be held or returned by the DEPARTMENT as per Section 103.04of the State Standard Specifications.

The MINIMUM wage to be paid laborers and mechanics employed on this project shall be included in the Proposal.

Proposals must be prepared as directed by the State Standard Specifications.

Plans, Forms of Proposals, Contracts and Specifications may be examined at the DIVISION Headquarters in the DIVISION the work is to be performed or at the OKLAHOMA DEPARTMENT OF TRANSPORTATION Office Engineer`s Division in Oklahoma City, Oklahoma. This work will be dome under the Oklahoma DEPARTMENT OF TRANSPORTATION Commission`s applicable Specifications for Highway Construction as depicted on the lower left corner of the Plan`s Title Sheet.

Plans and Proposal forms may be ordered from the Office Engineer Division, OKLAHOMA DEPARTMENT OF TRANSPORTATION Building, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105.

Cost of Bidding Documents are \$50.00 + tax for each Bidding Proposal. State Standard Specifications \$55.00 + tax. (Oklahoma tax is 8.375%). Make Checks Payable to OKLAHOMA DEPARTMENT OF TRANSPORTATION.

No Refunds will be made for Bidding Documents or Specification Books purchased.

Upon AWARD of Contract to a successful bidder, The Contract will be completely and correctly executed by the Contractor and returned to the DEPARTMENT within ten (10) WORKING days from the date of AWARD. The DEPARTMENT will have fourteen (14) WORKING days from the date of AWARD to complete its execution of the Contract.

The OKLAHOMA DEPARTMENT OF TRANSPORTATION hereby notifies ALL Bidders that it will AFFIRMATIVELY ensure that in any Contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit Bids in response to this invitation and will not be discriminated against on the grounds of Race, Color, Sex, Religion, National Origin, OR Disability in consideration for an AWARD.

Bidders are hereby notified that ALL Bids are likely to be REJECTED if the lowest RESPONSIVE BID received exceeds the Engineer`s Estimate by more than seven (7) percent. In the event ALL Bids are REJECTED for this reason, this Project may be deferred for readvertising for Bids until a more competitive situation exists.

Description of work and location of Project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100205

CALL ORDER: 015
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ALFALFA
 WOODS

PROJECT(S) :
 STPY-102C(168) 2682604
 STPY-176B(190) 2682704
 STPY-102C(169) 2682904

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$50.93
 180 CALENDAR DAYS
 RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-281/SH-8: US-281 OVER MULE CREEK, AND SH-8 OVER
 WEST CLAY CREEK AND SALT FORK OF THE ARKANSAS RIVER.

SECTION 0001 - ROADWAY - STPY-102C(168)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(D) 0325	CLASS C CONCRETE	11.200	CY
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	700.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - BRIDGE REDECKING - STPY-102C(168)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	143.000	SY
504(C) 6250	SEALED EXPANSION JOINT	132.700	LF
504(E) 6245	CONCRETE RAIL (TR4)	1887.000	LF
506(A) 1322	STRUCTURAL STEEL	14250.000	LB
509(A) 1326	CLASS AA CONCRETE	774.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	203560.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1592.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	369.000	LF
523(B) 6560	(SP) SEALER RESIN	5.000	GAL
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC - STPY-102C(168)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	28.000	SD

SECTION 0004 - STAKING - STPY-102C(168)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION - STPY-102C(168)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100205

SECTION 0006 - ROADWAY - STPY-176B(190)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 0184	UNCLASSIFIED BORROW	140.000	CY
509(D) 0325	CLASS C CONCRETE	9.900	CY
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	200.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0007 - BRIDGE REHABILITATION - STPY-176B(190)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	138.600	SY
504(C) 6250	SEALED EXPANSION JOINT	32.200	LF
504(E) 6245	CONCRETE RAIL (TR4)	262.400	LF
506(A) 1322	STRUCTURAL STEEL	2040.000	LB
509(A) 1326	CLASS AA CONCRETE	74.800	CY
509(B) 1328	CLASS A CONCRETE	20.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	20270.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	278.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	62.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	3.100	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	29.800	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A) REPLACE FIXED SHOES	2.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B) REPAIR BEAM FLANGE	3.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C) REPLACE DIAPHRAGMS	9.000	EA
601(A) 1351	TYPE I PLAIN RIPRAP	310.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0008 - TRAFFIC - STPY-176B(190)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	28.000	SD

SECTION 0009 - STAKING - STPY-176B(190)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0010 - ROADWAY - STPY-102C(169)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 0184	UNCLASSIFIED BORROW	170.000	CY
509(D) 0325	CLASS C CONCRETE	10.700	CY
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	250.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100205

SECTION 0010 - ROADWAY - STPY-102C(169)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 6029	GUARD RAIL ANCHOR UNIT (TYPE A)	1.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	3.000	EA

SECTION 0011 - BRIDGE REHABILITATION - STPY-102C(169)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	231.000	SY
504(C) 6250	SEALED EXPANSION JOINT	40.000	LF
504(E) 6245	CONCRETE RAIL (TR4)	385.600	LF
506(A) 1322	STRUCTURAL STEEL	2250.000	LB
509(A) 1326	CLASS AA CONCRETE	119.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	30070.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	321.800	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	217.800	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	18.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	36.600	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	37.600	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A) REPLACE DIAPHRAGMS	5.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B) REPLACE FIXED SHOES	8.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C) REPAIR BEAM FLANGE	6.000	EA
601(A) 1351	TYPE I PLAIN RIPRAP	340.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0012 - TRAFFIC - STPY-102C(169)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	28.000	SD

SECTION 0013 - STAKING - STPY-102C(169)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100315

CALL ORDER: 030
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ATOKA

PROJECT(S) : PCN
 BRF-103C(108)CO 2586004

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$14.09
 120 CALENDAR DAYS
 RES. ENG.: LARRY PLYMATE, MCALESTER

CONTRACT DESCRIPTION

GRADE, DRAIN, SURFACE AND BRIDGE
 COUNTY ROAD: OVER A TRIBUTARY OF RABBIT CREEK, 1.1 MILES
 NORTH AND 0.3 MILES WEST OF WARDVILLE.
 PROJECT LENGTH = 0.127 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	800.000	LF
227 0100	TEMPORARY SILT DIKE	150.000	LF
230(A) 2806	SOLID SLAB SODDING	1400.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.290	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	735.000	TON
509(D) 0325	CLASS C CONCRETE	5.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	40.000	TON
613(D) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	200.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	35.720	CY
504(E) 1380	CONCRETE RAIL (TR1)	129.000	LF
509(B) 1328	CLASS A CONCRETE	149.810	CY
511(A) 1332	REINFORCING STEEL	25946.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100281

CALL ORDER: 040
LETTING DATE: May 20, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: BEAVER

PROJECT(S) : PCN
SSP-104B(070)SS 2701104

GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
90 CALENDAR DAYS
RES. ENG.: CHARLES MICHAEL, GUYMON

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
US-83: FROM THE US-64W JCT, EXTEND NORTH.
PROJECT LENGTH = 3.0 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	6800.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	9500.000	TON
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	200.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	6400.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	10560.000	LF
417 5267	COLD MILLING PAVEMENT	56600.000	SY
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	79200.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100060

CALL ORDER: 043
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BECKHAM

PROJECT(S) : PCN
 STPY-105A(080)SS 2080004
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$131.13
 120 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 WIDEN AND RESURFACE (ASPHALT)
 I-40B: FROM 0.25 MILES WEST OF PIONEER STREET IN ELK CITY,
 EXTEND EAST.
 PROJECT LENGTH = 1.809 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	100.000	STA
223 2801	TEMPORARY SILT FENCE	500.000	LF
230(A) 2806	SOLID SLAB SODDING	4000.000	SY
243 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	110.000	EA
327(A) 4200	(SP)FLY ASH	357.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	5500.000	SY
407 0250	TACK COAT	11308.000	GAL
408 5774	PRIME COAT	1843.000	GAL
411(S3) 5935	(SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	8930.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	9913.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	7826.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2003.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	63989.000	SY
509(B) 0321	CLASS A CONCRETE	50.000	CY
509(D) 0325	CLASS C CONCRETE	75.000	CY
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	19778.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	4318.000	SY
610(B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	3150.000	SY
610(B) 0400	8" CONCRETE DRIVEWAY (H.E.S.)	1321.000	SY
610(I) 4610	(PL)TACTILE WARNING DEVICE-NEW	1174.000	SF
611(E) 5101	INLET CICI DES. 1 (A)	2.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	3.000	EA
611(E) 5113	INLET CICI DES. 2 (B)	4.000	EA
611(E) 5115	INLET CICI DES. 2 (D)	1.000	EA
611(E) 5117	INLET CICI DES. 2 (2B)	1.000	EA
611(E) 5970	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2	3.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	84.000	EA
611(K) 4488	CAST IRON CURB INLETS	82.000	EA
612(A) 0641	MANHOLES ADJUST TO GRADE	9.000	EA
612(E) 0645	INLETS ADJUST TO GRADE	22.000	EA
612(U) 0710	JUNCTION BOX ADJUST TO GRADE	9.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100060

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 0491	18" R.C.PIPES CLASS III	138.000	LF
613(B) 0492	24" R.C.PIPES CLASS III	68.000	LF
613(B) 0494	36" R.C.PIPES CLASS III	2.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	3622.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	814.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	14.000	EA
619(B) 4791	REMOVAL OF CURB	19327.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	3770.000	SY

SECTION 0002 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	271.000	SF
851(C) 8324	2" SQUARE TUBE POST	648.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	34265.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	570.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	101.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	17.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	39.000	EA

SECTION 0003 - LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	2769.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	8044.000	LF
803 8065	PULL BOX(SIZE I)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	31.900	CY
804(B) 2916	REINFORCING STEEL	1837.000	LB
806(C) 8924	40' MTG & 10' HLMA(G.STL.)	55.000	EA
807 8092	BREAKAWAY BASE (DES. B)	55.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	55.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	35681.000	LF
811 8046	1/C NO.12 ELECT.COND.	4950.000	LF
890(A) 8712	(PL)REMOVAL OF LIGHT POLE	55.000	EA

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	77460.000	LF
856(B) 8842	CONSTRUCTION TRAFFIC STR.(PAINT)(ARROWS)	40.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	80100.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	450.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2040.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	23820.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6030.000	SD
880(C) 8842	BARRICADES(TYPE III)	17910.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100060

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8848	WING BARRICADES	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	41850.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	45180.000	SD
880(F) 8878	DRUMS	45180.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0005 - TRAFFIC SIGNAL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	130.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	335.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	50.000	LF
803 8065	PULL BOX(SIZE I)	3.000	EA
803 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	12.000	CY
804(B) 2916	REINFORCING STEEL	1827.000	LB
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8314	32'MH POLE 50'TS & 10'LMA(G.STL.)	1.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	4.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	1804.000	LF
825 8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	2.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	2.000	EA
833 3030	BACKPLATE	12.000	EA
834(A) 8207	5/C TRAF.SIG.EL.CABLE	531.000	LF
834(A) 8208	7/C TRAF.SIG.EL.CABLE	142.000	LF
834(A) 8213	21/C TRAF.SIG.EL.CABLE	787.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	55.500	SF
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM
890 7706	(PL)TRAFFIC ITEMS(SIGNALS)	1.000	LSUM
890(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION 0007 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100060

SECTION 0008 - SANITARY SEWER - NON PARTICIPATING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
612(A) 0641	MANHOLES ADJUST TO GRADE	22.000	EA

SECTION 0009 - WATER LINE - NON PARTICIPATING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	996.000	TON
612(G) 0647	VALVE BOXES ADJUST TO GRADE	7.000	EA
612(H) 0648	METER BOXES ADJUST TO GRADE	48.000	EA
616 0130	4" WATER LINE CONNECTION	4.000	EA
616(A) 5120	4" DUCTILE IRON PIPE	125.000	LF
616(A) 5121	6" DUCTILE IRON PIPE	50.000	LF
616(A) 5122	8" DUCTILE IRON PIPE	3360.000	LF
616(C) 0869	1" COPPER WATER SERVICE PIPE	1288.000	LF
616(C) 0872	2" COPPER WATER SERVICE PIPE	240.000	LF
616(D) 1060	4" GATE VALVE	4.000	EA
616(D) 1070	6" GATE VALVE	1.000	EA
616(D) 1080	8" GATE VALVE	9.000	EA
616(D) 7022	10" X 10" TAPPING SLEEVE & VALVE	1.000	EA
616(G) 1192	FIRE HYDRANTS	8.000	EA
616(I) 5260	(PL)14" STEEL CASING	590.000	LF
616(J) 0025	8" X 8" X 4" TEE	4.000	EA
616(J) 0026	8" X 8" X 6" TEE	8.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	598.000	SY
619(C) 0924	SAWING PAVEMENT	2692.000	LF

SECTION 0010 - AT&T LINE - NON PARTICIPATING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
612(A) 0641	MANHOLES ADJUST TO GRADE	7.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100061

CALL ORDER: 046
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BECKHAM

PROJECT(S) : PCN
 IMY-0040-1(094)000SS 2623904
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$35.76
 70 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON
 TIME 'B' BID : \$6,000 / DAY

CONTRACT DESCRIPTION
 PAVEMENT REHABILITATION (ASPHALT)
 I-40: FROM THE OKLAHOMA STATE LINE, EXTEND EAST.
 PROJECT LENGTH = 3.499 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	20.000	STA
223 2801	TEMPORARY SILT FENCE	2000.000	LF
227 0100	TEMPORARY SILT DIKE	196.000	LF
241 2832	MOWING	120.490	AC
406 5200	(SP)PERMEABLE FRICTION COURSE	7028.000	TON
407 0250	TACK COAT	4619.000	GAL
408 5774	PRIME COAT	227.000	GAL
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	12935.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	6585.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	73498.000	LF
417 5267	COLD MILLING PAVEMENT	151366.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	1575.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1325.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	300.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	565.000	SY
504 6179	(PL)BRIDGE TRAFFIC RAIL	255.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	80.000	LF
505 6139	(PL)MEMBRANE	575.000	SY
505(B) 6019	CLASS B BRIDGE DECK REPAIR	35.000	SY
509(D) 1331	CLASS C CONCRETE	5.000	CY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	565.000	SY
504 6179	(PL)BRIDGE TRAFFIC RAIL	255.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	80.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100061

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
505 6139	(PL)MEMBRANE	575.000	SY
505(B) 6019	CLASS B BRIDGE DECK REPAIR	35.000	SY
509(D) 1331	CLASS C CONCRETE	5.000	CY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0004 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
853 9024	DELINEATORS(TYPE 1, CODE 1)	38.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	73884.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	7140.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	2274.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	72.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	131000.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	5000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	66000.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	400.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	28000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	9400.000	SD
880(C) 8842	BARRICADES(TYPE III)	5200.000	SD
880(C) 8848	WING BARRICADES	800.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	12400.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	28000.000	SD
880(F) 8878	DRUMS	28000.000	SD
880(G) 8890	CHANNELIZER CONES	123800.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	400.000	SD

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100318

CALL ORDER: 070
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CARTER

PROJECT(S) : PCN
 BRF-110C(196)CO 2437004
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 90 CALENDAR DAYS
 RES. ENG.: MARK ZISHKA, ARDMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-180): OVER A TRIBUTARY TO CADDO CREEK,
 3.0 MI SOUTH AND 1.6 MI WEST OF THE SH-7/SH-76 JUNCTION.
 PROJECT LENGTH = 0.179 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1600.000	LF
227 0100	TEMPORARY SILT DIKE	360.000	LF
230(A) 2806	SOLID SLAB SODDING	7200.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.300	AC
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	656.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	330.000	TON
509(D) 0325	CLASS C CONCRETE	76.000	CY
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	90.000	LF
613(M) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	6.000	EA
619(C) 0924	SAWING PAVEMENT	44.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	112.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	256.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	195.170	LF
506(A) 1322	STRUCTURAL STEEL	1880.000	LB
509(A) 1326	CLASS AA CONCRETE	62.100	CY
509(B) 1328	CLASS A CONCRETE	66.000	CY
511(A) 1332	REINFORCING STEEL	24840.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	120.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	306.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	120.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	306.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	720.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	172.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100318****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100319

CALL ORDER: 080
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CHOCTAW

PROJECT(S) : PCN
 BRO-112D(065)CO 2290104
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$14.09
 120 CALENDAR DAYS
 RES. ENG.: BRENT FRANK, ANTLERS

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-419): OVER UNNAMED CREEK, 2.0 MILES SOUTH OF
 THE US-70/US-271 JUNCTION.
 PROJECT LENGTH = 0.207 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3914.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1555.000	LF
227 0100	TEMPORARY SILT DIKE	276.000	LF
230(A) 2806	SOLID SLAB SODDING	4676.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.200	AC
303 0192	AGGREGATE BASE	856.000	CY
408 5774	PRIME COAT	1672.000	GAL
509(D) 0325	CLASS C CONCRETE	50.000	CY
613(B) 0491	18" R.C.PIPES CLASS III	26.000	LF
613(B) 0493	30" R.C.PIPES CLASS III	38.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	112.000	LF
613(G) 4571	28" X 20" GALV. STEEL CULV. END SEC. ARCH	6.000	EA
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	28.430	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	73.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	62.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	67.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	158.000	LF
504(E) 1380	CONCRETE RAIL (TR1)	130.000	LF
509(A) 1326	CLASS AA CONCRETE	29.600	CY
509(B) 1328	CLASS A CONCRETE	37.300	CY
511(A) 1332	REINFORCING STEEL	9010.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	349.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	349.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100319

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A-1)1353	TYPE I-A PLAIN RIPRAP	510.000	TON
601(E) 6312	FILTER FABRIC (RIPRAP)	510.000	SY
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623 8572	(PL)CURVED APPROACH GUARD RAIL	1.000	EA
623(F) 6030	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(F) 6034	GUARD RAIL ANCHOR UNIT (TYPE III)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0005 - NON-PARTICIPATING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	1718.000	LF
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	580.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100284

CALL ORDER: 090
LETTING DATE: May 20, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: CIMARRON

PROJECT(S) : PCN
SSP-113C(079)SS 2701304

GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
50 CALENDAR DAYS
RES. ENG.: CHARLES MICHAEL, GUYMON

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
SH-171: FROM 6.0 MI NORTH OF THE US-287 JCT, EXTEND NORTH.
PROJECT LENGTH = 5.6 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(G) 0185	EARTHWORK	1.000	LSUM
407 0250	TACK COAT	8700.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	14800.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100320

CALL ORDER: 100
LETTING DATE: May 20, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: CLEVELAND

PROJECT(S) : PCN
SAP-114D(271) 2748104

GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
20 CALENDAR DAYS
RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
PARK ROADS: MULTIPLE LOCATIONS AT LAKE THUNDERBIRD STATE
PARK.
PROJECT LENGTH = 1.0 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
303 5912	AGGREGATE BASE	865.000	TON
310(B) 0149	SUBGRADE, METHOD B	1080.000	SY
407 0250	TACK COAT	610.000	GAL
408 5774	PRIME COAT	390.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2100.000	TON
411(S4) 6310	(SP)ASPH.CONC.,TYPE S4(PATCH)(PG64-22OK)	280.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	7000.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100322

CALL ORDER: 120
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CRAIG

PROJECT(S) : PCN
 BRF-118C(075)CO 2392204

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$19.51
 150 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-015/NS-433): OVER THE W FORK OF BIG CABIN
 CREEK 0.2 MI NORTH AND 3.8 MI EAST OF THE CITY OF CENTRALIA.
 PROJECT LENGTH = 0.491 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	9223.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2630.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3460.000	LF
227 0100	TEMPORARY SILT DIKE	303.000	LF
230(A) 2806	SOLID SLAB SODDING	10304.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.000	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1709.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	98.000	CY
509(B) 0321	CLASS A CONCRETE	116.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	18489.000	LB
613(B) 0492	24" R.C.PIPES CLASS III	100.000	LF
613(B) 0493	30" R.C.PIPES CLASS III	28.000	LF
613(B) 0494	36" R.C.PIPES CLASS III	42.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	28.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	40.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	102.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1030.000	LF
504(A) 1304	APPROACH SLAB	115.000	SY
504(C) 6250	SEALED EXPANSION JOINT	33.000	LF
504(E) 6239	CONCRETE RAIL (TR3)	585.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100322

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	5120.000	LB
509(A) 1326	CLASS AA CONCRETE	264.000	CY
509(B) 1328	CLASS A CONCRETE	117.000	CY
511(A) 1332	REINFORCING STEEL	75232.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	276.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	276.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	74.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	5292.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	1578.000	TON
601(E) 6312	FILTER FABRIC (RIPRAP)	6001.000	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	70.000	LF
613(Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	20.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	192.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100359

CALL ORDER: 130
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CUSTER

PROJECT(S) : PCN
 BRFY-120C(086) 2080404

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$67.19
 180 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-54: OVER DEER CREEK 8.2 MILE NORTH OF I-40 JCT.
 PROJECT LENGTH = 0.735 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	26734.000	CY
202(C) 0184	UNCLASSIFIED BORROW	9857.250	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	38.790	STA
223 2801	TEMPORARY SILT FENCE	3600.000	LF
227 0100	TEMPORARY SILT DIKE	594.000	LF
230(A) 2806	SOLID SLAB SODDING	34000.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.600	AC
235(C) 0102	(PL)ROCK FILTER DAM, TYPE 3	48.000	CY
235(D) 0103	(PL)ROCK FILTER DAM, TYPE 4	42.000	CY
241 2832	MOWING	17.200	AC
327(A) 4200	(SP)FLY ASH	506.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	20563.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	186.200	TON
407 0250	TACK COAT	2670.500	GAL
408 5774	PRIME COAT	4112.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	1613.400	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	7588.100	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	1075.600	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1107.100	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	20.000	CY
509(B) 0321	CLASS A CONCRETE	80.000	CY
509(D) 0325	CLASS C CONCRETE	230.000	CY
511(A) 0332	REINFORCING STEEL	7345.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	92.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	32.000	TON
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100359

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(CC) 7191	TYPE AA4 CULVERT END TREATMENT	2.000	EA
613(CC) 7192	TYPE BB4 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	148.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	174.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	61.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	565.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	500.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	7923.000	LF

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	180.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	997.000	LF
504(A) 1304	APPROACH SLAB	225.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	597.000	LF
506(A) 1322	STRUCTURAL STEEL	3150.000	LB
509(A) 1326	CLASS AA CONCRETE	339.000	CY
509(B) 1328	CLASS A CONCRETE	152.000	CY
509(D) 1331	CLASS C CONCRETE	30.000	CY
511(A) 1332	REINFORCING STEEL	1262.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	102144.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	825.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	825.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	17.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1108.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	140.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	(SP) SEALER RESIN	1.800	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	563.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	432.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	77.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100359

SECTION 0003 - TRAFFIC

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	3884.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	3884.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	115.000	SF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	150.000	LF
855(A) 8820	(PL)4" RECESSED THERMOPLASTIC STRIPING	15600.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	17800.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	890.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	2500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5040.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2520.000	SD
880(C) 8842	BARRICADES(TYPE III)	2520.000	SD
880(C) 8848	WING BARRICADES	420.000	SD
880(D) 8854	VERTICAL PANELS	15000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6510.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	3150.000	SD
880(F) 8878	DRUMS	3150.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	210.000	SD
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA

SECTION 0004 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100360

CALL ORDER: 131
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CUSTER

PROJECT(S) : PCN
 BRFY-120C(089) 2080504

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$47.69
 150 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-54: OVER HORSE CREEK 6.8 MI NORTH OF I-40 JCT.
 PROJECT LENGTH = 0.327 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	22572.000	CY
202(C) 0184	UNCLASSIFIED BORROW	31628.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	29.700	STA
223 2801	TEMPORARY SILT FENCE	3600.000	LF
227 0100	TEMPORARY SILT DIKE	594.000	LF
230(A) 2806	SOLID SLAB SODDING	24000.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.000	AC
235(A) 0100	(PL)ROCK FILTER DAM, TYPE 1	90.000	CY
241 2832	MOWING	10.000	AC
327(A) 4200	(SP)FLY ASH	202.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	8676.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	95.000	TON
407 0250	TACK COAT	1912.000	GAL
408 5774	PRIME COAT	4197.240	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	643.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	5964.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	429.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1450.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	7.000	CY
509(B) 0321	CLASS A CONCRETE	38.000	CY
509(D) 0325	CLASS C CONCRETE	345.000	CY
511(A) 0332	REINFORCING STEEL	4955.000	LB
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) 0691	30" CORR. GALV. STEEL PIPE	57.000	LF
613(D) 4761	120" CORR. GALV. STEEL PIPE	290.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6350.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	565.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	800.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100360

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	3526.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	180.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	997.000	LF
504(A) 1304	APPROACH SLAB	225.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	597.000	LF
506(A) 1322	STRUCTURAL STEEL	3150.000	LB
509(A) 1326	CLASS AA CONCRETE	339.000	CY
509(B) 1328	CLASS A CONCRETE	160.000	CY
509(D) 1331	CLASS C CONCRETE	30.000	CY
511(A) 1332	REINFORCING STEEL	1531.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	106371.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	822.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	822.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	17.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1108.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	134.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	(SP) SEALER RESIN	1.800	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	490.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	376.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	115.000	SF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	150.000	LF
855(A) 8820	(PL)4" RECESSED THERMOPLASTIC STRIPING	11600.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	12000.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	600.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	5600.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5100.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5040.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100360

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2520.000	SD
880(C) 8842	BARRICADES(TYPE III)	2520.000	SD
880(C) 8848	WING BARRICADES	420.000	SD
880(D) 8854	VERTICAL PANELS	15000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6510.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	5460.000	SD
880(F) 8878	DRUMS	5460.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	210.000	SD
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100361

CALL ORDER: 132
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CUSTER

PROJECT(S) :
 BRFY-120C(086) 2080404
 BRFY-120C(089) 2080504

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$114.88
 300 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-54: OVER DEER CREEK AND HORSE CREEK, 8.2 MILES AND 6.8
 MILES NORTH OF THE I-40 JUNCTION.
 PROJECT LENGTH = 1.062 MILES

SECTION 0001 - ROADWAY - BRFY-120C(086)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	26734.000	CY
202(C) 0184	UNCLASSIFIED BORROW	9857.250	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	38.790	STA
223 2801	TEMPORARY SILT FENCE	3600.000	LF
227 0100	TEMPORARY SILT DIKE	594.000	LF
230(A) 2806	SOLID SLAB SODDING	34000.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.600	AC
235(C) 0102	(PL)ROCK FILTER DAM, TYPE 3	48.000	CY
235(D) 0103	(PL)ROCK FILTER DAM, TYPE 4	42.000	CY
241 2832	MOWING	17.200	AC
327(A) 4200	(SP)FLY ASH	506.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	20563.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	186.200	TON
407 0250	TACK COAT	2670.500	GAL
408 5774	PRIME COAT	4112.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	1613.400	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	7588.100	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	1075.600	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1107.100	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	20.000	CY
509(B) 0321	CLASS A CONCRETE	80.000	CY
509(D) 0325	CLASS C CONCRETE	230.000	CY
511(A) 0332	REINFORCING STEEL	7345.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	92.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	32.000	TON
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100361

SECTION 0001 - ROADWAY - BRFY-120C(086)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(CC) 7191	TYPE AA4 CULVERT END TREATMENT	2.000	EA
613(CC) 7192	TYPE BB4 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	148.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	174.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	61.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	565.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	500.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	7923.000	LF

SECTION 0002 - BRIDGE 'B' - BRFY-120C(086)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	180.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	997.000	LF
504(A) 1304	APPROACH SLAB	225.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	597.000	LF
506(A) 1322	STRUCTURAL STEEL	3150.000	LB
509(A) 1326	CLASS AA CONCRETE	339.000	CY
509(B) 1328	CLASS A CONCRETE	152.000	CY
509(D) 1331	CLASS C CONCRETE	30.000	CY
511(A) 1332	REINFORCING STEEL	1262.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	102144.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	825.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	825.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	17.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1108.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	140.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	(SP) SEALER RESIN	1.800	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	563.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	432.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	77.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100361

SECTION 0002 - BRIDGE 'B' - BRFY-120C(086)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC - BRFY-120C(086)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	3884.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	3884.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	115.000	SF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	150.000	LF
855(A) 8820	(PL)4" RECESSED THERMOPLASTIC STRIPING	15600.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	17800.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	890.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	2500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5040.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2520.000	SD
880(C) 8842	BARRICADES(TYPE III)	2520.000	SD
880(C) 8848	WING BARRICADES	420.000	SD
880(D) 8854	VERTICAL PANELS	15000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6510.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	3150.000	SD
880(F) 8878	DRUMS	3150.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	210.000	SD
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA

SECTION 0004 - STAKING - BRFY-120C(086)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION - BRFY-120C(086)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0006 - ROADWAY - BRFY-120C(089)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	22572.000	CY
202(C) 0184	UNCLASSIFIED BORROW	31628.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	29.700	STA
223 2801	TEMPORARY SILT FENCE	3600.000	LF
227 0100	TEMPORARY SILT DIKE	594.000	LF
230(A) 2806	SOLID SLAB SODDING	24000.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100361

SECTION 0006 - ROADWAY - BRFY-120C(089)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
233(A) 2817	VEGETATIVE MULCHING	5.000	AC
235(A) 0100	(PL)ROCK FILTER DAM, TYPE 1	90.000	CY
241 2832	MOWING	10.000	AC
327(A) 4200	(SP)FLY ASH	202.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	8676.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	95.000	TON
407 0250	TACK COAT	1912.000	GAL
408 5774	PRIME COAT	4197.240	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	643.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	5964.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	429.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1450.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	7.000	CY
509(B) 0321	CLASS A CONCRETE	38.000	CY
509(D) 0325	CLASS C CONCRETE	345.000	CY
511(A) 0332	REINFORCING STEEL	4955.000	LB
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) 0691	30" CORR. GALV. STEEL PIPE	57.000	LF
613(D) 4761	120" CORR. GALV. STEEL PIPE	290.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6350.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	565.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	800.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	3526.000	LF

SECTION 0007 - BRIDGE 'A' - BRFY-120C(089)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	180.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	997.000	LF
504(A) 1304	APPROACH SLAB	225.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	597.000	LF
506(A) 1322	STRUCTURAL STEEL	3150.000	LB
509(A) 1326	CLASS AA CONCRETE	339.000	CY
509(B) 1328	CLASS A CONCRETE	160.000	CY
509(D) 1331	CLASS C CONCRETE	30.000	CY
511(A) 1332	REINFORCING STEEL	1531.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	106371.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	822.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	822.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100361

SECTION 0007 - BRIDGE 'A' - BRFY-120C(089)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(F) 6354	PILE LOAD TEST (DYNAMIC)	17.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1108.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	134.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	(SP) SEALER RESIN	1.800	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	490.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	376.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0008 - TRAFFIC - BRFY-120C(089)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	115.000	SF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	150.000	LF
855(A) 8820	(PL)4" RECESSED THERMOPLASTIC STRIPING	11600.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	12000.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	600.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	5600.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5100.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5040.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2520.000	SD
880(C) 8842	BARRICADES(TYPE III)	2520.000	SD
880(C) 8848	WING BARRICADES	420.000	SD
880(D) 8854	VERTICAL PANELS	15000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6510.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	5460.000	SD
880(F) 8878	DRUMS	5460.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	210.000	SD
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100352

CALL ORDER: 140
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: DELAWARE

PROJECT(S) : PCN
 BRF-121C(121)CO 2590004

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 180 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-470): OVER HOG CREEK, 4.3 MILES SOUTH
 OF THE SH-20/SH-43 JUNCTION.
 PROJECT LENGTH = 0.403 MILE

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	7655.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	460.000	LF
227 0100	TEMPORARY SILT DIKE	396.000	LF
230(A) 2806	SOLID SLAB SODDING	6532.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.100	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1752.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	107.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	45.000	CY
508(B) 1022	(SP)PRECAST RCB 6' X 6'	112.000	LF
509(B) 0321	CLASS A CONCRETE	38.000	CY
511(A) 0332	REINFORCING STEEL	3890.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	115.000	TON
613(D) 0689	18" CORR. GALV. STEEL PIPE	164.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	10.000	EA
613(T) 1181	STANDARD BEDDING MATERIAL	62.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	78.100	LF
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	8.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	10.400	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	24.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303 0192	AGGREGATE BASE	25.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	425.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	133.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100352

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(D) 6353	UNCLASSIFIED BACKFILL	61.000	CY
508 7100	(PL)PRECAST RCB	32.500	LF
509(A) 1326	CLASS AA CONCRETE	52.000	CY
509(B) 1328	CLASS A CONCRETE	75.000	CY
511(A) 1332	REINFORCING STEEL	10511.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	617.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	103.000	TON

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100353

CALL ORDER: 160
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARVIN

PROJECT(S) : PCN
 BRF-125C(123)CI 2252804
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$16.26
 150 CALENDAR DAYS
 RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-149): OVER CRINER CREEK, 5.25 MILES WEST OF
 THE SH-74 JCT.
 PROJECT LENGTH = 0.235 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1858.000	LF
227 0100	TEMPORARY SILT DIKE	250.000	LF
230(A) 2806	SOLID SLAB SODDING	7023.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.450	AC
327(A) 4200	(SP)FLY ASH	103.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	2529.000	SY
407 0250	TACK COAT	134.000	GAL
408 5774	PRIME COAT	420.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	646.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	312.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	126.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1027.000	SY
619(C) 0924	SAWING PAVEMENT	44.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	5000.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	114.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1028.500	LF
504(C) 6250	SEALED EXPANSION JOINT	33.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	593.170	LF
506(A) 1322	STRUCTURAL STEEL	5570.000	LB
509(A) 1326	CLASS AA CONCRETE	197.880	CY
509(B) 1328	CLASS A CONCRETE	98.400	CY
511(A) 1332	REINFORCING STEEL	57040.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100353

SECTION 0002 - BRIDGE 'A'

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
514(A) 6010	PILES, FURNISHED (HP 10X42)	1460.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1460.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	362.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1900.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	425.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100323

CALL ORDER: 170
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARVIN

PROJECT(S) : PCN
 HSIPG-125N(182)TR 2732704
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 90 CALENDAR DAYS
 RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION

LIGHTING
 I-35: AT REST AREA 3.0 MILES NORTH OF THE SH-7 JUNCTION.

SECTION 0001 - HIGHWAY LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	250.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	8930.000	LF
803 8065	PULL BOX(SIZE I)	14.000	EA
804(A) 2915	STRUCTURAL CONCRETE	39.420	CY
804(B) 2916	REINFORCING STEEL	2271.200	LB
806(D) 8987	15' MTG.HT.HL.PTP.(G.STL.)	31.000	EA
806(D) 8997	38' MTG.HT.HL.PTP.(G.STL.)	37.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	37.000	EA
809(C) 8399	POST TOP LUMINAIRE	31.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8038	1/C NO.4 ELECT.COND.	29469.000	LF
811 8046	1/C NO.12 ELECT.COND.	6809.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8712	(PL)REMOVAL OF LIGHT POLE	67.000	EA

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100264

CALL ORDER: 175
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRADY

PROJECT(S) : PCN
 BRFY-126C(085) 2096104

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$71.53
 180 CALENDAR DAYS
 RES. ENG.: REESE KNIGHT, ANADARKO

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 SH-37: OVER BUGGY CREEK 6.5 MILES WEST OF US-81 JCT.
 PROJECT LENGTH = 0.766 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	10064.000	CY
202(C) 0184	UNCLASSIFIED BORROW	63204.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3715.000	LF
225 2804	TEMPORARY SEDIMENT BASIN	2.000	EA
227 0100	TEMPORARY SILT DIKE	182.000	LF
229 4318	DITCH LINER PROTECTION	1613.000	LF
230(A) 2806	SOLID SLAB SODDING	64909.000	SY
232(B) 2814	SEEDING METHOD B	14.000	AC
233(A) 2817	VEGETATIVE MULCHING	14.000	AC
235(A) 0100	(PL)ROCK FILTER DAM, TYPE 1	60.000	CY
238 0300	(PL)TEMPORARY SEDIMENT TRAP	2.000	EA
241 2832	MOWING	87.000	AC
327(A) 4200	(SP)FLY ASH	1012.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	18725.000	SY
327(F) 4250	(SP)CEMENTITIOUS MODIFIED SUBGRADE	7029.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	149.000	TON
407 0250	TACK COAT	2145.000	GAL
408 5774	PRIME COAT	5742.000	GAL
411(S2) 5930	(SP)ASPH.CONC.,TYPE S2(PG 64-22 OK)	3840.000	TON
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	2838.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1711.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	1873.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1054.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	83.000	CY
509(A) 0319	CLASS AA CONCRETE	390.000	CY
509(D) 0325	CLASS C CONCRETE	278.000	CY
511(A) 0332	REINFORCING STEEL	63212.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	320.000	TON
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100264

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(CC) 7195	TYPE EE4 CULVERT END TREATMENT	1.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	4.000	EA
613(CC) 7205	TYPE EE6 CULVERT END TREATMENT	1.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	130.000	LF
613(D) 0694	48" CORR. GALV. STEEL PIPE	256.000	LF
619(B) 0291	REMOVAL OF HEADWALL	3.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	17647.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	825.000	LF
619(C) 0924	SAWING PAVEMENT	6880.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	550.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	1766.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	290.000	CY
501(G) 6309	CLSM BACKFILL	244.800	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1196.000	LF
504(A) 1304	APPROACH SLAB	490.000	SY
504(C) 6250	SEALED EXPANSION JOINT	57.950	LF
504(E) 6245	CONCRETE RAIL (TR4)	818.400	LF
506(A) 1322	STRUCTURAL STEEL	1830.000	LB
509(A) 1326	CLASS AA CONCRETE	355.400	CY
509(B) 1328	CLASS A CONCRETE	257.800	CY
509(D) 1331	CLASS C CONCRETE	25.000	CY
511(A) 1332	REINFORCING STEEL	680.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	130820.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	620.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1342.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	620.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1342.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1541.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	312.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	55.500	LF
523(B) 6560	(SP) SEALER RESIN	0.600	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100264

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	3850.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	800.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	120.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	90.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	20200.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	4500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6300.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6480.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6480.000	SD
880(C) 8842	BARRICADES(TYPE III)	3240.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(D) 8854	VERTICAL PANELS	29160.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7200.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	36360.000	SD
880(F) 8878	DRUMS	10800.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0004 - SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	18.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	60.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	20168.000	LF

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100173

CALL ORDER: 185
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRADY

PROJECT(S) : PCN
 SSP-126N(174)SS 2622504
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$48.77
 100 CALENDAR DAYS
 RES. ENG.: REESE KNIGHT, ANADARKO

CONTRACT DESCRIPTION

PAVEMENT REHABILITATION (P C PAVEMENT)
 US-81: FROM 2.0 MILES SOUTH OF THE SH-19 JCT, EXTEND NORTH.
 PROJECT LENGTH = 1.967 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION (R-10)	15475.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL (H-11)	1.000	LSUM
223 2801	TEMPORARY SILT FENCE (R-7)	510.000	LF
224 2803	TEMPORARY SEDIMENT FILTER (R-7)(R-8)	8.000	EA
227 0100	TEMPORARY SILT DIKE (R-7)	1024.000	LF
230(A) 2806	SOLID SLAB SODDING (H-12)(H-14)	32273.000	SY
233(A) 2817	VEGETATIVE MULCHING (H-13)	7.000	AC
241 2832	MOWING (H-15)	62.000	AC
303 0192	AGGREGATE BASE (F-70)	149.000	CY
325 5271	SEPARATOR FABRIC	1249.000	SY
327(A) 4200	(SP)FLY ASH	3255.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE (F-70)(R-11)	60275.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E (F-7)	316.000	TON
407 0250	TACK COAT (F-25)	262.000	GAL
408 5774	PRIME COAT (F-55)(F-70)	13603.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK) (R-16)	9385.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK) (F-66)	265.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK) (F-66)	411.000	TON
414(A) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY) (R-5)	3960.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	9589.000	SY
414(H) 5250	(SP)P.C.C. PAVEMENT(PLACEMENT ONLY)	31290.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT (R-5)	9240.000	CY
415(H) 4300	SLOT-STITCHING CONCRETE PAVEMENT	1060.000	EA
417 4267	COLD MILLING BITUMINOUS PAVEMENT (R-6)(R-11)	39198.000	SY
419 4152	CONCRETE JOINT REHABILITATION (R-4)	33388.000	LF
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT (R-1)(R-3)	55406.000	SY
436 0100	DOWEL BAR RETROFIT (R-2)	16696.000	EA
509(A) 1326	CLASS AA CONCRETE	24.000	CY
511(A) 1332	REINFORCING STEEL	3220.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	1080.000	LB
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	757.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100173

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL) (R-15)	100.000	LF
611(E) 5334	INLET GPI TYPE 2 (DES. 8)	1.000	EA
611(E) 6002	INLET (SMD-TYPE 2)	6.000	EA
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	7.000	EA
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	1.000	EA
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	7.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	8.000	EA
613(CC) 7198	TYPE C6 CULVERT END TREATMENT	1.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	76.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	204.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	64.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	80.000	LF
613(D) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	42.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS (F-37)(F-43)(R-12)	1.000	LSUM
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS (R-14)	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER (F-37)(F-43)	4786.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT (F-37)(F-43)	1157.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT (F-37)(F-43)	6632.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL (F-43)	396.000	LF
619(C) 0924	SAWING PAVEMENT	1066.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	912.500	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	5.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION (R-13)	3.000	EA
624(A) 4281	FENCE-STYLE WWF (F-32)	1476.000	LF
624(B) 5264	GATES-STYLE WWF (4.5'HIGH X 20'LONG)	1.000	EA
625(G) 1270	(PL)REMOVE AND RESET GUARD RAIL (R-13)	2000.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	5.000	EA
629(C) 4960	MAILBOX	5.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	5.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	4100.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	4100.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	32800.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	6560.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100173

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	7400.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
878(C) 8487	MODULAR GLARE SCREEN	6720.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3180.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6180.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5160.000	SD
880(C) 8842	BARRICADES(TYPE III)	2100.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(D) 8854	VERTICAL PANELS	10800.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6120.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	25800.000	SD
880(F) 8878	DRUMS	15000.000	SD
880(H) 8896	CONES(36" LARGE)	24000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	120.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
854(C) 8525	(SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	11.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	52932.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1176.000	LF
854(C) 8555	(SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	42.000	LF
890(A) 8702	(PL)REMOVAL OF CLASS C PAVEMENT MARKERS	270.000	EA
890(A) 8704	(PL)REMOVAL OF PULL BOX	1.000	EA
890(B) 8728	(PL)RESET OF PULL BOX	1.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING (R-9)	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100326

CALL ORDER: 200
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: HUGHES

PROJECT(S) : PCN
 BRO-132D(067)CO 2077604
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 120 CALENDAR DAYS
 RES. ENG.: TERRY SWAYZE, WEWOKA

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-154): OVER RANCH CREEK, 0.25 MILES WEST OF
 THE PITTSBURG COUNTY LINE.
 PROJECT LENGTH = 0.207 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1905.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2210.000	CY
223 2801	TEMPORARY SILT FENCE	800.000	LF
227 0100	TEMPORARY SILT DIKE	240.000	LF
230(A) 2806	SOLID SLAB SODDING	12320.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.100	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	990.000	TON
509(B) 0321	CLASS A CONCRETE	50.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	6260.000	LB
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	40.000	LF
613(M) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	40.000	CY
504 6143	(PL)TUBULAR METAL TRAFFIC RAIL	100.000	LF
506(A) 1322	STRUCTURAL STEEL	5276.000	LB
510 6350	(PL)STEEL SHEET PILING	332.220	SY
514(A) 6010	PILES, FURNISHED (HP 10X42)	1180.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1180.000	LF
535 6225	(PL)HAUL AND ERECT STEEL BEAMS	1.000	LSUM
601(A-1)1353	TYPE I-A PLAIN RIPRAP	370.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	60.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6032	GUARD RAIL ANCHOR UNIT (TYPE I)	1.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100326

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100354

CALL ORDER: 222
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: JEFFERSON

PROJECT(S) : PCN
 SBR-134B(077)SB 2732404
 SBR-134B(078)SB 2732804

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$32.52
 60 CALENDAR DAYS
 RES. ENG.: JERRY HARWELL, DUNCAN

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-70: OVER WEST MUD CREEK, 6.21 MILES EAST OF THE US-81 JCT
 AND OVER UNNAMED CREEK, 7.95 MILES EAST OF THE US-81 JCT.
 PROJECT LENGTH = 32.52 MILES

SECTION 0001 - ROADWAY - SBR-134B(077)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0186	SELECT BORROW	35.000	CY
222 2801	TEMPORARY BALE BARRIER	120.000	LF
223 2801	TEMPORARY SILT FENCE	640.000	LF
230(A) 2806	SOLID SLAB SODDING	430.000	SY
407 0250	TACK COAT	120.000	GAL
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	464.000	TON
417 5267	COLD MILLING PAVEMENT	2370.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	660.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	400.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - BRIDGE - SBR-134B(077)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	6.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	134.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	346.700	LF
504(H) 6390	RAPID CURE JOINT SEALANT	60.300	LF
506(A) 1322	STRUCTURAL STEEL	1380.000	LB
509(A) 1326	CLASS AA CONCRETE	103.000	CY
509(D) 1331	CLASS C CONCRETE	10.000	CY
511 6306	(PL)MECHANICAL SPLICES	346.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	33285.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	30.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	193.700	LF
523(B) 6560	(SP) SEALER RESIN	3.100	GAL

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100354

SECTION 0002 - BRIDGE - SBR-134B(077)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
535 6165	(PL)EXPANSION BEARING ASSEMBLY	10.000	EA
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	3.000	EA
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC - SBR-134B(077)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	950.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	950.000	LF
823 8478	(PL)PORTABLE TRAFFIC SIGNAL SYSTEM	45.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2936.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION - SBR-134B(077)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0006 - ROADWAY - SBR-134B(078)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0186	SELECT BORROW	35.000	CY
222 2801	TEMPORARY BALE BARRIER	120.000	LF
223 2801	TEMPORARY SILT FENCE	640.000	LF
230(A) 2806	SOLID SLAB SODDING	430.000	SY
407 0250	TACK COAT	120.000	GAL
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	464.000	TON
417 5267	COLD MILLING PAVEMENT	2370.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	632.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	350.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0007 - BRIDGE - SBR-134B(078)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	6.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	134.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	298.700	LF
504(H) 6390	RAPID CURE JOINT SEALANT	60.300	LF
506(A) 1322	STRUCTURAL STEEL	1420.000	LB
509(A) 1326	CLASS AA CONCRETE	85.000	CY
509(D) 1331	CLASS C CONCRETE	10.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100354

SECTION 0007 - BRIDGE - SBR-134B(078)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511 6306	(PL)MECHANICAL SPLICES	285.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	27230.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	169.700	LF
523(B) 6560	(SP) SEALER RESIN	2.700	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	20.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	10.000	EA
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	8.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	6.000	EA
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0008 - TRAFFIC - SBR-134B(078)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	920.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	920.000	LF
823 8478	(PL)PORTABLE TRAFFIC SIGNAL SYSTEM	45.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2840.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100330

CALL ORDER: 230
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) : PCN
 SSP-136N(191)SS 2443212

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 120 CALENDAR DAYS
 RES. ENG.: TED ZACHARY, PERRY

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 I-35: FROM MILE MARKER 213.82, EXTEND NORTH TO MILE
 MARKER 217.82.
 PROJECT LENGTH = 4.0 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303 0192	AGGREGATE BASE	500.000	CY
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	50.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	15200.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	10200.000	LF
414(B1) 5800	H.E.S. DOWEL JOINTED CONC. PAV REPAIR	6000.000	SY
417 4659	(PL)FOG SEAL	12500.000	GAL
417 5267	COLD MILLING PAVEMENT	136000.000	SY

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	152.000	LF
504(I) 6389	ELASTOMERIC MORTAR	26.000	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	200.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	50.000	SY
509(A) 1326	CLASS AA CONCRETE	1.000	CY
511(A) 1332	REINFORCING STEEL	200.000	LB

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	24.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	146000.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	8300.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	15000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	15000.000	SD
880(C) 8842	BARRICADES(TYPE III)	5000.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	26000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	10000.000	SD
880(F) 8878	DRUMS	10000.000	SD
880(G) 8890	CHANNELIZER CONES	40000.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100330****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	400.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100355

CALL ORDER: 231
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) : PCN
 SSP-136N(204)SS 2443213

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 120 CALENDAR DAYS
 RES. ENG.: TED ZACHARY, PERRY

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 I-35: FROM MILE MARKER 217.82, EXTEND NORTH TO MILE
 MARKER 222.42.
 PROJECT LENGTH = 4.60 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303 0192	AGGREGATE BASE	500.000	CY
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	50.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	17100.000	TON
414(B1) 5800	H.E.S. DOWEL JOINTED CONC. PAV REPAIR	4000.000	SY
417 4659	(PL)FOG SEAL	14000.000	GAL
417 5267	COLD MILLING PAVEMENT	140200.000	SY

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	330.000	LF
504(I) 6389	ELASTOMERIC MORTAR	55.000	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	400.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	100.000	SY
509(A) 1326	CLASS AA CONCRETE	2.000	CY
511(A) 1332	REINFORCING STEEL	400.000	LB

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
828(B) 8138	LOOP DETECTOR WIRE	2000.000	LF
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	44.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	133000.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	15000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	15000.000	SD
880(C) 8842	BARRICADES(TYPE III)	5000.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	26000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	10000.000	SD
880(F) 8878	DRUMS	10000.000	SD
880(G) 8890	CHANNELIZER CONES	40000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	400.000	HOURL

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100355****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100356

CALL ORDER: 232
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) :	PCN
SSP-136N(191)SS	2443212
SSP-136N(204)SS	2443213

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 180 CALENDAR DAYS
 RES. ENG.: TED ZACHARY, PERRY

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 I-35: FROM MILE MARKER 213.82, EXTEND NORTH TO MILE
 MARKER 222.42.
 PROJECT LENGTH = 8.6 MILES

SECTION 0001 - ROADWAY - SSP-136N(191)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303 0192	AGGREGATE BASE	500.000	CY
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	50.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	15200.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	10200.000	LF
414(B1) 5800	H.E.S. DOWEL JOINTED CONC. PAV REPAIR	6000.000	SY
417 4659	(PL)FOG SEAL	12500.000	GAL
417 5267	COLD MILLING PAVEMENT	136000.000	SY

SECTION 0002 - BRIDGE - SSP-136N(191)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	152.000	LF
504(I) 6389	ELASTOMERIC MORTAR	26.000	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	200.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	50.000	SY
509(A) 1326	CLASS AA CONCRETE	1.000	CY
511(A) 1332	REINFORCING STEEL	200.000	LB

SECTION 0003 - TRAFFIC - SSP-136N(191)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	24.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	146000.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	8300.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	15000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	15000.000	SD
880(C) 8842	BARRICADES(TYPE III)	5000.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	26000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	10000.000	SD
880(F) 8878	DRUMS	10000.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100356

SECTION 0003 - TRAFFIC - SSP-136N(191)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(G) 8890	CHANNELIZER CONES	40000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	400.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0004 - ROADWAY - SSP-136N(204)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303 0192	AGGREGATE BASE	500.000	CY
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	50.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	17100.000	TON
414(B1) 5800	H.E.S. DOWEL JOINTED CONC. PAV REPAIR	4000.000	SY
417 4659	(PL)FOG SEAL	14000.000	GAL
417 5267	COLD MILLING PAVEMENT	140200.000	SY

SECTION 0005 - BRIDGE - SSP-136N(204)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	330.000	LF
504(I) 6389	ELASTOMERIC MORTAR	55.000	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	400.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	100.000	SY
509(A) 1326	CLASS AA CONCRETE	2.000	CY
511(A) 1332	REINFORCING STEEL	400.000	LB

SECTION 0006 - TRAFFIC - SSP-136N(204)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
828(B) 8138	LOOP DETECTOR WIRE	2000.000	LF
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	44.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	133000.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	15000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	15000.000	SD
880(C) 8842	BARRICADES(TYPE III)	5000.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	26000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	10000.000	SD
880(F) 8878	DRUMS	10000.000	SD
880(G) 8890	CHANNELIZER CONES	40000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	400.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100333

CALL ORDER: 260
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: LINCOLN

PROJECT(S) : PCN
 BRF-141C(119)CO 2073204
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 120 CALENDAR DAYS
 RES. ENG.: TERRY SWAYZE, WEWOKA

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-075): OVER EUCHEE CREEK, 2.8 MILES WEST OF
 THE SH-99 JCT.
 PROJECT LENGTH = 0.245 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4435.000	CY
202(C) 0184	UNCLASSIFIED BORROW	100.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2100.000	LF
227 0100	TEMPORARY SILT DIKE	240.000	LF
230(A) 2806	SOLID SLAB SODDING	5700.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.180	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	735.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(D) 0689	18" CORR. GALV. STEEL PIPE	30.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	40.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	25.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	60.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	86.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	68.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	352.340	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	316.170	LF
504(C) 6250	SEALED EXPANSION JOINT	32.800	LF
504(E) 1380	CONCRETE RAIL (TR1)	409.800	LF
506(A) 1322	STRUCTURAL STEEL	4830.000	LB
509(A) 1326	CLASS AA CONCRETE	130.600	CY
509(B) 1328	CLASS A CONCRETE	109.600	CY
511(A) 1332	REINFORCING STEEL	44334.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	764.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	764.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	143.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100333

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A-1)1353	TYPE I-A PLAIN RIPRAP	3200.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	920.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	200.000	LF
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100334

CALL ORDER: 270
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOGAN

PROJECT(S) : PCN
 BRO-142D(110)CO 2217804
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 120 CALENDAR DAYS
 RES. ENG.: JOE ECHELLE (ACTING),
 STILLWATER

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (CHOCTAW RD): OVER COON CREEK, 1.0 MILE WEST
 AND 7.3 MILES SOUTH OF MERIDAN.
 PROJECT LENGTH = 0.226 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	500.000	LF
227 0100	TEMPORARY SILT DIKE	500.000	LF
230(A) 2806	SOLID SLAB SODDING	7765.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.600	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	676.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	956.000	TON
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	54.000	LF
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	40.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	40.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	514.000	LF
504(E) 1380	CONCRETE RAIL (TR1)	305.000	LF
509(A) 1326	CLASS AA CONCRETE	89.500	CY
509(B) 1328	CLASS A CONCRETE	66.900	CY
511(A) 1332	REINFORCING STEEL	25985.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	600.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	600.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	220.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1808.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	465.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100334

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100335

CALL ORDER: 280
LETTING DATE: May 20, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: LOGAN

PROJECT(S) : PCN
STP-STIM(500)AG 2728804
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$8.67
20 CALENDAR DAYS
RES. ENG.: JOE ECHELLE (ACTING),
STILLWATER

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
CITY STREET (WALNUT STREET): FROM NOBLE AVENUE, EXTEND NORTH
TO MANSUR AVENUE IN THE CITY OF GUTHRIE.
PROJECT LENGTH = 0.136 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(A) 0183	UNCLASSIFIED EXCAVATION	16.000	CY
230(A) 2806	SOLID SLAB SODDING	43.000	SY
407 0250	TACK COAT	136.000	GAL
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	300.000	TON
417 5267	COLD MILLING PAVEMENT	2700.000	SY
610(A) 0602	4" CONCRETE SIDEWALK	116.000	SY
610(I) 4610	(PL)TACTILE WARNING DEVICE-NEW	50.000	SF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	243.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100336

CALL ORDER: 290
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCCLAIN

PROJECT(S) : PCN
 SBR-144N(145)SB 2730504
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 90 CALENDAR DAYS
 RES. ENG.: BRUCE VALLEY, PURCELL
 TIME 'B' BID : \$3,000 / DAY

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 I-35: OVER JOHNSON ROAD, 9.2 MI SOUTH OF THE CLEVELAND
 COUNTY LINE.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(C) 6383	(PL)SILICONE EXPANSION JOINT	76.000	LF
505(D) 6065	BRIDGE DECK OVERLAY	248.000	SY
505(G) 1000	HYDRODEMOLITION	248.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	50.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	101.500	LF
523(B) 6560	(SP) SEALER RESIN	2.300	GAL

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(C) 6383	(PL)SILICONE EXPANSION JOINT	76.000	LF
505(D) 6065	BRIDGE DECK OVERLAY	429.000	SY
505(G) 1000	HYDRODEMOLITION	429.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	50.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	101.500	LF
523(B) 6560	(SP) SEALER RESIN	2.300	GAL

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	1884.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	1884.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	10300.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	240.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	4.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100337

CALL ORDER: 300
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCINTOSH

PROJECT(S) : PCN
 BRO-146D(069)CO 2202804
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$5.42
 90 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-108): OVER ELK CREEK, 2.0 MILES EAST OF THE
 US-69 JUNCTION.
 PROJECT LENGTH = 0.113 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	200.000	LF
227 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	2750.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.100	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	400.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(D) 0689	18" CORR. GALV. STEEL PIPE	94.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	6.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	600.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	118.000	CY
504(F) 1381	CONCRETE PARAPET	76.750	LF
509(B) 1328	CLASS A CONCRETE	232.400	CY
511(A) 1332	REINFORCING STEEL	40551.700	LB
601(A) 1351	TYPE I PLAIN RIPRAP	150.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100338

CALL ORDER: 310
LETTING DATE: May 20, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: MCINTOSH

PROJECT(S) : PCN
SAP-146D(129) 2748004

GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
20 CALENDAR DAYS
RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
PARK ROADS: AT VARIOUS LOCATIONS AT THE LAKE EUFAULA STATE
PARK.
PROJECT LENGTH = 0.959 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(G) 0185	EARTHWORK	1.000	LSUM
303 5912	AGGREGATE BASE	400.000	TON
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	400.000	TON
407 0250	TACK COAT	1235.000	GAL
408 5774	PRIME COAT	1330.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2950.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	10180.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100266

CALL ORDER: 315
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCCLAIN

PROJECT(S) : PCN
 IMY-0035-2(311)088 2099906
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$37.93
 225 CALENDAR DAYS
 RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION

PAVEMENT REHABILITATION (ASPHALT)
 I-35: FROM 2.5 MILES SOUTH OF THE SH-74 JUNCTION, EXT NORTH.
 PROJECT LENGTH = 6.772 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 0184	UNCLASSIFIED BORROW	7500.000	CY
223 2801	TEMPORARY SILT FENCE	1500.000	LF
230(A) 2806	SOLID SLAB SODDING	23278.000	SY
407 0250	TACK COAT	32002.000	GAL
408 5774	PRIME COAT	1258.000	GAL
411(S3) 5935	(SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	55758.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	38756.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	138125.000	LF
417 5267	COLD MILLING PAVEMENT	307335.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	13235.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	11263.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	28.000	EA
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	10.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	4.000	LF
504(I) 6389	ELASTOMERIC MORTAR	3.000	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	15.000	SY

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	12.000	LF
504(I) 6389	ELASTOMERIC MORTAR	12.000	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY

SECTION 0004 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	78.000	LF
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	616.000	SY
505(G) 1000	HYDRODEMOLITION	616.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	15.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	224.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100266

SECTION 0005 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	78.000	LF
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	616.000	SY
505(G) 1000	HYDRODEMOLITION	616.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	15.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	224.000	LF

SECTION 0006 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	110.000	LF
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	1906.000	SY
505(G) 1000	HYDRODEMOLITION	1906.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	30.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	1193.000	LF

SECTION 0007 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	110.000	LF
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	1906.000	SY
505(G) 1000	HYDRODEMOLITION	1906.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	30.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	1193.000	LF

SECTION 0008 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	90.000	LF
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	700.000	SY
505(G) 1000	HYDRODEMOLITION	700.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	60.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	256.000	LF

SECTION 0009 - BRIDGE 'H'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	90.000	LF
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	700.000	SY
505(G) 1000	HYDRODEMOLITION	700.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	60.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	256.000	LF

SECTION 0010 - BRIDGE 'I'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	79.000	LF
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	620.000	SY
505(G) 1000	HYDRODEMOLITION	620.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	15.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	226.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100266

SECTION 0011 - BRIDGE 'J'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	79.000	LF
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	620.000	SY
505(G) 1000	HYDRODEMOLITION	620.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	15.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	226.000	LF

SECTION 0012 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	6000.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	6000.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	150000.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1000.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	28000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	14000.000	LF
870(A) 8490	(PL)SAND FILLED IMPACT ATTEN.SYSTEM	100.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	225.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6750.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7425.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	27000.000	SD
880(C) 8842	BARRICADES(TYPE III)	3600.000	SD
880(C) 8848	WING BARRICADES	450.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	9000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	9000.000	SD
880(F) 8878	DRUMS	9000.000	SD
880(G) 8890	CHANNELIZER CONES	12150.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	HOURL
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	4050.000	SD
882 8372	(SP)SMART WK. ZONE SYS.-PORT.TRAFF.SENSOR	1800.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	450.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	225.000	SD
882 8378	(PL)SMART WORK ZONE SYSTEM SETUP	3.000	EA
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	450.000	SD

SECTION 0013 - SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	2.160	CY
804(B) 2916	REINFORCING STEEL	390.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	3.000	SF
851(C) 8321	1 3/4" SQUARE TUBE POST	10.500	LF
853 9024	DELINEATORS(TYPE 1, CODE 1)	96.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	173936.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	24816.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1600.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100266****SECTION 0013 - SIGNING & STRIPING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000	EA
890A/B 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	16.000	EA

SECTION 0014 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0015 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100010

CALL ORDER: 320
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAYES

PROJECT(S) : PCN
 SSP-149C(059)SS 2023004

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$145.22
 360 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-28: OVER OSAGE CREEK, 4.9 MI, PRYOR CREEK & PRYOR CREEK
 RELIEF, 5.1 MI, AND BITTER CREEK 5.6 MI EAST OF ROGERS C/L.
 PROJECT LENGTH = 1.556 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	48957.000	CY
202(C) 0184	UNCLASSIFIED BORROW	79270.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1765.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	5.000	EA
225 2804	TEMPORARY SEDIMENT BASIN	2.000	EA
227 0100	TEMPORARY SILT DIKE	1025.000	LF
229 4318	DITCH LINER PROTECTION	3769.000	LF
230(A) 2806	SOLID SLAB SODDING	75461.000	SY
232(B) 2814	SEEDING METHOD B	15.100	AC
233(A) 2817	VEGETATIVE MULCHING	30.200	AC
235(A) 0100	(PL)ROCK FILTER DAM, TYPE 1	2.000	CY
241 2832	MOWING	60.400	AC
246(A) 7041	(SP)GEOGRID EARTH REINFORCEMENT	4700.000	SY
303 0192	AGGREGATE BASE	9243.000	CY
325 5271	SEPARATOR FABRIC	47536.000	SY
327(J) 4290	(SP)MODIFIED SUBGRADE	41870.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4470.000	TON
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	3112.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	10566.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	2221.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2876.000	TON
417 5267	COLD MILLING PAVEMENT	30683.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	20.000	CY
509(B) 0321	CLASS A CONCRETE	42.020	CY
509(D) 0325	CLASS C CONCRETE	727.000	CY
511(A) 0332	REINFORCING STEEL	5926.000	LB
611(E) 5391	INLET CDI RCB DES. 5	1.000	EA
613(B) 0492	24" R.C.PIPE CLASS III	104.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100010

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	10.000	EA
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	20.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	317.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	517.000	LF
613(D) 5168	24" X 18" CORR. GALV. STEEL PIPE ARCH	164.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P) 1092	8" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF
613(Q) 1097	8" NON-PERF. PIPE UNDERDRAIN RND.	100.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C) 0924	SAWING PAVEMENT	1846.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	3331.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	16.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	5129.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(G) 6309	CLSM BACKFILL	160.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1045.000	LF
504(A) 1304	APPROACH SLAB	246.200	SY
504(E) 6245	CONCRETE RAIL (TR4)	517.000	LF
506(A) 1322	STRUCTURAL STEEL	1200.000	LB
509(A) 1326	CLASS AA CONCRETE	295.400	CY
509(B) 1328	CLASS A CONCRETE	131.900	CY
511(A) 1332	REINFORCING STEEL	640.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	81470.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	544.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	544.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	860.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	112.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	179.000	LF
523(B) 6560	(SP) SEALER RESIN	2.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	20.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1817.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	398.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	92.000	LF
613(Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	60.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100010

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	215.000	CY
501(G) 6309	CLSM BACKFILL	225.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	841.000	LF
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	1900.000	LF
504(A) 1304	APPROACH SLAB	364.700	SY
504(C) 6250	SEALED EXPANSION JOINT	101.700	LF
504(E) 6245	CONCRETE RAIL (TR4)	1247.000	LF
506(A) 1322	STRUCTURAL STEEL	5870.000	LB
509(A) 1326	CLASS AA CONCRETE	760.500	CY
509(B) 1328	CLASS A CONCRETE	346.700	CY
511(A) 1332	REINFORCING STEEL	1550.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	217900.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	723.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	723.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2633.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	303.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	97.000	LF
523(B) 6560	(SP) SEALER RESIN	2.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	20.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	30.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1567.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	304.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	98.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	73.000	LF

SECTION 0004 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	CY
501(G) 6309	CLSM BACKFILL	210.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	424.000	LF
504(A) 1304	APPROACH SLAB	246.200	SY
504(E) 6245	CONCRETE RAIL (TR4)	267.000	LF
506(A) 1322	STRUCTURAL STEEL	170.000	LB
509(A) 1326	CLASS AA CONCRETE	148.800	CY
509(B) 1328	CLASS A CONCRETE	63.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	34600.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	480.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	480.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	388.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100010

SECTION 0004 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	375.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	80.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	92.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	44.000	LF

SECTION 0005 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(G) 6309	CLSM BACKFILL	160.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1045.000	LF
504(A) 1304	APPROACH SLAB	246.200	SY
504(E) 6245	CONCRETE RAIL (TR4)	517.000	LF
506(A) 1322	STRUCTURAL STEEL	1200.000	LB
509(A) 1326	CLASS AA CONCRETE	295.400	CY
509(B) 1328	CLASS A CONCRETE	124.600	CY
511(A) 1332	REINFORCING STEEL	380.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	81460.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	520.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	520.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	860.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	132.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	179.000	LF
523(B) 6560	(SP) SEALER RESIN	2.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	20.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1208.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	264.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	92.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	59.000	LF

SECTION 0006 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	1160.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	1160.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	5.180	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	10.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9753.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	20924.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	30000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	35560.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	90.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100010****SECTION 0006 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	11925.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	73920.000	SD
880(C) 8842	BARRICADES(TYPE III)	660.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(C) 8850	PERMANENT BARRICADE UNIT	20.000	EA
880(E) 8860	WARNING LIGHTS(TYPE A)	2820.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	840.000	SD
880(F) 8878	DRUMS	840.000	SD
880(G) 8890	CHANNELIZER CONES	500.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0007 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100339

CALL ORDER: 330
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAYES

PROJECT(S) : PCN
 BRO-149D(091)CO 2295004

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 150 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-447): OVER SNAKE CREEK, 0.7 MILES SOUTH OF
 THE US-412 JUNCTION.
 PROJECT LENGTH = 0.396 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	20445.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3520.000	LF
227 0100	TEMPORARY SILT DIKE	496.000	LF
230(A) 2806	SOLID SLAB SODDING	18392.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.800	AC
303 0192	AGGREGATE BASE	1120.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1433.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	694.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A-1)1353	TYPE I-A PLAIN RIPRAP	437.000	TON
613(B) 0491	18" R.C.PE PIPE CLASS III	31.000	LF
613(B) 0500	72" R.C.PE PIPE CLASS III	142.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	28.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5746	72" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4230.000	SY
619(C) 0924	SAWING PAVEMENT	36.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8400.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(G) 6309	CLSM BACKFILL	50.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	590.000	LF
504(A) 1304	APPROACH SLAB	76.100	SY
504(C) 6250	SEALED EXPANSION JOINT	29.420	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100339

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 6239	CONCRETE RAIL (TR3)	357.000	LF
506(A) 1322	STRUCTURAL STEEL	5475.000	LB
509(A) 1326	CLASS AA CONCRETE	114.000	CY
509(B) 1328	CLASS A CONCRETE	98.100	CY
511(A) 1332	REINFORCING STEEL	38146.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	408.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	408.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	76.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1980.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	340.000	TON
601(E) 6312	FILTER FABRIC (RIPRAP)	865.000	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	46.000	LF
613(Q) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100269

CALL ORDER: 340
LETTING DATE: May 20, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: MARSHALL

PROJECT(S) : PCN
BPMY-NBIP(421)3B 2314504
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$18.42
180 CALENDAR DAYS
RES. ENG.: JERRY ELDRIDGE, MADILL

CONTRACT DESCRIPTION

BRIDGE PAINTING
SH-99: WILLIS BRIDGE OVER THE RED RIVER (LAKE TEXOMA).

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	10851.500	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
535 6386	(PL)SILICONE CONSTRUCTION JOINT	3301.300	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100340

CALL ORDER: 350
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MUSKOGEE

PROJECT(S) : PCN
 BRO-151D(112)CO 2050404
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 150 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-441): OVER MANARD BAYOU, 0.2 MILES SOUTH OF
 THE SH-10/US-62 JCT.
 PROJECT LENGTH = 0.302 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	300.000	LF
227 0100	TEMPORARY SILT DIKE	150.000	LF
230(A) 2806	SOLID SLAB SODDING	3820.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.600	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1294.000	TON
509(D) 0325	CLASS C CONCRETE	40.000	CY
613(D) 0689	18" CORR. GALV. STEEL PIPE	152.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	56.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	58.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	8.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	10.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	30.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	273.340	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	216.670	LF
504(C) 6250	SEALED EXPANSION JOINT	29.400	LF
504(E) 1380	CONCRETE RAIL (TR1)	357.000	LF
506(A) 1322	STRUCTURAL STEEL	4150.000	LB
509(A) 1326	CLASS AA CONCRETE	114.000	CY
509(B) 1328	CLASS A CONCRETE	82.470	CY
511(A) 1332	REINFORCING STEEL	37933.540	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	236.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	236.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	56.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100340****SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A-1)1353	TYPE I-A PLAIN RIPRAP	812.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	202.000	TON
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100365

CALL ORDER: 355
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MUSKOGEE

PROJECT(S) : PCN
 SAP-151C(225) 2779004

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 14 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION

BRIDGE REPAIR
 US-64: REPAIR OF VEHICLE IMPACT DAMAGE AT THE SH-165 JCT.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
506(A) 1322	STRUCTURAL STEEL	16670.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	3.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	EA
545 4805	(PL)REPLACE BRIDGE ITEMS	17.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	450.000	LF
870(A) 8490	(PL)SAND FILLED IMPACT ATTEN.SYSTEM	14.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	42.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	60.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	84.000	SD

SECTION 0003 - MOBILIZATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100199

CALL ORDER: 360
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: NOBLE

PROJECT(S) : PCN
 IMG-35-4(218)200TR 2423205
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$23.84
 60 CALENDAR DAYS
 RES. ENG.: TED ZACHARY, PERRY

CONTRACT DESCRIPTION

SAFETY IMPROVEMENT (CABLE BARRIER)

I-35: FROM MILE MARKER 200, EXTEND NORTH TO MILE MARKER 209.

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5460.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1680.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2820.000	SD
880(C) 8842	BARRICADES(TYPE III)	1800.000	SD
880(C) 8848	WING BARRICADES	240.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5400.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	1800.000	SD
880(F) 8878	DRUMS	1800.000	SD
880(G) 8890	CHANNELIZER CONES	27000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	180.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2436.000	CY
202(C) 0184	UNCLASSIFIED BORROW	500.000	CY
223 2801	TEMPORARY SILT FENCE	1150.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	12.000	EA
227 0100	TEMPORARY SILT DIKE	1130.000	LF
230(A) 2806	SOLID SLAB SODDING	63976.000	SY
411 4520	(PL)ASPHALT CONCRETE (4")	21910.000	SY
509(A) 0319	CLASS AA CONCRETE	258.000	CY
509(D) 0325	CLASS C CONCRETE	60.000	CY
612(E) 0645	INLETS ADJUST TO GRADE	5.000	EA
628 5110	(PL)CABLE END ANCHOR UNIT	10.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	24700.000	LF
628 5175	CABLE BARRIER TENSION METER	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	96.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100199

SECTION 0004 - MOBILIZATION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100272

CALL ORDER: 380
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: NOWATA

PROJECT(S) : PCN
 NHY-030N(067) 2702504

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$27.09
 90 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
 US-169: FROM THE ROGERS/NOWATA COUNTY LINE, EXTEND NORTH.
 PROJECT LENGTH = 4.817 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
209 0120	MACHINE GRADING	28.000	STA
223 2801	TEMPORARY SILT FENCE	2500.000	LF
227 0100	TEMPORARY SILT DIKE	760.000	LF
230(A) 2806	SOLID SLAB SODDING	1556.000	SY
241 2832	MOWING	152.000	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	11584.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	33565.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	7653.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	5576.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	50872.000	LF
417 5267	COLD MILLING PAVEMENT	119044.000	SY
420(A) 4242	FABRIC REINFORCEMENT	116752.000	SY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	1741.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1600.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	6.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	6.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	5000.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	5000.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	63360.000	EA
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	540.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(W) 8800	PILOT CAR	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100272****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	69024.000	LF

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100342

CALL ORDER: 390
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKFUSKEE

PROJECT(S) : PCN
 BRO-154D(068)CO 2135604
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 120 CALENDAR DAYS
 RES. ENG.: TERRY SWAYZE, WEWOKA

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-113): OVER UNNAMED CREEK, 2.0 MILES NORTH
 AND 0.7 MILES WEST OF BEARDEN.
 PROJECT LENGTH = 0.246 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6391.000	CY
202(C) 0184	UNCLASSIFIED BORROW	3070.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1900.000	LF
227 0100	TEMPORARY SILT DIKE	240.000	LF
230(A) 2806	SOLID SLAB SODDING	1300.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.410	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	740.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	800.000	TON
602(C) 4155	FILTER FABRIC	1274.000	SY
613(B) 0440	84" R.C.P.IPE CLASS III	44.000	LF
613(C) 4394	SP. END SECTION OF 84" RCP ROUND	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	356.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	244.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	69.800	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	21730.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	399.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	399.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1274.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	360.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100342****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100343

CALL ORDER: 400
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 BRO-155D(568)CO 2359304

GUARANTY : 5% OF BID TOTAL

PLAN PRICE : \$19.51

90 CALENDAR DAYS

RES. ENG.: TERRY HOWELL, OKLAHOMA CITY

CONTRACT DESCRIPTION

BRIDGE AND APPROACHES

COUNTY ROAD(NS-319): OVER CHOCTAW CREEK, 1.0 MILE NORTH OF
 NE 10TH STREET IN THE CITY OF MIDWEST CITY.

PROJECT LENGTH = 0.148 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	916.000	CY
202(C) 0184	UNCLASSIFIED BORROW	677.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1400.000	LF
227 0100	TEMPORARY SILT DIKE	144.000	LF
230(A) 2806	SOLID SLAB SODDING	3967.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
303 0192	AGGREGATE BASE	661.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	263.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	487.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	324.000	TON
509(D) 0325	CLASS C CONCRETE	44.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	42.000	LF
613(D) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	42.000	LF
613(P) 1092	8" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(Q) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	500.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1787.000	SY
619(C) 0924	SAWING PAVEMENT	95.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	5.180	SF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	470.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100343

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 1380	CONCRETE RAIL (TR1)	301.000	LF
506(A) 1322	STRUCTURAL STEEL	3770.000	LB
509(A) 1326	CLASS AA CONCRETE	109.000	CY
509(B) 1328	CLASS A CONCRETE	78.000	CY
511(A) 0332	REINFORCING STEEL	37300.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	926.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	926.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	260.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	209.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	70.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	62.500	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	2.000	EA
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0005 - ROADWAY(NON-PARTICIPATING)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
624(C) 4458	(SP)FENCE-STYLE SWF (4 BARBED WIRE)	1405.000	LF
624(D) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	212.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100302

CALL ORDER: 415
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 STP-STIM(301)AG 2672904

GUARANTY : 5% OF BID TOTAL

PLAN PRICE : \$8.67

45 CALENDAR DAYS

RES. ENG.: TERRY HOWELL, OKLAHOMA CITY

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
 US-62: FROM HENNY ROAD, EXTEND EAST TO CHOCTAW ROAD
 IN THE CITY OF CHOCTAW.
 PROJECT LENGTH = 0.396 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	1445.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	780.000	SY
509(B) 0321	CLASS A CONCRETE	250.000	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	20.000	CY
511(A) 0332	REINFORCING STEEL	1750.000	LB
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	1015.000	LF
611(A) 2658	MANHOLE (5' DIA.)	4.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	4.000	EA
613(B) 0491	18" R.C.PIPE CLASS III	35.000	LF
613(B) 0492	24" R.C.PIPE CLASS III	315.000	LF
613(B) 0494	36" R.C.PIPE CLASS III	400.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	875.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA
619(C) 0924	SAWING PAVEMENT	2000.000	LF

SECTION 0002 - ADD ALT. 1

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	470.000	TON
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	2.000	CY
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	50.000	LF
828(B) 8138	LOOP DETECTOR WIRE	250.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	1200.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	7.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	5200.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100302****SECTION 0003 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100345

CALL ORDER: 420
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKMULGEE

PROJECT(S) :
 NHY-014N(079) 2427104
 NHY-014N(082) 2714104

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$80.19
 300 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION

INTERSECTION MOD. AND SAFETY IMPROVEMENT(CABLE BARRIER)
 US-75: FROM 6.3 MILES AND 13.3 MILES NORTH OF THE US-62 JCT,
 EXTEND NORTH TO THE TULSA COUNTY LINE.
 PROJECT LENGTH = 5.611 MILES

SECTION 0001 - TRAFFIC - NHY-014N(079)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	200.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	100.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	150.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	150.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	13650.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4500.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7500.000	SD
880(C) 8842	BARRICADES(TYPE III)	4500.000	SD
880(C) 8848	WING BARRICADES	1200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	13500.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	64500.000	SD
880(F) 8878	DRUMS	4500.000	SD
880(G) 8890	CHANNELIZER CONES	60000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	180.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	600.000	SD

SECTION 0002 - CABLE BARRIER - NHY-014N(079)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2435.000	CY
202(C) 0184	UNCLASSIFIED BORROW	7694.000	CY
223 2801	TEMPORARY SILT FENCE	1150.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	19.000	EA
227 0100	TEMPORARY SILT DIKE	1190.000	LF
230(A) 2806	SOLID SLAB SODDING	13264.000	SY
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	4284.000	TON
509(A) 0319	CLASS AA CONCRETE	453.000	CY
509(D) 0325	CLASS C CONCRETE	510.000	CY
612(E) 0645	INLETS ADJUST TO GRADE	16.000	EA
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	9073.000	LF
619(C) 0924	SAWING PAVEMENT	500.000	LF
628 5110	(PL)CABLE END ANCHOR UNIT	52.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100345

SECTION 0002 - CABLE BARRIER - NHY-014N(079)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	31291.000	LF
628 5175	CABLE BARRIER TENSION METER	1.000	EA

SECTION 0003 - ROADWAY - NHY-014N(082)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	22526.000	CY
202(C) 0184	UNCLASSIFIED BORROW	25649.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2000.000	LF
227 0100	TEMPORARY SILT DIKE	1463.000	LF
230(A) 2806	SOLID SLAB SODDING	57459.000	SY
232(B) 2814	SEEDING METHOD B	11.970	AC
233(A) 2817	VEGETATIVE MULCHING	11.970	AC
241 2832	MOWING	54.400	AC
303 0192	AGGREGATE BASE	3780.000	CY
325 5271	SEPARATOR FABRIC	41312.000	SY
327(D) 4230	(SP)LIME	596.000	TON
327(H) 4270	(SP)LIME STABILIZED SUBGRADE	41312.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1650.000	TON
407 0250	TACK COAT	5131.000	GAL
408 5774	PRIME COAT	10833.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	16246.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	5814.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	220170.000	LF
509(D) 0325	CLASS C CONCRETE	180.000	CY
611(E) 6002	INLET (SMD-TYPE 2)	26.000	EA
611(F) 5196	ADDITIONAL DEPTH IN INLET	7.120	VF
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	3316.000	LF
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	488.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	333.000	LF
613(MM) 7500	TYPE A4 SLOPED CONCRETE END SECTION	3.000	EA
613(MM) 7520	TYPE A6 SLOPED CONCRETE END SECTION	1.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	2105.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	702.000	LF
613(S) 1180	TRENCH EXCAVATION	562.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	281.000	CY
613(U) 4498	18" JACKED CONDUIT	315.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100345

SECTION 0003 - ROADWAY - NHY-014N(082)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	17538.000	SY
619(C) 0924	SAWING PAVEMENT	23113.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	6.000	EA

SECTION 0004 - TRAFFIC CONTROL - NHY-014N(082)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5000.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	360.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	360.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	16380.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	9500.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4000.000	SD
880(C) 8842	BARRICADES(TYPE III)	5400.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	16200.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	5400.000	SD
880(F) 8878	DRUMS	5400.000	SD
880(G) 8890	CHANNELIZER CONES	18000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	480.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	720.000	SD

SECTION 0005 - TRAFFIC - NHY-014N(082)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	745.660	SF
851(C) 8330	2 1/2" SQUARE TUBE POST	1942.500	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	33855.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	111.000	EA
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	114.000	EA

SECTION 0006 - CABLE BARRIER - NHY-014N(082)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	300.000	CY
612(E) 0645	INLETS ADJUST TO GRADE	1.000	EA
628 5110	(PL)CABLE END ANCHOR UNIT	45.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	7500.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	6400.000	LF
628 5190	REMOVAL OF CABLE BARRIER	6400.000	LF

SECTION 0007 - STAKING - NHY-014N(082)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0008 - CONSTRUCTION - NHY-014N(082)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100345

SECTION 0008 - CONSTRUCTION - NHY-014N(082)

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100348

CALL ORDER: 450
LETTING DATE: May 20, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: OSAGE

PROJECT(S) : PCN
SAP-157D(172) 2747904

GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
20 CALENDAR DAYS
RES. ENG.: MARK WILLIAMS, SAND SPRINGS

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
PARK ROADS: AT VARIOUS LOCATIONS AT THE WALNUT CREEK STATE
PARK NEAR LAKE KEYSTONE.
PROJECT LENGTH = 1.4 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
303 0192	AGGREGATE BASE	200.000	CY
311(D) 0154	PROCESS EXISTING BASE & SURFACE,METHOD D	5.000	STA
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	533.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2634.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100357

CALL ORDER: 460
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: PAWNEE

PROJECT(S) : PCN
 BRO-159D(056)CO 2313304
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 90 CALENDAR DAYS
 RES. ENG.: MARK WILLIAMS, SAND SPRINGS

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-347): OVER SKEDEE CREEK, 1.4 MILES SOUTH AND
 1.0 MILE WEST OF THE SH-15/SH-18 JUNCTION.
 PROJECT LENGTH = 0.205 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	370.000	LF
227 0100	TEMPORARY SILT DIKE	120.000	LF
230(A) 2806	SOLID SLAB SODDING	6160.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.270	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	617.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	44.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	64.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	211.000	LF
506(A) 1322	STRUCTURAL STEEL	1620.000	LB
509(A) 1326	CLASS AA CONCRETE	58.300	CY
509(B) 1328	CLASS A CONCRETE	48.800	CY
511(A) 1332	REINFORCING STEEL	19955.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	136.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	541.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	136.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	541.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1540.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	160.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100357****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100349

CALL ORDER: 470
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: PAYNE

PROJECT(S) : PCN
 IMG-0035-4(233)174TR 2626404
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$21.68
 90 CALENDAR DAYS
 RES. ENG.: TED ZACHARY, PERRY

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-35: FROM THE SH-51 JCT, EXTEND NORTH.

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4860.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4590.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4860.000	SD
880(C) 8842	BARRICADES(TYPE III)	720.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1440.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	45360.000	SD
880(F) 8878	DRUMS	3960.000	SD
880(G) 8890	CHANNELIZER CONES	41400.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	150.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	4172.000	CY
202(C) 0184	UNCLASSIFIED BORROW	7536.000	CY
223 2801	TEMPORARY SILT FENCE	1150.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	13.000	EA
227 0100	TEMPORARY SILT DIKE	1190.000	LF
230(A) 2806	SOLID SLAB SODDING	18222.000	SY
411 4520	(PL)ASPHALT CONCRETE (4")	33171.000	SY
509(A) 0319	CLASS AA CONCRETE	325.000	CY
612(E) 0645	INLETS ADJUST TO GRADE	10.000	EA
628 5110	(PL)CABLE END ANCHOR UNIT	8.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	32798.000	LF
628 5175	CABLE BARRIER TENSION METER	1.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100349

SECTION 0004 - MOBILIZATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100358

CALL ORDER: 480
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: PONTOTOC

PROJECT(S) : PCN
 BRF-162C(138)CO 2277504
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 120 CALENDAR DAYS
 RES. ENG.: TONY KEEFER, ADA

CONTRACT DESCRIPTION

BRIDGE AND APPROACHES

COUNTY ROAD (NS-357): OVER SANDY CREEK, 0.9 MILES NORTH AND
 1.5 MILES E. OF THE SH-3E / SH-1 JCT.

PROJECT LENGTH = 0.132 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	860.000	LF
227 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	6291.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.600	AC
303 0192	AGGREGATE BASE	504.160	CY
407 0250	TACK COAT	152.860	GAL
408 5774	PRIME COAT	341.560	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	506.140	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	243.540	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(D) 0690	24" CORR. GALV. STEEL PIPE	150.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1601.110	SY
619(C) 0924	SAWING PAVEMENT	56.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
855(A) 8820	(PL)4" RECESSED THERMOPLASTIC STRIPING	2800.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	102.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	142.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	283.170	LF
506(A) 1322	STRUCTURAL STEEL	2100.000	LB
509(A) 1326	CLASS AA CONCRETE	97.700	CY
509(B) 1328	CLASS A CONCRETE	71.800	CY
511(A) 1332	REINFORCING STEEL	32560.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100358

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(A) 6010	PILES, FURNISHED (HP 10X42)	95.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	262.500	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	95.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	262.500	LF
601(B-1)1359	TYPE II-A SP. PLAIN RIPRAP	4000.000	TON
601(B-2)1361	TYPE II-A FILTER BLANKET	135.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	2.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100306

CALL ORDER: 510
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEQUOYAH

PROJECT(S) : PCN
 IMY-0040-6(346)325 2091004
 IMY-0040-6(367)325 2091007

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$237.34
 500 CALENDAR DAYS
 RES. ENG.: CARL EDWARDS, SALLISAW
 TIME 'B' BID : \$10,000 / DAY

CONTRACT DESCRIPTION
 RESURFACE (P.C.CONCRETE),CABLE BARRIER AND BRIDGE
 I-40: FROM MILE MARKER 325.06, EXTEND EAST TO MILE MARKER
 330.66, AND OVER US-64, 17.29 MI EAST OF THE US-59 JCT.
 PROJECT LENGTH = 5.860 MILES

SECTION 0001 - ROADWAY IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3000.000	LF
227 0100	TEMPORARY SILT DIKE	1364.000	LF
230(A) 2806	SOLID SLAB SODDING	209825.000	SY
232(B) 2814	SEEDING METHOD B	46.000	AC
233(A) 2817	VEGETATIVE MULCHING	46.000	AC
241 2832	MOWING	165.000	AC
303 0192	AGGREGATE BASE	16793.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE	85643.000	SY
325 5271	SEPARATOR FABRIC	81957.000	SY
327(A) 4200	(SP)FLY ASH	5328.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	98445.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	13951.000	TON
407 0250	TACK COAT	8494.000	GAL
408 5774	PRIME COAT	35584.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	14916.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	9179.000	TON
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	119948.000	LF
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	93001.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	169662.000	SY
414(I) 5270	(SP)P.C. CONCRETE FOR PAVEMENT (ONLY)	66768.000	CY
417 5267	COLD MILLING PAVEMENT	220600.000	SY
509(D) 0325	CLASS C CONCRETE	280.000	CY
611(E) 6000	INLET (SMD-TYPE 1)	3.000	EA
612(E) 0645	INLETS ADJUST TO GRADE	9.000	EA
613(B) 0491	18" R.C.PIPE CLASS III	225.000	LF
613(B) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	70.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100306

SECTION 0001 - ROADWAY IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	705.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	7160.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	62723.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	2120.000	LF
619(C) 0924	SAWING PAVEMENT	684.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	2750.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	10.000	EA
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	12.000	EA
624(A) 4281	FENCE-STYLE WWF	58882.000	LF

SECTION 0002 - BRIDGE 'C' IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	178.000	CY
501(G) 6309	CLSM BACKFILL	157.000	CY
504(A) 1304	APPROACH SLAB	287.800	SY
504(C) 6250	SEALED EXPANSION JOINT	91.700	LF
504(F) 6190	42" F-SHAPED PARAPET	872.400	LF
506(A) 1322	STRUCTURAL STEEL	17900.000	LB
509(A) 1326	CLASS AA CONCRETE	317.600	CY
509(B) 1328	CLASS A CONCRETE	5.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	125200.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1033.600	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	88.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	8.800	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	43.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	284.600	LF
523(B) 6560	(SP) SEALER RESIN	2.900	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	5.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
535 6386	(PL)SILICONE CONSTRUCTION JOINT	933.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	600.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	150.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	128.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100306

SECTION 0003 - BRIDGE 'D' IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	178.000	CY
501(G) 6309	CLSM BACKFILL	157.000	CY
504(A) 1304	APPROACH SLAB	287.800	SY
504(C) 6250	SEALED EXPANSION JOINT	91.700	LF
504(F) 6190	42" F-SHAPED PARAPET	872.400	LF
506(A) 1322	STRUCTURAL STEEL	17220.000	LB
509(A) 1326	CLASS AA CONCRETE	317.600	CY
509(B) 1328	CLASS A CONCRETE	3.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	124880.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1033.600	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	56.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	5.600	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	33.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	284.600	LF
523(B) 6560	(SP) SEALER RESIN	2.900	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	5.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
535 6386	(PL)SILICONE CONSTRUCTION JOINT	933.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	600.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	150.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	128.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0004 - TRAFFIC CONTROL IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	34100.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	34100.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	145500.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	60000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	91000.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	2190.000	SD
878(C) 8487	MODULAR GLARE SCREEN	166805.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	730.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	25000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	11000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	25200.000	SD
880(C) 8842	BARRICADES(TYPE III)	14500.000	SD
880(C) 8848	WING BARRICADES	1460.000	SD
880(D) 8854	VERTICAL PANELS	270000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	35570.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100306

SECTION 0004 - TRAFFIC CONTROL IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(E) 8872	WARNING LIGHTS(TYPE C)	384200.000	SD
880(F) 8878	DRUMS	114200.000	SD
880(G) 8890	CHANNELIZER CONES	28000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	1460.000	SD

SECTION 0005 - SIGNING & STRIPING IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	8.000	CY
804(B) 2916	REINFORCING STEEL	960.000	LB
853 9024	DELINEATORS(TYPE 1, CODE 1)	102.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	117216.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	36336.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1768.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	20.000	EA
890A/B 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	2.000	EA

SECTION 0006 - CABLE BARRIER IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	260.000	CY
628 5110	(PL)CABLE END ANCHOR UNIT	14.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	23548.000	LF
628 5175	CABLE BARRIER TENSION METER	2.000	EA

SECTION 0007 - STAKING IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0008 - CONSTRUCTION IMY-0040-6(346)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0009 - ROADWAY IMY-0040-6(367)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	260.000	LF
223 2801	TEMPORARY SILT FENCE	3720.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
227 0100	TEMPORARY SILT DIKE	260.000	LF
230(A) 2806	SOLID SLAB SODDING	5688.000	SY
232(B) 2814	SEEDING METHOD B	1.190	AC
233(A) 2817	VEGETATIVE MULCHING	1.190	AC

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100306

SECTION 0009 - ROADWAY IMY-0040-6(367)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
241 2832	MOWING	27.500	AC
303 0192	AGGREGATE BASE	2250.600	CY
317(F) 4270	(SP)CEMENT TREATED BASE	9114.100	SY
325 5271	SEPARATOR FABRIC	11068.000	SY
327(A) 4200	(SP)FLY ASH	597.600	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	11068.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1655.900	TON
408 5774	PRIME COAT	4031.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	503.400	TON
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	3906.000	LF
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	2603.900	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	5642.000	SY
414(I) 5270	(SP)P.C. CONCRETE FOR PAVEMENT (ONLY)	2438.400	CY
509(D) 0325	CLASS C CONCRETE	35.000	CY
511(A) 0332	REINFORCING STEEL	4260.000	LB
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	5480.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3122.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	965.000	LF
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	120.000	LF
619(B) 6189	REMOVAL OF EXISTING SLAB	62.000	SY
619(C) 0924	SAWING PAVEMENT	252.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	2250.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	8.000	EA
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	6.000	EA

SECTION 0010 - BRIDGE 'A' IMY-0040-6(367)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	343.000	CY
501(F) 6352	GRANULAR BACKFILL	2.200	CY
501(G) 6309	CLSM BACKFILL	277.000	CY
504(A) 1304	APPROACH SLAB	547.000	SY
504(C) 6250	SEALED EXPANSION JOINT	130.600	LF
504(F) 6190	42" F-SHAPED PARAPET	846.400	LF
506(A) 1322	STRUCTURAL STEEL	56000.000	LB
509(A) 1326	CLASS AA CONCRETE	312.600	CY
509(B) 1328	CLASS A CONCRETE	119.700	CY
510(C) 6138	SLOPE WALL (5")	176.000	SY
511(A) 1332	REINFORCING STEEL	6520.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	138820.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100306

SECTION 0010 - BRIDGE 'A' IMY-0040-6(367)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(A) 6011	PILES, FURNISHED (HP 12X53)	246.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	246.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1097.100	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	57.000	LF
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	35.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	3.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	12.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	403.900	LF
523(B) 6560	(SP) SEALER RESIN	4.100	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	5.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	144.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0011 - BRIDGE 'B' IMY-0040-6(367)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	343.000	CY
501(G) 6309	CLSM BACKFILL	277.000	CY
504(A) 1304	APPROACH SLAB	547.000	SY
504(C) 6250	SEALED EXPANSION JOINT	130.600	LF
504(F) 6190	42" F-SHAPED PARAPET	846.400	LF
506(A) 1322	STRUCTURAL STEEL	56000.000	LB
509(A) 1326	CLASS AA CONCRETE	312.600	CY
509(B) 1328	CLASS A CONCRETE	78.000	CY
510(C) 6138	SLOPE WALL (5")	176.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	138820.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
514(A) 6011	PILES, FURNISHED (HP 12X53)	245.500	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	245.500	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1093.100	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	57.000	LF
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	41.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	4.100	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	7.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	403.900	LF
523(B) 6560	(SP) SEALER RESIN	4.100	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	5.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	144.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100306

SECTION 0012 - TRAFFIC IMY-0040-6(367)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	6360.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	500.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1000.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	720.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2160.000	SD
880(C) 8842	BARRICADES(TYPE III)	720.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3600.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	2610.000	SD
880(F) 8878	DRUMS	2610.000	SD
880(G) 8884	TUBE CHANNELIZERS	2520.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0013 - SIGNING & STRIPING IMY-0040-6(367)325

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
853 9024	DELINEATORS(TYPE 1, CODE 1)	10.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	5600.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	1536.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	154.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA
890A/B 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100363

CALL ORDER: 512
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: STEPHENS

PROJECT(S) : PCN
 CIRB-169C(152)RB 2548204
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 120 CALENDAR DAYS
 RES. ENG.: REESE KNIGHT, ANADARKO

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-299): OVER WILD HORSE CREEK, 1.5 MILES
 NORTH OF THE SH-7 JUNCTION.
 PROJECT LENGTH = 0.431 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	4800.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
227 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	21800.000	SY
233(A) 2817	VEGETATIVE MULCHING	9.000	AC
235(B) 0101	(PL)ROCK FILTER DAM, TYPE 2	85.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	84.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1937.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	641.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0494	36" R.C.PIPE CLASS III	160.000	LF
613(C) 4379	SP. END SECTION OF 36" RCP ROUND	4.000	EA
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	64.000	LF
613(M) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	4.000	EA

SECTION 0002 - BRIDGE A

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	355.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	97.000	CY
509(A) 1326	CLASS AA CONCRETE	173.000	CY
511(A) 0332	REINFORCING STEEL	30096.000	LB

SECTION 0003 - BRIDGE B

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(F) 6352	GRANULAR BACKFILL	92.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	516.010	LF
504(C) 6276	(PL)SEALED EXPANSION JOINTS	39.990	LF
504(E) 6239	CONCRETE RAIL (TR3)	328.200	LF
506(A) 1322	STRUCTURAL STEEL	1260.000	LB
509(A) 1326	CLASS AA CONCRETE	132.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100363

SECTION 0003 - BRIDGE B

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
509(B) 1328	CLASS A CONCRETE	145.600	CY
511(A) 1332	REINFORCING STEEL	57472.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	260.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	601.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	260.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	601.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	224.000	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	12.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	12.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1510.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	413.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	74.000	LF
613(Q) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	30.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100108

CALL ORDER: 517
 LETTING DATE: May 20, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: WASHITA

PROJECT(S) : PCN
 SSP-175C(074)SS 2322404

GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$42.27
 120 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION

GRADE, DRAIN, SURFACE AND BRIDGE
 SH-55: FROM 0.25 MILES EAST OF NS-210, EXTEND EAST.
 PROJECT LENGTH = 0.212 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2957.000	CY
202(C) 0184	UNCLASSIFIED BORROW	11582.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	225.000	LF
223 2801	TEMPORARY SILT FENCE	1555.000	LF
227 0100	TEMPORARY SILT DIKE	225.000	LF
230(A) 2806	SOLID SLAB SODDING	15417.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.200	AC
241 2832	MOWING	8.200	AC
310(B) 0149	SUBGRADE, METHOD B	4143.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	98.000	TON
407 0250	TACK COAT	587.000	GAL
408 5774	PRIME COAT	587.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1931.600	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	691.800	TON
417 5267	COLD MILLING PAVEMENT	306.000	SY
509(D) 0325	CLASS C CONCRETE	16.230	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	84.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	60.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1786.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	1216.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	950.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	627.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100108

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	136.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	677.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(E) 6245	CONCRETE RAIL (TR4)	437.000	LF
506(A) 1322	STRUCTURAL STEEL	1050.000	LB
509(A) 1326	CLASS AA CONCRETE	234.100	CY
509(B) 1328	CLASS A CONCRETE	138.400	CY
511(A) 1332	REINFORCING STEEL	680.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	72250.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	903.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	903.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	887.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	250.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	(SP) SEALER RESIN	1.800	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	3320.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	710.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	2550.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	148.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100023

CALL ORDER: 520
LETTING DATE: May 20, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: WOODWARD

PROJECT(S) : PCN
SSP-177N(109)SS 2692504

GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
20 CALENDAR DAYS
RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
US-183: FROM 0.24 MILES EAST OF THE SH-15 JCT, EXTEND EAST.
PROJECT LENGTH = 0.43 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	1460.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	2312.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	1150.000	TON
417 5267	COLD MILLING PAVEMENT	12840.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
Mr. Jerod Neil Smith 1309 Southwest 7 th Street Stigler, OK 74462		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	

And those federally debarred and/or suspended contractors which are listed on
www.epls.gov and www.TOPnet.gov



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – May 20, 2010 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ UPS ☐ Mail ☐ Fed Ex #:
Contractor's Name:	
Telephone No:	
Physical Address:	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ALFALFA / WOODS	015	STPY-102C(168) STPY-176B(190) STPY-102C(169)	26826(04) 26827(04) 26829(04)		\$50.00	47.00 + 3.93	0
2	ATOKA	030	BRF-103C(108)CO	25860(04)		\$50.00	13.00 + 1.09	3
3	BEAVER	040	SSP-104B(070)SS	27011(04)		\$50.00	No Charge	0
4	BECKHAM	043	STPY-105A(080)SS	20800(04)		\$50.00	121.00 + 10.13	33
5	BECKHAM	046	IMY-0040-1(094)000SS	26239(04)		\$50.00	33.00 + 2.76	0
6	CARTER	070	BRF-110C(196)CO	24370(04)		\$50.00	7.00 + 0.59	3
7	CHOCTAW	080	BRO-112D(065)CO	22901(04)		\$50.00	13.00 + 1.09	9
8	CIMARRON	090	SSP-113C(079)SS	27013(04)		\$50.00	No Charge	0
9	CLEVELAND	100	SAP-114D(271)	27481(04)		\$50.00	No Charge	0
10	CRAIG	120	BRF-118C(075)CO	23922(04)		\$50.00	18.00 + 1.51	7
11	CUSTER	130	BRFY-120C(086)	20804(04)		\$50.00	62.00 + 5.19	23
12	CUSTER	131	BRFY-120C(089)	20805(04)		\$50.00	44.00 + 3.69	25
13	CUSTER	132	BRFY-120C(086) BRFY-120C(089)	20804(04)C 20805(04)C		\$50.00	106.00 + 8.88	48
14	DELAWARE	140	BRF-121C(121)CO	25900(04)		\$50.00	17.00 + 1.42	7
15	GARVIN	160	BRF-125C(123)CI	22528(04)		\$50.00	15.00 + 1.26	3
16	GARVIN	170	HSIPG-125N(182)TR	27327(04)		\$50.00	7.00 + 0.59	0
17	GRADY	175	BRFY-126C(085)	20961(04)		\$50.00	66.00 + 5.53	27
18	GRADY	185	SSP-126N(174)SS	26225(04)		\$50.00	45.00 + 3.77	38
19	HUGHES	200	BRO-132D(067)CO	20776(04)		\$50.00	9.00 + 0.75	3
20	JEFFERSON	222	SBR-134B(077)SB SBR-134B(078)SB	27324(04) 27328(04)		\$50.00	30.00 + 2.52	0
21	KAY	230	SSP-136N(191)SS	24432(12)		\$50.00	No Charge	0
22	KAY	231	SSP-136N(204)SS	24432(13)		\$50.00	No Charge	0
23	KAY	232	SSP-136N(191)SS SSP-136N(204)SS	24432(12)C 24432(13)C		\$50.00	No Charge	0
24	LINCOLN	260	BRF-141C(119)CO	20732(04)		\$50.00	9.00 + 0.75	2
25	LOGAN	270	BRO-142D(110)CO	22178(04)		\$50.00	12.00 + 1.01	4

BID OPENING OF – May 20, 2010 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ UPS ☐ Mail ☐ Fed Ex #:
Contractor's Name:	
Telephone No:	
Physical Address:	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
26	LOGAN	280	STP-STIM(500)AG	27288(04)		\$50.00	8.00 + 0.67	0
27	MCCLAIN	290	SBR-144N(145)SB	27305(04)		\$50.00	10.00 + 0.84	0
28	MCINTOSH	300	BRO-146D(069)CO	22028(04)		\$50.00	5.00 + 0.42	4
29	MCINTOSH	310	SAP-146D(129)	27480(04)		\$50.00	No Charge	0
30	MCCLAIN	315	IMY-0035-2(311)088	20999(06)		\$50.00	35.00 + 2.93	0
31	MAYES	320	SSP-149C(059)SS	20230(04)		\$50.00	134.00 + 11.22	40
32	MAYES	330	BRO-149D(091)CO	22950(04)		\$50.00	11.00 + 0.92	7
33	MARSHALL	340	BPMY-NBIP(421)3B	23145(04)		\$50.00	17.00 + 1.42	0
34	MUSKOGEE	350	BRO-151D(112)CO	20504(04)		\$50.00	7.00 + 0.59	6
35	MUSKOGEE	355	SAP-151C(225)	27790(04)		\$50.00	11.00 + 0.92	0
36	NOBLE	360	IMG-35-4(218)200TR	24232(05)		\$50.00	22.00 + 1.84	1
37	NOWATA	380	NHY-030N(067)	27025(04)		\$50.00	25.00 + 2.09	0
38	OKFUSKEE	390	BRO-154D(068)CO	21356(04)		\$50.00	7.00 + 0.59	2
39	OKLAHOMA	400	BRO-155D(568)CO	23593(04)		\$50.00	18.00 + 1.51	4
40	OKLAHOMA	415	STP-STIM(301)AG	26729(04)		\$50.00	8.00 + 0.67	0
41	OKMULGEE	420	NHY-014N(079) NHY-014N(082)	24271(04) 27141(04)		\$50.00	74.00 + 6.19	126
42	OSAGE	450	SAP-157D(172)	27479(04)		\$50.00	No Charge	0
43	PAWNEE	460	BRO-159D(056)CO	23133(04)		\$50.00	9.00 + 0.75	3
44	PAYNE	470	IMG-0035-4(233)174TR	26264(04)		\$50.00	20.00 + 1.68	35
45	PONTOTOC	480	BRF-162C(138)CO	22775(04)		\$50.00	11.00 + 0.92	7
46	SEQUOYAH	510	IMY-0040-6(346)325 IMY-0040-6(367)325	20910(04) 20910(07)		\$50.00	219.00 + 18.34	17
47	STEPHENS	512	CIRB-169C(152)RB	25482(04)		\$50.00	12.00 + 1.01	4
48	WASHITA	517	SSP-175C(074)SS	23224(04)		\$50.00	39.00 + 3.27	11
49	WOODWARD	520	SSP-177N(109)SS	26925(04)		\$50.00	No Charge	0