

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.6b) AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW ACCEPTS BIDS ON LINE . TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR

<http://www.BIDX.com>



Notice

Electronic bid packages are available for the July 22, 2010 10:30 A.M. Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on July 01, 2010.

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on July 09, 2010. concerning this July 22 Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Print Services Branch off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes prior to the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby.

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Effective with the June 2009 Letting, any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972

or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words "Pre-bid question(s) and the Call Order and the Let

Plans for the project on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2009/plans.htm>

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo/def2005.htm>

Reminder

Please be sure that bid bonds are stapled to the back of the proposal as instructed on the cover sheet of all proposals.

Do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mhenry@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Sealed Proposals sent by Registered Mail will be recieved through the ODOT Print Services Branch until 30 MINUTES PRIOR to the scheduled BID OPENING. From 30 MINUTES PRIOR to the BID OPENING until the Time of the BID OPENING, Bid Proposals must be turned in DIRECTLY to the ODOT COMMISSION Room located on the East side of the Lobby. The Scheduled BID OPENING is 10:30 A.M. July 22, 2010 , for the work listed below.

Each separate Proposal shall be accompanied by a CERTIFIED or CASHIER`S CHECK or BID BOND equal to 5% of the BID mad payable to the STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, as a Proposal Guaranty. Proposal Checks will be held or returned by the DEPARTMENT as per Section 103.04of the State Standard Specifications.

The MINIMUM wage to be paid laborers and mechanics employed on this project shall be included in the Proposal.

Proposals must be prepared as directed by the State Standard Specifications.

Plans, Forms of Proposals, Contracts and Specifications may be examined at the DIVISION Headquarters in the DIVISION the work is to be performed or at the OKLAHOMA DEPARTMENT OF TRANSPORTATION Office Engineer`s Division in Oklahoma City, Oklahoma. This work will be dome under the Oklahoma DEPARTMENT OF TRANSPORTATION Commission`s applicable Specifications for Highway Construction as depicted on the lower left corner of the Plan`s Title Sheet.

Plans and Proposal forms may be ordered from the Office Engineer Division, OKLAHOMA DEPARTMENT OF TRANSPORTATION Building, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105.

Cost of Bidding Documents are \$50.00 + tax for each Bidding Proposal. State Standard Specifications \$55.00 + tax. (Oklahoma tax is 8.375%). Make Checks Payable to OKLAHOMA DEPARTMENT OF TRANSPORTATION.

No Refunds will be made for Bidding Documents or Specification Books purchased.

Upon AWARD of Contract to a successful bidder, The Contract will be completely and correctly executed by the Contractor and returned to the DEPARTMENT within ten (10) WORKING days from the date of AWARD. The DEPARTMENT will have fourteen (14) WORKING days from the date of AWARD to complete its execution of the Contract.

The OKLAHOMA DEPARTMENT OF TRANSPORTATION hereby notifies ALL Bidders that it will AFFIRMATIVELY ensure that in any Contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit Bids in response to this invitation and will not be discriminated against on the grounds of Race, Color, Sex, Religion, National Origin, OR Disability in consideration for an AWARD.

Bidders are hereby notified that ALL Bids are likely to be REJECTED if the lowest RESPONSIVE BID received exceeds the Engineer`s Estimate by more than seven (7) percent. In the event ALL Bids are REJECTED for this reason, this Project may be deferred for readvertising for Bids until a more competitive situation exists.

Description of work and location of Project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100055

CALL ORDER: 020
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: ADAIR
SEQUOYAH

PROJECT(S) : PCN
BHFY-NBIP(327) 2088304
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$9.75
60 CALENDAR DAYS
RES. ENG.: CARL EDWARDS, SALLISAW

CONTRACT DESCRIPTION
BRIDGE PAINTING
US-59/US-64: AT VARIOUS LOCATIONS IN DIVISION I.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
535 6386	(PL)SILICONE CONSTRUCTION JOINT	24.000	LF

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0005 - MOBILIZATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100056

CALL ORDER: 040
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ADAIR
 SEQUOYAH

PROJECT(S) : PCN
 BHFY-101A(060) 2088305
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$35.76
 180 CALENDAR DAYS
 RES. ENG.: CARL EDWARDS, SALLISAW

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-59/US-64: AT VARIOUS LOCATIONS IN DIVISION I.

SECTION 0001 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
407 0250	TACK COAT	125.000	GAL
408 5774	PRIME COAT	81.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	164.000	TON
417 5267	COLD MILLING PAVEMENT	862.000	SY
504(A) 1304	APPROACH SLAB	212.200	SY
504(C) 6276	(PL)SEALED EXPANSION JOINTS	75.000	LF
504(E) 6245	CONCRETE RAIL (TR4)	399.800	LF
504(H) 6390	RAPID CURE JOINT SEALANT	200.000	LF
506(A) 1322	STRUCTURAL STEEL	3187.500	LB
509(A) 1326	CLASS AA CONCRETE	119.500	CY
511 6306	(PL)MECHANICAL SPLICES	628.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	32450.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	355.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	140.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	14.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	493.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	563.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA

SECTION 0002 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	(SP) SEALER CRACK PREPARATION	136.000	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL
523(C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	565.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100056

SECTION 0002 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
535 6386	(PL)SILICONE CONSTRUCTION JOINT	66.000	LF
540 4505	(PL)REPAIR BRIDGE ITEMS	2.000	EA

SECTION 0003 - BRIDGE "C"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
407 0250	TACK COAT	44.000	GAL
408 5774	PRIME COAT	66.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	115.000	TON
417 5267	COLD MILLING PAVEMENT	578.000	SY
504(A) 1304	APPROACH SLAB	201.000	SY
504(C) 6276	(PL)SEALED EXPANSION JOINTS	59.500	LF
504(E) 6245	CONCRETE RAIL (TR4)	502.333	LF
504(H) 6390	RAPID CURE JOINT SEALANT	191.670	LF
506(A) 1322	STRUCTURAL STEEL	3400.000	LB
509(A) 1326	CLASS AA CONCRETE	147.700	CY
509(D) 0325	CLASS C CONCRETE	18.000	CY
511 6306	(PL)MECHANICAL SPLICES	828.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	56530.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	356.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	120.670	LF
523(B) 6560	(SP) SEALER RESIN	0.800	GAL
545 4805	(PL)REPLACE BRIDGE ITEMS	24.000	EA
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	600.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	588.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	3250.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	650.000	LF
823 8478	(PL)PORTABLE TRAFFIC SIGNAL SYSTEM	120.000	SD
850(A) 8110	SHEET ALUMINUM SIGNS	78.000	SF
851(C) 8324	2" SQUARE TUBE POST	270.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	28.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	16000.000	LF
870(A) 8490	(PL)SAND FILLED IMPACT ATTEN.SYSTEM	120.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100056****SECTION 0004 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100417

CALL ORDER: 060
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: BEAVER

PROJECT(S) : PCN
SSR-104B(071)SR 2739604

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: CHARLES MICHAEL, GUYMON

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
US-64: FROM 8.0 MILES WEST OF THE SH-23 JUNCTION, EXTEND
WEST.
PROJECT LENGTH = 8.0 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	8561.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	13875.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	21120.000	SY

SECTION 0002 - TRAFFIC

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	147840.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100418

CALL ORDER: 080
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BECKHAM

PROJECT(S) : PCN
 STPY-105C(155) 2451104
 STPY-105C(156) 2451105

DBE GOALS : 2.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$21.67
 120 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-152: OVER STARVATION CREEK, 8.6 MI WEST OF THE I-40 JCT.
 SH-152: OVER LONG CREEK, 2.5 MI WEST OF THE I-40 JCT.
 PROJECT LENGTH = 0.12 MILES

SECTION 0001 - ROADWAY - STPY-105C(155)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	250.000	TON
417 5267	COLD MILLING PAVEMENT	1070.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	400.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	400.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - BRIDGE - STPY-105C(155)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	134.000	SY
504(C) 6250	SEALED EXPANSION JOINT	66.340	LF
504(E) 6245	CONCRETE RAIL (TR4)	423.340	LF
506(A) 1322	STRUCTURAL STEEL	400.000	LB
509(A) 1326	CLASS AA CONCRETE	169.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	48870.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	304.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	33.000	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC - STPY-105C(155)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	2184.000	LF

SECTION 0004 - ROADWAY - STPY-105C(156)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	500.000	TON
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	400.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100418

SECTION 0004 - ROADWAY - STPY-105C(156)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0005 - BRIDGE 'A' - STPY-105C(156)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	10.000	CY
504(A) 1304	APPROACH SLAB	143.000	SY
504(C) 6250	SEALED EXPANSION JOINT	63.500	LF
504(E) 6245	CONCRETE RAIL (TR4)	500.000	LF
509(A) 1326	CLASS AA CONCRETE	170.500	CY
509(D) 1331	CLASS C CONCRETE	12.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	46910.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	376.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	128.700	LF
523(B) 6560	(SP) SEALER RESIN	1.300	GAL
601(A-1)1353	TYPE I-A PLAIN RIPRAP	610.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	120.000	TON
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0006 - TRAFFIC - STPY-105C(156)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2600.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0007 - STAKING - STPY-105C(156)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0008 - CONSTRUCTION - STPY-105C(156)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100420

CALL ORDER: 100
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BECKHAM

PROJECT(S) : PCN
 STPY-105N(160) 2487105
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$23.84
 150 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE REDECKING AND REHABILITATION
 I-40:OVER I-40B AND FARMRAIL CORPORATION RAILROAD, 4.5 MILES
 EAST OF THE SH-30 JUNCTION.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
407 0250	TACK COAT	60.000	GAL
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	250.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	500.000	LF
417 4267	COLD MILLING BITUMINOUS PAVEMENT	1120.000	SY
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6179	(PL)BRIDGE TRAFFIC RAIL	1296.400	LF
504(A) 1304	APPROACH SLAB	509.400	SY
504(C) 6250	SEALED EXPANSION JOINT	248.810	LF
506(A) 1322	STRUCTURAL STEEL	12000.000	LB
509(A) 1326	CLASS AA CONCRETE	715.800	CY
509(D) 1331	CLASS C CONCRETE	10.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	200670.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1042.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	10.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	50.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	671.500	LF
523(B) 6560	(SP) SEALER RESIN	7.000	GAL
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	550.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	2350.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4260.000	LF
870(A) 8490	(PL)SAND FILLED IMPACT ATTEN.SYSTEM	150.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	5.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100420****SECTION 0003 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	150.000	SD

SECTION 0004 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100421

CALL ORDER: 120
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BLAINE

PROJECT(S) : PCN
 ERSTP-106C(092)ER 2545305
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 120 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD(EW-88): OVER AN OVERFLOW OF THE NORTH CANADIAN
 RIVER, 3.75 MILES EAST OF THE US-281 JUNCTION.
 PROJECT LENGTH = 0.161 MILES

SECTION 0001 - ROADWAY - ERSTP-106C(092)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1200.000	LF
230(A) 2806	SOLID SLAB SODDING	12000.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.780	AC
303 5912	AGGREGATE BASE	790.000	TON
407 0250	TACK COAT	213.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	478.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(D) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	204.000	LF

SECTION 0002 - DETOUR ROAD - ADD ALT. 1 ERSTP-106C(092)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	413.000	TON
613(D) 0694	48" CORR. GALV. STEEL PIPE	160.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - BRIDGE - ERSTP-106C(092)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	646.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	79.000	CY
509(B) 1328	CLASS A CONCRETE	192.900	CY
511(A) 1332	REINFORCING STEEL	30390.500	LB
601(A) 1351	TYPE I PLAIN RIPRAP	96.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING - ERSTP-106C(092)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100421

SECTION 0005 - CONSTRUCTION - ERSTP-106C(092)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100423

CALL ORDER: 121
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BLAINE

PROJECT(S) : PCN
 ERSTP-106C(110)ER 2545605
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 120 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD(EW-89):OVER A TRIBUTARY OF RELAY CREEK, 4.5 MILE
 WEST OF THE US-281 JUNCTION.
 PROJECT LENGTH = 0.133 MILES

SECTION 0001 - ROADWAY - ERSTP-106C(110)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1040.000	LF
230(A) 2806	SOLID SLAB SODDING	8334.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.720	AC
303 5912	AGGREGATE BASE	576.000	TON
407 0250	TACK COAT	175.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	400.000	TON
509(D) 0325	CLASS C CONCRETE	68.000	CY
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	64.000	LF

SECTION 0002 - DETOUR ROAD - ADD ALT. 2 - ERSTP-106C(110)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	355.000	TON
613(D) 0694	48" CORR. GALV. STEEL PIPE	220.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - BRIDGE - ERSTP-106C(110)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	800.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	90.000	CY
509(B) 1328	CLASS A CONCRETE	257.000	CY
511(A) 1332	REINFORCING STEEL	37207.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	250.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING - ERSTP-106C(110)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100423

SECTION 0005 - CONSTRUCTION - ERSTP-106C(110)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100424

CALL ORDER: 122
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BLAINE

PROJECT(S) : PCN
 ERSTP-106C(099)ER 2546205
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 120 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD(EW-94):OVER AMERICAN HORSE CREEK, 9.0 MILES WEST
 OF THE US-281 JUNCTION.
 PROJECT LENGTH = 0.142 MILES

SECTION 0001 - ROADWAY - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 0184	UNCLASSIFIED BORROW	2971.000	CY
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	650.000	LF
230(A) 2806	SOLID SLAB SODDING	10410.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.150	AC
303 5912	AGGREGATE BASE	628.000	TON
407 0250	TACK COAT	188.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	478.000	TON
509(D) 0325	CLASS C CONCRETE	135.000	CY
613(CC) 7189	TYPE D4 CULVERT END TREATMENT	6.000	EA
613(D) 0692	36" CORR. GALV. STEEL PIPE	320.000	LF

SECTION 0002 - DETOUR ROAD - ADD ALT. 3 - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	389.000	TON
613(D) 4819	96" CORR. GALV. STEEL PIPE	80.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - BRIDGE - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2042.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	200.000	CY
509(B) 1328	CLASS A CONCRETE	468.400	CY
511(A) 1332	REINFORCING STEEL	80352.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	250.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100424

SECTION 0005 - CONSTRUCTION - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100464

CALL ORDER: 123
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BLAINE

PROJECT(S) :	PCN
ERSTP-106C(092)ER	2545305
ERSTP-106C(110)ER	2545605
ERSTP-106C(099)ER	2546205

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$27.09
 300 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD(EW-88/EW-89/EW-94): AT MULTIPLE COUNTY BRIDGE
 LOCATIONS IN DIVISION V.
 PROJECT LENGTH = 0.436 MILES

SECTION 0001 - ROADWAY - ERSTP-106C(092)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1200.000	LF
230(A) 2806	SOLID SLAB SODDING	12000.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.780	AC
303 5912	AGGREGATE BASE	790.000	TON
407 0250	TACK COAT	213.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	478.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(D) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	204.000	LF

SECTION 0002 - DETOUR ROAD - ADD ALT. 1 ERSTP-106C(092)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	413.000	TON
613(D) 0694	48" CORR. GALV. STEEL PIPE	160.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - BRIDGE - ERSTP-106C(092)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	646.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	79.000	CY
509(B) 1328	CLASS A CONCRETE	192.900	CY
511(A) 1332	REINFORCING STEEL	30390.500	LB
601(A) 1351	TYPE I PLAIN RIPRAP	96.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100464

SECTION 0004 - ROADWAY - ERSTP-106C(110)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1040.000	LF
230(A) 2806	SOLID SLAB SODDING	8334.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.720	AC
303 5912	AGGREGATE BASE	576.000	TON
407 0250	TACK COAT	175.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	400.000	TON
509(D) 0325	CLASS C CONCRETE	68.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	64.000	LF

SECTION 0005 - DETOUR ROAD - ADD ALT. 2 - ERSTP-106C(110)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	355.000	TON
613(D) 0694	48" CORR. GALV. STEEL PIPE	220.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0006 - BRIDGE - ERSTP-106C(110)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	800.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	90.000	CY
509(B) 1328	CLASS A CONCRETE	257.000	CY
511(A) 1332	REINFORCING STEEL	37207.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	250.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0007 - ROADWAY - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 0184	UNCLASSIFIED BORROW	2971.000	CY
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	650.000	LF
230(A) 2806	SOLID SLAB SODDING	10410.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.150	AC
303 5912	AGGREGATE BASE	628.000	TON
407 0250	TACK COAT	188.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	478.000	TON
509(D) 0325	CLASS C CONCRETE	135.000	CY
613(CC) 7189	TYPE D4 CULVERT END TREATMENT	6.000	EA
613(D) 0692	36" CORR. GALV. STEEL PIPE	320.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100464

SECTION 0008 - DETOUR ROAD - ADD ALT. 3 - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	389.000	TON
613(D) 4819	96" CORR. GALV. STEEL PIPE	80.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0009 - BRIDGE - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2042.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	200.000	CY
509(B) 1328	CLASS A CONCRETE	468.400	CY
511(A) 1332	REINFORCING STEEL	80352.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	250.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0010 - STAKING - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0011 - CONSTRUCTION - ERSTP-106C(099)ER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100368

CALL ORDER: 130
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BRYAN

PROJECT(S) : PCN
 HPPY-022N(163)HP 2341704
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$119.21
 300 CALENDAR DAYS
 RES. ENG.: JERRY ELDRIDGE, MADILL

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-70: OVER UNION PACIFIC RAILROAD, 2.0 MILES EAST OF THE
 US-69 JCT IN THE CITY OF DURANT.
 PROJECT LENGTH = 0.505 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	9115.000	CY
202(C) 0184	UNCLASSIFIED BORROW	50170.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	5354.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
230(A) 2806	SOLID SLAB SODDING	25209.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.000	AC
241 2832	MOWING	15.000	AC
303 0192	AGGREGATE BASE	4627.000	CY
325 5271	SEPARATOR FABRIC	20799.000	SY
325 5280	(PL)MOISTURE BARRIER MEMBRANE	20799.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	100.000	TON
407 0250	TACK COAT	56.000	GAL
408 5774	PRIME COAT	7492.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	183.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	122.000	TON
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	17411.000	SY
414(I) 5275	P.C. CONCRETE FOR PAVEMENT	4573.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
510(A) 6333	RETAINING WALL	142.000	SY
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	5950.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	655.000	SY
610(B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	2666.000	SY
611(A) 2657	MANHOLE (4' DIA.)	2.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	7.000	VF
611(D) 4215	MANHOLE FRAME & COVER	2.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	2.000	EA
611(E) 5120	INLET CICI DES. 3 (STD)	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100368

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(F) 5330	INLET CICI DES. 3 (ADD'L DEPTH)	2.000	VF
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	12.000	EA
611(K) 4488	CAST IRON CURB INLETS	12.000	EA
612(A) 0641	MANHOLES ADJUST TO GRADE	12.000	EA
612(G) 0647	VALVE BOXES ADJUST TO GRADE	11.000	EA
612(H) 0648	METER BOXES ADJUST TO GRADE	11.000	EA
613(B) 0491	18" R.C.PIPES CLASS III	558.000	LF
613(B) 0492	24" R.C.PIPES CLASS III	8.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	4482.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	2846.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	23787.000	SY
619(B) 4792	REMOVAL OF SIDEWALK	458.000	SY
619(C) 0924	SAWING PAVEMENT	2434.000	LF
622(A) 4746	PIPE RAILING	268.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	4.000	EA
629(C) 4960	MAILBOX	4.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	4.000	EA
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	4465.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	1492.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	12.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	20.000	CY
202(C) 1302	UNCLASSIFIED BORROW	20.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	300.000	CY
501(G) 6309	CLSM BACKFILL	345.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1185.400	LF
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	907.670	LF
504(A) 1304	APPROACH SLAB	450.000	SY
504(C) 6276	(PL)SEALED EXPANSION JOINTS	738.330	LF
504(E) 6245	CONCRETE RAIL (TR4)	723.330	LF
506(A) 1322	STRUCTURAL STEEL	11230.000	LB
509 6386	(PL)SILICONE CONSTRUCTION JOINT	135.000	LF
509(A) 1326	CLASS AA CONCRETE	997.000	CY
509(B) 1328	CLASS A CONCRETE	144.600	CY
510(C) 6138	SLOPE WALL (5")	1430.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	198940.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	170.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	853.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	170.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100368

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(B) 6294	PILES, DRIVEN (HP 12X53)	853.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1341.000	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	292.000	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	21.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	21.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	136.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	3500.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2800.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	2000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	2300.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	9000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5100.000	SD
880(C) 8842	BARRICADES(TYPE III)	17400.000	SD
880(C) 8848	WING BARRICADES	1200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	53700.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	89400.000	SD
880(F) 8878	DRUMS	89400.000	SD

SECTION 0004 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	2.000	CY
804(B) 2916	REINFORCING STEEL	260.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	428.000	SF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	47.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STL.PIPE POST	20.000	LF
851(B) 3220	4"@10.79 GALV.STL.PIPE POST	63.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	332.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	11323.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	2450.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	236.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	14.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	7.000	EA
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	28.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA

SECTION 0005 - TRAFFIC SIGNALS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	120.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100368

SECTION 0005 - TRAFFIC SIGNALS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	315.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	70.000	LF
803 8065	PULL BOX(SIZE I)	3.000	EA
803 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	12.500	CY
804(B) 2916	REINFORCING STEEL	1815.200	LB
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	4.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	4.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	1805.000	LF
825 8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	6.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	6.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA
833 3030	BACKPLATE	12.000	EA
834(A) 8207	5/C TRAF.SIG.EL.CABLE	2235.000	LF
834(A) 8208	7/C TRAF.SIG.EL.CABLE	485.000	LF
834(A) 8213	21/C TRAF.SIG.EL.CABLE	750.000	LF
840(A) 8592	(PL)E.P.S. OPTICAL EMITTER	5.000	EA
840(B) 8593	(PL)E.P.S. OPTICAL DETECTOR	5.000	EA
840(C) 8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	990.000	LF
840(D) 8598	(PL)E.P.S. 4 CHANNEL PHASE SELECTOR	1.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	66.000	SF
890 7706	(PL)TRAFFIC ITEMS(SIGNALS)	1.000	LSUM

SECTION 0006 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	360.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	120.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1085.000	LF
802(D) 8370	JUNCTION BOX(6" X 6" X 4")	2.000	EA
803 8065	PULL BOX(SIZE I)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	7.000	CY
804(B) 2916	REINFORCING STEEL	401.000	LB
806(A) 8270	30' MTG & HLMA (SPECIAL)	14.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	14.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100368****SECTION 0006 - TRAFFIC LIGHTING**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	3360.000	LF
811 8046	1/C NO.12 ELECT.COND.	1260.000	LF

SECTION 0007 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0008 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100419

CALL ORDER: 140
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BRYAN

PROJECT(S) : PCN
 CR-107D(145) 2585504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 120 CALENDAR DAYS
 RES. ENG.: JERRY ELDRIDGE, MADILL

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (OAK HILLS ROAD): FROM 0.40 MILES WEST OF THE
 SH-91 JUNCTION, EXTEND EAST.
 PROJECT LENGTH = 0.142 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	64.000	CY
202(C) 0184	UNCLASSIFIED BORROW	16262.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1500.000	LF
227 0100	TEMPORARY SILT DIKE	216.000	LF
230(A) 2806	SOLID SLAB SODDING	4799.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
237 0250	(PL)SAND BAG BERM	300.000	LF
303 0192	AGGREGATE BASE	445.000	CY
325 5271	SEPARATOR FABRIC	2375.000	SY
402(A) 0204	BITUMINOUS BINDER	7.000	TON
402B-1 0206	NO.1 COVER AGGREGATE	48.000	TON
402B-2 0208	NO.2 COVER AGGREGATE	60.000	TON
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
408 5774	PRIME COAT	543.000	GAL
509(D) 0325	CLASS C CONCRETE	25.000	CY
601(E) 6312	FILTER FABRIC (RIPRAP)	236.000	SY
601A-1 0536	TYPE I-A PLAIN RIPRAP	280.000	TON
613(B) 0589	60" R.C.PIPES CLASS IV	264.000	LF
613(M) 5742	60" PREFAB. CULVERT END SEC., ROUND	4.000	EA
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1000.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	564.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	3000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100419****SECTION 0003 - CONSTRUCTION**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100370

CALL ORDER: 160
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CADDO

PROJECT(S) : PCN
 BRF-108C(249)CO 2574304
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: REESE KNIGHT, ANADARKO

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-249): OVER COBB CREEK, 4.9 MILES SOUTH OF
 EAKLEY.
 PROJECT LENGTH = 0.340 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3600.000	LF
227 0100	TEMPORARY SILT DIKE	550.000	LF
230(A) 2806	SOLID SLAB SODDING	16400.000	SY
233(A) 2817	VEGETATIVE MULCHING	7.200	AC
235(B) 0101	(PL)ROCK FILTER DAM, TYPE 2	24.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	120.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1136.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	554.000	TON
509(D) 0325	CLASS C CONCRETE	198.500	CY
511(A) 0332	REINFORCING STEEL	4827.000	LB
613(B) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	48.000	LF
613(C) 4808	SP. END SECTION OF 36" X 22" RCP ARCH	2.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	136.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
619(C) 0924	SAWING PAVEMENT	60.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	10.360	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	26.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	275.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	80.600	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	25450.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100370****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(A) 6011	PILES, FURNISHED (HP 12X53)	1093.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1093.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1276.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	336.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100211

CALL ORDER: 180
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CHEROKEE

PROJECT(S) : PCN
 STPY-111B(127) 2730304
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 120 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-51: OVER DOUBLE SPRING CREEK, 6.9 MILES EAST OF THE
 WAGONER COUNTY LINE.

SECTION 0001 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	276.000	TON
504(C) 6250	SEALED EXPANSION JOINT	75.000	LF
504(E) 6245	CONCRETE RAIL (TR4)	539.000	LF
506(A) 1322	STRUCTURAL STEEL	7076.000	LB
509(A) 1326	CLASS AA CONCRETE	230.000	CY
509(D) 1331	CLASS C CONCRETE	6.000	CY
511 6306	(PL)MECHANICAL SPLICES	622.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	64677.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	382.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	30.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	440.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1012.500	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	1448.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	1448.000	LF
823 8478	(PL)PORTABLE TRAFFIC SIGNAL SYSTEM	120.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12272.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	4240.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	240.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	5.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	720.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	480.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100211

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1800.000	SD
880(C) 8842	BARRICADES(TYPE III)	1200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2400.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	3600.000	SD
880(F) 8878	DRUMS	3600.000	SD
880(G) 8884	TUBE CHANNELIZERS	750.000	SD
880(I) 8902	FLAGGER	20.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100160

CALL ORDER: 200
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CHOCTAW

PROJECT(S) : PCN
 NHY-014N(086) 2732104
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$24.93
 75 CALENDAR DAYS
 RES. ENG.: BRENT FRANK, ANTLERS

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-271: OVER US-70 AND THE KIAMICHI RAILROAD, IN THE CITY OF
 HUGO.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4780	REMOVAL OF GUARD RAIL	430.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	590.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	8.000	EA
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	311.200	SY
504(C) 6250	SEALED EXPANSION JOINT	168.100	LF
504(F) 6190	42" F-SHAPED PARAPET	880.500	LF
509(A) 1326	CLASS AA CONCRETE	387.100	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	129560.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1462.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	88.700	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	545.200	LF
523(B) 6560	(SP) SEALER RESIN	6.000	GAL
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	1005.600	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	48.000	SY
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	299.000	SY
504(C) 6250	SEALED EXPANSION JOINT	160.300	LF
504(F) 6190	42" F-SHAPED PARAPET	878.100	LF
509(A) 1326	CLASS AA CONCRETE	371.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	123410.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1534.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	16.300	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	538.900	LF
523(B) 6560	(SP) SEALER RESIN	6.000	GAL

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100160

SECTION 0003 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	1191.600	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	57.000	SY
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(G) 4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	2140.000	LF
627(H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	4280.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2230.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100426

CALL ORDER: 220
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CIMARRON

PROJECT(S) : PCN
 BRO-113D(055)CO 2461204
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: CHARLES MICHAEL, GUYMON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER LANE CANYON CREEK, 5.8 MILES NORTH OF THE
 SH-325 JUNCTION.
 PROJECT LENGTH = 0.113 MILES

SECTION 0001 - ROADWAY - BRO-113D(055)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	250.000	LF
230(A) 2806	SOLID SLAB SODDING	4360.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.170	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	226.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
850(A) 8110	SHEET ALUMINUM SIGNS	17.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	24.000	LF

SECTION 0002 - BRIDGE 'A' - BRO-113D(055)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 1328	CLASS A CONCRETE	333.000	CY
511(A) 1332	REINFORCING STEEL	14574.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	24.000	TON
613(D) 0691	30" CORR. GALV. STEEL PIPE	324.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING - BRO-113D(055)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION - BRO-113D(055)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100427

CALL ORDER: 221
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CIMARRON

PROJECT(S) : PCN
 ACBRO-113D(056)CO 2461304

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: CHARLES MICHAEL, GUYMON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER GALLINAS CANYON CREEK, 0.8 MILES EAST AND
 4.25 MILES NORTH OF THE SH-325 JUNCTION.
 PROJECT LENGTH = 0.151 MILES

SECTION 0001 - ROADWAY - ACBRO-113D(056)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	350.000	LF
230(A) 2806	SOLID SLAB SODDING	5945.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.230	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	324.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY

SECTION 0002 - BRIDGE 'A' - ACBRO-113D(056)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 1328	CLASS A CONCRETE	326.800	CY
511(A) 1332	REINFORCING STEEL	14534.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	24.000	TON
613(D) 4530 42" X 29"	CORR. GALV. STEEL PIPE ARCH	191.650	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING - ACBRO-113D(056)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION - ACBRO-113D(056)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100465

CALL ORDER: 222
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CIMARRON

PROJECT(S) :
 BRO-113D(055)CO 2461204
 ACBRO-113D(056)CO 2461304

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 120 CALENDAR DAYS
 RES. ENG.: CHARLES MICHAEL, GUYMON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROADS: OVER LANE CANYON AND GALLINAS CANYON
 CREEK, 5.8 MILES AND 4.25 MILES NORTH OF THE SH-325 JUNCTION.
 PROJECT LENGTH = 0.264 MILES

SECTION 0001 - ROADWAY - BRO-113D(055)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	250.000	LF
230(A) 2806	SOLID SLAB SODDING	4360.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.170	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	226.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
850(A) 8110	SHEET ALUMINUM SIGNS	17.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	24.000	LF

SECTION 0002 - BRIDGE 'A' - BRO-113D(055)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 1328	CLASS A CONCRETE	333.000	CY
511(A) 1332	REINFORCING STEEL	14574.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	24.000	TON
613(D) 0691	30" CORR. GALV. STEEL PIPE	324.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - ROADWAY - ACBRO-113D(056)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	350.000	LF
230(A) 2806	SOLID SLAB SODDING	5945.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.230	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	324.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY

SECTION 0004 - BRIDGE 'A' - ACBRO-113D(056)CO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 1328	CLASS A CONCRETE	326.800	CY
511(A) 1332	REINFORCING STEEL	14534.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100465

SECTION 0004 - BRIDGE 'A' - ACBRO-113D(056)CO

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
601(A-1)1353	TYPE I-A PLAIN RIPRAP	24.000	TON
613(D) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	191.650	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0005 - STAKING - ACBRO-113D(056)CO

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0006 - CONSTRUCTION - ACBRO-113D(056)CO

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100428

CALL ORDER: 240
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 STPG-114B(201)AG 2428604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 120 CALENDAR DAYS
 RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (TRAFFIC SIGNALS)
 CITY STREET : AT THE INTERSECTION OF 36TH STREET AND
 ROCK CREEK ROAD, IN THE CITY OF NORMAN.

SECTION 0001 - TRAFFIC SIGNALS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(A) 0602	4" CONCRETE SIDEWALK	107.000	SY
610(I) 4610	(PL)TACTILE WARNING DEVICE-NEW	700.000	SF
619(B) 4792	REMOVAL OF SIDEWALK	98.000	SY
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	95.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	320.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	60.000	LF
803 8065	PULL BOX(SIZE I)	3.000	EA
803 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	12.600	CY
804(B) 2916	REINFORCING STEEL	1894.300	LB
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8314	32'MH POLE 50'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8732	POLE & 40' TS MST.ARM(G.STL.)	1.000	EA
806(A) 8734	POLE & 45' TS MST.ARM(G.STL.)	1.000	EA
806(B) 8896	12' MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	2.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	860.000	LF
825 8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	4.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA
833 3030	BACKPLATE	12.000	EA
834(A) 8207	5/C TRAF.SIG.EL.CABLE	1905.000	LF
834(A) 8208	7/C TRAF.SIG.EL.CABLE	275.000	LF
834(A) 8213	21/C TRAF.SIG.EL.CABLE	760.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	40.000	LF
840(A) 8592	(PL)E.P.S. OPTICAL EMITTER	5.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100428****SECTION 0001 - TRAFFIC SIGNALS**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
840(B) 8593	(PL)E.P.S. OPTICAL DETECTOR	4.000	EA
840(C) 8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	1035.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	106.000	SF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	615.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3700.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100457

CALL ORDER: 260
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: COAL

PROJECT(S) : PCN
SSR-017N(233)SR 2741504

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: TONY KEEFER, ADA

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-3: FROM THE PONTOTOC COUNTY LINE, EXTEND EAST.
PROJECT LENGTH = 5.68 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	10330.000	GAL
411(S5) 5970	(SP)ASPH.CONC.,TYPE S5(PG 70-28 OK)	13277.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	534.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	104966.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100431

CALL ORDER: 280
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 IMG-44-1(116)030TR 2745404

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$35.76
 120 CALENDAR DAYS
 RES. ENG.: JERRY HARWELL, DUNCAN

CONTRACT DESCRIPTION
 SIGNING
 I-44: FROM THE SH-36 JUNCTION, EXTEND NORTH.

SECTION 0001 - TRAFFIC SIGNING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	1643.910	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	4694.450	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	1350.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	472.250	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	500.850	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	152.900	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	55.800	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	315.300	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	202.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	680.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STL.PIPE POST	520.000	LF
851(B) 3220	4"@10.79 GALV.STL.PIPE POST	252.000	LF
851(C) 8324	2" SQUARE TUBE POST	2630.000	LF
852(K) 8772	(PL)REPAIR OVHD.SN.STR.TYPE C-1 ALUM.	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - MOBILIZATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100432

CALL ORDER: 300
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CREEK

PROJECT(S) : PCN
 BRFY-119C(105) 2089104
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$27.09
 90 CALENDAR DAYS
 RES. ENG.: MARK WILLIAMS, SAND SPRINGS

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-16: OVER TURKEY CREEK, 11.2 MILES EAST OF THE SH-48 JCT.
 PROJECT LENGTH = 0.274 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	16059.000	CY
202(C) 0184	UNCLASSIFIED BORROW	37574.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	4233.000	LF
227 0100	TEMPORARY SILT DIKE	70.000	LF
230(A) 2806	SOLID SLAB SODDING	31953.000	SY
232(A) 2813	SEEDING METHOD A	6.600	AC
233(A) 2817	VEGETATIVE MULCHING	6.600	AC
241 2832	MOWING	6.600	AC
303 0192	AGGREGATE BASE	1830.000	CY
325 5271	SEPARATOR FABRIC	7647.000	SY
327(K) 4300	(SP)STABILIZED SUBGRADE	7572.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1099.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	3144.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1569.000	TON
613(D) 5739	84" CORR. GALV. STEEL PIPE	106.000	LF
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	96.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	32.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1038.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	2615.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(F) 6352	GRANULAR BACKFILL	180.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	399.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100432

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	224.800	SY
504(E) 6245	CONCRETE RAIL (TR4)	297.000	LF
506(A) 1322	STRUCTURAL STEEL	150.000	LB
509(A) 1326	CLASS AA CONCRETE	158.600	CY
509(B) 1328	CLASS A CONCRETE	59.600	CY
509(D) 1331	CLASS C CONCRETE	40.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	37340.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1360.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1360.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	461.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	85.000	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1250.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	260.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	48.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	27.500	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	54.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	9200.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	9200.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	750.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	400.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100433

CALL ORDER: 320
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ALFALFA
 WOODS
 ELLIS
 TEXAS
 CIMARRON

PROJECT(S) : PCN
 SSP-123C(078)SS 2327407
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$14.09
 20 CALENDAR DAYS
 RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
 BRIDGE WATER PROOF SEAL
 US-64/US-283/SH-45/SH-95/SH-171: AT VARIOUS LOCATIONS IN
 DIVISION VI.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2102.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	1299.500	LF
523(B) 6560	(SP) SEALER RESIN	13.000	GAL

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	3902.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	2412.700	LF
523(B) 6560	(SP) SEALER RESIN	24.200	GAL

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	995.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	583.800	LF
523(B) 6560	(SP) SEALER RESIN	5.900	GAL

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1035.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	639.800	LF
523(B) 6560	(SP) SEALER RESIN	6.400	GAL

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1312.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	807.100	LF
523(B) 6560	(SP) SEALER RESIN	8.100	GAL

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	(SP) SEALER CRACK PREPARATION	200.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100433****SECTION 0006 - BRIDGE 'F'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(B) 6560	(SP) SEALER RESIN	2.000	GAL

SECTION 0007 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	20.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	40.000	SD

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100458

CALL ORDER: 340
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: GARVIN

PROJECT(S) : PCN
SSR-125B(184)SR 2741304

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-19: FROM DOC HUEY AVE IN THE TOWN OF MAYSVILLE, EXTEND
EAST.
PROJECT LENGTH = 6.5 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2147.000	TON
407 0250	TACK COAT	11329.000	GAL
411(S5) 5970	(SP)ASPH.CONC.,TYPE S5(PG 70-28 OK)	11398.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	4993.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	120622.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100473

CALL ORDER: 350
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: GARVIN

PROJECT(S) : PCN
MC-125N(195) 2788304

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
I-35: FROM THE SH-19 JUNCTION, EXTEND NORTH.
PROJECT LENGTH = 3.21 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	9045.000	GAL
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	7788.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	90450.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	84797.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100435

CALL ORDER: 360
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: HARPER

PROJECT(S) : PCN
 CIRB-130C(124)RB 2232308
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$36.85
 120 CALENDAR DAYS
 RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 COUNTY RD(NS-176): FROM 4.0 MILES NORTH OF THE US-64/US-283
 JUNCTION, EXTEND NORTH.
 PROJECT LENGTH = 6.051 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3000.000	LF
230(A) 2806	SOLID SLAB SODDING	17660.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.650	AC
303 5912	AGGREGATE BASE	23902.050	TON
311(D) 0154	PROCESS EXISTING BASE & SURFACE,METHOD D	319.570	STA
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4626.000	TON
407 0250	TACK COAT	6305.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	7953.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	11379.000	TON
613(D) 0690	24" CORR. GALV. STEEL PIPE	44.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1400.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	76.040	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	252.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	25.000	EA
853 9039	DELINEATORS(TYPE 2, CODE 3)	30.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	20922.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	200.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	50.000	CY
508(A) 6335	REMOVAL OF CULVERT END	2.000	EA
509(B) 1328	CLASS A CONCRETE	120.000	CY
511(A) 1332	REINFORCING STEEL	14160.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100435****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100471

CALL ORDER: 370
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: HASKELL

PROJECT(S) : PCN
CIP-131B(108)IP 2787104

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: CARL EDWARDS, SALLISAW

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-9: FROM 12.33 MILES EAST OF THE SH-2 JUNCTION, EXTEND
EAST.
PROJECT LENGTH = 3.98 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(F) 7047	TRAFFIC BOUND SURFACE COURSE TYPE F	3650.000	TON
407(B) 0250	TACK COAT	10085.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	9000.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5850.000	TON
412 5267	COLD MILLING PAVEMENT	1740.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	73900.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100224

CALL ORDER: 380
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: HUGHES

PROJECT(S) : PCN
 BRFY-132B(075) 2177104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$22.76
 45 CALENDAR DAYS
 RES. ENG.: TERRY SWAYZE, WEWOKA

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-75: OVER GRAVES CREEK, 7.64 MILES NORTH OF THE US-270
 JUNCTION.
 PROJECT LENGTH = 0.085 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2658.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2968.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	100.000	LF
229 4318	DITCH LINER PROTECTION	64.000	LF
230(A) 2806	SOLID SLAB SODDING	7621.000	SY
230(F) 2812	WATERING	305.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	1.570	AC
234(A) 2824	FERTILIZING (10-20-10)	0.760	TON
234(A) 4406	FERTILIZING (0-46-0)	0.120	TON
235(A) 0100	(PL)ROCK FILTER DAM, TYPE 1	7.000	CY
241 2832	MOWING	1.570	AC
303 0192	AGGREGATE BASE	455.000	CY
325 5271	SEPARATOR FABRIC	2273.000	SY
327(A) 4200	(SP)FLY ASH	82.000	TON
327(D) 4230	(SP)LIME	10.000	TON
327(F) 4250	(SP)CEMENTITIOUS MODIFIED SUBGRADE	2273.000	SY
327(G) 4260	(SP)LIME PRETREATMENT	682.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	270.000	TON
407 0250	TACK COAT	193.000	GAL
408 5774	PRIME COAT	843.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	202.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	553.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	135.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	79.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	113.000	CY
501(G) 6315	CLSM BACKFILL	144.000	CY
509(A) 0319	CLASS AA CONCRETE	216.060	CY
509(D) 0325	CLASS C CONCRETE	17.080	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100224

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511(A) 0332	REINFORCING STEEL	24966.000	LB
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	1111.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	845.000	LF
619(C) 0924	SAWING PAVEMENT	48.000	LF
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	888.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100436

CALL ORDER: 400
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: JEFFERSON

PROJECT(S) :	<u>PCN</u>
SSR-011N(086)SR	2743704
SSR-011N(087)SR	2743804

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 COMPLETION DATE OF 10/31/2010
 RES. ENG.: JERRY HARWELL, DUNCAN

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 US-81: FROM THE RED RIVER BRIDGE, EXTEND NORTH.
 PROJECT LENGTH = 9.55 MILES

SECTION 0001 - ROADWAY - SSR-011N(086)SR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	40.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	8236.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	72455.000	SY
417 4659	(PL)FOG SEAL	11146.000	GAL
420(A) 4242	FABRIC REINFORCEMENT	72455.000	SY
420(B) 4268	BITUMINOUS BINDER	18113.750	GAL
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	69000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY - SSR-011N(087)SR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	40.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	8325.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	73216.000	SY
417 4659	(PL)FOG SEAL	11270.000	GAL
420(A) 4242	FABRIC REINFORCEMENT	73216.000	SY
420(B) 4268	BITUMINOUS BINDER	18304.000	GAL
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	69800.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100438

CALL ORDER: 420
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: JOHNSTON

PROJECT(S) : PCN
 BRFY-135B(061) 2178404
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$41.18
 90 CALENDAR DAYS
 RES. ENG.: TONY KEEFER, ADA

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-99: OVER LITTLE BLUE CREEK, 1.30 MILES SOUTH OF THE
 PONTOTOC COUNTY LINE.
 PROJECT LENGTH = 0.088 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2292.000	CY
202(C) 0184	UNCLASSIFIED BORROW	10179.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	200.000	LF
227 0100	TEMPORARY SILT DIKE	50.000	LF
229 4318	DITCH LINER PROTECTION	264.000	LF
230(A) 2806	SOLID SLAB SODDING	8557.000	SY
230(F) 2812	WATERING	343.000	MGAL
232(B) 2814	SEEDING METHOD B	1.780	AC
233(A) 2817	VEGETATIVE MULCHING	1.780	AC
234(A) 2824	FERTILIZING (10-20-10)	0.860	TON
234(A) 4406	FERTILIZING (0-46-0)	0.140	TON
235(A) 0100	(PL)ROCK FILTER DAM, TYPE 1	22.000	CY
241 2832	MOWING	1.780	AC
303 0192	AGGREGATE BASE	242.000	CY
325 5271	SEPARATOR FABRIC	1227.000	SY
327(D) 4230	(SP)LIME	18.000	TON
327(I) 4280	(SP)LIME MODIFIED SUBGRADE	1227.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	194.000	TON
407 0250	TACK COAT	217.000	GAL
408 5774	PRIME COAT	843.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	834.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	351.000	TON
509(D) 0325	CLASS C CONCRETE	50.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	130.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100438

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	651.000	LF
619(C) 0924	SAWING PAVEMENT	1287.000	LF
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	684.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1694.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	775.000	CY
509(A) 1326	CLASS AA CONCRETE	1716.700	CY
511(A) 1332	REINFORCING STEEL	504450.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	870.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	170.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	1145.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	3000.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	3600.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	500.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	400.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1000.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	360.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2160.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	540.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	900.000	SD
880(C) 8842	BARRICADES(TYPE III)	540.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1980.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	1620.000	SD
880(F) 8878	DRUMS	1620.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100232

CALL ORDER: 440
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) : PCN
 STPY-136B(085) 2098004
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$24.93
 90 CALENDAR DAYS
 RES. ENG.: KEN CROWL (ACTING), ENID

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 US-60: OVER UNNAMED CREEK 3.3 MILES EAST OF THE GRANT COUNTY
 LINE.
 PROJECT LENGTH = 0.036 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3375.000	CY
202(C) 0184	UNCLASSIFIED BORROW	1276.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL (H-10)	1.000	LSUM
223 2801	TEMPORARY SILT FENCE (R-1)	100.000	LF
227 0100	TEMPORARY SILT DIKE (R-1)	196.000	LF
229 4318	DITCH LINER PROTECTION	250.000	LF
230(A) 2806	SOLID SLAB SODDING (H-11)(H-12)	9455.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
241 2832	MOWING (R-3)	4.000	AC
327(A) 4200	(SP)FLY ASH	153.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE (F-70)	3194.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E (F-7)	21.000	TON
407 0250	TACK COAT (F-25)	442.000	GAL
408 5774	PRIME COAT (F-55)(F-70)	635.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK) (F-66)	1324.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK) (F-66)	326.000	TON
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	2.000	CY
509(D) 0325	CLASS C CONCRETE	46.000	CY
611(J) 0487	JUNCTION BOXES	59.000	CF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	1.000	EA
613(CC) 7189	TYPE D4 CULVERT END TREATMENT	1.000	EA
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	1.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	68.000	LF
613(D) 4532	57" X 38" CORR. GALV. STEEL PIPE ARCH	242.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS (F-37)(F-43)	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT (F-37)(F-43)	2008.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL (F-37)(F-43)	676.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100232

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(C) 0924	SAWING PAVEMENT	2486.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION (F-37)(F-43)	1.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1570.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	171.000	CY
509(A) 1326	CLASS AA CONCRETE	449.500	CY
510 6350	(PL)STEEL SHEET PILING	112.000	SY
511(A) 1332	REINFORCING STEEL	60780.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	170.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	140.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	425.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	425.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7800.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	10800.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	2160.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5000.000	LF
870(A) 8490	(PL)SAND FILLED IMPACT ATTEN.SYSTEM	240.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3480.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2040.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2760.000	SD
880(C) 8842	BARRICADES(TYPE III)	1200.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(D) 8854	VERTICAL PANELS	4800.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2040.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	10200.000	SD
880(F) 8878	DRUMS	5400.000	SD
880(H) 8896	CONES(36" LARGE)	5400.000	SD
880(I) 8902	FLAGGER	90.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING (R-2)	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100232****SECTION 0005 - CONSTRUCTION**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100439

CALL ORDER: 460
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: LATIMER

PROJECT(S) : PCN
MC-139C(112) 2758704

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
20 CALENDAR DAYS
RES. ENG.: LARRY PLYMATE, MCALESTER

CONTRACT DESCRIPTION

ARMOR COAT
SH-1: FROM THE SH-2 JUNCTION, EXTEND EAST.
PROJECT LENGTH = 5.00 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402 5205	(PL)ARMOR COAT	70400.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100238

CALL ORDER: 480
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCINTOSH

PROJECT(S) : PCN
 BHFY-013N(020) 0815604
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$60.69
 635 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-69: OVER THE NORTH CANADIAN RIVER, 7.9 MILES NORTH OF THE
 PITTSBURG COUNTY LINE.
 PROJECT LENGTH = 0.276 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	4320.000	CY
202(C) 0184	UNCLASSIFIED BORROW	3180.000	CY
223 2801	TEMPORARY SILT FENCE	2500.000	LF
227 0100	TEMPORARY SILT DIKE	40.000	LF
230(A) 2806	SOLID SLAB SODDING	2067.000	SY
303 0192	AGGREGATE BASE	1284.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE	5489.000	SY
325 5271	SEPARATOR FABRIC	6200.000	SY
327(K) 4300	(SP)STABILIZED SUBGRADE	6067.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	979.000	TON
408 5774	PRIME COAT	2578.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	107.000	TON
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	2400.000	LF
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	3571.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	3600.000	SY
414(F) 5262	TERMINAL JOINT	2.000	EA
414(I) 5270	(SP)P.C. CONCRETE FOR PAVEMENT (ONLY)	2191.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	3200.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3837.000	SY
619(C) 0924	SAWING PAVEMENT	3458.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	400.000	LF
625(D) 1254	REMOVE AND RECONSTRUCT GUARD RAIL	683.000	LF
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	1842.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(E) 4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	4652.000	LF
627(G) 4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	4652.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100238

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	8320.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	10.500	SF
851(C) 8321	1 3/4" SQUARE TUBE POST	26.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	16232.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	1000.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	27772.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	250.000	EA
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	250.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	16232.000	LF
871 8325	(PL)IMPACT ATTENUATOR	2.000	EA
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	1268.000	SD
878(C) 8487	MODULAR GLARE SCREEN	50720.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	1268.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	128068.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1268.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	49452.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	7608.000	SD
880(C) 8836	BARRICADES(TYPE II)	1100.000	SD
880(C) 8842	BARRICADES(TYPE III)	15850.000	SD
880(C) 8848	WING BARRICADES	2536.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	31700.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	34236.000	SD
880(F) 8878	DRUMS	43112.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	5702.000	SD

SECTION 0003 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	8.000	CY
612(E) 0645	INLETS ADJUST TO GRADE	1.000	EA
628 5110	(PL)CABLE END ANCHOR UNIT	2.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	50.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	100.000	LF
628 5190	REMOVAL OF CABLE BARRIER	1875.000	LF

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100238

SECTION 0006 - NON-PARTICIPATING (AT&T)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6176	(PL)INSERTS	108.000	EA

SECTION 0007 - NON-PARTICIPATING (RB3)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6176	(PL)INSERTS	108.000	EA

SECTION 0008 - NON-PARTICIPATING (OG&E)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
542 4615	(PL)INSTALLATION OF BRIDGE ITEMS(TYPE A)	82.000	EA

SECTION 0009 - BRIDGE 'B' - ADD ALT. THICK PLATE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 1302	UNCLASSIFIED BORROW	100.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
501(G) 6309	CLSM BACKFILL	80.000	CY
504 6143	(PL)TUBULAR METAL TRAFFIC RAIL	800.500	LF
504(A) 1304	APPROACH SLAB	522.000	SY
504(C) 6250	SEALED EXPANSION JOINT	234.000	LF
504(F) 1381	CONCRETE PARAPET	1680.000	LF
506(A) 1322	STRUCTURAL STEEL	1866090.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	1277.000	SY
509(A) 1326	CLASS AA CONCRETE	1800.000	CY
509(B) 1328	CLASS A CONCRETE	293.500	CY
511(A) 1332	REINFORCING STEEL	20340.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	437930.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	832.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	832.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	4190.000	SY
516(A) 6097	DRILLED SHAFTS 66" DIAMETER	1357.000	LF
521(A) 6210	PNEUMATICALLY PLACED MORTAR	18.000	SY
535 6160	(PL)CONSTRUCT PEDESTALS	72.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	405.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	135.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	208.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	100.000	LF
619(B) 2510	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	(PL)REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
619(B) 2535	(PL)REMOVAL OF BRIDGE ITEM (TYPE C)	2.000	EA
619(B) 2540	(PL)REMOVAL OF BRIDGE ITEM (TYPE D)	1.000	LSUM
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	860.000	LF

SECTION 0010 - BRIDGE 'B' - ADD ALT. THIN PLATE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 1302	UNCLASSIFIED BORROW	100.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100238

SECTION 0010 - BRIDGE 'B' - ADD ALT. THIN PLATE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	80.000	CY
504 6143	(PL)TUBULAR METAL TRAFFIC RAIL	800.500	LF
504(A) 1304	APPROACH SLAB	522.000	SY
504(C) 6250	SEALED EXPANSION JOINT	234.000	LF
504(F) 1381	CONCRETE PARAPET	1680.000	LF
506(A) 1322	STRUCTURAL STEEL	1686770.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	1277.000	SY
509(A) 1326	CLASS AA CONCRETE	1800.000	CY
509(B) 1328	CLASS A CONCRETE	293.500	CY
511(A) 1332	REINFORCING STEEL	20340.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	437930.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	832.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	832.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	4190.000	SY
516(A) 6097	DRILLED SHAFTS 66" DIAMETER	1357.000	LF
521(A) 6210	PNEUMATICALLY PLACED MORTAR	18.000	SY
535 6160	(PL)CONSTRUCT PEDESTALS	72.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	405.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	135.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	208.000	LF
613(Q) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	100.000	LF
619(B) 2510	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	(PL)REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
619(B) 2535	(PL)REMOVAL OF BRIDGE ITEM (TYPE C)	2.000	EA
619(B) 2540	(PL)REMOVAL OF BRIDGE ITEM (TYPE D)	1.000	LSUM
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	860.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100441

CALL ORDER: 500
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: MAJOR

PROJECT(S) : PCN
SSR-147B(162)SR 2755904

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
US-281: FROM 1.50 MILES NORTH OF THE US-62 JUNCTION, EXTEND
NORTH.
PROJECT LENGTH = 4.00 MILES

SECTION 0001 - ROADWAY - SSR-147B(162)SR

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	4615.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	6460.000	TON
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	74000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION - SSR-147B(162)SR

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100442

CALL ORDER: 501
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: MAJOR

PROJECT(S) : PCN
SSR-147B(163)SR 2756304

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
US-281: FROM THE DEWEY COUNTY LINE, EXTEND NORTH.
PROJECT LENGTH = 5.33 MILES

SECTION 0001 - ROADWAY - SSR-147B(163)SR

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	5420.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	7585.000	TON
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	98500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION - SSR-147B(163)SR

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100447

CALL ORDER: 502
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: MAJOR

<u>PROJECT(S) :</u>	<u>PCN</u>
SSR-147B(162)SR	2755904
SSR-147B(163)SR	2756304

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
US-281: FROM THE DEWEY COUNTY LINE, EXTEND NORTH.
PROJECT LENGTH = 9.33 MILES

SECTION 0001 - ROADWAY - SSR-147B(162)SR

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	4615.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	6460.000	TON
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	74000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY - SSR-147B(163)SR

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	5420.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	7585.000	TON
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	98500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION - SSR-147B(163)SR

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100443

CALL ORDER: 520
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MUSKOGEE

PROJECT(S) : PCN
 SSP-151A(218) 2652405

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 150 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 GUARDRAIL, STRIPING, AND PAVEMENT MARKING
 US-62/US-64/SH-165: AT VARIOUS LOCATIONS IN DIVISION I.
 PROJECT LENGTH = 13.67 MILES

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 0184	UNCLASSIFIED BORROW	470.000	CY
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1385.700	TON
509(B) 0321	CLASS A CONCRETE	140.000	CY
509(D) 0325	CLASS C CONCRETE	100.000	CY
511(A) 0332	REINFORCING STEEL	7644.000	LB
619(B) 4780	REMOVAL OF GUARD RAIL	18602.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	17013.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	9.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	29.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	34.000	EA
623(I) 8675	(PL)BRIDGE GUARD RAIL CONNECTION-TYPE A	11.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	455.000	EA
854(C) 8525	(SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	64.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	188121.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	5406.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	13331.000	LF
854(C) 8555	(SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	545.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	220756.000	LF
859(B) 8007	PAVEMENT MARKING REMOVAL(ARROWS)	39.000	EA
859(B) 8008	PAVEMENT MARKING REMOVAL(WORDS)	21.000	EA
859(B) 8009	PAVEMENT MARKING REMOVAL(SYMBOLS)	4.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	271.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100472

CALL ORDER: 530
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MUSKOGEE

PROJECT(S) : PCN
 MC-151A(226) 2760804
 CIP-151A(227)IP 2787204

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 COMPLETION DATE OF 10/31/2010
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 US-64/US-64B: FROM DAVIS FIELD ROAD, EXTEND NORTH.
 PROJECT LENGTH = 4.96 MILES

SECTION 0001 - ROADWAY - MC-151A(226)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(F) 7047	TRAFFIC BOUND SURFACE COURSE TYPE F	1800.000	TON
407(B) 0250	TACK COAT	6400.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	7100.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3000.000	TON
412 5267	COLD MILLING PAVEMENT	10650.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	48000.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	3800.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	15.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	8.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	24200.000	LF
856(A) 8555	TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	500.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	7.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	25450.000	LF
857(F) 8007	PAVEMENT MARKING REMOVAL(ARROWS)	4.000	EA
857(F) 8008	PAVEMENT MARKING REMOVAL(WORDS)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY - CIP-151A(227)IP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(F) 7047	TRAFFIC BOUND SURFACE COURSE TYPE F	2300.000	TON
407(B) 0250	TACK COAT	14400.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	15400.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	6350.000	TON
412 5267	COLD MILLING PAVEMENT	5100.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	12600.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	79100.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	770.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	160.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	76.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	13.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100472

SECTION 0002 - ROADWAY - CIP-151A(227)IP

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100444

CALL ORDER: 540
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: NOBLE
 CANADIAN
 GARFIELD
 PAYNE
 OKLAHOMA
 GRANT
 LOGAN

PROJECT(S) : PCN
 BRFY-152C(189) 2330607
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$55.27
 75 CALENDAR DAYS
 RES. ENG.: TED ZACHARY, PERRY

CONTRACT DESCRIPTION
 BRIDGE WATER PROOF SEAL
 I-35/I-40/I-44/US-64/US-77/US-81/US-177/SH-33/SH-51/SH-66/
 SH-132: AT VARIOUS LOCATIONS IN DIVISION IV.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1176.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	730.800	LF
523(B) 6560	(SP) SEALER RESIN	7.300	GAL

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1176.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	730.800	LF
523(B) 6560	(SP) SEALER RESIN	7.300	GAL

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	488.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	307.100	LF
523(B) 6560	(SP) SEALER RESIN	3.000	GAL

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2544.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	1602.200	LF
523(B) 6560	(SP) SEALER RESIN	16.000	GAL

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2627.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	1654.900	LF
523(B) 6560	(SP) SEALER RESIN	16.500	GAL

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100444

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	1321.880	SY

SECTION 0007 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1089.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	686.100	LF
523(B) 6560	(SP) SEALER RESIN	6.800	GAL

SECTION 0008 - BRIDGE 'H'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1465.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	922.500	LF
523(B) 6560	(SP) SEALER RESIN	9.200	GAL

SECTION 0009 - BRIDGE 'I'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	863.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	543.500	LF
523(B) 6560	(SP) SEALER RESIN	5.500	GAL

SECTION 0010 - BRIDGE 'J'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1067.700	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	672.700	LF
523(B) 6560	(SP) SEALER RESIN	6.700	GAL

SECTION 0011 - BRIDGE 'K'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	3177.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	2001.500	LF
523(B) 6560	(SP) SEALER RESIN	20.000	GAL

SECTION 0012 - BRIDGE 'L'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	2574.000	SY

SECTION 0013 - BRIDGE 'M'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1441.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	910.000	LF
523(B) 6560	(SP) SEALER RESIN	9.100	GAL

SECTION 0014 - BRIDGE 'N'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2132.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	1343.000	LF
523(B) 6560	(SP) SEALER RESIN	14.000	GAL

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100444

SECTION 0015 - BRIDGE 'O'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2552.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	1608.000	LF
523(B) 6560	(SP) SEALER RESIN	16.000	GAL

SECTION 0016 - BRIDGE 'P'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1089.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	685.000	LF
523(B) 6560	(SP) SEALER RESIN	7.000	GAL

SECTION 0017 - BRIDGE 'Q'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	9888.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	6236.000	LF
523(B) 6560	(SP) SEALER RESIN	63.000	GAL

SECTION 0018 - BRIDGE 'R'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	6357.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	4004.400	LF
523(B) 6560	(SP) SEALER RESIN	40.000	GAL

SECTION 0019 - BRIDGE 'S'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	3595.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	2265.000	LF
523(B) 6560	(SP) SEALER RESIN	23.000	GAL

SECTION 0020 - BRIDGE 'T'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1838.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	1157.500	LF
523(B) 6560	(SP) SEALER RESIN	11.600	GAL

SECTION 0021 - BRIDGE 'U'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1397.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	880.000	LF
523(B) 6560	(SP) SEALER RESIN	8.800	GAL

SECTION 0022 - BRIDGE 'V'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	3449.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	2172.700	LF
523(B) 6560	(SP) SEALER RESIN	21.800	GAL

SECTION 0023 - BRIDGE 'W'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1339.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100444****SECTION 0023 - BRIDGE 'W'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	(SP) SEALER CRACK PREPARATION	843.300	LF
523(B) 6560	(SP) SEALER RESIN	8.500	GAL

SECTION 0024 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	225.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	300.000	SD

SECTION 0025 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

CALL ORDER: 550
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) :	PCN
IMY-0040-4(432)152 SS	1742832
OKCY-XTWN(015)TI	1742834
SEC115-155N(806)SG	2287308

DBE GOALS : 6.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE : \$552.71

COMPLETION DATE OF 12/27/2012

RES. ENG.: TERRY HOWELL, OKLAHOMA CITY

CONTRACT DESCRIPTION

GRADE, DRAIN, SURFACE, AND BRIDGE.

I-40/CITY STREETS: W RENO AVE AND S LINCOLN BLVD INT., AND
 S LINCOLN BLVD OVER I-40. I-40: FROM OKC CANAL, EXTEND EAST.

PROJECT LENGTH = 1.024 MILES

SECTION 0001 - ROADWAY - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	25287.150	CY
202(C) 0184	UNCLASSIFIED BORROW	173033.000	CY
203 7116	TEST ROLLING	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	4014.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	30.000	EA
227 0100	TEMPORARY SILT DIKE	1980.000	LF
229 4318	DITCH LINER PROTECTION	6746.000	LF
230(A) 2806	SOLID SLAB SODDING	46286.000	SY
241 2832	MOWING	76.480	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	4.000	EA
303 0192	AGGREGATE BASE	18.000	CY
327(A) 4200	(SP)FLY ASH	128.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	2945.000	SY
327(K) 4300	(SP)STABILIZED SUBGRADE	15483.000	SY
407 0250	TACK COAT	431.000	GAL
408 5774	PRIME COAT	3874.000	GAL
411(S3) 5935	(SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	481.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	3557.000	TON
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	19.550	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	325.000	TON
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	14046.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	3125.000	CY
501(G) 6315	CLSM BACKFILL	105.870	CY
504(F) 6190	42" F-SHAPED PARAPET	99.000	LF
504(G) 6006	HANDRAILING	1100.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0001 - ROADWAY - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 0321	CLASS A CONCRETE	27.000	CY
509(D) 0325	CLASS C CONCRETE	229.470	CY
510(A) 6334	RETAINING WALL	1023.000	SY
510(D) 0350	(SP)GRAFFITI TREATMENT	8262.440	SF
511(A) 0332	REINFORCING STEEL	2580.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	6396.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	6396.000	LF
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	126.000	LF
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	5687.000	LF
609(B) 1514	1'-8" COMB.CRB.& GUT.(8" BARRIER)	530.000	LF
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	260.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	2268.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	121.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	300.000	SY
610(I) 4610	(PL)TACTILE WARNING DEVICE-NEW	64.000	SF
611(A) 2657	MANHOLE (4' DIA.)	8.000	EA
611(A) 2658	MANHOLE (5' DIA.)	1.000	EA
611(D) 4215	MANHOLE FRAME & COVER	13.000	EA
611(E) 5113	INLET CICI DES. 2 (B)	4.000	EA
611(E) 5115	INLET CICI DES. 2 (D)	3.000	EA
611(E) 5122	INLET CICI DES. 3 (D)	2.000	EA
611(E) 5123	INLET CICI DES. 3 (2B)	2.000	EA
611(E) 5327	INLET GPI TYPE 1 (DES. 1)	1.000	EA
611(E) 5339	INLET GPI TYPE 2 (DES. 13)	1.000	EA
611(E) 5972	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B)	1.000	EA
611(E) 5976	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(2B)	1.000	EA
611(E) 5984	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(B)	1.000	EA
611(E) 5986	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(D)	1.000	EA
611(E) 6000	INLET (SMD-TYPE 1)	1.000	EA
611(E) 6002	INLET (SMD-TYPE 2)	3.000	EA
611(E) 6004	INLET (SMD-TYPE 2A)	1.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	42.000	EA
611(K) 4488	CAST IRON CURB INLETS	90.000	EA
613(B) 0491	18" R.C.PIPES CLASS III	835.000	LF
613(B) 0492	24" R.C.PIPES CLASS III	460.000	LF
613(B) 0493	30" R.C.PIPES CLASS III	277.000	LF
613(B) 0582	18" R.C.PIPES CLASS IV	94.000	LF
613(B) 0584	30" R.C.PIPES CLASS IV	118.000	LF
613(B) 0586	42" R.C.PIPES CLASS IV	291.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(M) 5736	42" PREFAB. CULVERT END SEC., ROUND	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0001 - ROADWAY - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA
619(B) 4725	REMOVAL OF FENCE	1779.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	1544.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	13085.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	5517.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	7.000	EA
619(B) 4742	REMOVAL OF MANHOLES	2.000	EA
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	123.000	SY
619(B) 4791	REMOVAL OF CURB	6024.000	LF
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	506.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	431.000	LF
619(C) 0924	SAWING PAVEMENT	404.000	LF
624 5910	(PL)ORNAMENTAL FENCE	455.000	LF
890(A) 8708	(PL)REMOVAL OF HIGH MAST TOWER	1.000	EA

SECTION 0002 - UTILITIES - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6315	CLSM BACKFILL	74.630	CY
616 0108	6" PLUG	1.000	EA
616 0110	8" PLUG	1.000	EA
616 0120	24" PLUG	1.000	EA

SECTION 0003 - BRIDGE 'I-K' - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	1085.000	CY
501(G) 6309	CLSM BACKFILL	248.800	CY
504(A) 1304	APPROACH SLAB	527.200	SY
504(C) 6250	SEALED EXPANSION JOINT	135.000	LF
504(F) 6190	42" F-SHAPED PARAPET	1322.300	LF
506(A) 1322	STRUCTURAL STEEL	1489290.000	LB
509(A) 1326	CLASS AA CONCRETE	1285.400	CY
509(B) 1328	CLASS A CONCRETE	1231.400	CY
510(C) 6138	SLOPE WALL (5")	1272.000	SY
510(D) 0350	(SP)GRAFFITI TREATMENT	50577.000	SF
511(A) 1332	REINFORCING STEEL	44040.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	408260.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	308.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	2794.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	308.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	2794.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	4629.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	888.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0003 - BRIDGE 'I-K' - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	(SP) SEALER CRACK PREPARATION	130.400	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	48.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	32.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	460.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	160.000	LF

SECTION 0004 - BRIDGE 'I-M' - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(F) 6190	42" F-SHAPED PARAPET	32.000	LF
511(B) 6010	EPOXY COATED REINFORCING STEEL	201.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0005 - BRIDGE 'I-N' - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
403(F) 7047	TRAFFIC BOUND SURFACE COURSE TYPE F	105410.000	TON
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	113865.000	CY
509(A) 0325	(SP)H.E.S. CONCRETE CLASS AA	445.900	CY
509(A) 1326	CLASS AA CONCRETE	2185.900	CY
511 6306	(PL)MECHANICAL SPLICES	688.000	EA
511(A) 1332	REINFORCING STEEL	422510.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0006 - TRAFFIC SIGNING & STRIPING -IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(A) 4310	PRECAST CONCRETE MEDIAN BARRIER, TYPE I	138.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	172.460	SF
851(C) 8324	2" SQUARE TUBE POST	192.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	52.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12889.450	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	282.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	372.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	17.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	10.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	4.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	7270.000	LF
880(C) 8845	BARRICADES(TYPE III)	4.000	EA
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA

SECTION 0007 - TRAFFIC SIGNALS -IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	390.000	LF
802(B) 8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	130.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	1750.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	115.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0007 - TRAFFIC SIGNALS -IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	525.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	315.000	LF
803 8065	PULL BOX(SIZE I)	25.000	EA
803 8066	PULL BOX(SIZE II)	2.000	EA
804(A) 2915	STRUCTURAL CONCRETE	18.100	CY
804(B) 2916	REINFORCING STEEL	2706.600	LB
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8314	32'MH POLE 50'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8730	POLE & 35' TS MST.ARM(G.STL.)	1.000	EA
806(B) 8892	8' MTG.HT.TS PED.POLE(G.STL.)	3.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	5.000	EA
811 8040	1/C NO.6 ELECT.COND.	100.000	LF
811 8044	1/C NO.10 ELECT.COND.	815.000	LF
825 8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	2.000	EA
828(A) 8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	28.000	EA
828(B) 8138	LOOP DETECTOR WIRE	3420.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	6.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	9.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	3.000	EA
831 8262	1WAY3SEC.ADJ.SIG.HD.S-10	2.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	2.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	6.000	EA
833 3030	BACKPLATE	16.000	EA
834(A) 8207	5/C TRAF.SIG.EL.CABLE	2920.000	LF
834(A) 8208	7/C TRAF.SIG.EL.CABLE	540.000	LF
834(A) 8209	9/C TRAF.SIG.EL.CABLE	45.000	LF
834(A) 8210	12/C TRAF.SIG.EL.CABLE	400.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	80.000	LF
840(A) 8592	(PL)E.P.S. OPTICAL EMITTER	5.000	EA
840(B) 8593	(PL)E.P.S. OPTICAL DETECTOR	6.000	EA
840(C) 8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	1200.000	LF
840(D) 8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	4.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	103.500	SF
890(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM

SECTION 0008 - TRAFFIC CONTROL - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0700	CONSTRUCTION MISCELLANEOUS	1.000	LSUM
627(E) 4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2512.500	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	2087.500	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	11900.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	5460.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0008 - TRAFFIC CONTROL - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	16515.000	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	53.000	EA
870(A) 8490	(PL)SAND FILLED IMPACT ATTEN.SYSTEM	1110.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	195.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	10755.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	9855.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	9870.000	SD
880(C) 8842	BARRICADES(TYPE III)	8640.000	SD
880(C) 8845	BARRICADES(TYPE III)	5.000	EA
880(C) 8848	WING BARRICADES	1980.000	SD
880(D) 8017	SIGNS 0 TO 6.25 SF	8.000	EA
880(E) 8018	SIGNS 6.26 TO 15.99 SF	15.000	EA
880(E) 8860	WARNING LIGHTS(TYPE A)	20850.000	SD
880(E) 8863	WARNING LIGHTS(TYPE A)	22.000	EA
880(E) 8872	WARNING LIGHTS(TYPE C)	35115.000	SD
880(E) 8875	WARNING LIGHTS(TYPE C)	35.000	EA
880(F) 8019	SIGNS 16.0 SF TO 32.99 SF	12.000	EA
880(F) 8878	DRUMS	35115.000	SD
880(F) 8881	DRUMS	35.000	EA
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	510.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	1155.000	SD

SECTION 0009 - CONSTRUCTION - IMY-40-4(432)152 SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

SECTION 0010 - ROADWAY - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING (1)(F-37)	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION (9)(F-1)	76920.000	CY
202(C) 0184	UNCLASSIFIED BORROW (9)(32)(33)(34)(F-3)	32489.000	CY
202(D) 0186	SELECT BORROW (8)	500.000	CY
203 7116	TEST ROLLING (9)	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL (4)(5)(6)(H-16)	1.000	LSUM
221 2800	TEMPORARY SLOPE DRAINS	458.000	LF
223 2801	TEMPORARY SILT FENCE (27)	5343.000	LF
224 2803	TEMPORARY SEDIMENT FILTER (24)(27)	45.000	EA
227 0100	TEMPORARY SILT DIKE (27)	4432.000	LF
229 4318	DITCH LINER PROTECTION	9661.000	LF
230(A) 2806	SOLID SLAB SODDING (6)(H-11)(H-12)(H-33)	72780.000	SY
238 0300	(PL)TEMPORARY SEDIMENT TRAP (35)	3.000	EA
241 2832	MOWING (3)	220.960	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT (35)	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0010 - ROADWAY - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303 0192	AGGREGATE BASE (2)	10772.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE (51)	16844.000	SY
319 5190	OPEN GRADED BITUMINOUS BASE (2)(22)(23)	9051.000	TON
325 5271	SEPARATOR FABRIC (2)	155199.000	SY
327(A) 4200	(SP)FLY ASH (36)(F-15)	1024.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE (2)	23683.000	SY
327(K) 4300	(SP)STABILIZED SUBGRADE (2)(26)	69248.000	SY
407 0250	TACK COAT (F-25)	2197.000	GAL
408 5774	PRIME COAT (25)(28)(F-55)	12301.000	GAL
411(S3) 5935	(SP)ASPH.CONC.,TYPE S3(PG 76-28 OK) (F-66)	3718.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK) (F-66)	7597.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK) (F-66)	2561.000	TON
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT) (18)(37)	20946.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT) (18)	41070.000	SY
414(B) 5913	H.E.S. CONCRETE (FULL DEPTH PATCHING) (7)	250.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT (37)	19818.300	CY
504(F) 6190	42" F-SHAPED PARAPET (10)(11)(29)(47)	10432.000	LF
509(A) 0319	CLASS AA CONCRETE	24.000	CY
509(B) 0321	CLASS A CONCRETE (37)(38)	414.100	CY
509(B) 4153	CLASS A CONCRETE (MED.BAR.DES.1-A) (37)	91.000	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	15.800	CY
509(D) 0325	CLASS C CONCRETE (12)	855.100	CY
510 6390	TEMPORARY SHEET PILING (31)	1.000	LSUM
510(A) 6333	RETAINING WALL (2)(40)	95.000	SY
510(C) 6135	SLOPE WALL (5") (39)	5243.000	SY
510(D) 0350	(SP)GRAFFITI TREATMENT (41)(42)(43)(44)(45)(46)	147006.000	SF
511(A) 0332	REINFORCING STEEL (17)(37)	44639.000	LB
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	1976.000	LF
610(C) 0608	4" CONCRETE DIVIDING STRIP	903.000	SY
611(A) 2657	MANHOLE (4' DIA.) (20)(30)	9.000	EA
611(A) 2658	MANHOLE (5' DIA.) (20)(30)	2.000	EA
611(D) 4215	MANHOLE FRAME & COVER	16.000	EA
611(E) 5121	INLET CICI DES. 3 (B) (20)(30)	1.000	EA
611(E) 5331	INLET GPI TYPE 1 (DES. 5) (20)(30)	1.000	EA
611(E) 5338	INLET GPI TYPE 2 (DES. 12) (20)(30)	1.000	EA
611(E) 5972	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B) (20)(30)	4.000	EA
611(E) 5976	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(2B) (20)(30)	1.000	EA
611(E) 6004	INLET (SMD-TYPE 2A) (20)(30)	5.000	EA
611(E) 6006	INLET (SMD-TYPE 2B) (20)(30)	3.000	EA
611(E) 7126	INLET MEDIAN BARRIER, TYPE I, DES.1 (20)(30)	10.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	22.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0010 - ROADWAY - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(K) 4488	CAST IRON CURB INLETS (F-54)	28.000	EA
613(B) 0491	18" R.C.PIPES CLASS III (2)(19)(21)(52)	2546.000	LF
613(B) 0492	24" R.C.PIPES CLASS III (2)(19)(21)(52)	400.000	LF
613(B) 0493	30" R.C.PIPES CLASS III (2)(19)(21)(52)	283.000	LF
613(B) 0595	24" R.C.PIPES CLASS V (2)(19)(21)(52)	230.000	LF
613(B) 4410	28 1/2" X 18" R.C.PIPES ARCH CLASS A-III (2)(19)(21)(52)	72.000	LF
613(B) 4495	22" X 13" R.C.PIPES ARCH CLASS A-III (2)(19)(21)(52)	146.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(CC) 7198	TYPE C6 CULVERT END TREATMENT	1.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE (2)(52)	95.000	LF
613(G) 0760	18" GALV. STEEL CULVERT END SEC. RND.	2.000	EA
613(M) 4584	28 1/2" X 18" PREFAB. CULV END SEC. ARCH	1.000	EA
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS (14)(16)(F-37)(F-43)	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT (16)(F-37)(F-43)	38823.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT (16)(37)(F-37)(F-43)	25044.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS (16)(F-37)(F-43)	5.000	EA
619(B) 4791	REMOVAL OF CURB (16)(F-37)(F-43)	71.000	LF
619(B) 4821	REMOVAL OF CONCRETE SLOPE PROTECTION (16)(53)(F-37)(F-43)	51.500	SY
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER (16)(F-37)(F-43)	301.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE (16)(F-37)(F-43)	803.000	LF
619(C) 0924	SAWING PAVEMENT	1129.000	LF
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	10361.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	290.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	24.000	EA

SECTION 0011 - BRIDGE 'I-D' - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON (1)	1615.000	CY
506(A) 1322	STRUCTURAL STEEL (1)	1096.000	LB
509(B) 1328	CLASS A CONCRETE (1)(2)	1162.300	CY
510(D) 0350	(SP)GRAFFITI TREATMENT (1)(2)	8321.000	SF
511 6306	(PL)MECHANICAL SPLICES (1)	9.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL (1)	176430.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED) (1)(2)	3078.000	SY
516(A) 6100	DRILLED SHAFTS 84" DIAMETER (3)	308.000	LF
516(A) 6105	DRILLED SHAFTS 96" DIAMETER (3)	87.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0012 - BRIDGE 'I-I' -OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT (1)(7)	85.000	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON (1)	1095.000	CY
501(G) 6309	CLSM BACKFILL (1)	420.900	CY
504(A) 1304	APPROACH SLAB (1)(5)	563.200	SY
504(C) 6250	SEALED EXPANSION JOINT (1)(5)	225.400	LF
504(F) 6190	42" F-SHAPED PARAPET (1)(2)	728.500	LF
505(C) 6020	CLASS C BRIDGE DECK REPAIR (1)(5)(8)	42.400	SY
506(A) 1322	STRUCTURAL STEEL (1)	431710.000	LB
506(A) 6005	STRUCTURAL STEEL A36 (1)(3)	106.000	LB
509(A) 1326	CLASS AA CONCRETE (1)	275.800	CY
509(B) 1328	CLASS A CONCRETE (1)(2)	490.400	CY
510(C) 6138	SLOPE WALL (5") (1)	479.000	SY
510(D) 0350	(SP)GRAFFITI TREATMENT (1)(2)	70020.000	SF
511 6306	(PL)MECHANICAL SPLICES (1)	2092.000	EA
511(A) 1332	REINFORCING STEEL (1)	1400.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL (1)	139700.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES (10)	1.000	LSUM
514(A) 6011	PILES, FURNISHED (HP 12X53)	1917.000	LF
514(A) 6012	PILES, FURNISHED (HP 14X73)	875.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53) (6)	1917.000	LF
514(B) 6296	PILES, DRIVEN (HP 14X73) (6)	875.000	LF
514(G) 6310	METAL PILE SHOES	31.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED) (1)(2)	965.000	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER (6)	186.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION (1)	1101.600	LF
523(B) 6560	(SP) SEALER RESIN	38.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	6.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	4.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND (1)(4)	153.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS (5)(9)	1.000	LSUM

SECTION 0013 - BRIDGE 'I-P' - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE (1)(2)	1.000	LSUM

SECTION 0014 - BRIDGE 'I-K' - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(F) 6190	42" F-SHAPED PARAPET (2)	8.500	LF
510(C) 6138	SLOPE WALL (5") (2)(3)	201.000	SY
510(D) 0350	(SP)GRAFFITI TREATMENT (1)(2)	1735.000	SF
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND (2)	68.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	20.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0015 - BRIDGE 'I-B' - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL (4)	12.000	CY
510(D) 0350	(SP)GRAFFITI TREATMENT (1)(2)	44873.000	SF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED) (2)(3)	3621.000	SY

SECTION 0016 - TRAFFIC SIGNING & STRIPING - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(D) 0325	CLASS C CONCRETE	47.810	CY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER (106)	145.000	LF
804(A) 2915	STRUCTURAL CONCRETE (100)(101)	61.960	CY
804(B) 2916	REINFORCING STEEL (100)(102)	4465.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	292.250	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS (105)	120.000	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS) (105)(106)	5716.300	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST (103)(TS-20)	160.000	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST (103)(TS-20)	42.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STL.PIPE POST (103)(TS-20)	96.000	LF
851(C) 8324	2" SQUARE TUBE POST (103)(TS-20)	120.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST (103)(TS-20)	32.000	LF
852 8603	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL (TS-10)	150.000	LF
852 8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL (TS-10)	150.000	LF
852(B) 0340	OVHD.SN.STR., MONOTUBE TYPE B 110' (106)	2.000	EA
852(B) 0500	OVHD.SN.STR., MONOTUBE TYPE C	1.000	EA
852(K) 8772	(PL)REPAIR OVHD.SN.STR.TYPE C-1 ALUM. (SP-2,3,4,5,6,7)	6.000	EA
852A/B 8970	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.90'	1.000	EA
852A/B 8976	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.100'	1.000	EA
854(C) 8525	(SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC) (TS-13D)	46.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE) (TS-13A)	33771.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE) (TS-13B)	19293.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE) (TS-13C)	12604.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP) (TS-18)	60000.000	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE (TS-22)	133.000	EA
871 8325	(PL)IMPACT ATTENUATOR (104)	1.000	EA
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	20.000	EA

SECTION 0017 - TRAFFIC LIGHTING - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6094	DRILLED SHAFTS 48" DIAMETER (300)	348.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	126.000	SY
802(A) 8302	1" GALV.STEEL ELECT.COND. EXPOSED (306)	1440.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	740.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	4000.000	LF
802(B) 8560	(PL)HDPE CONDUIT ENCASED (301)	340.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0017 - TRAFFIC LIGHTING - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
803 8060	(PL)PULL BOX (301)	1.000	EA
803 8065	PULL BOX(SIZE I)	33.000	EA
806(D) 8991	45' MTG.HT.HL.PTP.(G.STL.) (301)	9.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE (301)(TL-26)	14.000	EA
809(B) 8098	UNDERPASS LUMINAIRE (303)	32.000	EA
809(E) 8103	HIGH MAST LUMINAIRE (TL-33)	40.000	EA
810(A) 3118	SERVICE POLE (TL-34,35)	1.000	EA
811 8036	1/C NO.2 ELECT.COND.	11080.000	LF
811 8038	1/C NO.4 ELECT.COND. (301)	9300.000	LF
811 8044	1/C NO.10 ELECT.COND. (301)	3080.000	LF
811 8046	1/C NO.12 ELECT.COND. (302)	1200.000	LF
812 8068	140' HIGH MAST POLE(G.STL.)	1.000	EA
812 8072	150' HIGH MAST POLE(G.STL.)	5.000	EA
813 8074	HIGH MAST LOWERING DEV.TYP.I	6.000	EA
890(A) 8708	(PL)REMOVAL OF HIGH MAST TOWER (304)(305)	4.000	EA

SECTION 0018 - TRAFFIC CONTROL - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR (TC-1)(TC-2)	16571.000	LF
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER (TC-1)(TC-2)	25387.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR. (TC-1)(TC-2)(202)	16075.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE) (TC-17)(TC-20)(TC-75)(200)	123643.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP) (TC-22)	123643.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	975.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C) (TC-84)(201)	345.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF (TC-23)(TC-28)(TC-84)(SP-1)	4755.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF (TC-29)(TC-84)(SP-1)	1680.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF (TC-30)(TC-84)(SP-1)	5720.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER (TC-31)(TC-84)(SP-1)	690.000	SD
880(C) 8842	BARRICADES(TYPE III) (TC-84)	1350.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A) (TC-84)	8135.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C) (TC-84)(SP-1)	29875.000	SD
880(F) 8878	DRUMS (TC-84)(SP-1)	29875.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE (TC-65)(TC-70)	456.000	HOURL
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	15225.000	SD
882 8372	(SP)SMART WK. ZONE SYS.-PORT.TRAFF.SENSOR	9570.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	870.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	435.000	SD

SECTION 0019 - STAKING - OKCY-XTWN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING (15)(48)	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100313

SECTION 0020 - CONSTRUCTION - OKCY-XWTN(015)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE (13)(49)	1.000	EA
641 1552	MOBILIZATION (50)	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION 0021 - SAFETY - SEC115-155N(806)SG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 0321	CLASS A CONCRETE	5.440	CY
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	900.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	7000.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	200.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	600.000	LF
803 8066	PULL BOX(SIZE II)	3.000	EA
803 8075	GROUND BOX, R1	1.000	EA
803 8090	GROUND BOX (GB48)	4.000	EA
804(B) 2916	REINFORCING STEEL	498.000	LB
810(A) 3118	SERVICE POLE	1.000	EA
811 8032	1/C NO.0 ELECT.COND.	2700.000	LF
818 8715	(PL)FIBER OPTIC CABLE, 24, SMF-28	400.000	LF
818 8720	(PL)FIBER OPTIC CABLE, 48, SMF-28	9000.000	LF
818 8735	(PL)FIBER OPTIC CABLE SPLICE	72.000	EA
818 8740	(PL)FIBER OPTIC CABLE TERMINATION	12.000	EA
877 5570	(PL)FIBER OPTIC ROUTE SIGN & INSTALLATIO	5.000	EA
887 8370	(PL)SHIELD ISOLATION PEDESTAL	2.000	EA
890(A) 8704	(PL)REMOVAL OF PULL BOX	1.000	EA
890A/B 8742	(PL)REMOVE & RESET TRAF.SIG.EQUIPMENT	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100459

CALL ORDER: 560
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 MC-155A(781) 2735604

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 COMPLETION DATE OF 10/31/2010
 RES. ENG.: TERRY HOWELL, OKLAHOMA CITY

CONTRACT DESCRIPTION

RESURFACE (UTBWC)
 US-62: FROM 12.65 MILES EAST OF THE I-35 JUNCTION, EXTEND
 EAST TO THE LINCOLN COUNTY LINE.
 PROJECT LENGTH = 1.76 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	64000.000	SY
417 5267	COLD MILLING PAVEMENT	10000.000	SY

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	45000.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	56.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4000.000	SD
880(C) 8842	BARRICADES(TYPE III)	400.000	SD
880(C) 8848	WING BARRICADES	240.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	3000.000	SD
880(F) 8878	DRUMS	3000.000	SD
880(H) 8896	CONES(36" LARGE)	3000.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100446

CALL ORDER: 580
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: OKLAHOMA

PROJECT(S) : PCN
SAP-155N(790) 2777204

DBE GOALS : 0.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE : \$7.59

7 CALENDAR DAYS

RES. ENG.: TERRY HOWELL, OKLAHOMA CITY

CONTRACT DESCRIPTION

BRIDGE REPAIR

I-40: REPAIR OF VEHICLE IMPACT DAMAGE OVER CHOCTAW ROAD IN
OKLAHOMA CITY.**SECTION 0001 - BRIDGE 'A'**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0002 - TRAFFIC

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	7.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	14.000	SD

SECTION 0003 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100460

CALL ORDER: 600
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 IMC-155N(799) 2783304

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 COMPLETION DATE OF 10/31/2010
 RES. ENG.: TERRY HOWELL, OKLAHOMA CITY

CONTRACT DESCRIPTION
 RESURFACE (UTBWC)
 I-240: FROM THE I-44 JUNCTION, EXTEND EAST TO THE I-35 JCT.
 PROJECT LENGTH = 4.50 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
404(G) 4845	ULTRA-THIN BONDED WEARING COURSE, TYPE C	7700.000	TON
412 5267	COLD MILLING PAVEMENT	136000.000	SY

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8702	REMOVAL OF CLASS C PAVEMENT MARKERS	700.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	48500.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	13500.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	15000.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	27.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	8000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	8000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	500.000	SD
880(C) 8848	WING BARRICADES	180.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	9000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	15000.000	SD
880(F) 8878	DRUMS	15000.000	SD
880(H) 8896	CONES(36" LARGE)	15000.000	SD
880(K) 8908	SURVEILLANCE TRAFFIC CONTROL	90.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0003 - TRAFFIC - ADD ALT. 1

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
828(B) 8136	LOOP DETECTOR WIRE	1500.000	LF
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100414

CALL ORDER: 630
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ROGER MILLS

PROJECT(S) :	PCN
STPY-165C(104)	2603404
STPY-165C(110)	2685304

DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$27.10
 70 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-47:OVER CROTON CREEK 5.9 MILES EAST OF THE SH-30 JCT, AND
 OVER SERGEANT MAJOR CREEK 13.2 MILES EAST OF THE SH-30 JCT.

SECTION 0001 - ROADWAY - STPY-165C(104)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
407 0250	TACK COAT	93.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	250.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	1400.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	550.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	200.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - BRIDGE 'A' - STPY-165C(104)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	15.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	134.200	SY
504(C) 6250	SEALED EXPANSION JOINT	187.000	LF
504(E) 6245	CONCRETE RAIL (TR4)	641.000	LF
506(A) 1322	STRUCTURAL STEEL	3160.000	LB
509(A) 1326	CLASS AA CONCRETE	216.000	CY
509(D) 1331	CLASS C CONCRETE	12.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	54500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	538.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	50.000	SY
535 6164	(PL)FIXED BEARING ASSEMBLY	6.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	6.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	5.000	EA
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100414

SECTION 0003 - TRAFFIC - STPY-165C(104)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2100.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - ROADWAY - STPY-165C(110)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
407 0250	TACK COAT	90.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	250.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	1400.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	550.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	200.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0005 - BRIDGE 'A' - STPY-165C(110)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
504(A) 1304	APPROACH SLAB	143.000	SY
504(C) 6250	SEALED EXPANSION JOINT	66.340	LF
504(E) 6245	CONCRETE RAIL (TR4)	402.400	LF
506(A) 1322	STRUCTURAL STEEL	5520.000	LB
509(A) 1326	CLASS AA CONCRETE	134.200	CY
509(D) 1331	CLASS C CONCRETE	10.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	34440.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	312.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
601(A-1)1353	TYPE I-A PLAIN RIPRAP	450.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	90.000	TON
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0006 - TRAFFIC - STPY-165C(110)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0007 - STAKING - STPY-165C(110)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0008 - CONSTRUCTION - STPY-165C(110)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100198

CALL ORDER: 640
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEMINOLE

PROJECT(S) : PCN
 BRFY-167C(088) 2100504
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$32.51
 150 CALENDAR DAYS
 RES. ENG.: TERRY SWAYZE, WEWOKA

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-9: OVER CARTER CREEK, 1.4 MILE EAST OF SH-99 JCT.
 PROJECT LENGTH = 0.205 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1713.000	CY
202(C) 0184	UNCLASSIFIED BORROW	4176.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	500.000	LF
227 0100	TEMPORARY SILT DIKE	56.000	LF
229 4318	DITCH LINER PROTECTION	600.000	LF
230(A) 2806	SOLID SLAB SODDING	8983.000	SY
230(F) 2812	WATERING	360.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	1.860	AC
234(A) 2824	FERTILIZING (10-20-10)	1.000	TON
234(A) 4406	FERTILIZING (0-46-0)	1.000	TON
235(A) 0100	(PL)ROCK FILTER DAM, TYPE 1	11.000	CY
241 2832	MOWING	1.860	AC
303 0192	AGGREGATE BASE	532.000	CY
325 5271	SEPARATOR FABRIC	2900.000	SY
327(A) 4200	(SP)FLY ASH	84.000	TON
327(D) 4230	(SP)LIME	5.000	TON
327(F) 4250	(SP)CEMENTITIOUS MODIFIED SUBGRADE	2900.000	SY
327(G) 4260	(SP)LIME PRETREATMENT	290.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	510.000	TON
407 0250	TACK COAT	309.000	GAL
408 5774	PRIME COAT	1080.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	318.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	423.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	541.000	TON
417 5267	COLD MILLING PAVEMENT	2238.000	SY
420(A) 4242	FABRIC REINFORCEMENT	814.000	SY
420(B) 4268	BITUMINOUS BINDER	489.000	GAL
509(D) 0325	CLASS C CONCRETE	118.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100198

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(F) 5102	24" PRECOATED CORR. STEEL PIPE	41.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C) 0924	SAWING PAVEMENT	1835.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	750.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	646.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(F) 6352	GRANULAR BACKFILL	136.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	358.000	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	319.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(E) 6245	CONCRETE RAIL (TR4)	437.000	LF
506(A) 1322	STRUCTURAL STEEL	4290.000	LB
509(A) 1326	CLASS AA CONCRETE	237.300	CY
509(B) 1328	CLASS A CONCRETE	134.200	CY
509(D) 1331	CLASS C CONCRETE	10.900	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	73630.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	456.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	456.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	841.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	184.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	(SP) SEALER RESIN	1.800	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1050.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	165.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	18.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4500.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	1000.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100198

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	250.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL 1	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	420.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100451

CALL ORDER: 660
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEQUOYAH

PROJECT(S) : PCN
 SSP-068C(235)SS 1230904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$37.93
 270 CALENDAR DAYS
 RES. ENG.: CARL EDWARDS, SALLISAW

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-101: OVER BIG LEE CREEK AND MISSION BRANCH CREEK, 0.5
 MILES WEST OF THE TOWN OF SHORT.
 PROJECT LENGTH = 0.643 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	16915.000	CY
202(C) 0184	UNCLASSIFIED BORROW	40936.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	7.650	STA
223 2801	TEMPORARY SILT FENCE	1630.000	LF
227 0100	TEMPORARY SILT DIKE	649.000	LF
229 4318	DITCH LINER PROTECTION	1706.000	LF
230(A) 2806	SOLID SLAB SODDING	22000.000	SY
232(B) 2814	SEEDING METHOD B	15.000	AC
233(A) 2817	VEGETATIVE MULCHING	15.000	AC
303 0192	AGGREGATE BASE	3300.000	CY
325 5271	SEPARATOR FABRIC	15450.000	SY
327(J) 4290	(SP)MODIFIED SUBGRADE	13901.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2399.000	TON
407 0250	TACK COAT	938.000	GAL
408 5774	PRIME COAT	6100.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	3967.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2600.000	TON
417 5267	COLD MILLING PAVEMENT	1589.000	SY
509(D) 0325	CLASS C CONCRETE	250.000	CY
613(B) 0493	30" R.C.PIPE CLASS III	60.000	LF
613(B) 0494	36" R.C.PIPE CLASS III	112.000	LF
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	270.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	70.000	LF
613(D) 0692	36" CORR. GALV. STEEL PIPE	50.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100451

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(D) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	54.000	LF
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(O) 1081	12" P.V.C. PIPE ROUND	120.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	1000.000	LF
613(Q) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	250.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	14026.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	611.000	LF
619(C) 0924	SAWING PAVEMENT	476.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	587.500	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(F) 4446	GUARD RAIL ANCHOR UNIT (TYPE A)	1.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	3.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	4547.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	2.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	4408.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	260.000	CY
509(A) 1326	CLASS AA CONCRETE	604.000	CY
511(A) 1332	REINFORCING STEEL	105290.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	2000.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	330.000	TON
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA

SECTION 0003 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(F) 6352	GRANULAR BACKFILL	191.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1197.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(E) 6245	CONCRETE RAIL (TR4)	697.000	LF
506(A) 1322	STRUCTURAL STEEL	1050.000	LB
509(A) 1326	CLASS AA CONCRETE	395.000	CY
509(B) 1328	CLASS A CONCRETE	148.600	CY
509(D) 1331	CLASS C CONCRETE	3.100	CY
511(A) 1332	REINFORCING STEEL	960.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	111810.000	LB
514 6260	(PL)PILOT HOLES	230.000	LF
514(A) 6010	PILES, FURNISHED (HP 10X42)	520.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	520.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100451

SECTION 0003 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1299.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	116.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	326.000	LF
523(B) 6560	(SP) SEALER RESIN	3.600	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	906.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	184.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	54.000	LF

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	24000.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	2000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5400.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1080.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5400.000	SD
880(C) 8842	BARRICADES(TYPE III)	2160.000	SD
880(C) 8848	WING BARRICADES	540.000	SD
880(C) 8850	PERMANENT BARRICADE UNIT	2.000	EA
880(D) 8854	VERTICAL PANELS	21600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4860.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	43200.000	SD
880(F) 8878	DRUMS	21600.000	SD
880(H) 8890	CONES(28" MEDIUM)	2000.000	SD

SECTION 0005 - TRAFFIC SIGNING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	12.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	17800.000	LF

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100452

CALL ORDER: 680
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: SEQUOYAH

PROJECT(S) : PCN
STP-168C(189)CO 2536704
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$2.17
COMPLETION DATE OF 10/31/2010
RES. ENG.: CARL EDWARDS, SALLISAW

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
COUNTY ROAD (INDIAN ROAD): FROM THE SH-10A JUNCTION, EXTEND
NORTHEAST TO THE CHEROKEE COUNTY LINE.
PROJECT LENGTH = 2.523 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	400.000	TON
407 0250	TACK COAT	1820.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	8067.000	TON
417 4659	(PL)FOG SEAL	960.000	GAL
417 5267	COLD MILLING PAVEMENT	334.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	53292.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100466

CALL ORDER: 690
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: TILLMAN
KIOWA

PROJECT(S) : PCN
CIP-171B(142)IP 2785904
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: JERRY D. CLEMENT, ALTUS

CONTRACT DESCRIPTION

SURFACE (UTBWC)
US-183: FROM 4.4 MILES NORTH OF THE SH-5C JUNCTION, EXTEND
NORTH IN MANITOU.
PROJECT LENGTH = 4.30 MILES

SECTION 0001 - ROADWAY - CIP-171B(142)IP

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	65589.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	49500.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100467

CALL ORDER: 691
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: TILLMAN

PROJECT(S) : PCN
CIP-171B(143)IP 2786004

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: JERRY D. CLEMENT, ALTUS

CONTRACT DESCRIPTION

SURFACE (UTBWC)
US-183: FROM 0.2 MILES NORTH OF SH-5C JUNCTION,
EXTEND NORTH IN MANITOU.
PROJECT LENGTH = 4.80 MILES

SECTION 0001 - ROADWAY - CIP-171B(143)IP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	73216.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	54600.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY - ALT. 1 - CIP-171B(143)IP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	7627.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	5900.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - ROADWAY - ALT. 2 - CIP-171B(143)IP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	6101.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	5500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100468

CALL ORDER: 692
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TILLMAN
 KIOWA

PROJECT(S) : PCN
 CIP-171B(142)IP 2785904
 CIP-171B(143)IP 2786004

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 COMPLETION DATE OF 10/31/2010
 RES. ENG.: JERRY D. CLEMENT, ALTUS

CONTRACT DESCRIPTION

SURFACE (UTBWC)
 US-183: FROM 0.2 MILES NORTH OF THE SH-5C JUNCTION, EXTEND
 NORTH IN MANITOU.
 PROJECT LENGTH = 9.10 MILES

SECTION 0001 - ROADWAY - CIP-171B(142)IP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	65589.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	49500.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY - CIP-171B(143)IP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	73216.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	54600.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - ROADWAY - ALT. 1 - CIP-171B(143)IP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	7627.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	5900.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - ROADWAY - ALT. 2 - CIP-171B(143)IP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	6101.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	5500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100453

CALL ORDER: 700
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAYES
 CREEK
 OSAGE
 TULSA

PROJECT(S) : PCN
 BHFY-172C(501) 2318507
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$23.84
 30 CALENDAR DAYS
 RES. ENG.: BRUCE ARNOLD, TULSA

CONTRACT DESCRIPTION
 BRIDGE WATER PROOF SEAL
 I-240/US-60/US-69B/SH-20/SH-48/SH-66: AT VARIOUS LOCATIONS
 IN DIVISION VIII.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1337.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	94.000	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2364.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	166.000	LF
523(B) 6560	(SP) SEALER RESIN	1.700	GAL

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1188.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	84.000	LF
523(B) 6560	(SP) SEALER RESIN	0.900	GAL

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	963.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	70.000	LF
523(B) 6560	(SP) SEALER RESIN	0.700	GAL

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	780.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	55.000	LF
523(B) 6560	(SP) SEALER RESIN	0.600	GAL

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	420.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	30.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100453

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(B) 6560	(SP) SEALER RESIN	0.300	GAL

SECTION 0007 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1070.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	75.000	LF
523(B) 6560	(SP) SEALER RESIN	0.800	GAL

SECTION 0008 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	200.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3400.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	3000.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3000.000	LF
870(A) 8490	(PL)SAND FILLED IMPACT ATTEN.SYSTEM	7.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	651.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	238.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	77.000	SD
880(C) 8842	BARRICADES(TYPE III)	63.000	SD
880(C) 8848	WING BARRICADES	28.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	175.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	504.000	SD
880(F) 8878	DRUMS	504.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	44.000	SD

SECTION 0009 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100469

CALL ORDER: 710
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: WAGONER

PROJECT(S) : PCN
CIP-173B(067)IP 1909704

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-51: FROM THE SH-16 JUNCTION, EXTEND EAST.
PROJECT LENGTH = 5.40 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
402(F) 7047	TRAFFIC BOUND SURFACE COURSE TYPE F	2300.000	TON
407(B) 0250	TACK COAT	10600.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	17700.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	600.000	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	57000.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	109800.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100454

CALL ORDER: 720
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: WAGONER

PROJECT(S) : PCN
 BRF-173C(093)CO 2125904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$5.42
 90 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-414): OVER SALT CREEK TRIBUTARY, 2.6 MILES
 SOUTH OF THE ROGERS COUNTY LINE.
 PROJECT LENGTH = 0.179 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2100.000	LF
227 0100	TEMPORARY SILT DIKE	210.000	LF
230(A) 2806	SOLID SLAB SODDING	3300.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.000	AC
303 0192	AGGREGATE BASE	424.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	150.000	TON
407 0250	TACK COAT	166.000	GAL
408 5774	PRIME COAT	1363.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	561.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	369.000	TON
509(D) 0325	CLASS C CONCRETE	5.000	CY
613(D) 0689	18" CORR. GALV. STEEL PIPE	34.000	LF
613(D) 0692	36" CORR. GALV. STEEL PIPE	50.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2112.000	SY
619(C) 0924	SAWING PAVEMENT	40.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	4000.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	237.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	83.000	CY
509(B) 1328	CLASS A CONCRETE	174.000	CY
511(A) 1332	REINFORCING STEEL	28200.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	100.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	10.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100454****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100455

CALL ORDER: 740
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: WAGONER

PROJECT(S) : PCN
 CIRB-173D(101)RB 2215604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 150 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD(EW-59): OVER SPUNKY CREEK, 0.10 MILES SOUTH AND
 3.0 MILES WEST OF THE TOWN OF FAIR OAKS.
 PROJECT LENGTH = 0.227 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6470.000	CY
202(C) 0184	UNCLASSIFIED BORROW	18302.000	CY
223 2801	TEMPORARY SILT FENCE	2090.000	LF
227 0100	TEMPORARY SILT DIKE	340.000	LF
230(A) 2806	SOLID SLAB SODDING	14500.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.000	AC
303 0192	AGGREGATE BASE	650.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	110.000	TON
407 0250	TACK COAT	200.000	GAL
408 5774	PRIME COAT	1500.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	880.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	485.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	40.000	TON
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	600.000	LF
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) 0691	30" CORR. GALV. STEEL PIPE	42.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2840.000	SY
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	5200.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	62.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	353.340	LF
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	276.670	LF
504(A) 1304	APPROACH SLAB	93.500	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100455

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(C) 6250	SEALED EXPANSION JOINT	35.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	377.000	LF
506(A) 1322	STRUCTURAL STEEL	4290.000	LB
509(A) 1326	CLASS AA CONCRETE	147.400	CY
509(B) 1328	CLASS A CONCRETE	120.100	CY
511(A) 1332	REINFORCING STEEL	53180.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	426.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	426.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	68.400	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1110.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	330.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	37.500	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100261

CALL ORDER: 760
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: WAGONER

PROJECT(S) : PCN
 STPY-173C(138) 2475704
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 120 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-72: OVER CONCHARTY CREEK, 1.8 MILES NORTH OF THE MUSKOGEE
 COUNTY LINE.

SECTION 0001 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	160.000	TON
501(G) 6309	CLSM BACKFILL	24.000	CY
504(C) 6250	SEALED EXPANSION JOINT	117.500	LF
504(E) 6245	CONCRETE RAIL (TR4)	584.000	LF
509(A) 1326	CLASS AA CONCRETE	276.000	CY
509(D) 1331	CLASS C CONCRETE	6.000	CY
511 6306	(PL)MECHANICAL SPLICES	1042.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	79102.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	508.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	9.500	SY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	220.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	800.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	1420.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	1420.000	LF
823 8478	(PL)PORTABLE TRAFFIC SIGNAL SYSTEM	120.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6820.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	8480.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	3600.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	5.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	720.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	480.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1800.000	SD
880(C) 8842	BARRICADES(TYPE III)	1200.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100261****SECTION 0002 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(E) 8860	WARNING LIGHTS(TYPE A)	2400.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	3600.000	SD
880(F) 8878	DRUMS	3600.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100408

CALL ORDER: 770
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: WAGONER

PROJECT(S) : PCN
SSR-173A(163)SR 2758804

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
120 CALENDAR DAYS
RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION

PAVEMENT REHABILITATION (P.C. CONCRETE)
SH-51: FROM 0.44 MILES EAST OF THE TULSA COUNTY LINE,
EXTEND EAST.
PROJECT LENGTH = 0.32 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	100.000	TON
414(E) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY)	1600.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	1100.000	CY
415 6300	CONCRETE JOINT SEALING	4900.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	2000.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4000.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	1200.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100461

CALL ORDER: 780
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CUSTER
 WASHITA

PROJECT(S) : PCN
 IMG-0040-2(141)049SS 2703604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$28.18
 150 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-40: FROM MILE MARKER 49, EXTEND EAST TO MILE MARKER 61.
 PROJECT LENGTH = 10.899 MILES

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	150.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	150.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4650.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3600.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3300.000	SD
880(C) 8842	BARRICADES(TYPE III)	2250.000	SD
880(C) 8848	WING BARRICADES	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6150.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	75750.000	SD
880(F) 8878	DRUMS	4500.000	SD
880(G) 8890	CHANNELIZER CONES	71250.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	480.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	600.000	SD

SECTION 0002 - CABLE BARRIER ITEMS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	9739.000	CY
202(C) 0184	UNCLASSIFIED BORROW	52598.000	CY
223 2801	TEMPORARY SILT FENCE	1150.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	30.000	EA
227 0100	TEMPORARY SILT DIKE	1400.000	LF
230(A) 2806	SOLID SLAB SODDING	254889.000	SY
241 2832	MOWING	106.000	AC
303 0192	AGGREGATE BASE	9181.000	CY
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1053.000	TON
509(A) 0319	CLASS AA CONCRETE	560.000	CY
509(D) 0325	CLASS C CONCRETE	9.000	CY
612(E) 0645	INLETS ADJUST TO GRADE	20.000	EA
619(C) 0924	SAWING PAVEMENT	100.000	LF
628 5110	(PL)CABLE END ANCHOR UNIT	10.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	57830.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100461

SECTION 0002 - CABLE BARRIER ITEMS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
628 5175	CABLE BARRIER TENSION METER	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	38.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - MOBILIZATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100409

CALL ORDER: 800
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: WOODS

PROJECT(S) : PCN
 BRFY-176B(061)SS 2027104
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$143.06
 380 CALENDAR DAYS
 RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-281: OVER A SALT FORK OF THE ARKANSAS RIVER AND OVER A
 RAILROAD BRIDGE JUST NORTH OF THE TOWN OF ALVA.
 PROJECT LENGTH = 2.071 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	127478.000	CY
202(C) 0184	UNCLASSIFIED BORROW	498652.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	6800.000	LF
227 0100	TEMPORARY SILT DIKE	763.000	LF
230(A) 2806	SOLID SLAB SODDING	73649.000	SY
230(D) 2810	BROADCAST SPRIGGING (METHOD A)	148289.000	SY
233(A) 2817	VEGETATIVE MULCHING	45.900	AC
234(A) 2824	FERTILIZING (10-20-10)	22.200	TON
234(A) 4406	FERTILIZING (0-46-0)	3.500	TON
241 2832	MOWING	92.000	AC
327(A) 4200	(SP)FLY ASH	2125.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	49171.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	790.000	TON
407 0250	TACK COAT	8610.000	GAL
408 5774	PRIME COAT	14680.000	GAL
411(S2) 5930	(SP)ASPH.CONC.,TYPE S2(PG 64-22 OK)	16829.000	TON
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	4664.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	6280.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	3110.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	3208.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	9905.000	LF
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	110.380	CY
509(B) 0321	CLASS A CONCRETE	403.000	CY
509(D) 0325	CLASS C CONCRETE	417.000	CY
511(A) 0332	REINFORCING STEEL	73467.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	6.700	TON
611(E) 6000	INLET (SMD-TYPE 1)	1.000	EA
611(L) 7000	DROP INLET GRATE (SMD TYPE 1A)	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100409

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(L) 7001	DROP INLET GRATE (SMD TYPE 1B)	1.000	EA
613(B) 0491	18" R.C.PIPES CLASS III	264.000	LF
613(B) 0492	24" R.C.PIPES CLASS III	104.000	LF
613(B) 0493	30" R.C.PIPES CLASS III	104.000	LF
613(B) 0494	36" R.C.PIPES CLASS III	97.000	LF
613(B) 4410	28 1/2" X 18" R.C.PIPES ARCH CLASS A-III	106.000	LF
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	22.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	48.000	EA
613(CC) 7198	TYPE C6 CULVERT END TREATMENT	1.000	EA
613(CC) 7199	TYPE D6 CULVERT END TREATMENT	2.000	EA
613(CC) 7203	TYPE CC6 CULVERT END TREATMENT	8.000	EA
613(D) 0688	12" CORR. GALV. STEEL PIPE	11.000	LF
613(D) 0689	18" CORR. GALV. STEEL PIPE	686.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	626.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	120.000	LF
613(D) 0692	36" CORR. GALV. STEEL PIPE	22.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	840.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	774.000	LF
613(Q) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	258.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	300.000	CY
613(S) 1180	TRENCH EXCAVATION	545.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	293.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	36865.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	3023.000	LF
619(C) 0924	SAWING PAVEMENT	3290.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1500.000	LF
623(E) 7114	THREE BEAM BRIDGE CONNECTION-TYPE A	8.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	3165.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	4.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C) 4960	MAILBOX	9.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	9.000	EA

SECTION 0002 - SANITARY SEWER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6425	(PL)PIER PYLON	19.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100409

SECTION 0002 - SANITARY SEWER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(A) 2659	MANHOLE (6' DIA.)	1.000	EA
615(C) 6122	10" POLYVINYL CHLORIDE (PVC) PIPE	878.000	LF
616(A) 5894	16" DUCTILE IRON PIPE	510.000	LF
616(I) 5262	(PL)16" STEEL CASING	878.000	LF
616(I) 5270	(PL)24" STEEL CASING	510.000	LF

SECTION 0003 - WATERLINE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
615(C) 6122	10" POLYVINYL CHLORIDE (PVC) PIPE	807.000	LF
616(D) 1080	8" GATE VALVE	3.000	EA
616(I) 5262	(PL)16" STEEL CASING	185.000	LF

SECTION 0004 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	320.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	126.000	CY
501(G) 6309	CLSM BACKFILL	142.600	CY
509(A) 1326	CLASS AA CONCRETE	374.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	47980.000	LB
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0005 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(G) 6309	CLSM BACKFILL	154.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	3390.000	LF
504(A) 1304	APPROACH SLAB	281.200	SY
504(C) 6250	SEALED EXPANSION JOINT	86.400	LF
504(E) 6245	CONCRETE RAIL (TR4)	2119.000	LF
506(A) 1322	STRUCTURAL STEEL	4500.000	LB
509(A) 1326	CLASS AA CONCRETE	1188.600	CY
509(B) 1328	CLASS A CONCRETE	360.900	CY
511(A) 1332	REINFORCING STEEL	1970.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	313370.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	214.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	702.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	214.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	702.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	4098.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	303.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	286.000	LF
523(B) 6560	(SP) SEALER RESIN	4.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	64.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100409

SECTION 0005 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1080.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	195.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	55.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0006 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	195.000	CY
501(G) 6309	CLSM BACKFILL	142.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	637.330	LF
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	373.330	LF
504(A) 1304	APPROACH SLAB	281.000	SY
504(C) 6250	SEALED EXPANSION JOINT	43.880	LF
504(E) 6245	CONCRETE RAIL (TR4)	719.150	LF
506(A) 1322	STRUCTURAL STEEL	2330.000	LB
509(A) 1326	CLASS AA CONCRETE	349.700	CY
509(B) 1328	CLASS A CONCRETE	224.300	CY
510(C) 6138	SLOPE WALL (5")	1160.000	SY
511(A) 1332	REINFORCING STEEL	1108.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	116730.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	280.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	926.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	280.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	926.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1781.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	186.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	43.000	LF
523(B) 6560	(SP) SEALER RESIN	0.600	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	17.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	9.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	230.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	160.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
624(D) 4294	FENCE-STYLE CLF (8'HIGH, CLASS A)	268.000	LF

SECTION 0007 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	20000.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	10000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	3300.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5786.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	19199.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100409

SECTION 0007 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4208.000	SD
880(C) 8842	BARRICADES(TYPE III)	16043.000	SD
880(C) 8848	WING BARRICADES	1052.000	SD
880(D) 8854	VERTICAL PANELS	17095.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	35768.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	19199.000	SD
880(F) 8878	DRUMS	4734.000	SD
880(G) 8890	CHANNELIZER CONES	12361.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD

SECTION 0008 - SIGN AND STRIPE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	1.800	CY
850(A) 8110	SHEET ALUMINUM SIGNS	145.900	SF
851(C) 8321	1 3/4" SQUARE TUBE POST	62.000	LF
851(C) 8324	2" SQUARE TUBE POST	32.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	276.500	LF
855(A) 8820	(PL)4" RECESSED THERMOPLASTIC STRIPING	36000.000	LF

SECTION 0009 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0010 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100462

CALL ORDER: 820
 LETTING DATE: July 22, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: WOODS

PROJECT(S) : PCN
 BRFY-176C(117) 2411304
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$58.52
 200 CALENDAR DAYS
 RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-50: OVER HOUSTON CREEK, 0.10 MILES SOUTH OF THE US-64
 JUNCTION.
 PROJECT LENGTH = 0.19 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3104.000	CY
202(C) 0184	UNCLASSIFIED BORROW	6102.000	CY
210 0121	OBLITERATING ABANDONED ROAD	9.000	STA
223 2801	TEMPORARY SILT FENCE	650.000	LF
226 2805	TEMPORARY SEDIMENT REMOVAL	50.000	CY
227 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	13506.000	SY
230(F) 2812	WATERING	541.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
234(A) 2824	FERTILIZING (10-20-10)	1.350	TON
241 2832	MOWING	3.660	AC
310(B) 0149	SUBGRADE, METHOD B	9374.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	12.000	TON
407 0250	TACK COAT	573.000	GAL
408 5774	PRIME COAT	2096.000	GAL
411(S2) 5930	(SP)ASPH.CONC.,TYPE S2(PG 64-22 OK)	851.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1868.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1041.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	973.000	LF
417 5267	COLD MILLING PAVEMENT	4305.000	SY
509(B) 0321	CLASS A CONCRETE	2.000	CY
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	325.000	LF
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	48.000	LF
613(D) 0696	60" CORR. GALV. STEEL PIPE	400.000	LF
619(B) 4725	REMOVAL OF FENCE	2270.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	650.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100462

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(A) 4281	FENCE-STYLE WWF	282.000	LF
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	2132.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(G) 6309	CLSM BACKFILL	98.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	457.000	LF
504(A) 1304	APPROACH SLAB	187.400	SY
504(E) 6245	CONCRETE RAIL (TR4)	311.000	LF
506(A) 1322	STRUCTURAL STEEL	4290.000	LB
509(A) 1326	CLASS AA CONCRETE	162.300	CY
509(B) 1328	CLASS A CONCRETE	97.270	CY
509(D) 1331	CLASS C CONCRETE	20.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	51330.800	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	413.800	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	413.800	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	10.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	553.340	SY
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	200.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	244.500	LF
523(B) 6560	(SP) SEALER RESIN	2.700	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1440.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	360.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	64.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	19.460	SF
851(C) 8324	2" SQUARE TUBE POST	28.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	14.000	LF
854(C) 8520	(SP)TRAFFIC STRIPE(MULTI-POLYMER)	4058.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	6951.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	7564.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	759.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	11200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1000.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100462

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2400.000	SD
880(C) 8842	BARRICADES(TYPE III)	1600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5200.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	2200.000	SD
880(F) 8878	DRUMS	2200.000	SD
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100463

CALL ORDER: 840
LETTING DATE: July 22, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: WOODS

PROJECT(S) : PCN
SSR-176C(172)SR 2739704

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2010
RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-14: FROM BROADWAY STREET IN THE CITY OF WAYNOKA, EXTEND
NORTH.
PROJECT LENGTH - 7.0 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407 0250	TACK COAT	5950.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	8400.000	TON
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	129360.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
Mr. Jerod Neil Smith 1309 Southwest 7 th Street Stigler, OK 74462		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	

And those federally debarred and/or suspended contractors which are listed on
www.epls.gov and www.TOPnet.gov



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – July 22, 2010 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ UPS ☐ Mail ☐ Fed Ex #:
Contractor's Name:	
Telephone No:	
Physical Address:	
Please Return Completed Form to:	
Fax # 405-522-0972 or	
Email mhenry@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ADAIR / SEQUOYAH	020	BHFY-NBIP(327)	20883(04)		\$50.00	9.00 + 0.75	0
2	ADAIR / SEQUOYAH	040	BHFY-101A(060)	20883(05)		\$50.00	33.00 + 2.76	0
3	BEAVER	060	SSR-104B(071)SR	27396(04)		\$50.00	No Charge	0
4	BECKHAM	080	STPY-105C(155) STPY-105C(156)	24511(04) 24511(05)		\$50.00	20.00 + 1.67	0
5	BECKHAM	100	STPY-105N(160)	24871(05)		\$50.00	22.00 + 1.84	0
6	BLAINE	120	ERSTP-106C(092)ER	25453(05)		\$50.00	8.00 + 0.67	7
7	BLAINE	121	ERSTP-106C(110)ER	25456(05)		\$50.00	9.00 + 0.75	7
8	BLAINE	122	ERSTP-106C(099)ER	25462(05)		\$50.00	8.00 + 0.67	8
9	BLAINE	123	ERSTP-106C(092)ER ERSTP-106C(110)ER ERSTP-106C(099)ER	25453(05)C 25456(05)C 25462(05)C		\$50.00	25.00 + 2.09	22
10	BRYAN	130	HPPY-022N(163)HP	23417(04)		\$50.00	110.00 + 9.21	21
11	BRYAN	140	CR-107D(145)	25855(04)		\$50.00	9.00 + 0.75	5
12	CADD0	160	BRF-108C(249)CO	25743(04)		\$50.00	8.00 + 0.67	5
13	CHEROKEE	180	STPY-111B(127)	27303(04)		\$50.00	17.00 + 1.42	0
14	CHOCTAW	200	NHY-014N(086)	27321(04)		\$50.00	23.00 + 1.93	0
15	CIMARRON	220	BRO-113D(055)CO	24612(04)		\$50.00	8.00 + 0.67	3
16	CIMARRON	221	ACBRO-113D(056)CO	24613(04)		\$50.00	8.00 + 0.67	4
17	CIMARRON	222	BRO-113D(055)CO ACBRO-113D(056)CO	24612(04)C 24613(04)C		\$50.00	16.00 + 1.34	7
18	CLEVELAND	240	STPG-114B(201)AG	24286(04)		\$50.00	10.00 + 0.84	0
19	COAL	260	SSR-017N(233)SR	27415(04)		\$50.00	No Charge	0
20	COMANCHE	280	IMG-44-1(116)030TR	27454(04)		\$50.00	33.00 + 2.76	0
21	CREEK	300	BRFY-119C(105)	20891(04)		\$50.00	25.00 + 2.09	36
22	ALFALFA / CIMARRON / ELLIS / TEXAS / WOODS	320	SSP-123C(078)SS	23274(07)		\$50.00	13.00 + 1.09	0
23	GARVIN	340	SSR-125B(184)SR	27413(04)		\$50.00	No Charge	0
24	GARVIN	350	MC-125N(195)	27883(04)		\$50.00	No Charge	0
25	HARPER	360	CIRB-130C(124)RB	22323(08)		\$50.00	34.00 + 2.85	9

BID OPENING OF – July 22, 2010 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ UPS ☐ Mail ☐ Fed Ex #:
Contractor's Name:	
Telephone No:	
Physical Address:	
Please Return Completed Form to:	
Fax # 405-522-0972 or	
Email mhenry@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
26	HASKELL	370	CIP-131B(108)IP	27871(04)		\$50.00	No Charge	0
27	HUGHES	380	BRFY-132B(075)	21771(04)		\$50.00	21.00 + 1.76	3
28	JEFFERSON	400	SSR-011N(086)SR SSR-011N(087)SR	27437(04) 27438(04)		\$50.00	No Charge	0
29	JOHNSTON	420	BRFY-135B(061)	21784(04)		\$50.00	38.00 + 3.18	6
30	KAY	440	STPY-136B(085)	20980(04)		\$50.00	23.00 + 1.93	24
31	LATIMER	460	MC-139C(112)	27587(04)		\$50.00	No Charge	0
32	MCINTOSH	480	BHfy-013N(020)	08156(04)		\$50.00	56.00 + 4.69	0
33	MAJOR	500	SSR-147B(162)SR	27559(04)		\$50.00	No Charge	0
34	MAJOR	501	SSR-147B(163)SR	27563(04)		\$50.00	No Charge	0
35	MAJOR	502	SSR-147B(162)SR SSR-147B(163)SR	27559(04)C 27563(04)C		\$50.00	No Charge	0
36	MUSKOGEE	520	SSP-151A(218)	26524(05)		\$50.00	No Charge	0
37	MUSKOGEE	530	MC-151A(226) CIP-151A(227)IP	27608(04) 27872(04)		\$50.00	No Charge	0
38	CANADIAN / GARFIELD / GRANT / LOGAN / NOBLE / OKLAHOMA / PAYNE	540	BRFY-152C(189)	23306(07)		\$50.00	51.00 + 4.27	0
39	OKLAHOMA	550	IMY-0040-4(432)152SS OKCY-XTWN(015)TI SEC115-155N(806)SG	17428(32) 17428(34) 22873(08)		\$50.00	510.00 + 42.71	190
40	OKLAHOMA	560	MC-155A(781)	27356(04)		\$50.00	No Charge	0
41	OKLAHOMA	580	SAP-155N(790)	27772(04)		\$50.00	7.00 + 0.59	0
42	OKLAHOMA	600	IMC-155N(799)	27833(04)		\$50.00	No Charge	0
43	PAYNE	620	STPY-160B(166)SS SSP-160B(019)SS SEC1702Y-160B(167)SS STPY-160B(171)	20331(06) 06351(08) 20331(07) 20331(08)		\$50.00	278.00 + 23.28	156
44	ROGER MILLS	630	STPY-165C(104) STPY-165C(110)	26034(04) 26853(04)		\$50.00	25.00 + 2.10	0
45	SEMINOLE	640	BRFY-167C(088)	21005(04)		\$50.00	30.00 + 2.51	5
46	SEQUOYAH	660	SSP-068C(235)SS	12309(04)		\$50.00	35.00 + 2.93	18
47	SEQUOYAH	680	STP-168C(189)CO	25367(04)		\$50.00	2.00 + 0.17	0

BID OPENING OF – July 22, 2010 AM

Date:		Order Taken by:	
Contractor's Id No.:		No. Of Proposal(s):	
Person Ordering:		☐ Pickup ☐ COD ☐ Overnight ☐ UPS ☐ Mail ☐ Fed Ex #:	
Contractor's Name:			
Telephone No:			
Physical Address:		Please Return Completed Form to:	
		Fax # 405-522-0972 or	
		Email mhenry@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
48	KIOWA / TILLMAN	690	CIP-171B(142)IP	27859(04)		\$50.00	No Charge	0
49	TILLMAN	691	CIP-171B(143)IP	27860(04)		\$50.00	No Charge	0
50	KIOWA / TILLMAN	692	CIP-171B(142)IP CIP-171B(143)IP	27859(04)C 27860(04)C		\$50.00	No Charge	0
51	CREEK / MAYES / OSAGE / TULSA	700	BHfy-172C(501)	23185(07)		\$50.00	22.00 + 1.84	0
52	WAGONER	710	CIP-173B(067)IP	19097(04)		\$50.00	No Charge	0
53	WAGONER	720	BRF-173C(093)CO	21259(04)		\$50.00	5.00 + 0.42	1
54	WAGONER	740	CIRB-173D(101)RB	22156(04)		\$50.00	12.00 + 1.01	2
55	WAGONER	760	STPY-173C(138)	24757(04)		\$50.00	16.00 + 1.34	0
56	WAGONER	770	SSR-173A(163)SR	27588(04)		\$50.00	No Charge	0
57	CUSTER / WASHITA	780	IMG-0040-2(141)049SS	27036(04)		\$50.00	26.00 + 2.18	60
58	WOODS	800	BRFY-176B(061)SS	20271(04)		\$50.00	132.00 + 11.06	33
59	WOODS	820	BRFY-176C(117)	24113(04)		\$50.00	54.00 + 4.52	17
60	WOODS	840	SSR-176C(172)SR	27397(04)		\$50.00	No Charge	0