

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.6b) AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW ACCEPTS BIDS ON LINE. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR

<http://www.BIDX.com>



Notice

Electronic bid packages are available for the August 19, 2010 10:30 A.M. Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on July 29, 2010.

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on August 06, 2010. concerning this August 19 Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Print Services Branch off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes prior to the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby.

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Important:

Effective with January 2011 Bid Opening, all bids for projects requiring pre-qualification will be submitted via Bid Express. Exceptions to this new policy will be discussed with the Office Engineer on a case-by-case basis, and noted on the Short and Long Form Notices

Effective with the June 2009 Letting, any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972

or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words "Pre-bid question(s) and the Call Order and the Let

*Plans for the project on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2009/plans.htm>*

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo/DCF2005.htm>

Reminder

Please be sure that bid bonds are stapled to the back of the proposal as instructed on the cover sheet of all proposals.

Do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mhenry@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Sealed Proposals sent by Registered Mail will be recieved through the ODOT Print Services Branch until 30 MINUTES PRIOR to the scheduled BID OPENING. From 30 MINUTES PRIOR to the BID OPENING until the Time of the BID OPENING, Bid Proposals must be turned in DIRECTLY to the ODOT COMMISSION Room located on the East side of the Lobby. The Scheduled BID OPENING is 10:30 A.M. August 19, 2010 , for the work listed below.

Each separate Proposal shall be accompanied by a CERTIFIED or CASHIER`S CHECK or BID BOND equal to 5% of the BID mad payable to the STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, as a Proposal Guaranty. Proposal Checks will be held or returned by the DEPARTMENT as per Section 103.04of the State Standard Specifications.

The MINIMUM wage to be paid laborers and mechanics employed on this project shall be included in the Proposal.

Proposals must be prepared as directed by the State Standard Specifications.

Plans, Forms of Proposals, Contracts and Specifications may be examined at the DIVISION Headquarters in the DIVISION the work is to be performed or at the OKLAHOMA DEPARTMENT OF TRANSPORTATION Office Engineer`s Division in Oklahoma City, Oklahoma. This work will be dome under the Oklahoma DEPARTMENT OF TRANSPORTATION Commission`s applicable Specifications for Highway Construction as depicted on the lower left corner of the Plan`s Title Sheet.

Plans and Proposal forms may be ordered from the Office Engineer Division, OKLAHOMA DEPARTMENT OF TRANSPORTATION Building, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105.

Cost of Bidding Documents are \$50.00 + tax for each Bidding Proposal. State Standard Specifications \$55.00 + tax. (Oklahoma tax is 8.375%). Make Checks Payable to OKLAHOMA DEPARTMENT OF TRANSPORTATION.

No Refunds will be made for Bidding Documents or Specification Books purchased.

Upon AWARD of Contract to a successful bidder, The Contract will be completely and correctly executed by the Contractor and returned to the DEPARTMENT within ten (10) WORKING days from the date of AWARD. The DEPARTMENT will have fourteen (14) WORKING days from the date of AWARD to complete its execution of the Contract.

The OKLAHOMA DEPARTMENT OF TRANSPORTATION hereby notifies ALL Bidders that it will AFFIRMATIVELY ensure that in any Contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit Bids in response to this invitation and will not be discriminated against on the grounds of Race, Color, Sex, Religion, National Origin, OR Disability in consideration for an AWARD.

Bidders are hereby notified that ALL Bids are likely to be REJECTED if the lowest RESPONSIVE BID received exceeds the Engineer`s Estimate by more than seven (7) percent. In the event ALL Bids are REJECTED for this reason, this Project may be deferred for readvertising for Bids until a more competitive situation exists.

Description of work and location of Project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100154

CALL ORDER: 020
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ALFALFA

PROJECT(S) : PCN
 SSP-102C(109)SS 2407004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$52.02
 150 CALENDAR DAYS
 RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 US-64: OVER TWIN SPRINGS CREEK, 1.6 MILES EAST OF THE SH-58
 JUNCTION.
 PROJECT LENGTH = 0.383 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	16590.000	CY
202(C) 0184	UNCLASSIFIED BORROW	6740.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	810.000	LF
223 2801	TEMPORARY SILT FENCE	2995.000	LF
227 0100	TEMPORARY SILT DIKE	810.000	LF
230(A) 2806	SOLID SLAB SODDING	27621.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.710	AC
241 2832	MOWING	16.000	AC
310(B) 0149	SUBGRADE, METHOD B	18022.000	SY
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	228.200	TON
407 0250	TACK COAT	1706.000	GAL
408 5774	PRIME COAT	2754.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	6240.600	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2250.500	TON
417 5267	COLD MILLING PAVEMENT	184.000	SY
509(B) 0321	CLASS A CONCRETE	38.500	CY
509(D) 0325	CLASS C CONCRETE	19.390	CY
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(CC) 7202	TYPE BB6 CULVERT END TREATMENT	4.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	58.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	144.000	LF
613(D) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	148.000	LF
613(D) 4819	96" CORR. GALV. STEEL PIPE	196.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	14442.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	640.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100154

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(C) 0924	SAWING PAVEMENT	329.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1050.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(B) 4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	3.000	EA
624(B) 4468	GATES-STYLE WWF (4.5'HIGH X 20'LONG)	1.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	5610.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	136.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	717.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(E) 6245	CONCRETE RAIL (TR4)	457.000	LF
506(A) 1322	STRUCTURAL STEEL	1050.000	LB
509(A) 1326	CLASS AA CONCRETE	245.200	CY
509(B) 1328	CLASS A CONCRETE	132.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	71810.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	542.500	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	542.500	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	14.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	879.000	SY
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	172.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	(SP) SEALER RESIN	1.800	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	2082.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	420.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8820	(PL)4" RECESSED THERMOPLASTIC STRIPING	8620.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	8.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100154****SECTION 0004 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100422

CALL ORDER: 040
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BLAINE

PROJECT(S) : PCN
 ERSTP-106C(095)ER 2545505
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$14.09
 120 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-250); OVER UNNAMED CREEK, 10.0 MILES WEST OF
 AND 1.6 MILES SOUTH OF THE TOWN OF GREENFIELD.
 PROJECT LENGTH = 0.255 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1340.000	LF
230(A) 2806	SOLID SLAB SODDING	20000.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.930	AC
303 5912	AGGREGATE BASE	1204.000	TON
407 0250	TACK COAT	326.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	800.000	TON
509(D) 0325	CLASS C CONCRETE	148.000	CY

SECTION 0002 - DETOUR ROAD - ADD ALT. 1

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	991.000	TON
613(D) 4819	96" CORR. GALV. STEEL PIPE	120.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	114.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	396.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	273.170	LF
506(A) 1322	STRUCTURAL STEEL	2020.000	LB
509(A) 1326	CLASS AA CONCRETE	77.200	CY
509(B) 1328	CLASS A CONCRETE	63.800	CY
511(A) 1332	REINFORCING STEEL	26119.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	180.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	630.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	180.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	630.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	3500.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	1200.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100422****SECTION 0003 - BRIDGE**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100411

CALL ORDER: 060
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BRYAN

PROJECT(S) : PCN
 BRO-107D(089)CO 2165604
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 150 CALENDAR DAYS
 RES. ENG.: JERRY ELDRIDGE, MADILL

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-389): OVER BLUE RIVER, 3.0 MILES NORTH OF
 THE SH-70E JUNCTION.
 PROJECT LENGTH = 0.321 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6335.000	CY
202(C) 0184	UNCLASSIFIED BORROW	15532.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2150.000	LF
227 0100	TEMPORARY SILT DIKE	432.000	LF
230(A) 2806	SOLID SLAB SODDING	10873.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.800	AC
303 0192	AGGREGATE BASE	1185.000	CY
325 5271	SEPARATOR FABRIC	4537.000	SY
408 5774	PRIME COAT	1797.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	690.000	TON
509(D) 0325	CLASS C CONCRETE	64.700	CY
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	60.000	LF
613(G) 4571	28" X 20" GALV. STEEL CULV. END SEC.ARCH	2.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	6800.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	71.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	890.000	LF
504(A) 1304	APPROACH SLAB	116.400	SY
504(C) 6250	SEALED EXPANSION JOINT	29.420	LF
504(E) 1380	CONCRETE RAIL (TR1)	507.000	LF
506(A) 1322	STRUCTURAL STEEL	4420.000	LB
509(A) 1326	CLASS AA CONCRETE	169.500	CY
509(B) 1328	CLASS A CONCRETE	113.600	CY
511(A) 1332	REINFORCING STEEL	54050.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	228.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	571.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100411

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(B) 6292	PILES, DRIVEN (HP 10X42)	228.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	571.000	LF
516 6315	(PL)EXPLORATORY HOLES	2.000	EA
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	152.000	LF
601(A) 1351	TYPE I PLAIN RIPRAP	250.000	TON
601(B) 1357	TYPE II SP. PLAIN RIPRAP	2900.000	TON
601(E) 6312	FILTER FABRIC (RIPRAP)	3100.000	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(Q) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	110.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	387.500	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	1.000	EA
623(F) 6030	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100474

CALL ORDER: 080
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CADDO

PROJECT(S) : PCN
 ERSTP-108C(271)ER 2530905
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: REESE KNIGHT, ANADARKO

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-121): OVER SPRING CREEK, 4.0 MILES EAST OF
 THE US-281 JUNCTION.
 PROJECT LENGTH = 0.186 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1050.000	LF
227 0100	TEMPORARY SILT DIKE	80.000	LF
230(A) 2806	SOLID SLAB SODDING	8240.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.400	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	38.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	577.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	283.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(D) 0691	30" CORR. GALV. STEEL PIPE	30.000	LF
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	1.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	1780.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(F) 6352	GRANULAR BACKFILL	88.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	269.000	LF
504(E) 6239	CONCRETE RAIL (TR3)	246.400	LF
506(A) 1322	STRUCTURAL STEEL	290.000	LB
509(A) 1326	CLASS AA CONCRETE	71.900	CY
509(B) 1328	CLASS A CONCRETE	70.400	CY
511(A) 1332	REINFORCING STEEL	26650.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1688.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1688.000	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	3.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	3.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100474****SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A-1)1353	TYPE I-A PLAIN RIPRAP	800.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	260.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	65.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100475

CALL ORDER: 100
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRADY
 CADDO

PROJECT(S) : PCN
 ERSTP-108C(279)ER 2533106
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 90 CALENDAR DAYS
 RES. ENG.: REESE KNIGHT, ANADARKO

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD(NS-275): OVER THE WASHITA RIVER OVERFLOW, 0.10
 MILES NORTH OF THE US-62 JUNCTION.
 PROJECT LENGTH = 0.113 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4477.000	CY
202(C) 0184	UNCLASSIFIED BORROW	15311.000	CY
223 2801	TEMPORARY SILT FENCE	2000.000	LF
227 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	2300.000	SY
233(A) 2817	VEGETATIVE MULCHING	8.000	AC
303 0192	AGGREGATE BASE	1100.000	CY
311(B) 0152	PROCESS EXISTING BASE & SURFACE,METHOD B	6.000	STA
407 0250	TACK COAT	74.000	GAL
408 5774	PRIME COAT	299.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	481.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	168.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
619(C) 0924	SAWING PAVEMENT	56.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(F) 6352	GRANULAR BACKFILL	48.000	CY
504(E) 6239	CONCRETE RAIL (TR3)	256.600	LF
506(A) 1322	STRUCTURAL STEEL	87580.000	LB
509(A) 1326	CLASS AA CONCRETE	80.200	CY
509(B) 1328	CLASS A CONCRETE	39.000	CY
511(A) 1332	REINFORCING STEEL	24320.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1128.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1128.000	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	6.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	595.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	140.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	54.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100475****SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100425

CALL ORDER: 140
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CANADIAN

PROJECT(S) : PCN
 HSIPY-109F(171)TR 2764104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$35.76
 60 CALENDAR DAYS
 RES. ENG.: TAYLOR HENDERSON, YUKON

CONTRACT DESCRIPTION
 GUARDRAIL
 US-81/SH-66: AT MULTIPLE LOCATIONS IN CANADIAN COUNTY.

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	150.000	CY
209 0120	MACHINE GRADING	4763.000	LF
230(A) 2806	SOLID SLAB SODDING	856.000	SY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	553.000	TON
504(E) 1381	CONCRETE PARAPET	660.000	LF
619(B) 4780	REMOVAL OF GUARDRAIL	2734.000	LF
619(B) 6252	REMOVAL OF EXISTING PARAPET	660.000	LF
619(C) 0924	SAWING PAVEMENT	1534.000	LF
623 0100	(PL)GUARDRAIL CURBING	10.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3240.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	9.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	10.000	EA
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	82.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	72.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0002 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100283

CALL ORDER: 160
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CARTER

PROJECT(S) : PCN
 STPY-110B(108)SS 2023104
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$137.64
 330 CALENDAR DAYS
 RES. ENG.: MARK ZISHKA, ARDMORE

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 SH-199: FROM 4.8 MI WEST OF US-177, EXTEND EAST.
 PROJECT LENGTH = 3.451 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	169148.920	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1650.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
227 0100	TEMPORARY SILT DIKE	1106.000	LF
230(A) 2806	SOLID SLAB SODDING	125777.000	SY
230(B) 2807	MULCH SODDING	29400.000	SY
232(B) 2814	SEEDING METHOD B	26.000	AC
233(A) 2817	VEGETATIVE MULCHING	26.000	AC
235(D) 0103	(PL)ROCK FILTER DAM, TYPE 4	150.000	CY
241 2832	MOWING	120.000	AC
327(A) 4200	(SP)FLY ASH	7593.670	TON
327(D) 4230	(SP)LIME	998.720	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	175195.320	SY
327(G) 4260	(SP)LIME PRETREATMENT	69271.680	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3813.150	TON
407 0250	TACK COAT	26558.270	GAL
408 5774	PRIME COAT	39215.620	GAL
411(S3) 5935	(SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	20966.480	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	75233.840	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	13976.040	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	6237.120	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	40.840	CY
509(A) 0319	CLASS AA CONCRETE	150.000	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	8.120	CY
509(D) 0325	CLASS C CONCRETE	2520.000	CY
511(A) 0332	REINFORCING STEEL	24971.830	LB
601(A) 0297	TYPE I PLAIN RIPRAP	186.390	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	177.920	TON
609(B) 0383	COMBINED CURB & GUTTER(6" BARRIER)	58.540	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100283

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(E) 6002	INLET (SMD-TYPE 2)	4.000	EA
611(J) 0487	JUNCTION BOXES	267.960	CF
613(B) 0491	18" R.C.PIPE CLASS III	215.000	LF
613(B) 0492	24" R.C.PIPE CLASS III	68.000	LF
613(B) 0493	30" R.C.PIPE CLASS III	150.000	LF
613(B) 0494	36" R.C.PIPE CLASS III	279.000	LF
613(B) 0495	42" R.C.PIPE CLASS III	242.000	LF
613(B) 4404	26" X 15" R.C.PIPE ARCH CLASS A-III	898.000	LF
613(B) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	1152.000	LF
613(B) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	454.000	LF
613(B) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	114.000	LF
613(B) 4500	58" X 36" R.C.PIPE ARCH CLASS A-III	56.000	LF
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	84.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	45.000	EA
613(CC) 7199	TYPE D6 CULVERT END TREATMENT	2.000	EA
613(CC) 7201	TYPE AA6 CULVERT END TREATMENT	24.000	EA
613(CC) 7202	TYPE BB6 CULVERT END TREATMENT	22.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	1794.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	422.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	3.000	LF
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	890.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	664.000	LF
613(D) 4533	64" X 43" CORR. GALV. STEEL PIPE ARCH	84.000	LF
613(D) 5168	24" X 18" CORR. GALV. STEEL PIPE ARCH	306.000	LF
613(M) 4546	58" X 36" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(M) 5736	42" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	10.000	LF
613(U) 0600	BORE & JACK 42" CASING	272.000	LF
616(U) 6230	BORE AND JACK 36" CASING	85.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	17555.630	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	131755.860	SY
619(B) 8610	(PL)REMOVE AND RESET CATTLE GUARD	1.000	EA
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	350.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100283

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
624(A) 4281	FENCE-STYLE WWF	2740.280	LF
624(B) 5264	GATES-STYLE WWF (4.5'HIGH X 20'LONG)	3.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	5375.260	LF
624(D) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	1438.520	LF
624(E) 5852	GATES-STYLE CLF (4'HIGH X 18'LONG)	2.000	EA
627(H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	200.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	23.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	11.000	EA
629(C) 4960	MAILBOX	56.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	56.000	EA
871 8325	(PL)IMPACT ATTENUATOR	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2570.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	220.000	CY
501(G) 6309	CLSM BACKFILL	6.000	CY
509(A) 1326	CLASS AA CONCRETE	396.500	CY
511(A) 1332	REINFORCING STEEL	73010.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1900.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	355.000	TON
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	150.000	CY
501(G) 6309	CLSM BACKFILL	292.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1431.000	LF
504(A) 1304	APPROACH SLAB	449.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	417.000	LF
506(A) 1322	STRUCTURAL STEEL	2400.000	LB
509(A) 1326	CLASS AA CONCRETE	440.700	CY
509(B) 1328	CLASS A CONCRETE	221.400	CY
509(D) 1331	CLASS C CONCRETE	25.000	CY
511 6306	(PL)MECHANICAL SPLICES	56.000	EA
511(A) 1332	REINFORCING STEEL	1300.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	131080.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1540.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1540.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	936.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	540.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100283

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	(SP) SEALER CRACK PREPARATION	331.000	LF
523(B) 6560	(SP) SEALER RESIN	3.700	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	18.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	36.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	36.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	2470.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	525.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	172.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	70.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	1000.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	1200.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	19500.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	17000.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	540.000	SD
878(C) 8487	MODULAR GLARE SCREEN	36720.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	540.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5400.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6750.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6750.000	SD
880(C) 8842	BARRICADES(TYPE III)	7560.000	SD
880(C) 8848	WING BARRICADES	810.000	SD
880(D) 8854	VERTICAL PANELS	9450.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	17550.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	32400.000	SD
880(F) 8878	DRUMS	22950.000	SD
880(G) 8884	TUBE CHANNELIZERS	2100.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	540.000	SD

SECTION 0005 - STRIPING & SIGNING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	172.760	SF
851(C) 8324	2" SQUARE TUBE POST	280.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	96.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	107324.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	575.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	139.000	EA
890(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100283****SECTION 0006 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100477

CALL ORDER: 200
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CIMARRON

PROJECT(S) : PCN
 SEC1302Y-133N(050)HP 1333719
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$204.83
 240 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 SURFACE
 US-287: FROM 1.0 MILE SOUTH OF THE SH-3/US-64 JUNCTION.
 PROJECT LENGTH = 2.215 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	13970.000	CY
202(D) 0184	UNCLASSIFIED BORROW	4260.000	CY
205(A) 4230	TYPE A-SALVAGED TOPSOIL	8400.000	CY
221(C) 2801	TEMPORARY SILT FENCE	200.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE	56.000	LF
230(A) 2806	SOLID SLAB SODDING	59389.000	SY
230(F) 2812	WATERING	4752.000	KGAL
241 2832	MOWING	25.000	AC
307(K) 4300	STABILIZED SUBGRADE	99649.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	50.000	TON
407(B) 0250	TACK COAT	209.000	GAL
408 5774	PRIME COAT	15222.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	15616.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	617.000	TON
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	21970.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	27361.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	56851.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	21363.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
611(G) 7126	INLET MEDIAN BARRIER, TYPE I, DES.1	1.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	126.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	272.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	212.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(M) 7202	TYPE BB6 CULVERT END TREATMENT	2.000	EA
613(M) 7203	TYPE CC6 CULVERT END TREATMENT	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	18082.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100477

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4780	REMOVAL OF GUARDRAIL	534.000	LF
619(B) 4791	REMOVAL OF CURB	1330.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	85.000	LF
623 0100	(PL)GUARDRAIL CURBING	8.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	2378.000	LF
623(F) 6030	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	5.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	7.000	EA
623(I) 8680	GUARDRAIL BRIDGE CONNECTION-TYPE B	1.000	EA
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	166.000	LF

SECTION 0002 - TRAFFIC TEMPORARY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	3400.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	2000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	5000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	150.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1650.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3930.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	600.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4860.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	720.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	720.000	SD
880(F) 8878	DRUMS	5640.000	SD
880(H) 8896	CONES(36" LARGE)	14250.000	SD
882(A) 8303	PORTABLE CHANGEABLE MESSAGE SIGN	4.000	EA

SECTION 0003 - TRAFFIC PERMANENT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	18.000	CY
804(B) 2916	REINFORCING STEEL	4424.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	678.000	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	1110.000	SF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	168.000	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	96.000	LF
851(A) 3212	8"@40 GALV.STL.WD.FLANGE BM.POST	124.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	203.000	LF
851(C) 8324	2" SQUARE TUBE POST	764.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	58402.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	9355.000	LF
856(A) 8555	TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	24.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100477

SECTION 0003 - TRAFFIC PERMANENT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	7.000	EA
871(A) 8325	(SP)IMPACT ATTENUATOR	1.000	EA

SECTION 0004 - ITS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
624(H) 5920	(PL) GATE	6.000	EA
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	610.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	4390.000	LF
803(A) 8066	PULL BOX(SIZE II)	12.000	EA
804(A) 2915	STRUCTURAL CONCRETE	20.160	CY
804(B) 2916	REINFORCING STEEL	3150.000	LB
806(C) 8926	40' MTG & 12' HLMA(G.STL.)	6.000	EA
809(A) 8090	ROADWAY LUMINAIRE	6.000	EA
810(A) 3118	SERVICE POLE	6.000	EA
811 8032	1/C NO.0 ELECT.COND.	3000.000	LF
811 8038	1/C NO.4 ELECT.COND.	10400.000	LF
827 8620	SOLID STATE FLASHER CONTROLLER(TYPE I)	6.000	EA
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	126.000	LF
887 8400	(SP)DYNAMIC MESSAGE SIGN SYSTEM	1.000	LSUM

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100479

CALL ORDER: 240
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 STPG-114B(262)AG 2691704
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 90 CALENDAR DAYS
 RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION
 TRAFFIC SIGNALS
 CITY STREET (TECUMSEH ROAD): AT JOURNEY PARKWAY IN THE
 IN THE CITY OF NORMAN.

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(A) 0602	4" CONCRETE SIDEWALK	34.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	32.000	SF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	145.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	310.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	60.000	LF
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	12.200	CY
804(B) 2916	REINFORCING STEEL	1868.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
806(A) 8732	POLE & 40' TS MST.ARM(G.STL.)	1.000	EA
806(A) 8734	POLE & 45' TS MST.ARM(G.STL.)	3.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	140.000	LF
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	12.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	18.000	EA
825 8550	(SP) TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	6.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	3.000	EA
831 8274	1WAY4SEC.ADJ.SIG.HD.S-16	4.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA
833 3030	BACKPLATE	13.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1390.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	260.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	620.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	40.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	5.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100479****SECTION 0001 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	975.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	108.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	280.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	660.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	7.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	4000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
887(F) 8370	(PL)SHIELD ISOLATION PEDESTAL	1.000	EA

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100482

CALL ORDER: 340
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CRAIG

PROJECT(S) : PCN
 SSP-118B(038)SS 2088604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$56.36
 210 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-60: OVER LEGION CABIN CREEK, 2.6 MILES EAST OF THE SH-2
 JUNCTION.
 PROJECT LENGTH = 0.529 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	426.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2742.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2968.000	LF
227 0100	TEMPORARY SILT DIKE	204.000	LF
230(A) 2806	SOLID SLAB SODDING	34627.000	SY
233(A) 2817	VEGETATIVE MULCHING	7.150	AC
241 2832	MOWING	7.150	AC
303 0192	AGGREGATE BASE	2714.000	CY
325 5271	SEPARATOR FABRIC	13215.000	SY
327(D) 4230	(SP)LIME	279.000	TON
327(K) 4300	(SP)STABILIZED SUBGRADE	13215.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1637.000	TON
411(S3) 5935	(SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	1074.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	4557.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	707.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1093.000	TON
613(B) 0492	24" R.C.PIPE CLASS III	52.000	LF
613(D) 0689	18" CORR. GALV. STEEL PIPE	46.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	40.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	188.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	63.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	14091.000	SY
619(C) 0924	SAWING PAVEMENT	672.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	950.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	3.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100482

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	3.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	3486.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
653(C) 5946	OUTLET LATERAL HEADWALL	2.000	EA
871 8325	(PL)IMPACT ATTENUATOR	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
229 4318	DITCH LINER PROTECTION	880.000	LF
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	3090.000	CY
501(F) 6352	GRANULAR BACKFILL	4800.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1594.670	LF
504(A) 1304	APPROACH SLAB	212.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	1521.000	LF
506(A) 1322	STRUCTURAL STEEL	1500.000	LB
509(A) 1326	CLASS AA CONCRETE	513.200	CY
509(B) 1328	CLASS A CONCRETE	185.000	CY
509(D) 1331	CLASS C CONCRETE	145.000	CY
510(A) 6334	RETAINING WALL	1190.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	139347.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	610.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	610.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2696.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	222.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	245.000	LF
523(B) 6560	(SP) SEALER RESIN	2.500	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	24.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	24.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	800.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	155.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	714.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	720.000	LF

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	42.500	SF
851(C) 8324	2" SQUARE TUBE POST	90.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12900.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	9600.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1600.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100482****SECTION 0003 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	800.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	450.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100483

CALL ORDER: 360
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CREEK

PROJECT(S) : PCN
 BRFY-119C(176) 2556204
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$151.73
 280 CALENDAR DAYS
 TIME 'B' BID - \$ 6000 / DAY
 RES. ENG.: MARK WILLIAMS, SAND SPRINGS

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-66: OVER I-44 (TURNER TURNPIKE).
 PROJECT LENGTH = 1.471 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	196033.000	CY
202(B) 0105	MUCK EXCAVATION	5842.000	CY
202(C) 0184	UNCLASSIFIED BORROW	5000.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	7051.000	LF
227 0100	TEMPORARY SILT DIKE	826.000	LF
230(A) 2806	SOLID SLAB SODDING	137941.000	SY
232(A) 2813	SEEDING METHOD A	32.000	AC
233(A) 2817	VEGETATIVE MULCHING	32.000	AC
235(B) 0101	(PL)ROCK FILTER DAM, TYPE 2	69.000	CY
241 2832	MOWING	128.000	AC
303 5912	AGGREGATE BASE	12681.000	TON
325 5271	SEPARATOR FABRIC	42848.000	SY
327(J) 4290	(SP)MODIFIED SUBGRADE	38430.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	6580.000	TON
407 0250	TACK COAT	3922.000	GAL
408 5774	PRIME COAT	13892.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	1750.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	13369.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	1139.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	4807.000	TON
414(J) 5400	P.C. CONCRETE PAVEMENT(PLACEMENT ONLY)	934.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	260.000	CY
509(D) 0325	CLASS C CONCRETE	1364.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	36.000	TON
613(B) 0492	24" R.C.PIPE CLASS III	568.000	LF
613(B) 0493	30" R.C.PIPE CLASS III	424.000	LF
613(B) 0495	42" R.C.PIPE CLASS III	390.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100483

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(CC) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(CC) 7198	TYPE C6 CULVERT END TREATMENT	2.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	226.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	12.000	EA
613(M) 5736	42" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P) 1092	8" PERFORATED PIPE UNDERDRAIN ROUND	1000.000	LF
613(Q) 1097	8" NON-PERF. PIPE UNDERDRAIN RND.	1000.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	10171.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	37875.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	266.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1300.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	5.000	EA
624(A) 4281	FENCE-STYLE WWF	2104.000	LF
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	6729.000	LF
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	591.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	MAILBOX	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	565.000	CY
501(G) 6309	CLSM BACKFILL	279.500	CY
504(A) 1304	APPROACH SLAB	669.300	SY
504(C) 6250	SEALED EXPANSION JOINT	154.000	LF
504(F) 6190	42" F-SHAPED PARAPET	1271.400	LF
506(A) 1322	STRUCTURAL STEEL	743610.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	198.000	SY
509(A) 1326	CLASS AA CONCRETE	620.000	CY
509(B) 1328	CLASS A CONCRETE	631.300	CY
510(C) 6138	SLOPE WALL (5")	4001.000	SY
511(A) 1332	REINFORCING STEEL	5390.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	226360.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2112.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100483

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	138.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	193.000	LF
516(A) 6097	DRILLED SHAFTS 66" DIAMETER	150.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	160.000	LF
523(B) 6560	(SP) SEALER RESIN	2.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	15.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
611(E) 4012	(PL)SPECIAL INLET DRAIN	14.000	EA
613(O) 1080	6" P.V.C. PIPE ROUND	80.000	LF
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	710.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	170.000	LF
616(B) 5227	10" POLYVINYL CHLORIDE (PVC) PIPE	440.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1200.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	71.000	CY
509(A) 1326	CLASS AA CONCRETE	193.500	CY
511(A) 1332	REINFORCING STEEL	22530.000	LB
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA

SECTION 0004 - TRAFFIC - SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	0.780	CY
850(A) 8110	SHEET ALUMINUM SIGNS	99.500	SF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	156.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	30940.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	43100.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	135.000	LF

SECTION 0005 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	56690.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	7350.000	LF
856(G) 8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	200.000	EA
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	41160.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	21000.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	3060.000	SD
878(C) 8487	MODULAR GLARE SCREEN	571200.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	1020.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12240.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	33150.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	35700.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100483

SECTION 0005 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8842	BARRICADES(TYPE III)	30600.000	SD
880(C) 8848	WING BARRICADES	3060.000	SD
880(D) 8854	VERTICAL PANELS	51000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	69360.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	160650.000	SD
880(F) 8878	DRUMS	109650.000	SD
880(G) 8890	CHANNELIZER CONES	102000.000	SD
880(H) 8890	CONES(28" MEDIUM)	102000.000	SD
880(I) 8902	FLAGGER	510.000	SD
880(K) 8908	SURVEILLANCE TRAFFIC CONTROL	510.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	2040.000	HOUR
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	6120.000	SD
882 8372	(SP)SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	3060.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	1020.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	510.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	1020.000	SD

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100501

CALL ORDER: 380
LETTING DATE: August 19, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: BLAINE
GREER
CUSTER
ROGER MILLS
KIOWA
WASHITA

PROJECT(S) : PCN
STPY-120C(191)3P 2782904
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
45 CALENDAR DAYS
RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION**GUARDRAIL**

US-183/US-270/SH-33/SH-34/SH-44: AT VARIOUS LOCATIONS IN
DIVISION V.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4780	REMOVAL OF GUARD RAIL	2775.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1525.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(F) 6030	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(G) 0940	GUARD RAIL BLOCKOUT REPLACEMENT	5807.000	LF
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	39.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
884(B) 8421	(PL)CONC.BRIDGE PARAPET RETROFIT	86.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100434

CALL ORDER: 400
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARFIELD

PROJECT(S) : PCN
 STPY-124C(133)TR 2745104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$34.68
 90 CALENDAR DAYS
 RES. ENG.: JOE ECHELLE (ACTING),
 STILLWATER

CONTRACT DESCRIPTION
 GUARDRAIL
 SH-74: FROM 7.4 MILES NORTH OF THE LOGAN COUNTY LINE, EXTEND
 NORTH.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	500.000	CY
209 0120	MACHINE GRADING	1395.000	LF
230(A) 2806	SOLID SLAB SODDING	3500.000	SY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	160.000	TON
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	5.000	CY
511(A) 0332	REINFORCING STEEL	500.000	LB
619(B) 4780	REMOVAL OF GUARDRAIL	660.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	2412.500	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	20.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	20.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 1381	CONCRETE PARAPET	268.000	LF
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	40.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	95.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	360.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1800.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1440.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	180.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1080.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	4000.000	SD
880(F) 8878	DRUMS	4000.000	SD
880(G) 8890	CHANNELIZER CONES	10000.000	SD
880(I) 8902	FLAGGER	180.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100434****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100485

CALL ORDER: 440
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: JEFFERSON

PROJECT(S) : PCN
 BRO-134D(073)CO 2559804
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 90 CALENDAR DAYS
 RES. ENG.: JERRY HARWELL, DUNCAN

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-204): OVER CLEAR CREEK, 0.5 MILES EAST OF
 THE SH-89 JUNCTION.
 PROJECT LENGTH = 0.221 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2300.000	LF
227 0100	TEMPORARY SILT DIKE	400.000	LF
230(A) 2806	SOLID SLAB SODDING	9560.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.400	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1031.000	TON
408 5774	PRIME COAT	725.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	522.000	TON

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	64.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	207.000	LF
506(A) 1322	STRUCTURAL STEEL	1620.000	LB
509(A) 1326	CLASS AA CONCRETE	58.300	CY
509(B) 1328	CLASS A CONCRETE	48.800	CY
511(A) 1332	REINFORCING STEEL	20152.000	LB
514 6260	(PL)PILOT HOLES	252.000	LF
514(A) 6010	PILES, FURNISHED (HP 10X42)	120.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	308.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	120.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	308.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1090.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	276.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100485****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100486

CALL ORDER: 460
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KIOWA

PROJECT(S) : PCN
 BRO-138D(173)CI 2696204
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 120 CALENDAR DAYS
 RES. ENG.: JERRY D. CLEMENT, ALTUS

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-166): OVER DEEP RED CREEK, 4.5 MILES EAST OF
 THE US-183 JUNCTION.
 PROJECT LENGTH = 0.142 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	400.000	LF
230(A) 2806	SOLID SLAB SODDING	5400.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.120	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	490.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A-1)1353	TYPE I-A PLAIN RIPRAP	192.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	96.000	TON
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	168.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	275.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	85.100	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	25439.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	490.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	490.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1145.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	347.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100486****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100488

CALL ORDER: 500
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: LATIMER

PROJECT(S) : PCN
 BRO-139D(065)CO 2347304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 120 CALENDAR DAYS
 RES. ENG.: LARRY PLYMATE, MCALESTER

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-426): OVER BEAVER CREEK, 0.65 MILES NORTH OF
 THE US-270 JUNCTION.
 PROJECT LENGTH = 0.150 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	7331.000	CY
202(C) 0184	UNCLASSIFIED BORROW	55.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	280.000	LF
227 0100	TEMPORARY SILT DIKE	138.000	LF
230(A) 2806	SOLID SLAB SODDING	4200.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	428.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
850(A) 8110	SHEET ALUMINUM SIGNS	10.000	SF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	316.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	225.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	62.500	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	21480.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	632.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	632.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	2580.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	800.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6034	GUARD RAIL ANCHOR UNIT (TYPE III)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100488

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100489

CALL ORDER: 520
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCCURTAIN

PROJECT(S) : PCN
 STP-145C(190)CO 2748204
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$3.25
 60 CALENDAR DAYS
 RES. ENG.: BRENT FRANK, ANTLERS

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 COUNTY ROAD (OLD BROKEN BOW HIGHWAY): FROM 4.1 MILES
 NORTH OF US-70 JUNCTION IN THE CITY OF IDABEL, EXTEND NORTH.
 PROJECT LENGTH = 4.60 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
223 2801	TEMPORARY SILT FENCE	500.000	LF
303 0192	AGGREGATE BASE	2889.000	CY
325 5271	SEPARATOR FABRIC	8654.000	SY
407 0250	TACK COAT	6478.000	GAL
408 5774	PRIME COAT	1581.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	789.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	11092.000	TON
417 5267	COLD MILLING PAVEMENT	800.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6477.000	SY
850(A) 8110	SHEET ALUMINUM SIGNS	164.000	SF
851(C) 8324	2" SQUARE TUBE POST	294.000	LF
853 9039	DELINEATORS(TYPE 2, CODE 3)	64.000	EA
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	48576.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100490

CALL ORDER: 540
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MARSHALL

PROJECT(S) : PCN
 SAP-148N(068) 2771804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$16.26
 90 CALENDAR DAYS
 RES. ENG.: JERRY ELDRIDGE, MADILL

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 US-70: FROM THE SH-70F JUNCTION, EXTEND NORTH TO THE SH-199
 JUNCTION.
 PROJECT LENGTH = 2.70 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	7433.000	CY
303 0192	AGGREGATE BASE	4311.000	CY
325 5271	SEPARATOR FABRIC	20637.000	SY
407 0250	TACK COAT	2918.000	GAL
408 5774	PRIME COAT	3000.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2127.000	TON
414(A1) 5753	8" P.C. DOWEL JOINTED CONCRETE PAVEMENT	13683.000	SY
414(B) 5070	7" H.E.S. CONCRETE (PATCHING)	3500.000	SY
417 4267	COLD MILLING BITUMINOUS PAVEMENT	50869.000	SY
418 4200	(SP)SMA (1/2 INCH NMS)	2506.000	TON
505(D) 6090	(SP)MULTIPLE LAYER POLYMER CONC. OVERLAY	526.000	SY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	1.000	CY
511(B) 4269	EPOXY COATED REINFORCING STEEL	224.000	LB
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	7286.000	LF
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	741.000	LF
609(B) 1523	2'-8" COMB.CRB.& GUT.(4" MNTBLE)	120.000	LF
610(B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	500.000	SY
611(E) 5113	INLET CICI DES. 2 (B)	4.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	8.000	EA
611(K) 4488	CAST IRON CURB INLETS	16.000	EA
613(B) 0492	24" R.C.PIPES CLASS III	32.000	LF
613(S) 1180	TRENCH EXCAVATION	20.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	13.000	CY
619(B) 4726	REMOVAL OF CURB AND GUTTER	857.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	8284.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	7250.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	4.000	EA
619(B) 4791	REMOVAL OF CURB	124.000	LF
619(C) 0924	SAWING PAVEMENT	11059.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100490

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	1000.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	500.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	66100.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	120.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	20000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100491

CALL ORDER: 560
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAYES

PROJECT(S) : PCN
 STPY-049C(329) 1511104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$44.43
 30 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-412A: OVER UNNAMED CREEK, 2.5 MILES WEST OF THE DELAWARE
 COUNTY LINE.
 PROJECT LENGTH = 0.103 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2104.000	CY
202(C) 0184	UNCLASSIFIED BORROW	1279.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	150.000	LF
227 0100	TEMPORARY SILT DIKE	84.000	LF
229 4318	DITCH LINER PROTECTION	670.000	LF
230(A) 2806	SOLID SLAB SODDING	5607.000	SY
232(A) 2813	SEEDING METHOD A	1.200	AC
233(A) 2817	VEGETATIVE MULCHING	1.200	AC
241 2832	MOWING	1.200	AC
327(D) 4230	(SP)LIME	75.000	TON
327(H) 4270	(SP)LIME STABILIZED SUBGRADE	2135.000	SY
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	953.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	229.000	TON
509(D) 0325	CLASS C CONCRETE	88.000	CY
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	37.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	12.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1467.000	SY
619(C) 0924	SAWING PAVEMENT	48.000	LF
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	774.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	1.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2500.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100491

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0005 - BRIDGE 'A' - ADD ALT-1

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 1303	SELECT BORROW	728.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	244.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	856.000	CY
508 6359	(PL)PRECAST ARCH CULVERT	86.000	LF
509(A) 1326	CLASS AA CONCRETE	251.000	CY
511(A) 1332	REINFORCING STEEL	34150.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0006 - BRIDGE 'A' - ADD ALT-2

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 1303	SELECT BORROW	728.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	244.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	856.000	CY
508 6359	(PL)PRECAST ARCH CULVERT	86.000	LF
509(A) 1326	CLASS AA CONCRETE	251.000	CY
511(A) 1332	REINFORCING STEEL	34150.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100445

CALL ORDER: 620
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: NOWATA

PROJECT(S) : PCN
 ACBRO-153D(144)CI 2342104
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 110 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-9): OVER CALIFORNIA CREEK, 5.4 MILES WEST OF
 THE US-169/SH-10 JUNCTION.
 PROJECT LENGTH = 0.214 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4568.000	CY
202(C) 0184	UNCLASSIFIED BORROW	1123.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2138.000	LF
227 0100	TEMPORARY SILT DIKE	204.000	LF
230(A) 2806	SOLID SLAB SODDING	13355.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.170	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1020.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A-1)1353	TYPE I-A PLAIN RIPRAP	70.000	TON
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	130.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(G) 6309	CLSM BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	397.000	LF
504(A) 1304	APPROACH SLAB	82.000	SY
504(E) 6239	CONCRETE RAIL (TR3)	269.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	77.000	CY
509(B) 1328	CLASS A CONCRETE	72.000	CY
511(A) 1332	REINFORCING STEEL	25751.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	300.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	300.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	2603.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	434.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100445****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(E) 6312	FILTER FABRIC (RIPRAP)	1735.000	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	54.000	LF
613(Q) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	100.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	50.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100087

CALL ORDER: 640
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: NOWATA

PROJECT(S) : PCN
 BRFY-NBIP(420)SS 2701204
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 60 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE PAINT AND REPAIR
 US-60: OVER THE VERDIGRIS RIVER, 3.8 MILES EAST OF THE
 US-169 JUNCTION.
 PROJECT LENGTH = 0.137 MILES

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	1000.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'A' REPAIR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	25.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	750.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	10.000	SY

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - MOBILIZATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100503

CALL ORDER: 650
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) :	PCN
OKCY-XTWN(009)	1742828
OKCY-XTWN(012)TI	1742831
SEC115-155N(807)SG	2287309

DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$500.70
 370 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 SURFACING AND TRAFFIC CONTROL
 I-40: FROM JUST WEST OF MAY AVENUE, EXTEND EAST IN OKLAHOMA
 CITY.
 PROJECT LENGTH = 2.298 MILES

SECTION 0001 - ROADWAY - OKCY-XTWN(009)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0300	CONSTRUCTION MISCELLANEOUS	23213.000	LF
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	1000.000	CY
202(H) 0185	EARTHWORK	1.000	LSUM
221(A) 2800	TEMPORARY SLOPE DRAINS	162.000	LF
221(C) 2801	TEMPORARY SILT FENCE	4550.000	LF
221(F) 0100	TEMPORARY SILT DIKE	315.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	308.000	EA
230(A) 2806	SOLID SLAB SODDING	6739.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.340	AC
234(A) 2824	FERTILIZING (10-20-10)	0.650	TON
241 2832	MOWING	5.400	AC
303(A) 2100	AGGREGATE BASE TYPE A	21944.000	CY
307(K) 4300	STABILIZED SUBGRADE	109014.000	SY
317 4270	CEMENT TREATED BASE	14985.000	SY
319(B) 5254	OPEN-GRADED PORTLAND CEMENT BASE	91653.000	SY
325 5271	SEPARATOR FABRIC	276759.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
408 5774	PRIME COAT	16220.000	GAL
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	30429.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	8177.000	SY
414(C) 4425	CONT.REINF.P.C.C. PAVT.(PLACEMENT)	65672.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	33687.000	CY
414(I) 5262	TYPE 1 TERMINAL JOINT	2.000	EA
414(I) 5264	TYPE 2 TERMINAL JOINT	4.000	EA
414(J) 5263	TERMINAL JOINT SLEEPER SLAB	317.000	SY
504 6415	PARAPET ORNAMENT	24.000	EA
504(E) 6190	42" F-SHAPED PARAPET	5408.000	LF
509 6152	SPECIAL CONCRETE FINISH	61215.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100503

SECTION 0001 - ROADWAY - OKCY-XTWN(009)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	1213.000	CY
509(B) 0325	CLASS A CONCRETE(LONG. BAR. DES. 1-A)	835.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	79756.000	LB
511(B) 4269	EPOXY COATED REINFORCING STEEL	201700.000	LB
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	8052.000	LF
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	293.000	LF
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	113.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	8984.000	SY
611(G) 5120	INLET CI DES. 3 (STD)	2.000	EA
611(H) 5330	ADD'L DEPTH IN INLET CI DES. 3	1.000	VF
612(A) 0641	MANHOLES ADJUST TO GRADE	30.000	EA
612(C) 0645	INLET ADJUST TO GRADE	102.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	45.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	13201.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	180.000	LF
613(Q) 5946	OUTLET LATERAL HEADWALL	4.000	EA
613(Y) 0100	(PL)VIDEO INSPECTION OF CONDUIT	36764.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	247.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	751.000	SY
624(E) 4294	FENCE-STYLE CLF (8'HIGH, CLASS A)	5337.000	LF
624(F) 5990	GATES-STYLE CLF (8'HIGH X 8'LONG)	2.000	EA
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	3105.000	LF

SECTION 0002 - TRAFFIC SIGNAL - OKCY-XTWN(009)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	120.000	LF
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	20.000	LF
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	240.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	445.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	530.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	210.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	7.000	EA
803(A) 8065	PULL BOX(SIZE I)	9.000	EA
803(A) 8066	PULL BOX(SIZE II)	2.000	EA
804(A) 2915	STRUCTURAL CONCRETE	20.800	CY
804(B) 2916	REINFORCING STEEL	3122.900	LB
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8355	32'MH POLE,TWIN TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8728	POLE & 30' TS MST.ARM(G.STL.)	1.000	EA
806(A) 8732	POLE & 40' TS MST.ARM(G.STL.)	2.000	EA
806(B) 8896	12' MTG.HT.TS PED.POLE(G.STL.)	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100503

SECTION 0002 - TRAFFIC SIGNAL - OKCY-XTWN(009)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
809(A) 8090	ROADWAY LUMINAIRE	4.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8040	1/C NO.6 ELECT.COND.	400.000	LF
811 8044	1/C NO.10 ELECT.COND.	5055.000	LF
824(A) 8340	(SP)MASTER CONTROLLER	1.000	EA
825 8550	(SP) TRAFFIC SIGNAL CONTROLLER ASSEMBLY	2.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	4.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	19.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	3.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	4.000	EA
833 3030	BACKPLATE	22.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1785.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	165.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	1835.000	LF
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	340.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	10.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	9.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	2355.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	5.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	151.500	SF

SECTION 0003 - SIGNING AND STRIPING - OKCY-XTWN(009)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	56.000	LF
804(A) 2915	STRUCTURAL CONCRETE	199.380	CY
804(B) 2916	REINFORCING STEEL	11376.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	156.280	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	218.000	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	1489.500	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	206.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	149.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	90.000	LF
852(D) 0340	OVHD.SN.STR., MONOTUBE TYPE B 110'	2.000	EA
852(D) 0345	OVHD.SN.STR., MONOTUBE TYPE B 115'	1.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	25750.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	18636.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLYMER)(12" WIDE)	3168.000	LF
856(A) 8555	TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	66.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	12.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100503

SECTION 0004 - LIGHTING - OKCY-XTWN(009)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	350.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	340.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	9270.000	LF
803(A) 8065	PULL BOX(SIZE I)	55.000	EA
804(A) 2915	STRUCTURAL CONCRETE	53.750	CY
804(B) 2916	REINFORCING STEEL	4652.200	LB
806(D) 8989	40' MTG.HT.HL.PTP.(G.STL.)	43.000	EA
807 8092	BREAKAWAY BASE (DES. B)	13.000	EA
809(A) 8090	ROADWAY LUMINAIRE	63.000	EA
809(B) 8098	UNDERPASS LUMINAIRE	12.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	19470.000	LF
811 8044	1/C NO.10 ELECT.COND.	770.000	LF
811 8046	1/C NO.12 ELECT.COND.	7875.000	LF

SECTION 0005 - CONSTRUCTION - OKCY-XTWN(009)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

SECTION 0006 - ROADWAY - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	25058.000	CY
202(D) 0184	UNCLASSIFIED BORROW	23546.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	30.000	EA
221(F) 0100	TEMPORARY SILT DIKE	204.000	LF
230(A) 2806	SOLID SLAB SODDING	20730.000	SY
241 2832	MOWING	10.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	28102.000	CY
307(K) 4300	STABILIZED SUBGRADE	162697.000	SY
317 4270	CEMENT TREATED BASE	16391.000	SY
319(B) 5254	OPEN-GRADED PORTLAND CEMENT BASE	121584.000	SY
325 5271	SEPARATOR FABRIC	373251.000	SY
407(B) 0250	TACK COAT	2751.000	GAL
408 5774	PRIME COAT	13356.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	2622.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	14400.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	1750.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	30367.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	20327.000	SY
414(C) 4425	CONT.REINF.P.C.C. PAVT.(PLACEMENT)	79054.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	42368.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100503

SECTION 0006 - ROADWAY - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
414(J) 5263	TERMINAL JOINT SLEEPER SLAB	905.000	SY
504(E) 6190	42" F-SHAPED PARAPET	11186.000	LF
509 6152	SPECIAL CONCRETE FINISH	54220.000	SY
509(B) 0321	CLASS A CONCRETE	1786.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	2.000	CY
509(D) 0325	CLASS C CONCRETE	59.000	CY
510(C) 6135	SLOPE WALL (5")	8747.000	SY
511(A) 0332	REINFORCING STEEL	337189.000	LB
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	13228.000	LF
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	8276.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	390.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	3654.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	46.000	SF
611(A) 2657	MANHOLE (4' DIA.)	2.000	EA
611(A) 2658	MANHOLE (5' DIA.)	3.000	EA
611(G) 5113	INLET CI DES. 2 (B)	1.000	EA
611(G) 5114	INLET CI DES. 2 (C)	1.000	EA
611(G) 5115	INLET CI DES. 2 (D)	6.000	EA
611(G) 5690	INLET MEDIAN BARRIER DES. 1	8.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	4.000	EA
611(L) 0487	JUNCTION BOXES	1087.000	CF
612(C) 0645	INLET ADJUST TO GRADE	47.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	922.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	412.000	LF
613(A) 0493	30" R.C.PIPES CLASS III	192.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	284.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	16000.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	300.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA
619(B) 4726	REMOVAL OF CURB AND GUTTER	720.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	994.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2925.000	SY
624(E) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	9130.000	LF
624(E) 4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	1576.000	LF
627(B) 4410	CONCRETE LONGITUDINAL BARRIER END SEC.	2.000	EA

SECTION 0007 - RETAINING WALL - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303(A) 2100	AGGREGATE BASE TYPE A	40.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	1651.000	CY
509(B) 0321	CLASS A CONCRETE	299.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100503

SECTION 0007 - RETAINING WALL - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
510(A) 6333	RETAINING WALL	175.000	SY
511(A) 0332	REINFORCING STEEL	17820.000	LB

SECTION 0008 - BRIDGE 'M-B' - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	689.400	SY
504(B) 1305	SAW-CUT GROOVING	669.000	SY
504(E) 6190	42" F-SHAPED PARAPET	126.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	731.000	SY

SECTION 0009 - BRIDGE 'M-G' - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	324.000	SY
504(B) 1305	SAW-CUT GROOVING	301.000	SY
504(E) 6190	42" F-SHAPED PARAPET	142.300	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	370.000	SY

SECTION 0010 - BRIDGE 'M-D' - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	890.000	SY
504(B) 1305	SAW-CUT GROOVING	876.000	SY
504(E) 6190	42" F-SHAPED PARAPET	180.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	975.000	SY

SECTION 0011 - BRIDGE 'M-E' - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	349.000	SY
504(B) 1305	SAW-CUT GROOVING	338.000	SY
504(E) 6190	42" F-SHAPED PARAPET	130.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	430.000	SY

SECTION 0012 - TRAFFIC TEMPORARY - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	20000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	4810.000	SD
882 8372	(SP)SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	1110.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	1110.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	370.000	SD

SECTION 0013 - TRAFFIC PERMANENT - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 0321	CLASS A CONCRETE	329.000	CY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	112.000	LF
804(A) 2915	STRUCTURAL CONCRETE	22.000	CY
804(B) 2916	REINFORCING STEEL	19786.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	32.000	SF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100503

SECTION 0013 - TRAFFIC PERMANENT - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	491.000	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	2241.000	SF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	106.000	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	42.000	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	40.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	64.000	LF
852(C) 0130	OVHD.SN.STR., MONOTUBE TYPE A 100'	2.000	EA
852(C) 0135	OVHD.SN.STR., MONOTUBE TYPE A 105'	1.000	EA
852(C) 0140	OVHD.SN.STR., MONOTUBE TYPE A 110'	1.000	EA
852(E) 0500	OVHD.SN.STR., MONOTUBE TYPE C	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	38.000	EA
871(A) 8325	(SP)IMPACT ATTENUATOR	3.000	EA

SECTION 0014 - TRAFFIC SIGNAL - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(C) 0924	SAWING PAVEMENT	480.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	530.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	110.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	180.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	90.000	LF
803(A) 8065	PULL BOX(SIZE I)	4.000	EA
803(A) 8066	PULL BOX(SIZE II)	5.000	EA
804(A) 2915	STRUCTURAL CONCRETE	8.600	CY
804(B) 2916	REINFORCING STEEL	1292.000	LB
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	2.000	EA
806(B) 8892	8' MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	3.000	EA
811 8040	1/C NO.6 ELECT.COND.	170.000	LF
811 8044	1/C NO.10 ELECT.COND.	1500.000	LF
815(B) 8610	(SP)CCTV CAMERA, PAN-TILT-ZOOM	1.000	EA
825 8550	(SP) TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828(A) 8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	4.000	EA
828(B) 8136	LOOP DETECTOR WIRE	1930.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	4.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	6.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	1.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	1.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	4.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1120.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	120.000	LF
834(A) 8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	130.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1120.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100503

SECTION 0014 - TRAFFIC SIGNAL - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
840(B) 8593	E.P.S. OPTICAL DETECTOR	3.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	680.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	74.000	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	41.000	SF
851(C) 8324	2" SQUARE TUBE POST	122.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	42.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	340.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	474.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	120.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA

SECTION 0015 - TRAFFIC LIGHTING - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	186.000	CY
509(B) 0321	CLASS A CONCRETE	38.000	CY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	400.000	LF
802(A) 8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	24.000	LF
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	280.000	LF
802(A) 8310	2" GALV.STEEL ELECT.COND. EXPOSED	70.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	960.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	11230.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	14.000	EA
803(A) 8065	PULL BOX(SIZE I)	37.000	EA
803(A) 8066	PULL BOX(SIZE II)	6.000	EA
804(B) 2916	REINFORCING STEEL	32788.000	LB
805(D) 8742	(PL)REMOVE & RESET TRAF.SIG.EQUIPMENT	1.000	LSUM
806(C) 8922	40' MTG & 8' HLMA(G.STL.)	27.000	EA
806(C) 8929	40'MHP & TWIN H.L.MST.ARM(G.STL.)	2.000	EA
806(D) 8991	45' MTG.HT.HL.PTP.(G.STL.)	5.000	EA
807 8092	BREAKAWAY BASE (DES. B)	29.000	EA
809(A) 8090	ROADWAY LUMINAIRE	31.000	EA
809(B) 8098	UNDERPASS LUMINAIRE	8.000	EA
809(C) 8399	POST TOP LUMINAIRE	10.000	EA
809(E) 8103	HIGH MAST LUMINAIRE	46.000	EA
811 8038	1/C NO.4 ELECT.COND.	44030.000	LF
811 8044	1/C NO.10 ELECT.COND.	5420.000	LF
811 8052	2/C NO.12 ELECT.COND.	2250.000	LF
812 8060	120' HIGH MAST POLE(G.STL.)	3.000	EA
812 8068	140' HIGH MAST POLE(G.STL.)	7.000	EA
813 8074	HIGH MAST LOWERING DEV.TYP.I	10.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100503

SECTION 0016 - STAKING - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0017 - CONSTRUCTION - OKCY-XTWN(012)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION 0018 - ITS INFRASTRUCTURE - SEC115-155N(807)SG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	690.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	2490.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	560.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1825.000	LF
803(A) 8066	PULL BOX(SIZE II)	12.000	EA
803(B) 8090	GROUND BOX (GB48)	2.000	EA
803(B) 8105	GROUND BOX (R48)	5.000	EA
804(A) 2915	STRUCTURAL CONCRETE	20.760	CY
804(B) 2916	REINFORCING STEEL	2000.000	LB
810(A) 3118	SERVICE POLE	5.000	EA
811 8032	1/C NO.0 ELECT.COND.	5903.000	LF
815(A) 8615	(SP)CCTV CAMERA, WEB	16.000	EA
815(B) 8610	(SP)CCTV CAMERA, PAN-TILT-ZOOM	4.000	EA
816 8620	(SP)CCTV CAMERA POLE	4.000	EA
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	4830.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	4.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	96.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	72.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	20.000	EA
819 8780	(PL)FIBER OPTIC & COMMUNICATION EQUIP.	1.000	LSUM
819(B) 5550	(SP)INSTALLATION OF COMMUNICATION CABLE	900.000	LF
824(C) 6551	(SP)CABINET	6.000	EA
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	800.000	LF
887(A) 8540	(SP)LED DYNAMIC MESSAGE SN.FLD.EQUP(18")	2.000	EA
887(C) 8500	(SP)LED D.M.S. SYSTEM SUPPORT EQUIP.	1.000	LSUM
887(D) 8350	(SP)LED D.M.S. SIGN SOFTWARE	1.000	LSUM
887(E) 8360	(SP)LANE CONTROL SIGN	15.000	EA
887(F) 8370	(PL)SHIELD ISOLATION PEDESTAL	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 090162

CALL ORDER: 680
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 IMG-0035-3(298)129TR 2627304

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 60 CALENDAR DAYS
 RES. ENG.: TERRY HOWELL, OKLAHOMA CITY

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-35: FROM MILE MARKER 130, EXTEND NORTH TO MILE MARKER 133.

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5460.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1800.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3000.000	SD
880(C) 8842	BARRICADES(TYPE III)	1800.000	SD
880(C) 8848	WING BARRICADES	240.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5400.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	25800.000	SD
880(F) 8878	DRUMS	1800.000	SD
880(G) 8890	CHANNELIZER CONES	24000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	250.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1961.000	CY
202(C) 0184	UNCLASSIFIED BORROW	500.000	CY
223 2801	TEMPORARY SILT FENCE	1150.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	5.000	EA
227 0100	TEMPORARY SILT DIKE	654.000	LF
230(A) 2806	SOLID SLAB SODDING	7891.000	SY
241 2832	MOWING	10.000	AC
303 5912	AGGREGATE BASE	2395.000	TON
509(A) 0319	CLASS AA CONCRETE	141.000	CY
612(E) 0645	INLETS ADJUST TO GRADE	1.000	EA
628 5110	(PL)CABLE END ANCHOR UNIT	8.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	14203.000	LF
628 5175	CABLE BARRIER TENSION METER	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	60.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 090162****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 090635

CALL ORDER:	690	PROJECT(S) :	PCN
LETTING DATE:	August 19, 2010	SSP-160B(019)SS	0635108
LETTING TIME:	10:30 A.M.	SEC1702Y-160B(167)SS	2033107
COUNTIES:	PAYNE	DBE GOALS : 7.00	
		GUARANTY : 5% OF BID TOTAL	
		PLAN PRICE : \$151.72	
		210 CALENDAR DAYS	
		RES. ENG.: DIVISION 4 (PERRY)	

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND BRIDGE
 SH-33: FROM THE NEW ALIGNMENT OVER THE CIMARRON RIVER,
 EXTEND EAST.
 PROJECT LENGTH = 6.438 MILES

SECTION 0001 - ROADWAY SSP-160B(019)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	223924.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2000.000	CY
203 7116	TEST ROLLING	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	5630.000	LF
227 0100	TEMPORARY SILT DIKE	950.000	LF
230(A) 2806	SOLID SLAB SODDING	155731.000	SY
233(A) 2817	VEGETATIVE MULCHING	33.000	AC
234(A) 4406	FERTILIZING (0-46-0)	3.000	TON
241 2832	MOWING	65.000	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1226.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	481.000	CY
509(A) 0319	CLASS AA CONCRETE	1485.000	CY
509(D) 0325	CLASS C CONCRETE	1075.000	CY
511(A) 0332	REINFORCING STEEL	206426.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	535.000	TON
601A-1 0536	TYPE I-A PLAIN RIPRAP	385.000	TON
601A-2 0538	TYPE I-A FILTER BLANKET	7.000	TON
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	21.000	EA
613(D) 0688	12" CORR. GALV. STEEL PIPE	326.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	456.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	266.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	970.000	LF
613(Q) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	320.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
624(C) 4459	(SP) FENCE-STYLE SWF (5 BARBED WIRE)	22065.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	16.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 090635

SECTION 0002 - TRAFFIC SSP-160B(019)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING SSP-160B(019)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION SSP-160B(019)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0007 - ROADWAY - SEC1702Y-160B(167)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	408936.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2000.000	CY
203 7116	TEST ROLLING	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	8200.000	LF
227 0100	TEMPORARY SILT DIKE	1425.000	LF
230(A) 2806	SOLID SLAB SODDING	302591.000	SY
233(A) 2817	VEGETATIVE MULCHING	73.000	AC
241 2832	MOWING	146.000	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1552.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	349.000	CY
509(A) 0319	CLASS AA CONCRETE	919.000	CY
509(D) 0325	CLASS C CONCRETE	525.000	CY
511(A) 0332	REINFORCING STEEL	148286.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	286.000	TON
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	22.000	EA
613(CC) 7199	TYPE D6 CULVERT END TREATMENT	2.000	EA
613(D) 0688	12" CORR. GALV. STEEL PIPE	332.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	564.000	LF
613(D) 0692	36" CORR. GALV. STEEL PIPE	132.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	182.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	1450.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	480.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	21973.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	24.000	EA

SECTION 0008 - BRIDGE 'A' - SEC1702Y-160B(167)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	140.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 090635

SECTION 0008 - BRIDGE 'A' - SEC1702Y-160B(167)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(F) 6352	GRANULAR BACKFILL	119.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	745.000	LF
504(F) 6190	42" F-SHAPED PARAPET	301.000	LF
506(A) 1322	STRUCTURAL STEEL	1370.000	LB
509(A) 1326	CLASS AA CONCRETE	244.600	CY
509(B) 1328	CLASS A CONCRETE	151.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	77460.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	770.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	770.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	699.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	252.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	(SP) SEALER RESIN	2.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1240.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	280.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	106.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	28.000	LF

SECTION 0009 - BRIDGE 'B' - SEC1702Y-160B(167)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	140.000	CY
501(F) 6352	GRANULAR BACKFILL	184.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1495.000	LF
504(F) 6190	42" F-SHAPED PARAPET	601.000	LF
506(A) 1322	STRUCTURAL STEEL	1170.000	LB
509(A) 1326	CLASS AA CONCRETE	414.000	CY
509(B) 1328	CLASS A CONCRETE	163.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	110140.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1000.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1000.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1323.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	260.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	168.000	LF
523(B) 6560	(SP) SEALER RESIN	2.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1500.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	340.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	92.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	28.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 090635

SECTION 0011 - CONSTRUCTION - SEC1702Y-160B(167)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
640 1398	FIELD OFFICE	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100495

CALL ORDER: 700
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: POTTAWATOMIE

PROJECT(S) : PCN
 BRFY-163C(137) 2100304
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$46.60
 180 CALENDAR DAYS
 RES. ENG.: TERRY SWAYZE, WEWOKA

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-59: OVER BLACK SMITH CREEK, 2.5 MILES EAST OF THE US-177
 JUNCTION.
 PROJECT LENGTH = 0.397 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	51928.000	CY
202(C) 0184	UNCLASSIFIED BORROW	79282.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	4000.000	LF
227 0100	TEMPORARY SILT DIKE	766.000	LF
229 4318	DITCH LINER PROTECTION	75.000	LF
230(A) 2806	SOLID SLAB SODDING	46601.000	SY
232(B) 2814	SEEDING METHOD B	9.430	AC
233(A) 2817	VEGETATIVE MULCHING	9.430	AC
241 2832	MOWING	29.680	AC
303 0192	AGGREGATE BASE	2514.000	CY
325 5271	SEPARATOR FABRIC	12224.000	SY
327(A) 4200	(SP)FLY ASH	430.000	TON
327(D) 4230	(SP)LIME	69.000	TON
327(F) 4250	(SP)CEMENTITIOUS MODIFIED SUBGRADE	11926.000	SY
327(G) 4260	(SP)LIME PRETREATMENT	4770.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2270.000	TON
407 0250	TACK COAT	2503.000	GAL
408 5774	PRIME COAT	6744.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	5045.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2583.000	TON
417 5267	COLD MILLING PAVEMENT	2401.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	36.000	CY
509(A) 0319	CLASS AA CONCRETE	107.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	12946.000	LB
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	290.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100495

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	102.000	LF
613(D) 4819	96" CORR. GALV. STEEL PIPE	507.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	140.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	47.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	13442.000	SY
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	813.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	5328.000	LF
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	3.000	EA
653(C) 5946	OUTLET LATERAL HEADWALL	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(F) 6352	GRANULAR BACKFILL	282.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	648.340	LF
504(A) 1304	APPROACH SLAB	271.800	SY
504(E) 6245	CONCRETE RAIL (TR4)	377.000	LF
506(A) 1322	STRUCTURAL STEEL	620.000	LB
509(A) 1326	CLASS AA CONCRETE	226.000	CY
509(B) 1328	CLASS A CONCRETE	69.600	CY
509(D) 1331	CLASS C CONCRETE	12.300	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	47960.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	2316.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	2316.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	657.000	SY
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1910.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	340.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	20.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	37.500	SF
851(C) 8324	2" SQUARE TUBE POST	54.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	28.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	8400.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100495

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	10400.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	500.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	800.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5400.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4680.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2160.000	SD
880(C) 8842	BARRICADES(TYPE III)	3960.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(D) 8854	VERTICAL PANELS	11160.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	10080.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	4320.000	SD
880(F) 8878	DRUMS	2160.000	SD
880(G) 8890	CHANNELIZER CONES	2160.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100496

CALL ORDER: 720
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ROGERS
 WAGONER

PROJECT(S) : PCN
 SEC1702Y-166A(194)SS 1998308
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$151.73
 270 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 US-412/SH-412P/CITY STREET: US-412 FROM 3 MI W OF 305TH AVE.
 EXT EAST, SH-412P FROM 305TH AVE EXT SOUTH, AND ADMIRAL PL.
 PROJECT LENGTH = 1.421 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING (1) (F-37)	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION (19, 32, 33)	186322.000	CY
202(B) 0105	MUCK EXCAVATION (27)	665.000	CY
202(C) 0184	UNCLASSIFIED BORROW (F-3)	70322.000	CY
202(D) 0186	SELECT BORROW (18)	500.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL (4, 5, 6) (H-16)	1.000	LSUM
223 2801	TEMPORARY SILT FENCE (28)	15440.000	LF
224 2803	TEMPORARY SEDIMENT FILTER (28)	23.000	EA
225 2804	TEMPORARY SEDIMENT BASIN	2.000	EA
227 0100	TEMPORARY SILT DIKE (28)	6225.000	LF
229 4318	DITCH LINER PROTECTION	2256.000	LF
230(A) 2806	SOLID SLAB SODDING (8) (H-11, 12, 33)	142028.000	SY
232(A) 2813	SEEDING METHOD A (6,7) (H-13, 21B, 29)	29.410	AC
233(A) 2817	VEGETATIVE MULCHING (6,7) (H-13, 24)	29.410	AC
235(C) 0102	(PL)ROCK FILTER DAM, TYPE 3	374.000	CY
241 2832	MOWING (3)	235.280	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT (13)	2.000	EA
246(A) 7041	(SP)GEOGRID EARTH REINFORCEMENT	30000.000	SY
303 0192	AGGREGATE BASE (21, 31)	31238.000	CY
325 5271	SEPARATOR FABRIC (22)	141457.000	SY
327(K) 4300	(SP)STABILIZED SUBGRADE	90105.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	9019.000	TON
407 0250	TACK COAT	907.000	GAL
408 5774	PRIME COAT (F-55)	14753.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK) (29) (F-66)	1881.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK) (29,30) (F-66)	12863.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK) (29) (F-66)	1874.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK) (25,29) (F-66)	262.000	TON
414(A) 0262	10" P.C. CONCRETE PAVEMENT (2,17)	20658.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100496

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
414(A1) 5753	8" P.C. DOWEL JOINTED CONCRETE PAVEMENT (2, 17)	5002.000	SY
414(A1) 5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT (2, 17)	39568.000	SY
414(B) 0288	6" H.E.S. CONCRETE PAVEMENT (17)	1122.000	SY
417 4267	COLD MILLING BITUMINOUS PAVEMENT	9668.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED (2)	9.850	CY
509(A) 0319	CLASS AA CONCRETE (2)	424.120	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES (2)	19.540	CY
509(D) 0325	CLASS C CONCRETE (10)	198.450	CY
511(A) 0332	REINFORCING STEEL (2, 16)	58582.000	LB
601(E) 6312	FILTER FABRIC (RIPRAP)	372.000	SY
601A-1 0536	TYPE I-A PLAIN RIPRAP	242.000	TON
601A-2 0538	TYPE I-A FILTER BLANKET	50.000	TON
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	308.000	LF
610(C) 0608	4" CONCRETE DIVIDING STRIP	222.000	SY
611(E) 6002	INLET (SMD-TYPE 2) (11)	1.000	EA
613(B) 0491	18" R.C.PIPES CLASS III (20, 23, 24)	18.000	LF
613(B) 0493	30" R.C.PIPES CLASS III	60.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	7.000	EA
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	16.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE (20)	968.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE (20)	80.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND (13)	100.000	LF
613(Q) 1096	6" NON-PERF.PIPES UNDERDRAIN RND. (13)	100.000	LF
613(S) 1180	TRENCH EXCAVATION	518.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	274.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS (12, 15) (F-37, 43)	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT (15) (F-37, 43)	8384.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT (15) (F-37, 43)	21868.000	SY
619(B) 4791	REMOVAL OF CURB (26) (F-37)	22.000	LF
619(C) 0924	SAWING PAVEMENT	8376.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	293.750	LF
623(E) 7114	THREE BEAM BRIDGE CONNECTION-TYPE A	1.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	1.000	EA
624(A) 4281	FENCE-STYLE WWF (F-32)	13751.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100496

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
624(B) 4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	3.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION (1)	1440.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED (1)	313.000	CY
509(A) 1326	CLASS AA CONCRETE (1,2)	652.200	CY
511(A) 1332	REINFORCING STEEL (1,2)	116260.000	LB

SECTION 0003 - BARRIER MODIFICATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(F) 1381	CONCRETE PARAPET (1,4)	13.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS (1,3)	1.000	LSUM

SECTION 0004 - EXISTING BRIDGE XB1 AND XB2

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE (5,6)	1.000	LSUM

SECTION 0005 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS (TS-21)	357.380	SF
851(C) 8324	2" SQUARE TUBE POST (TS-20) (103)	206.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST (TS-20) (103)	628.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE) (TS-13)	50756.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	15.000	EA
880(C) 8845	BARRICADES(TYPE III)	3.000	EA

SECTION 0006 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER (TC-1)	6140.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR. (TC-1, 2, 70)	19200.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE) (TC-17, 20, 70, 75)	37800.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP) (TC-22, 70)	49070.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR (TC-76)	150.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C) (TC-84)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF (TC-28, 84) (SP-1)	1650.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF (TC-29, 84) (SP-1)	4860.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF (TC-30, 84) (SP-1)	6690.000	SD
880(C) 8842	BARRICADES(TYPE III) (TC-84)	2160.000	SD
880(C) 8848	WING BARRICADES (TC-84)	1080.000	SD
880(D) 8854	VERTICAL PANELS (TC-84) (SP-1) (301)	990.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A) (TC-84)	9930.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C) (TC-84)	28560.000	SD
880(F) 8878	DRUMS (TC-84) (SP-1)	27570.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE (TC-65, 70)	540.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN (TC-84) (SP-2)	300.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100496****SECTION 0007 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING (14)	1.000	LSUM

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100497

CALL ORDER: 740
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ROGERS

PROJECT(S) : PCN
 BRO-166D(140)CO 2149104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 150 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-61): OVER INOLA CREEK, 5.0 MILES WEST OF THE
 MAYES COUNTY LINE.
 PROJECT LENGTH = 0.254 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3389.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2046.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2501.000	LF
227 0100	TEMPORARY SILT DIKE	208.000	LF
230(A) 2806	SOLID SLAB SODDING	9075.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.880	AC
303 0192	AGGREGATE BASE	925.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	35.000	TON
407 0250	TACK COAT	149.000	GAL
408 5774	PRIME COAT	1076.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	707.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0492	24" R.C.PIPE CLASS III	90.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(S) 1180	TRENCH EXCAVATION	20.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	35.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2373.000	SY
619(C) 0924	SAWING PAVEMENT	40.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5400.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(G) 6309	CLSM BACKFILL	40.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	434.000	LF
504(A) 1304	APPROACH SLAB	64.000	SY
504(E) 6239	CONCRETE RAIL (TR3)	265.000	LF
509(A) 1326	CLASS AA CONCRETE	79.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100497

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 1328	CLASS A CONCRETE	66.000	CY
511(A) 1332	REINFORCING STEEL	22575.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	240.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	240.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	72.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	924.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	196.000	TON
601(E) 6312	FILTER FABRIC (RIPRAP)	782.000	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	48.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	50.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100498

CALL ORDER: 760
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ROGERS

PROJECT(S) : PCN
 STP-166C(210)CO 2542704
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$30.35
 120 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-405): OVER ELM CREEK, 2.4 MILES SOUTH OF
 LATIMER COUNTY LINE.
 PROJECT LENGTH = 0.227 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	5288.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2083.000	LF
227 0100	TEMPORARY SILT DIKE	216.000	LF
230(A) 2806	SOLID SLAB SODDING	6950.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
303 0192	AGGREGATE BASE	1030.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	193.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	872.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1261.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
609(B) 0381	COMBINED CURB & GUTTER(5" MOUNTABLE)	215.000	LF
609(B) 0383	COMBINED CURB & GUTTER(6" BARRIER)	51.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	117.000	SY
613(B) 0493	30" R.C.PIPE CLASS III	52.000	LF
613(B) 0494	36" R.C.PIPE CLASS III	106.000	LF
613(B) 0496	48" R.C.PIPE CLASS III	90.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	8.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	207.000	LF
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5738	48" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2333.000	SY
619(B) 4791	REMOVAL OF CURB	262.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	83.000	SY
619(C) 0924	SAWING PAVEMENT	62.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100498

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	44.000	CY
501(F) 6352	GRANULAR BACKFILL	35.000	CY
503(A) 6123	PRESTRESSED CONCRETE BEAMS	1677.000	LF
504(A) 1304	APPROACH SLAB	200.000	SY
504(E) 6239	CONCRETE RAIL (TR3)	304.000	LF
509(B) 1328	CLASS A CONCRETE	80.000	CY
511(A) 1332	REINFORCING STEEL	12592.000	LB
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	208.000	LF
604(A) 5860	(SP)INTERLOCKING CONCRETE STONE	1747.000	SY
604(B) 5861	(SP)FILTER FABRIC (INTERL.CONC.STONE)	1747.000	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	116.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	64.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	43.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	3.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	1.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6365.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	564.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	24.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100253

CALL ORDER: 780
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEMINOLE

PROJECT(S) : PCN
 IMY-0040-5(415)206 1362607
 HSIPIG-0040-5(405)203TF2626704

DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$70.44
 330 CALENDAR DAYS
 RES. ENG.: TERRY SWAYZE, WEWOKA

CONTRACT DESCRIPTION

PAVEMENT REHABILITATION AND CABLE BARRIER
 I-40: FROM MILE MARKER 203, EXTEND EAST TO MILE MARKER 213.
 PROJECT LENGTH = 6.016 MILES

SECTION 0001 - ROADWAY - IMY-0040-5(415)206

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION (R-1)(R-12)	138572.000	CY
202(C) 0184	UNCLASSIFIED BORROW (R-7)(R-11)	8868.000	CY
223 2801	TEMPORARY SILT FENCE (R-2)	3200.000	LF
224 2803	TEMPORARY SEDIMENT FILTER (R-2)	12.000	EA
227 0100	TEMPORARY SILT DIKE (R-2)	322.000	LF
230(A) 2806	SOLID SLAB SODDING (H-1) (H-12)	153315.000	SY
233(A) 2817	VEGETATIVE MULCHING (H-13) (H-24)	31.680	AC
241 2832	MOWING	31.680	AC
303 0192	AGGREGATE BASE (F-13) (R-4) (R-8) (R-9)	116145.000	CY
325 5271	SEPARATOR FABRIC	370640.000	SY
327(A) 4200	(SP)FLY ASH (F-15)	21852.000	TON
327(D) 4230	(SP)LIME (R-5)	1337.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE (R-6)	404651.000	SY
327(G) 4260	(SP)LIME PRETREATMENT (R-5)	75981.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E (R-19)(R-10)(F-7)	72253.000	TON
408 5774	PRIME COAT (R-15) (F-70)	137987.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK) (F-66)	59442.000	TON
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	127075.000	LF
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	147898.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	183552.000	SY
414(B) 5913	H.E.S. CONCRETE (FULL DEPTH PATCHING) (R-7)	300.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	102728.000	CY
417 5267	COLD MILLING PAVEMENT	29528.000	SY
611(E) 6000	INLET (SMD-TYPE 1)	5.000	EA
613(B) 0492	24" R.C.PIPE CLASS III (R-3)	300.000	LF
613(CC) 7197	TYPE B6 CULVERT END TREATMENT (R-3)	5.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND (R-13)(R-7)	4638.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND. (R-13)(R-7)	1548.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100253

SECTION 0001 - ROADWAY - IMY-0040-5(415)206

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L. (R-13)(R-7)	557.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS (R-14)	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT (F-37) (F-43)(R-16)	221835.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT (F-37) (F-43)	109401.000	SY
619(C) 0924	SAWING PAVEMENT (R-17)	88745.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	14590.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(F) 4452	GUARD RAIL ANCHOR UNIT (TYPE G)	8.000	EA
623(F) 6030	GUARD RAIL ANCHOR UNIT (TYPE B)	19.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION (R-3) (R-7)	2.000	EA
625(G) 1270	(PL)REMOVE AND RESET GUARD RAIL (R-7)	2000.000	LF
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1) (R-7)	50.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1) (R-7)	50.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1) (R-7)	50.000	EA
890A/B 8762	(PL)REMOVE & RESET G.E.T. G/ R END SECT.	10.000	EA

SECTION 0002 - TRAFFIC SIGNING & STRIPING - IMY-0040-5(415)206

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	1.940	CY
804(B) 2916	REINFORCING STEEL	308.000	LB
853 9024	DELINEATORS(TYPE 1, CODE 1)	110.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	138836.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	39936.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	5872.000	LF
854(C) 8555	(SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	48.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	16.000	EA
890A/B 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	2.000	EA

SECTION 0003 - TRAFFIC CONTROL - IMY-0040-5(415)206

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	35100.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	35100.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	90000.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	17000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	80000.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	2100.000	SD
878(C) 8487	MODULAR GLARE SCREEN	173600.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	700.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	19600.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	13000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	23500.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100253

SECTION 0003 - TRAFFIC CONTROL - IMY-0040-5(415)206

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8842	BARRICADES(TYPE III)	10500.000	SD
880(C) 8848	WING BARRICADES	1400.000	SD
880(D) 8854	VERTICAL PANELS	239600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	27000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	314800.000	SD
880(F) 8878	DRUMS	75200.000	SD
880(H) 8896	CONES(36" LARGE)	56000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1400.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	1400.000	SD

SECTION 0004 - STAKING - IMY-0040-5(415)206

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING (R-11)	1.000	LSUM

SECTION 0005 - CONSTRUCTION - IMY-0040-5(415)206

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT (R-12)	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION 0006 - TRAFFIC CONTROL - HSIPIG-0040-5(405)203TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1395.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	90.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	990.000	SD
880(C) 8842	BARRICADES(TYPE III)	90.000	SD
880(C) 8848	WING BARRICADES	90.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1170.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	22250.000	SD
880(F) 8878	DRUMS	22250.000	SD
880(H) 8896	CONES(36" LARGE)	20340.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	270.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	270.000	SD

SECTION 0007 - CABLE BARRIER - HSIPIG-0040-5(405)203TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	865.000	CY
202(C) 0184	UNCLASSIFIED BORROW	500.000	CY
223 2801	TEMPORARY SILT FENCE	400.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	5.000	EA
230(A) 2806	SOLID SLAB SODDING	5000.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4289.880	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100253****SECTION 0007 - CABLE BARRIER - HSIPIG-0040-5(405)203TR**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	429.370	CY
628 5110	(PL)CABLE END ANCHOR UNIT	30.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	36500.230	LF
628 5175	CABLE BARRIER TENSION METER	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100499

CALL ORDER: 800
 LETTING DATE: August 19, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEQUOYAH

PROJECT(S) : PCN
 ERSTP-168C(201)ER 2659105
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: CARL EDWARDS, SALLISAW

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (MOONSHINE RD): FROM 2.2 MILES NORTH OF THE
 US-64 JUNCTION, EXTEND NORTH.
 PROJECT LENGTH = 0.075

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4832.000	CY
202(D) 0184	UNCLASSIFIED BORROW	851.000	CY
202(E) 0186	SELECT BORROW	3269.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
207 0100	GEOSYNTHETIC REINFORCED SOIL SLOPE	6012.000	SY
221(C) 2801	TEMPORARY SILT FENCE	700.000	LF
221(F) 0100	TEMPORARY SILT DIKE	25.000	LF
230(A) 2806	SOLID SLAB SODDING	575.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	265.000	CY
325 5271	SEPARATOR FABRIC	5804.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	35.000	TON
407(B) 0250	TACK COAT	64.000	GAL
408 5774	PRIME COAT	555.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	284.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	161.000	TON
509(D) 0325	CLASS C CONCRETE	29.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	5428.470	TON
609(B) 1524	2'-8" COMB.CRB.& GUT.(6" MNTBLE)	150.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	40.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	75.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	25.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
616(B) 5223	6" POLYVINYL CHLORIDE (PVC) PIPE	600.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	600.000	SY
619(C) 0924	SAWING PAVEMENT	48.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	600.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100499****SECTION 0002 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	1800.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	840.000	LF
877(C) 8486	RELOCATE PORTABLE LONGITUDINAL BARRIER	840.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100500

CALL ORDER: 820
LETTING DATE: August 19, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: WOODWARD

PROJECT(S) : PCN
SSP-NBIP(385)SS 2327604
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$4.34
50 CALENDAR DAYS
RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION

BRIDGE PAINTING
SH-50: OVER THE NORTH CANADIAN RIVER OVERFLOW AND OVER
INDIAN CREEK, 5.3 MILES AND 3.8 MILES N OF THE US-183 JCT.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	8.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
Mr. Jerod Neil Smith 1309 Southwest 7 th Street Stigler, OK 74462		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	

And those federally debarred and/or suspended contractors which are listed on
www.epls.gov and www.TOPnet.gov



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – August 19, 2010 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ UPS ☐ Mail ☐ Fed Ex #:
Contractor's Name:	
Telephone No:	
Physical Address:	
Please Return Completed Form to:	
Fax # 405-522-0972 or	
Email mhenry@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ALFALFA	020	SSP-102C(109)SS	24070(04)		\$50.00	48.00 + 4.02	18
2	BLAINE	040	ERSTP-106C(095)ER	25455(05)		\$50.00	13.00 + 1.09	12
3	BRYAN	060	BRO-107D(089)CO	21656(04)		\$50.00	16.00 + 1.34	13
4	CADD0	080	ERSTP-108C(271)ER	25309(05)		\$50.00	8.00 + 0.67	4
5	CADD0 / GRADY	100	ERSTP-108C(279)ER	25331(06)		\$50.00	7.00 + 0.59	3
6	CANADIAN	140	HSIPY-109F(171)TR	27641(04)		\$50.00	33.00 + 2.76	0
7	CARTER	160	STPY-110B(108)SS	20231(04)		\$50.00	127.00 + 10.64	233
8	CIMARRON	200	SEC1302Y-133N(050)HP	13337(19)		\$50.00	189.00 + 15.83	50
9	CLEVELAND	240	STPG-114B(262)AG	26917(04)		\$50.00	10.00 + 0.84	0
10	CRAIG	340	SSP-118B(038)SS	20886(04)		\$50.00	52.00 + 4.36	20
11	CREEK	360	BRFY-119C(176)	25562(04)		\$50.00	140.00 + 11.73	80
12	BLAINE / CUSTER / GREER / KIOWA / ROGER MILLS / WASHITA	380	STPY-120C(191)3P	27829(04)		\$50.00	No Charge	0
13	GARFIELD	400	STPY-124C(133)TR	27451(04)		\$50.00	32.00 + 2.68	0
14	JEFFERSON	440	BRO-134D(073)CO	25598(04)		\$50.00	7.00 + 0.59	3
15	KIOWA	460	BRO-138D(173)CI	26962(04)		\$50.00	12.00 + 1.01	4
16	LATIMER	500	BRO-139D(065)CO	23473(04)		\$50.00	11.00 + 0.92	2
17	MCCURTAIN	520	STP-145C(190)CO	27482(04)		\$50.00	3.00 + 0.25	0
18	MARSHALL	540	SAP-148N(068)	27718(04)		\$50.00	15.00 + 1.26	0
19	MAYES	560	STPY-049C(329)	15111(04)		\$50.00	41.00 + 3.43	5
20	NOWATA	620	ACBRO-153D(144)CI	23421(04)		\$50.00	11.00 + 0.92	3
21	NOWATA	640	BRFY-NBIP(420)SS	27012(04)		\$50.00	8.00 + 0.67	0
22	OKLAHOMA	650	OKCY-XTWN(009) OKCY-XTWN(012)TI SEC115-155N(807)SG	17428(28) 17428(31) 22873(09)		\$50.00	462.00 + 38.70	68
23	OKLAHOMA	680	IMG-0035-3(298)129TR	26273(04)		\$50.00	17.00 + 1.42	0
24	PAYNE	690	SSP-160B(019)SS SEC1702Y-160B(167)SS	06351(08) 20331(07)		\$50.00	140.00 + 11.72	74
25	POTTAWATOMIE	700	BRFY-163C(137)	21003(04)		\$50.00	43.00 + 3.60	18

BID OPENING OF – August 19, 2010 AM

Date:		Order Taken by:						
Contractor's Id No.:		No. Of Proposal(s):						
Person Ordering:		☐ Pickup ☐ COD ☐ Overnight ☐ UPS ☐ Mail ☐ Fed Ex #:						
Contractor's Name:								
Telephone No:								
Physical Address:								
Please Return Completed Form to:								
Fax # 405-522-0972 or								
Email mhenry@odot.org								
Specification Book Ordered:								
#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
26	ROGERS / WAGONER	720	SEC1702Y-166A(194)SS	19983(08)		\$50.00	140.00 + 11.73	126
27	ROGERS	740	BRO-166D(140)CO	21491(04)		\$50.00	9.00 + 0.75	4
28	ROGERS	760	STP-166C(210)CO	25427(04)		\$50.00	28.00 + 2.35	5
29	SEMINOLE	780	IMY-0040-5(415)206 HSIPIG-0040-5(405)203TR	13626(07) 26267(04)		\$50.00	65.00 + 5.44	26
30	SEQUOYAH	800	ERSTP-168C(201)ER	26591(05)		\$50.00	8.00 + 0.67	7
31	WOODWARD	820	SSP-NBIP(385)SS	23276(04)		\$50.00	4.00 + 0.34	0