

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.6b) AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW ACCEPTS BIDS ON LINE . TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR

<http://www.BIDX.com>



Notice

Electronic bid packages are available for the September 16, 2010 10:30 A.M. Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on August 26, 2010.

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on September 03, 2010. concerning this September 16 Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Print Services Branch off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes prior to the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby.

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Important:

Effective with January 2011 Bid Opening, all bids for projects requiring pre-qualification will be submitted via Bid Express. Exceptions to this new policy will be discussed with the Office Engineer on a case-by-case basis, and noted on the Short and Long Form Notices

A Bid Express training session will be held immediately following the September Pre-Bid.

Effective with the June 2009 Letting, any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972

or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words "Pre-bid question(s) and the Call Order and the Let

*Plans for the project on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2009/plans.htm>*

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo/def2005.htm>

Reminder

Please be sure that bid bonds are stapled to the back of the proposal as instructed on the cover sheet of all proposals.

Do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mhenry@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Sealed Proposals sent by Registered Mail will be recieved through the ODOT Print Services Branch until 30 MINUTES PRIOR to the scheduled BID OPENING. From 30 MINUTES PRIOR to the BID OPENING until the Time of the BID OPENING, Bid Proposals must be turned in DIRECTLY to the ODOT COMMISSION Room located on the East side of the Lobby. The Scheduled BID OPENING is 10:30 A.M. September 16, 2010 , for the work listed below.

Each separate Proposal shall be accompanied by a CERTIFIED or CASHIER`S CHECK or BID BOND equal to 5% of the BID mad payable to the STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, as a Proposal Guaranty. Proposal Checks will be held or returned by the DEPARTMENT as per Section 103.04of the State Standard Specifications.

The MINIMUM wage to be paid laborers and mechanics employed on this project shall be included in the Proposal.

Proposals must be prepared as directed by the State Standard Specifications.

Plans, Forms of Proposals, Contracts and Specifications may be examined at the DIVISION Headquarters in the DIVISION the work is to be performed or at the OKLAHOMA DEPARTMENT OF TRANSPORTATION Office Engineer`s Division in Oklahoma City, Oklahoma. This work will be dome under the Oklahoma DEPARTMENT OF TRANSPORTATION Commission`s applicable Specifications for Highway Construction as depicted on the lower left corner of the Plan`s Title Sheet.

Plans and Proposal forms may be ordered from the Office Engineer Division, OKLAHOMA DEPARTMENT OF TRANSPORTATION Building, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105.

Cost of Bidding Documents are \$50.00 + tax for each Bidding Proposal. State Standard Specifications \$55.00 + tax. (Oklahoma tax is 8.375%). Make Checks Payable to OKLAHOMA DEPARTMENT OF TRANSPORTATION.

No Refunds will be made for Bidding Documents or Specification Books purchased.

Upon AWARD of Contract to a successful bidder, The Contract will be completely and correctly executed by the Contractor and returned to the DEPARTMENT within ten (10) WORKING days from the date of AWARD. The DEPARTMENT will have fourteen (14) WORKING days from the date of AWARD to complete its execution of the Contract.

The OKLAHOMA DEPARTMENT OF TRANSPORTATION hereby notifies ALL Bidders that it will AFFIRMATIVELY ensure that in any Contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit Bids in response to this invitation and will not be discriminated against on the grounds of Race, Color, Sex, Religion, National Origin, OR Disability in consideration for an AWARD.

Bidders are hereby notified that ALL Bids are likely to be REJECTED if the lowest RESPONSIVE BID received exceeds the Engineer`s Estimate by more than seven (7) percent. In the event ALL Bids are REJECTED for this reason, this Project may be deferred for readvertising for Bids until a more competitive situation exists.

Description of work and location of Project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100504

CALL ORDER: 020
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ADAIR

PROJECT(S) : PCN
 CIRB-101C(066)RB 2252104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 175 CALENDAR DAYS
 RES. ENG.: CARL EDWARDS, SALLISAW

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER SALISAW CREEK, 0.30 MILES SOUTH OF
 THE TOWN BUNCH.
 PROJECT LENGTH = 0.253 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	793.000	CY
202(C) 0184	UNCLASSIFIED BORROW	6048.000	CY
223 2801	TEMPORARY SILT FENCE	2200.000	LF
227 0100	TEMPORARY SILT DIKE	405.000	LF
230(A) 2806	SOLID SLAB SODDING	12500.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.500	AC
303 0192	AGGREGATE BASE	470.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	10.000	TON
407 0250	TACK COAT	150.000	GAL
408 5774	PRIME COAT	1230.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	560.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	390.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2620.000	SY
619(C) 0924	SAWING PAVEMENT	37.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	5600.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	808.510	LF
504(A) 1304	APPROACH SLAB	151.400	SY
504(C) 6250	SEALED EXPANSION JOINT	33.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	475.170	LF
506(A) 1322	STRUCTURAL STEEL	4910.000	LB
509(A) 1326	CLASS AA CONCRETE	156.100	CY
509(B) 1328	CLASS A CONCRETE	102.180	CY
511(A) 1332	REINFORCING STEEL	54115.150	LB
514 6260	(PL)PILOT HOLES	359.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100504

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(A) 6010	PILES, FURNISHED (HP 10X42)	334.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	334.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	78.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	650.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	185.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100430

CALL ORDER: 050
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BECKHAM

PROJECT(S) : PCN
 SBR-105C(181)SB 2685404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 45 CALENDAR DAYS
 RES. ENG.: RANDY GREER, CLINTON

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-6: OVER LONG CREEK, 1.7 MILES EAST OF THE US-283
 JUNCTION.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
407 0250	TACK COAT	72.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	250.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	1430.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	550.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	200.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	16.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	143.000	SY
504(C) 6250	SEALED EXPANSION JOINT	66.340	LF
504(E) 6245	CONCRETE RAIL (TR4)	322.400	LF
506(A) 1322	STRUCTURAL STEEL	1530.000	LB
509(A) 1326	CLASS AA CONCRETE	101.500	CY
509(D) 1331	CLASS C CONCRETE	14.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	26190.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	248.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	30.000	SY
535 6164	(PL)FIXED BEARING ASSEMBLY	15.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	15.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	450.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	90.000	TON
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100430****SECTION 0003 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1280.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100507

CALL ORDER: 060
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CUSTER
 BECKHAM

PROJECT(S) : PCN
 BPMY-NBIP(429)3B 2777804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$16.26
 140 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE PAINTING
 I-40: AT VARIOUS LOCATIONS IN DIVISION V.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	280.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	280.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100549

CALL ORDER: 070
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BLAINE

PROJECT(S) : PCN
 NHY-010N(027) 2023704

DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$143.06
 360 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 US-270: FROM 3.0 MILES SOUTH OF THE SH-33 JUNCTION,
 EXTEND NORTH.
 PROJECT LENGTH = 2.215 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	18085.000	CY
202(D) 0184	UNCLASSIFIED BORROW	36950.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	4500.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	5.000	EA
221(F) 0100	TEMPORARY SILT DIKE	800.000	LF
230(A) 2806	SOLID SLAB SODDING	64355.000	SY
232(B) 2814	SEEDING METHOD B	14.000	AC
233(A) 2817	VEGETATIVE MULCHING	14.000	AC
241 2832	MOWING	28.000	AC
307(A) 4200	FLY ASH	2270.000	TON
307(D) 4230	LIME	121.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	44097.000	SY
307(G) 4260	LIME PRETREATMENT	6675.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	365.000	TON
407(B) 0250	TACK COAT	15518.000	GAL
408 5774	PRIME COAT	9964.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	9748.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	19547.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	7000.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2548.000	TON
412 5267	COLD MILLING PAVEMENT	41032.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	23170.000	LF
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	12.000	CY
509(B) 0321	CLASS A CONCRETE	25.000	CY
509(D) 0325	CLASS C CONCRETE	20.000	CY
511(A) 0332	REINFORCING STEEL	3472.000	LB
611(G) 6002	INLET (SMD-TYPE 2)	4.000	EA
612(B) 0642	MANHOLES REBUILT	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100549

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(A) 0492	24" R.C.PIPES CLASS III	36.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	60.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	148.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	650.000	LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	288.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613(M) 7193	TYPE CC4 CULVERT END TREATMENT	8.000	EA
613(M) 7194	TYPE DD4 CULVERT END TREATMENT	4.000	EA
619(B) 0291	REMOVAL OF HEADWALL	3.000	EA
619(B) 4725	REMOVAL OF FENCE	500.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	11315.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	10.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	1332.000	LF
623 0100	(PL)GUARDRAIL CURBING	8.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1525.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA
624(C) 4457	FENCE-STYLE SWF (3 BARBED WIRE)	1800.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2700.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	4.000	EA

SECTION 0002 - BRIDGE "D"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(G) 6309	CLSM BACKFILL	180.000	CY
502(C) 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	467.600	SY
504(C) 6250	SEALED EXPANSION JOINT	213.400	LF
504(D) 6245	CONCRETE RAIL (TR4)	1022.600	LF
506(A) 1322	STRUCTURAL STEEL	258320.000	LB
507(A) 6164	FIXED BEARING ASSEMBLY	40.000	EA
507(A) 6165	EXPANSION BEARING ASSEMBLY	104.000	EA
509(A) 1326	CLASS AA CONCRETE	825.600	CY
509(B) 1328	CLASS A CONCRETE	127.600	CY
509(D) 1331	CLASS C CONCRETE	12.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	172020.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
514(A) 6010	PILES, FURNISHED (HP 10X42)	578.000	LF
514(A) 6012	PILES, FURNISHED (HP 14X73)	1032.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	578.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100549

SECTION 0002 - BRIDGE "D"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(B) 6296	PILES, DRIVEN (HP 14X73)	1032.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	24.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1670.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	110.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	10.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	40.000	SY
523(A) 6550	SEALER CRACK PREPARATION	802.000	LF
523(B) 6560	SEALER RESIN	9.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1892.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	331.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	140.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	60.000	LF
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
619(B) 2530	REMOVAL OF BRIDGE ITEM (TYPE C)	1.000	LSUM

SECTION 0003 - BRIDGE "E"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	260.000	CY
501(G) 6309	CLSM BACKFILL	200.000	CY
502(C) 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	467.600	SY
504(C) 6250	SEALED EXPANSION JOINT	139.600	LF
504(D) 6245	CONCRETE RAIL (TR4)	924.000	LF
506(A) 1322	STRUCTURAL STEEL	310760.000	LB
507(A) 6164	FIXED BEARING ASSEMBLY	8.000	EA
507(A) 6165	EXPANSION BEARING ASSEMBLY	32.000	EA
509(A) 1326	CLASS AA CONCRETE	737.400	CY
509(B) 1328	CLASS A CONCRETE	131.200	CY
509(D) 1331	CLASS C CONCRETE	11.100	CY
511(A) 1332	REINFORCING STEEL	950.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	182950.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
514(A) 6010	PILES, FURNISHED (HP 10X42)	170.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	375.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	170.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	375.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1266.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	236.000	LF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	55.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100549

SECTION 0003 - BRIDGE "E"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	SEALER CRACK PREPARATION	822.000	LF
523(B) 6560	SEALER RESIN	10.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1522.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	271.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	140.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
619(B) 2530	REMOVAL OF BRIDGE ITEM (TYPE C)	1.000	LSUM
619(B) 2540	REMOVAL OF BRIDGE ITEM (TYPE D)	1.000	LSUM

SECTION 0004 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
805(D) 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	196.000	SF
851(C) 8324	2" SQUARE TUBE POST	418.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	51888.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1288.000	LF
856(A) 8555	TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	45.000	LF
880(C) 8850	PERMANENT BARRICADE UNIT	2.000	EA

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	154626.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	9360.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	63192.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	600.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2200.000	LF
877(C) 8486	RELOCATE PORTABLE LONGITUDINAL BARRIER	2200.000	LF
880(A) 8800	ARROW DISPLAY(TYPE A)	720.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4920.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6540.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7800.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	6600.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	10320.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	27720.000	SD
880(F) 8878	DRUMS	30240.000	SD
880(G) 8890	CHANNELIZER CONES	23820.000	SD
880(I) 8902	FLAGGER	120.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	720.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100549

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100509

CALL ORDER: 080
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRADY
 CADDO

PROJECT(S) : PCN
 BPMY-NBIP(431)3B 2778004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 140 CALENDAR DAYS
 RES. ENG.: REESE KNIGHT, ANADARKO

CONTRACT DESCRIPTION
 BRIDGE PAINTING
 US-277/US-281: AT VARIOUS LOCATIONS IN DIVISION VII.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	140.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	280.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100510

CALL ORDER: 100
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRADY
 CADD0

PROJECT(S) : PCN
 BPMY-108F(287)3B 2778005
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.17
 40 CALENDAR DAYS
 RES. ENG.: REESE KNIGHT, ANADARKO

CONTRACT DESCRIPTION
 JOINT SEAL/REPAIR
 US-277/US-281: AT VARIOUS LOCATIONS IN DIVISION VII.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	80.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	3.200	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
535 6164	(PL)FIXED BEARING ASSEMBLY	20.000	EA

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	134.000	LF
504(I) 6389	ELASTOMERIC MORTAR	9.300	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	20.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	4.000	EA

SECTION 0005 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	40.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	80.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100080

CALL ORDER: 120
LETTING DATE: September 16, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: KAY
CANADIAN
GARFIELD
PAYNE
OKLAHOMA

PROJECT(S) : PCN
BRFY-NBIP(386) 2097704
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$8.67
120 CALENDAR DAYS
RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION

BRIDGE PAINTING
I-40/I-44/US-60/US-64/US-412/SH-33: AT VARIOUS LOCATIONS IN
DIVISION IV.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0007 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100080****SECTION 0008 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0009 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

CALL ORDER: 140
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CANADIAN

PROJECT(S) : PCN
 SEC1702Y-109A(130)HP 2100804
 IMY-0040-4(433)139 2442409

DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$420.50
 750 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 I-40: AT MORGAN ROAD INTERCHANGE IN OKLAHOMA CITY.
 PROJECT LENGTH = 2.037 MILES

SECTION 0001 - ROADWAY - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	70362.000	CY
202(C) 0184	UNCLASSIFIED BORROW	185577.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	23004.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	91.000	EA
227 0100	TEMPORARY SILT DIKE	1190.000	LF
229 4318	DITCH LINER PROTECTION	7424.000	LF
230(A) 2806	SOLID SLAB SODDING	206617.000	SY
233(A) 2817	VEGETATIVE MULCHING	43.000	AC
241 2832	MOWING	86.000	AC
308 1423	SAND CUSHION	425.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE	1907.000	SY
327(A) 4200	(SP)FLY ASH	6004.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	111178.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	7140.000	TON
407 0250	TACK COAT	2191.000	GAL
408 5774	PRIME COAT	19752.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	32342.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2665.000	TON
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	17662.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	80202.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	27335.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	538.000	CY
509(B) 0321	CLASS A CONCRETE	1449.000	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	22.000	CY
509(D) 0325	CLASS C CONCRETE	1072.000	CY
510(A) 6333	RETAINING WALL	275.000	SY
511(A) 0332	REINFORCING STEEL	260855.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0001 - ROADWAY - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601A-1 0536	TYPE I-A PLAIN RIPRAP	141.000	TON
601A-2 0538	TYPE I-A FILTER BLANKET	45.000	TON
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	3106.000	LF
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	11895.000	LF
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	6225.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	3824.000	SY
610(B) 0400	8" CONCRETE DRIVEWAY (H.E.S.)	8933.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	5187.000	SY
610(I) 4610	(PL)TACTILE WARNING DEVICE-NEW	432.000	SF
611(A) 2657	MANHOLE (4' DIA.)	16.000	EA
611(A) 2658	MANHOLE (5' DIA.)	6.000	EA
611(D) 4215	MANHOLE FRAME & COVER	25.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	9.000	EA
611(E) 5113	INLET CICI DES. 2 (B)	22.000	EA
611(E) 5115	INLET CICI DES. 2 (D)	11.000	EA
611(E) 5117	INLET CICI DES. 2 (2B)	1.000	EA
611(E) 5119	INLET CICI DES. 2 (2D)	3.000	EA
611(E) 5121	INLET CICI DES. 3 (B)	1.000	EA
611(E) 5122	INLET CICI DES. 3 (D)	7.000	EA
611(E) 5329	INLET GPI TYPE 1 (DES. 3)	2.000	EA
611(E) 5705	INLET CDI 24" RCP	1.000	EA
611(E) 6002	INLET (SMD-TYPE 2)	8.000	EA
611(E) 6006	INLET (SMD-TYPE 2B)	1.000	EA
611(E) 7126	INLET MEDIAN BARRIER, TYPE I, DES.1	6.000	EA
611(F) 5325	INLET CICI DES. 2 (ADD'L DEPTH)	119.000	VF
611(F) 5330	INLET CICI DES. 3 (ADD'L DEPTH)	22.000	VF
611(F) 5374	INLET GPI TYPE 1 (ADD'L DEPTH)	1.000	VF
611(F) 5695	INLET MED. BAR. DES. 1 (ADD'L DEPTH)	47.000	VF
611(F) 5790	INLET CDI 24" RCP,(ADD'L DEPTH)	5.000	VF
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	124.000	EA
611(J) 0487	JUNCTION BOXES	653.000	CF
611(K) 4488	CAST IRON CURB INLETS	270.000	EA
613(B) 0491	18" R.C.PIPE CLASS III	2410.000	LF
613(B) 0492	24" R.C.PIPE CLASS III	2034.000	LF
613(B) 0493	30" R.C.PIPE CLASS III	1834.000	LF
613(B) 0494	36" R.C.PIPE CLASS III	588.000	LF
613(B) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	148.000	LF
613(B) 4499	51" X 31" R.C.PIPE ARCH CLASS A-III	90.000	LF
613(B) 4500	58" X 36" R.C.PIPE ARCH CLASS A-III	306.000	LF
613(B) 4502	73" X 45" R.C.PIPE ARCH CLASS A-III	122.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	3.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0001 - ROADWAY - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(D) 0689	18" CORR. GALV. STEEL PIPE	82.000	LF
613(M) 4540	51" X 31" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	2100.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	700.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	16569.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	6382.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	33624.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	34824.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	372.000	LF
619(C) 0924	SAWING PAVEMENT	11490.000	LF
624(D) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	17148.000	LF
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	372.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	5.000	EA
629(C) 4960	MAILBOX	5.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	5.000	EA

SECTION 0002 - BRIDGE 'B' - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	2804.000	CY
501(F) 6352	GRANULAR BACKFILL	6299.000	CY
501(G) 6309	CLSM BACKFILL	5443.800	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	4944.300	LF
504(A) 1304	APPROACH SLAB	2238.300	SY
504(C) 6250	SEALED EXPANSION JOINT	283.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	429.500	LF
504(F) 6190	42" F-SHAPED PARAPET	4329.300	LF
506(A) 1322	STRUCTURAL STEEL	9640.000	LB
509(A) 1326	CLASS AA CONCRETE	1652.800	CY
509(B) 1328	CLASS A CONCRETE	3460.400	CY
510(A) 6338	(PL)TEMPORARY RETAINING WALL	137.400	SY
510(A) 6341	(PL)MSE RETAINING WALL	5560.000	SY
510(C) 6138	SLOPE WALL (5")	2139.700	SY
511(A) 1332	REINFORCING STEEL	8480.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	768660.000	LB
514(A) 6012	PILES, FURNISHED (HP 14X73)	12051.000	LF
514(B) 6296	PILES, DRIVEN (HP 14X73)	12051.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2418.500	SY
516(A) 6097	DRILLED SHAFTS 66" DIAMETER	454.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	963.300	LF
523(B) 6560	(SP) SEALER RESIN	10.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	56.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	52.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0002 - BRIDGE 'B' - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	626.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	120.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'C' - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC SIGNAL - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8310	2" GALV.STEEL ELECT.COND. EXPOSED	780.000	LF
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	170.000	LF
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	45.000	LF
802(B) 8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	75.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	235.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	175.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	465.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	1060.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	235.000	LF
802(D) 8370	JUNCTION BOX(6" X 6" X 4")	16.000	EA
803 8065	PULL BOX(SIZE I)	15.000	EA
803 8066	PULL BOX(SIZE II)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	33.700	CY
804(B) 2916	REINFORCING STEEL	4947.000	LB
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8353	32'MH POLE,55'TS & 10'LMA(G.STL.)	3.000	EA
806(A) 8736	POLE & 50' TS MST.ARM(G.STL.)	1.000	EA
806(A) 8738	POLE & 55'T.S.MST.ARM(G.STL.)	2.000	EA
806(A) 8872	40' MHP 50' TS & 10' LMA(G.STL.)	1.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	15.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	7.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8040	1/C NO.6 ELECT.COND.	800.000	LF
811 8044	1/C NO.10 ELECT.COND.	4090.000	LF
825 8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	3.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
828(A) 8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	1.000	EA
828(B) 8138	LOOP DETECTOR WIRE	2115.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	18.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	15.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	7.000	EA
831 8270	1WAY3SEC.ADJ.SIG.HD.S-11	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0004 - TRAFFIC SIGNAL - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	3.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	18.000	EA
833 3030	BACKPLATE	29.000	EA
834(A) 8207	5/C TRAF.SIG.EL.CABLE	5365.000	LF
834(A) 8208	7/C TRAF.SIG.EL.CABLE	1295.000	LF
834(A) 8213	21/C TRAF.SIG.EL.CABLE	2690.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1790.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	145.750	SF
890 7706	(PL)TRAFFIC ITEMS(SIGNALS)	1.000	LSUM
890(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
890A/B 8742	(PL)REMOVE & RESET TRAF.SIG.EQUIPMENT	1.000	LSUM

SECTION 0005 - TRAFFIC SIGNING AND STRIPING - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	23.100	CY
804(B) 2916	REINFORCING STEEL	3800.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	507.270	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	1235.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	442.000	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	100.000	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	88.000	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	104.000	LF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	295.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	486.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	40.000	LF
854(C) 8525	(SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	134.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	45605.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	14714.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	13520.000	LF
854(C) 8555	(SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	231.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5000.000	LF
871 8325	(PL)IMPACT ATTENUATOR	2.000	EA
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	5.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	13.000	EA
890A/B 8758	(PL)REMOVE & RESET OVERHEAD SIGN STR.	1.000	EA

SECTION 0006 - TRAFFIC LIGHTING - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	1310.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	530.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	8780.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0006 - TRAFFIC LIGHTING - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(D) 8370	JUNCTION BOX(6" X 6" X 4")	2.000	EA
803 8065	PULL BOX(SIZE I)	11.000	EA
804(A) 2915	STRUCTURAL CONCRETE	30.160	CY
804(B) 2916	REINFORCING STEEL	1736.800	LB
806(D) 8989	40' MTG.HT.HL.PTP.(G.STL.)	55.000	EA
807 8092	BREAKAWAY BASE (DES. B)	55.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	55.000	EA
809(B) 8098	UNDERPASS LUMINAIRE	24.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	18440.000	LF
811 8044	1/C NO.10 ELECT.COND.	655.000	LF
811 8046	1/C NO.12 ELECT.COND.	6875.000	LF

SECTION 0007 - CONSTRUCTION TRAFFIC CONTROL - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	37384.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	17825.000	LF
823 8482	(PL)TRAFFIC SIGNAL SPAN WIRE EQUIPMENT	1.000	LSUM
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	123740.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	21240.000	LF
856(C) 8857	REMOVABLE PAVEMENT MARKING TAPE(8" WIDE)	300.000	LF
856(D) 8860	REMOVABLE PAVEMENT MARKING TAPE(ARROWS)	18.000	EA
856(D) 8863	REMOVABLE PAVEMENT MARKING TAPE(WORDS)	6.000	EA
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	5265.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	47138.000	LF
871 8709	(PL)CONST.ZONE QUADGUARD IMPACT ATTEN.	7420.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	1060.000	SD
880(A) 8800	ARROW DISPLAY(TYPE A)	2120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	23320.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	24380.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	31270.000	SD
880(C) 8842	BARRICADES(TYPE III)	7420.000	SD
880(C) 8848	WING BARRICADES	3180.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	46110.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	152110.000	SD
880(F) 8878	DRUMS	152110.000	SD
880(G) 8884	TUBE CHANNELIZERS	6890.000	SD
880(I) 8902	FLAGGER	1060.000	SD
880(K) 8908	SURVEILLANCE TRAFFIC CONTROL	530.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	5300.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	2120.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0008 - NON-PARTICIPATING (WATER) - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
230(A) 2806	SOLID SLAB SODDING	16000.000	SY
612(L) 0652	WATER METERS RESET	4.000	EA
612(M) 4819	DISINFECTION AND TESTING	1.000	LSUM
612(M) 4821	HYDROSTATIC PRESSURE TEST	1.000	LSUM
616 5100	(PL)6" MECHANICAL JOINT RESTRAINT	67.000	EA
616 5105	(PL)8" MECHANICAL JOINT RESTRAINT	46.000	EA
616 5110	(PL)12" MECHANICAL JOINT RESTRAINT	128.000	EA
616 5125	(PL)18" MECHANICAL JOINT RESTRAINT	4.000	EA
616(A) 0850	(PL)DUCTILE IRON FITTINGS	6591.000	LB
616(A) 6010	6" DUCTILE IRON PIPE W/POLYETHYLENE ENCA	330.000	LF
616(A) 6020	8" DUCTILE IRON PIPE W/POLYETHYLENE ENCA	622.000	LF
616(A) 6030	12" DUCTILE IRON PIPE W/POLYETHYLENE ENC	6017.000	LF
616(C) 0902	2" COPPER WATER SERVICE PIPE (SHORT)	3.000	EA
616(C) 0904	2" COPPER WATER SERVICE PIPE (LONG)	1.000	EA
616(D) 0775	2" BLOW OFF VALVE	1.000	EA
616(D) 0800	6" TAP	1.000	EA
616(D) 0810	8" TAP	1.000	EA
616(D) 0820	12" TAP	4.000	EA
616(D) 0867	8" VALVES (TAPPING)	1.000	EA
616(D) 1070	6" GATE VALVE	12.000	EA
616(D) 1080	8" GATE VALVE	5.000	EA
616(D) 1100	12" GATE VALVE	9.000	EA
616(D) 7017	18" X 12" TAPPING SLEEVE	1.000	EA
616(D) 7023	12" X 12" TAPPING SLEEVE	3.000	EA
616(D) 8010	6" X 6" TAPPING SLEEVE	1.000	EA
616(D) 8015	8" X 8" TAPPING SLEEVE	1.000	EA
616(D) 8050	6" TAPPING VALVE AND BOX	1.000	EA
616(D) 8060	12" TAPPING VALVE AND BOX	4.000	EA
616(D) 8070	VALVE STEM EXTENSION (8')	1.000	EA
616(D) 8080	VALVE STEM EXTENSION (10')	1.000	EA
616(G) 1192	FIRE HYDRANTS	9.000	EA
616(G) 1193	FIRE HYDRANT EXTENSION	1.000	EA
616(I) 0030	12" STEEL CASING	120.000	LF
616(I) 5262	(PL)16" STEEL CASING	350.000	LF
616(I) 5266	(PL)20" STEEL CASING	790.000	LF
616(N) 0098	WET CONNECTION (6")	2.000	EA
616(N) 0100	WET CONNECTION (12")	2.000	EA
616(U) 6190	BORE AND JACK 12" CASING	80.000	LF
616(U) 6200	BORE AND JACK 16" CASING	240.000	LF
616(U) 6210	BORE AND JACK 20" STEEL CASING	560.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 5949	REMOVAL OF FIRE HYDRANT	7.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0008 - NON-PARTICIPATING (WATER) - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 7210	REMOVAL OF GATE VALVE AND BOX	9.000	EA
623(M) 6500	(PL)STATIONARY BOLLARD	4.000	EA

SECTION 0009 - NON-PARTICIPATING (SEWER) - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
223 2801	TEMPORARY SILT FENCE	3500.000	LF
611(A) 2658	MANHOLE (5' DIA.)	18.000	EA
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	38.000	VF
613 0700	(PL)VIDEO INSPECTION OF CONDUIT	1.000	EA
615 5985	SEWER LEAKAGE TEST (<24" DIA.)	3531.000	LF
615 6505	DEFLECTION TEST (8" PIPE)	1.000	LSUM
615 6510	DEFLECTION TEST (12" PIPE)	1.000	LSUM
615 6515	DEFLECTION TEST (15" PIPE)	1.000	LSUM
615(C) 5600	15" POLYVINYL CHLORIDE (PVC) PIPE	1152.000	LF
615(D) 0300	SANITARY SEWER SERVICE CONNECTION	1.000	EA
615(E) 0300	SANITARY SEWER SERVICE LINE	20.000	LF
616(B) 5225	8" POLYVINYL CHLORIDE (PVC) PIPE	1146.000	LF
616(B) 5229	12" POLYVINYL CHLORIDE (PVC) PIPE	1232.000	LF
616(I) 5262	(PL)16" STEEL CASING	160.000	LF
616(U) 6210	BORE AND JACK 20" STEEL CASING	90.000	LF
619(B) 4742	REMOVAL OF MANHOLES	11.000	EA
619(B) 5918	REMOVAL OF EXISTING PIPE	3533.000	LF

SECTION 0010 - NON-PARTICIPATING (STAKING) - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0011 - NON-PARTICIPATING (CONSTRUCTION) - SEC1702Y-109A(130)HP

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0012 - ROADWAY - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	190.000	LF
223 2801	TEMPORARY SILT FENCE	15460.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	11.000	EA
227 0100	TEMPORARY SILT DIKE	65.000	LF
230(A) 2806	SOLID SLAB SODDING	27100.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.320	AC
241 2832	MOWING	5.580	AC
243 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	73.000	EA
317(F) 4270	(SP)CEMENT TREATED BASE	98858.000	SY
327(A) 4200	(SP)FLY ASH	5421.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0012 - ROADWAY - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
327(D) 4230	(SP)LIME	543.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	99897.000	SY
327(G) 4260	(SP)LIME PRETREATMENT	49950.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2000.000	TON
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	6000.000	LF
414(A) 0260	8" P.C. CONCRETE PAVEMENT	9580.000	SY
414(A) 0364	12.5" P.C. CONCRETE PAVEMENT	23846.000	SY
414(A1) 6857	12.5" P.C. DOWEL JOINTED CONCRETE PAVE.	72933.000	SY
501(G) 6315	CLSM BACKFILL	44.000	CY
509(A) 0319	CLASS AA CONCRETE	63.700	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	101.600	CY
509(D) 0325	CLASS C CONCRETE	5.000	CY
511(A) 0332	REINFORCING STEEL	26487.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	40.000	TON
611(E) 5693	INLET MEDIAN BARRIER DES. 2-2	10.000	EA
613(B) 0491	18" R.C.PE PIPE CLASS III	76.000	LF
613(B) 0492	24" R.C.PE PIPE CLASS III	161.000	LF
613(B) 0495	42" R.C.PE PIPE CLASS III	844.000	LF
613(B) 4498	43" X 26" R.C.PE PIPE ARCH CLASS A-III	1392.000	LF
613(B) 4499	51" X 31" R.C.PE PIPE ARCH CLASS A-III	398.000	LF
613(B) 4500	58" X 36" R.C.PE PIPE ARCH CLASS A-III	572.000	LF
613(B) 4502	73" X 45" R.C.PE PIPE ARCH CLASS A-III	1674.000	LF
613(M) 5736	42" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(P) 1089	4" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(Q) 1094	4" NON-PERF.PE PIPE UNDERDRAIN RND.	200.000	LF
613(U) 4498	18" JACKED CONDUIT	78.000	LF
613(U) 4500	24" JACKED CONDUIT	74.000	LF
613(U) 4506	42" JACKED CONDUIT	176.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	30815.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	65348.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	9084.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	5307.000	LF
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	238.000	LF
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	4709.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	1.000	EA

SECTION 0013 - BRIDGE 'A' - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	189.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	201.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0013 - BRIDGE 'A' - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 1326	CLASS AA CONCRETE	421.900	CY
511(A) 1332	REINFORCING STEEL	68680.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	54.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	27.000	TON
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA

SECTION 0014 - LIGHTING - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	545.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	5270.000	LF
803 8065	PULL BOX(SIZE I)	32.000	EA
804(A) 2915	STRUCTURAL CONCRETE	42.440	CY
804(B) 2916	REINFORCING STEEL	6280.000	LB
806(D) 8995	36' MTG.HT.HL.PTP.(G.STL.)	26.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	52.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8036	1/C NO.2 ELECT.COND.	6455.000	LF
811 8038	1/C NO.4 ELECT.COND.	5660.000	LF
811 8044	1/C NO.10 ELECT.COND.	5200.000	LF

SECTION 0015 - STRIPING - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	30402.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	16980.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	4565.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2000.000	LF

SECTION 0016 - TRAFFIC OPERATIONS - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	21420.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	17080.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	62502.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	10571.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	27830.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	62472.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	320.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	1096.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	35620.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	27400.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	31784.000	SD
880(C) 8842	BARRICADES(TYPE III)	18632.000	SD
880(C) 8848	WING BARRICADES	2192.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	47128.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	216460.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100511

SECTION 0016 - TRAFFIC OPERATIONS - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(F) 8878	DRUMS	216460.000	SD
880(G) 8890	CHANNELIZER CONES	400.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	810.000	HOURL
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	8768.000	SD
882 8372	(SP)SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	3836.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	1096.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	548.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	1096.000	SD

SECTION 0017 - STAKING - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0018 - CONSTRUCTION - IMY-0040-4(433)139

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100513

CALL ORDER: 180
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARVIN
 CARTER
 MURRAY

PROJECT(S) : PCN
 IMG-0035-1(152)031 2784304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$32.51
 100 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 TRAFFIC SIGNING
 I-35: FROM THE SH-199 JUNCTION, EXTEND NORTH.

SECTION 0001 - TRAFFIC SIGNING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	4.560	CY
804(B) 2916	REINFORCING STEEL	774.000	LB
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	1395.800	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	1957.800	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	143.200	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	281.600	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	57.800	LF
852(L) 8772	REPAIR OVHD.SN.STR.TYPE C-1 ALUM.	4.000	EA
852(L) 8781	REPAIR OVHD.SN.STR.TYPE E-1 ALUM.	2.000	EA
852A/B 8958	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.75'	2.000	EA
852A/B 8967	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.85'	1.000	EA
852A/B 9015	OVHD.SN.STR.TYPE E-1 ALUM./G.STL.	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100547

CALL ORDER: 190
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CHOCTAW

PROJECT(S) : PCN
 NHY-022N(071) 1885004
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$69.36
 360 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 US-70: FROM THE SH-147 JUNCTION, EXTEND EAST.
 PROJECT LENGTH = 5.285 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	105443.000	CY
202(D) 0184	UNCLASSIFIED BORROW	113382.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	19633.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	4478.000	LF
229 4318	DITCH LINER PROTECTION	2383.000	LF
230(A) 2806	SOLID SLAB SODDING	298622.000	SY
232(B) 2814	SEEDING METHOD B	34.800	AC
233(A) 2817	VEGETATIVE MULCHING	22.500	AC
234(A) 4406	FERTILIZING (0-46-0)	5.000	TON
241 2832	MOWING	84.200	AC
303(A) 2100	AGGREGATE BASE TYPE A	49244.000	CY
307(D) 4230	LIME	4081.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	226871.000	SY
325 5280	MOISTURE BARRIER MEMBRANE	290164.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	18196.000	TON
407(B) 0250	TACK COAT	20713.000	GAL
408 5774	PRIME COAT	31271.000	GAL
411(A) 5930	SUPERPAVE, TYPE S2(PG 64-22 OK)	46290.000	TON
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	25473.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	9702.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	16982.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	6368.000	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	93400.000	LF
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	602.000	CY
509(A) 0319	CLASS AA CONCRETE	188.000	CY
509(B) 0321	CLASS A CONCRETE	1274.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	38.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100547

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(D) 0325	CLASS C CONCRETE	278.000	CY
511(A) 0332	REINFORCING STEEL	230401.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	1160.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	387.000	TON
611(G) 6002	INLET (SMD-TYPE 2)	4.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	1242.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	462.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	575.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	84.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	100.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	100.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	21.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	30.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	4.000	EA
613(R) 1185	STANDARD BEDDING MATERIAL, CLASS A	338.000	CY
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	100.000	CY
613(V) 1180	TRENCH EXCAVATION	118.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	15.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	102976.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	1.000	EA
619(B) 5918	REMOVAL OF EXISTING PIPE	895.000	LF
619(C) 0924	SAWING PAVEMENT	228.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	15851.000	LF
624(F) 5962	GATES-STYLE CLF (6'HIGH X 14'LONG)	7.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	5.000	EA

SECTION 0002 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1140.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	267.000	CY
509(A) 1326	CLASS AA CONCRETE	627.000	CY
511(A) 1332	REINFORCING STEEL	87330.000	LB
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	44.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	50.000	LF
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	1.000	CY
804(B) 2916	REINFORCING STEEL	48.000	LB
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	428.000	SF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100547

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	126.000	LF
851(C) 8324	2" SQUARE TUBE POST	245.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	576.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	119193.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	1000.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	105000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1600.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	45000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	30000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	27000.000	SD
880(C) 8830	CONSTRUCTION BARRICADES(TYPE I)	2500.000	SD
880(C) 8836	CONSTRUCTION BARRICADES(TYPE II)	6000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	18000.000	SD
880(C) 8848	WING BARRICADES	12000.000	SD
880(D) 8854	VERTICAL PANELS	15000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	69000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	97500.000	SD
880(F) 8878	DRUMS	90000.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100514

CALL ORDER: 200
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CIMARRON

PROJECT(S) : PCN
 SBR-113C(057)SB 2463504

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 40 CALENDAR DAYS
 RES. ENG.: CHARLES MICHAEL, GUYMON

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-325: OVER CARRIZO CREEK, 9.8 MILES EAST OF THE
 NEW MEXICO/OKLAHOMA STATE LINE.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	45.000	CY
504(H) 6390	RAPID CURE JOINT SEALANT	197.000	LF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	11.100	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	2.000	SY
509 6152	(PL)SPECIAL CONCRETE FINISH	170.000	SY
509(D) 1331	CLASS C CONCRETE	12.000	CY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	25.800	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	41.100	SY
523(C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	670.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	30.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	2.000	EA
601(D) 1390	TYPE IV GROUTED RIPRAP	190.000	SY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	653.000	LF
880(I) 8902	FLAGGER	15.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100429

CALL ORDER: 220
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) :	PCN
NHY-020N(030)	2704804
NHY-020N(032)	2704904

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$241.68
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 US-62: AT FT. SILL BLVD. INTERCHANGE, AND AT SHERIDAN RD.
 INTERCHANGE IN THE CITY OF LAWTON.
 PROJECT LENGTH = 0.383 MILES

SECTION 0001 - ROADWAY - NHY-020N(030)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	868.000	CY
202(D) 0184	UNCLASSIFIED BORROW	969.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	660.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
221(F) 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	2008.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
241 2832	MOWING	6.000	AC
317 4270	CEMENT TREATED BASE	1419.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	200.000	TON
408 5774	PRIME COAT	752.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	1419.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	1336.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	335.000	CY
509(B) 0321	CLASS A CONCRETE	46.000	CY
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	2731.000	LF
609(A) 5864	CONC.CURB(6" BARRIER-DOWELLED)	613.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	520.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	605.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	514.000	SF
611(A) 2657	MANHOLE (4' DIA.)	1.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	2.000	VF
611(G) 5112	INLET CI DES. 2 (STD)	2.000	EA
611(G) 5113	INLET CI DES. 2 (B)	1.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
611(H) 5196	ADDITIONAL DEPTH IN INLET	7.000	VF
613(A) 0491	18" R.C.PEPE CLASS III	78.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100429

SECTION 0001 - ROADWAY - NHY-020N(030)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1715.000	SY
619(B) 4791	REMOVAL OF CURB	2536.000	LF
619(B) 6132	REMOVAL OF 6" CONCRETE DIVIDING STRIP	983.000	SY
619(C) 0924	SAWING PAVEMENT	282.000	LF

SECTION 0002 - BRIDGE 'A' - NHY-020N(030)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(F) 6006	HANDRAILING	200.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	23.000	LF
504(H) 6389	ELASTOMERIC MORTAR	2.100	CF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	615.000	SY
509(A) 1326	CLASS AA CONCRETE	31.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	3480.000	LB
523(A) 6550	SEALER CRACK PREPARATION	900.000	LF
523(B) 6560	SEALER RESIN	10.000	GAL
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL - NHY-020N(030)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0004 - TRAFFIC SIGNALS - NHY-020N(030)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	80.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	235.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	100.000	LF
803(A) 8065	PULL BOX(SIZE I)	2.000	EA
803(A) 8066	PULL BOX(SIZE II)	2.000	EA
804(A) 2915	STRUCTURAL CONCRETE	11.000	CY
804(B) 2916	REINFORCING STEEL	1664.400	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	1.000	EA
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8353	32'MH POLE,55'TS & 10'LMA(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	4.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8040	1/C NO.6 ELECT.COND.	400.000	LF
811 8044	1/C NO.10 ELECT.COND.	1265.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	2.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100429

SECTION 0004 - TRAFFIC SIGNALS - NHY-020N(030)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	4.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	5.000	EA
833 3030	BACKPLATE	6.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	780.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	2.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	2.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	250.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	373.000	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	95.100	SF
851(C) 8324	2" SQUARE TUBE POST	146.230	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1594.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	80.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	16.000	EA

SECTION 0005 - STAKING - NHY-020N(030)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - NHY-020N(030)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0007 - ROADWAY - NHY-020N(032)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2809.000	CY
202(D) 0184	UNCLASSIFIED BORROW	210.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	400.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE	50.000	LF
230(A) 2806	SOLID SLAB SODDING	2758.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
241 2832	MOWING	2.000	AC
317 4270	CEMENT TREATED BASE	2526.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	200.000	TON
408 5774	PRIME COAT	1730.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	3292.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	2476.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	620.000	CY
509(B) 0321	CLASS A CONCRETE	29.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100429

SECTION 0007 - ROADWAY - NHY-020N(032)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	3243.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	605.000	SY
612(A) 0641	MANHOLES ADJUST TO GRADE	1.000	EA
612(M) 0706	REMOVE & RESET MANHOLE FRAME & COVER	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	2527.000	SY
619(B) 4791	REMOVAL OF CURB	2560.000	LF
619(C) 0924	SAWING PAVEMENT	3673.000	LF

SECTION 0008 - TRAFFIC CONTROL - NHY-020N(032)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0009 - TRAFFIC SIGNALS - NHY-020N(032)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	65.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	245.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	130.000	LF
803(A) 8065	PULL BOX(SIZE I)	2.000	EA
803(A) 8066	PULL BOX(SIZE II)	2.000	EA
804(A) 2915	STRUCTURAL CONCRETE	11.600	CY
804(B) 2916	REINFORCING STEEL	1766.200	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	1.000	EA
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8314	32'MH POLE 50'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	4.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8040	1/C NO.6 ELECT.COND.	400.000	LF
811 8044	1/C NO.10 ELECT.COND.	1300.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	2.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	4.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	5.000	EA
833 3030	BACKPLATE	6.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	755.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	2.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	2.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	390.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100429****SECTION 0009 - TRAFFIC SIGNALS - NHY-020N(032)**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	121.170	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	95.100	SF
851(C) 8324	2" SQUARE TUBE POST	250.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1343.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1162.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	80.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100516

CALL ORDER: 260
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 STP-116C(194)SS 2747804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$70.44
 100 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 SH-115: FROM THE US-62 JUNCTION, EXTEND NORTH TO THE WICHITA
 MOUNTAINS WILDLIFE REFUGE PARK.
 PROJECT LENGTH = 2.851 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	11410.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	11768.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	2625.000	LF
229 4318	DITCH LINER PROTECTION	1128.000	LF
230(A) 2806	SOLID SLAB SODDING	94156.000	SY
230(F) 2812	WATERING	3765.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	19.440	AC
234(A) 2824	FERTILIZING (10-20-10)	9.420	TON
234(A) 4406	FERTILIZING (0-46-0)	1.500	TON
241 2832	MOWING	40.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	10410.000	CY
307(A) 4200	FLY ASH	1554.000	TON
307(D) 4230	LIME	380.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	42200.000	SY
307(G) 4260	LIME PRETREATMENT	7038.000	SY
325 5271	SEPARATOR FABRIC	35190.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	11575.000	TON
407(B) 0250	TACK COAT	1143.000	GAL
408 5774	PRIME COAT	9273.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	55894.000	SY
409(B) 4268	BITUMINOUS BINDER	1398.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3563.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9319.000	TON
412 5267	COLD MILLING PAVEMENT	2240.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	12.000	CY
509(A) 0319	CLASS AA CONCRETE	44.330	CY
509(D) 0325	CLASS C CONCRETE	60.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100516

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511(A) 0332	REINFORCING STEEL	5750.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	52.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	26.000	TON
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	38.000	LF
611(G) 5389	INLET CDI RCB DES. 3	1.000	EA
611(H) 5538	ADD'L DEPTH IN INLET CDI RCB DES. 3	1.000	VF
613(A) 0491	18" R.C.PIPES CLASS III	66.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	98.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P) 0760	18" GALV. STEEL CULVERT END SEC. RND.	4.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	23.000	CY
613(V) 1180	TRENCH EXCAVATION	29.000	CY
619(B) 0291	REMOVAL OF HEADWALL	7.000	EA
619(B) 4726	REMOVAL OF CURB AND GUTTER	66.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	19.000	SY
619(B) 5918	REMOVAL OF EXISTING PIPE	74.000	LF
619(C) 0924	SAWING PAVEMENT	100.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	170.000	SF
851(C) 8324	2" SQUARE TUBE POST	261.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	20.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	48089.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	24.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	32000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	6200.000	EA
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5544.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1512.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3150.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1512.000	SD
880(C) 8848	WING BARRICADES	840.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6804.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	1008.000	SD
880(G) 8890	CHANNELIZER CONES	15120.000	SD
880(I) 8902	FLAGGER	210.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100516

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100517

CALL ORDER: 280
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ELLIS

PROJECT(S) : PCN
 SBR-123B(059)SB 2485004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 40 CALENDAR DAYS
 RES. ENG.: DAVID BURKE, BUFFALO

CONTRACT DESCRIPTION
 BRIDGE REPAIR
 US-60: OVER RED BLUFF CREEK, 2.7 MILES EAST OF THE US-283
 JUNCTION.

SECTION 0001 - BRIDGE REHABILITATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	10.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(H) 6390	RAPID CURE JOINT SEALANT	91.200	LF
504(I) 6389	ELASTOMERIC MORTAR	6.200	CF
505(C) 6020	CLASS C BRIDGE DECK REPAIR	33.200	SY
509(A) 1326	CLASS AA CONCRETE	4.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	2740.000	LB
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	31.800	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	36.900	SY
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	139.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	37.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	30.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	10.000	EA
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(PL)PORTABLE TRAFFIC SIGNAL SYSTEM	20.000	SD
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	430.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100518

CALL ORDER: 300
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRADY

PROJECT(S) : PCN
 SSP-126N(177)SS 2703504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$26.01
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 WIDEN AND RESURFACE (ASPHALT)
 US-81: FROM 0.5 MILES NORTH OF THE SH-19 JCT, EXTEND NORTH.
 PROJECT LENGTH = 0.799 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	525.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	184.000	LF
230(A) 2806	SOLID SLAB SODDING	3616.000	SY
232(B) 2814	SEEDING METHOD B	1.000	AC
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
241 2832	MOWING	2.000	AC
310(B) 0149	SUBGRADE, METHOD B	574.000	SY
407(B) 0250	TACK COAT	1468.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	1782.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	1892.000	TON
412 5267	COLD MILLING PAVEMENT	17223.000	SY
509(D) 0325	CLASS C CONCRETE	2.000	CY
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	7669.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	13085.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	781.000	SY
619(B) 4775	REMOVAL OF CONCRETE CURB OPENING	177.000	SY
619(B) 6130	REMOVAL OF 4" CONCRETE DIVIDING STRIP	2440.000	SY
619(C) 0924	SAWING PAVEMENT	14531.000	LF

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	7700.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	3500.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	840.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	660.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	780.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100518

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	900.000	SD
880(C) 8848	WING BARRICADES	240.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2520.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	1500.000	SD
880(F) 8878	DRUMS	1500.000	SD
880(G) 8890	CHANNELIZER CONES	6000.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0003 - TRAFFIC STRIPING & SIGNALS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	3.100	CY
804(B) 2916	REINFORCING STEEL	477.100	LB
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
806(A) 8329	32'MH POLE 50'TS & 15'LMA(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	1.000	EA
811 8044	1/C NO.10 ELECT.COND.	750.000	LF
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	3.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	1.000	EA
833 3030	BACKPLATE	4.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	580.000	LF
834(A) 8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	360.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	5.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7246.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	820.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	85.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	3.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0006 - NON PARTICIPATING ITEMS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	5416.000	LF
610(C) 0608	4" CONCRETE DIVIDING STRIP	2440.000	SY

SECTION 0007 - NON PARTICIPATING ITEMS ADD ALT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(J) 4810	(PL) STAMPED CONCRETE FINISH	2440.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100512

CALL ORDER: 330
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: JACKSON

PROJECT(S) : PCN
 SBR-133C(091)SB 2478304
 SBR-133C(092)SB 2481604

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$21.68
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION

BRIDGE REHABILITATION

SH-34: OVER TURKEY CREEK, 1.0 MILE SOUTH OF THE SH-62 JCT.

SH-34: OVER GYPSUM CREEK, 1.4 MILES NORTH OF THE SH-6 JCT.

SECTION 0001 - BRIDGE - SBR-133C(091)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	640.000	SY
501(G) 6309	CLSM BACKFILL	10.000	CY
504(C) 6250	SEALED EXPANSION JOINT	60.750	LF
504(H) 6390	RAPID CURE JOINT SEALANT	336.000	LF
505(C) 6020	CLASS C BRIDGE DECK REPAIR	14.000	SY
505(D) 6090	(SP)MULTIPLE LAYER POLYMER CONC. OVERLAY	666.000	SY
506(A) 1322	STRUCTURAL STEEL	540.000	LB
509(A) 1326	CLASS AA CONCRETE	4.500	CY

SECTION 0002 - TRAFFIC - SBR-133C(091)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	568.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - ROADWAY - SBR-133C(092)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
407 0250	TACK COAT	75.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	500.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	1470.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	150.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
625(G) 1270	(PL)REMOVE AND RESET GUARD RAIL	550.000	LF

SECTION 0004 - BRIDGE - SBR-133C(092)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	22.000	CY
504(A) 1304	APPROACH SLAB	143.000	SY
504(C) 6250	SEALED EXPANSION JOINT	66.340	LF
504(E) 6245	CONCRETE RAIL (TR4)	382.000	LF
506(A) 1322	STRUCTURAL STEEL	1990.000	LB
509(A) 1326	CLASS AA CONCRETE	126.300	CY
509(D) 1331	CLASS C CONCRETE	8.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100512

SECTION 0004 - BRIDGE - SBR-133C(092)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511(B) 6010	EPOXY COATED REINFORCING STEEL	31030.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	282.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	50.000	SY
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	5.000	EA
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0005 - TRAFFIC - SBR-133C(092)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1970.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0006 - STAKING - SBR-133C(092)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0007 - CONSTRUCTION - SBR-133C(092)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100384

CALL ORDER: 340
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) : PCN
 BRFY-036C(267) 1230204
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$54.19
 150 CALENDAR DAYS
 RES. ENG.: TED ZACHARY, PERRY

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 SH-156: OVER A SALT FORK OF THE ARKANSAS RIVER, 1.10 MILES
 NORTH OF THE NOBLE COUNTY LINE.
 PROJECT LENGTH = 0.340 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	5187.330	CY
202(C) 0184	UNCLASSIFIED BORROW	5325.480	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	100.000	LF
223 2801	TEMPORARY SILT FENCE	3749.900	LF
224 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
227 0100	TEMPORARY SILT DIKE	400.000	LF
229 4318	DITCH LINER PROTECTION	200.000	LF
230(A) 2806	SOLID SLAB SODDING	7351.000	SY
232(B) 2814	SEEDING METHOD B	1.520	AC
233(A) 2817	VEGETATIVE MULCHING	1.520	AC
235(A) 0100	(PL)ROCK FILTER DAM, TYPE 1	5.000	CY
241 2832	MOWING	3.040	AC
303 0192	AGGREGATE BASE	930.200	CY
325 5271	SEPARATOR FABRIC	6639.270	SY
327(K) 4300	(SP)STABILIZED SUBGRADE	6200.410	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	899.000	TON
407 0250	TACK COAT	316.760	GAL
408 5774	PRIME COAT	2270.050	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1128.160	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	799.290	TON
509(D) 0325	CLASS C CONCRETE	25.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	66.000	TON
613(B) 0492	24" R.C.PIPES CLASS III	84.000	LF
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	52.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	72.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100384

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	75.000	LF
613(Q) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	25.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	100.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	3691.000	SY
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	762.500	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(A) 4281	FENCE-STYLE WWF	856.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	1.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(G) 6309	CLSM BACKFILL	154.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1995.000	LF
504(A) 1304	APPROACH SLAB	281.200	SY
504(C) 6250	SEALED EXPANSION JOINT	86.400	LF
504(E) 6245	CONCRETE RAIL (TR4)	1122.600	LF
506(A) 1322	STRUCTURAL STEEL	2250.000	LB
509(A) 1326	CLASS AA CONCRETE	595.600	CY
509(B) 1328	CLASS A CONCRETE	231.100	CY
511(A) 1332	REINFORCING STEEL	1520.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	170540.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	92.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	357.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	92.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	357.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2155.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	257.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	81.600	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	24.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	3020.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	635.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	72.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100384

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	50.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	60.500	SF
851(C) 8324	2" SQUARE TUBE POST	82.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	15.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7200.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	640.000	EA
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5250.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3000.000	SD
880(C) 8842	BARRICADES(TYPE III)	2250.000	SD
880(C) 8848	WING BARRICADES	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	33750.000	SD
880(F) 8878	DRUMS	11250.000	SD
880(G) 8890	CHANNELIZER CONES	22500.000	SD
880(I) 8902	FLAGGER	45.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	300.000	SD
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100550

CALL ORDER: 350
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) : PCN
 ACIMY-0035-4(224)235M2590913
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$147.39
 290 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND SITE PLAN
 I-35: TRUCK WEIGH STATION 2.0 MILES SOUTH OF THE
 OKLAHOMA/KANSAS STATE LINE.
 PROJECT LENGTH = 1.453 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	25578.000	CY
202(C) 0184	UNCLASSIFIED BORROW	26209.000	CY
202(D) 0186	SELECT BORROW	1025.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	11221.000	LF
227 0100	TEMPORARY SILT DIKE	504.000	LF
230(A) 2806	SOLID SLAB SODDING	58253.000	SY
233(A) 2817	VEGETATIVE MULCHING	12.040	AC
303 5912	AGGREGATE BASE	18521.000	TON
325 5271	SEPARATOR FABRIC	1805.000	SY
327(D) 4230	(SP)LIME	881.000	TON
327(H) 4270	(SP)LIME STABILIZED SUBGRADE	52016.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1000.000	TON
408 5774	PRIME COAT	7353.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	5491.000	TON
414(A1) 6853	8.5" P.C. DOWEL JOINTED CONCRETE PAVE.	46409.000	SY
509(D) 0325	CLASS C CONCRETE	159.000	CY
601(A-1)1353	TYPE I-A PLAIN RIPRAP	770.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	257.000	TON
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	7319.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	1957.000	SY
611(A) 2657	MANHOLE (4' DIA.)	2.000	EA
611(F) 5196	ADDITIONAL DEPTH IN INLET	0.980	VF
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	1.000	EA
611(K) 4488	CAST IRON CURB INLETS	1.000	EA
613(B) 0492	24" R.C.PIPE CLASS III	212.000	LF
613(B) 0493	30" R.C.PIPE CLASS III	348.000	LF
613(B) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	223.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100550

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(MM) 7520	TYPE A6 SLOPED CONCRETE END SECTION	1.000	EA
613(MM) 7521	TYPE B6 SLOPED CONCRETE END SECTION	4.000	EA
613(MM) 7532	TYPE CC4 SLOPED CONCRETE END SECTION	2.000	EA
615 5934	(PL)PACKAGED SEWAGE TREATMENT PLANT	1.000	LSUM
616(I) 0030	12" STEEL CASING	525.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA
619(B) 4725	REMOVAL OF FENCE	3345.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4140.000	SY
624(C) 4457	(SP)FENCE-STYLE SWF (3 BARBED WIRE)	4568.000	LF
643 5100	(PL)SITE AMENITIES	1.000	LSUM
643 5240	(PL)FLAG PLAZA	1.000	EA
643 6000	WATER SYSTEM IMPROVEMENTS	1.000	LSUM
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	313.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	79.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	3.000	EA

SECTION 0002 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	4550.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	4550.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	232.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	383.000	LF
851(C) 8321	1 3/4" SQUARE TUBE POST	21.000	LF
851(C) 8324	2" SQUARE TUBE POST	242.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	196.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	10485.000	LF
854(B) 8806	TRAFFIC STRIPE(PAINT)(WORDS)	3.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12574.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	416.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	5570.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	844.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	64.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	42.000	SY
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	610.000	LF
802(B) 8348	4" PVC SCH.40 PLASTIC CONDUIT BORED	60.000	LF
802(B) 8350	4" PVC SCH.40 PLASTIC CONDUIT TRENCHED	21980.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100550****SECTION 0003 - TRAFFIC LIGHTING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
803 8060	(PL)PULL BOX	24.000	EA
809(E) 8103	HIGH MAST LUMINAIRE	8.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	3390.000	LF
812 8060	120' HIGH MAST POLE(G.STL.)	2.000	EA
813 8074	HIGH MAST LOWERING DEV.TYP.I	2.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100519

CALL ORDER: 360
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) : PCN
 SBR-136C(203)SB 2712004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$22.76
 80 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-77: OVER CHILOCCO CREEK, 2.2 MILES SOUTH OF THE OKLAHOMA
 STATE LINE.
 PROJECT LENGTH = 0.057 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
230(A) 2806	SOLID SLAB SODDING	750.000	SY
407(B) 0250	TACK COAT	25.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	83.000	TON
412 5267	COLD MILLING PAVEMENT	489.000	SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	525.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	16.200	CY
501(D) 6353	UNCLASSIFIED BACKFILL	5.300	CY
501(G) 6309	CLSM BACKFILL	10.900	CY
504(A) 1304	APPROACH SLAB	301.200	SY
504(C) 1430	STRIP SEAL TYPE EXPANSION JOINT	88.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	403.000	LF
506(A) 1322	STRUCTURAL STEEL	4750.000	LB
509(A) 1326	CLASS AA CONCRETE	171.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	68074.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	284.100	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	4.000	SY
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	24.000	EA
619(B) 6252	REMOVAL OF EXISTING PARAPET	40.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	80.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100519

SECTION 0003 - TRAFFIC

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4000.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4144.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	80.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	500.000	LF
877(C) 8486	RELOCATE PORTABLE LONGITUDINAL BARRIER	500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	720.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	80.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	760.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	40.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	520.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	1000.000	SD
880(F) 8878	DRUMS	1000.000	SD

SECTION 0004 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100520

CALL ORDER: 380
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) :	PCN
SBR-136C(201)SB	2753304
SBR-018N(056)SB	2753404

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$33.60
 75 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-177: OVER STINK CREEK, 3.2 MILES NORTH OF US-60 JCT.
 US-60: OVER UNNAMED CREEK, 1.4 MILES EAST OF THE US-177 JCT.
 PROJECT LENGTH = 0.118 MILES

SECTION 0001 - ROADWAY - SBR-136C(201)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	1300.000	LF
230(A) 2806	SOLID SLAB SODDING	750.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	102.000	CY
310(B) 0149	SUBGRADE, METHOD B	578.000	SY
407(B) 0250	TACK COAT	116.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	129.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	390.000	TON
412 5267	COLD MILLING PAVEMENT	3431.000	SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	175.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A' - SBR-136C(201)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	20.800	CY
501(E) 6354	SELECT BACKFILL	196.500	CY
504(G) 6390	RAPID CURE JOINT SEALANT	44.750	LF
509(A) 1326	CLASS AA CONCRETE	58.300	CY
511(A) 1332	REINFORCING STEEL	2223.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	1136.000	LB
513(A) 6018	CLASS A BRIDGE DECK REPAIR	10.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	5.000	SY
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	6.000	EA
601(B) 1353	TYPE I-A PLAIN RIPRAP	310.200	TON
601(C) 1355	TYPE I-A FILTER BLANKET	102.100	TON
619(B) 6252	REMOVAL OF EXISTING PARAPET	60.000	LF

SECTION 0003 - TRAFFIC - SBR-136C(201)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	100.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100520

SECTION 0003 - TRAFFIC - SBR-136C(201)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2500.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4144.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	650.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	650.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	2000.000	SD
880(F) 8878	DRUMS	2000.000	SD

SECTION 0004 - ROADWAY - SBR-018N(056)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	250.000	LF
230(A) 2806	SOLID SLAB SODDING	750.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC

SECTION 0005 - BRIDGE 'A' - SBR-018N(056)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	615.200	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	110.500	CY
501(E) 6354	SELECT BACKFILL	33.100	CY
501(G) 6309	CLSM BACKFILL	24.000	CY
509(A) 1326	CLASS AA CONCRETE	94.200	CY
509(D) 0325	CLASS C CONCRETE	21.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	13389.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	685.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	151.000	TON

SECTION 0006 - TRAFFIC - SBR-018N(056)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	55.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	55.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	385.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	165.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	275.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	220.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	275.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	3685.000	SD
880(F) 8878	DRUMS	3685.000	SD

SECTION 0007 - STAKING - SBR-018N(056)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100520

SECTION 0008 - CONSTRUCTION - SBR-108N(056)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100522

CALL ORDER: 420
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KIOWA

PROJECT(S) : PCN
 NHY-009N(055) 1606328

DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$86.70
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 US-183: FROM 0.2 MILES SOUTH OF THE SH-9 JUNCTION, EXTEND
 NORTH.
 PROJECT LENGTH = 1.572 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	9110.000	CY
202(D) 0184	UNCLASSIFIED BORROW	29634.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	16600.000	LF
221(F) 0100	TEMPORARY SILT DIKE	456.000	LF
221(G) 0151	TEMPORARY FILTER DAM TYPE 2	6.000	CY
230(A) 2806	SOLID SLAB SODDING	47690.000	SY
233(A) 2817	VEGETATIVE MULCHING	8.900	AC
241 2832	MOWING	27.000	AC
307(D) 4230	LIME	892.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	49457.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	445.000	TON
407(B) 0250	TACK COAT	12463.000	GAL
408 5774	PRIME COAT	7421.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	3115.000	SY
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	11472.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	24717.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	6694.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2969.000	TON
412 5267	COLD MILLING PAVEMENT	6134.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	29100.000	LF
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	25.000	CY
509(A) 1326	CLASS AA CONCRETE	115.000	CY
509(D) 0325	CLASS C CONCRETE	209.200	CY
511(A) 1332	REINFORCING STEEL	8151.000	LB
610(B) 0604	6" CONCRETE DRIVEWAY	135.000	SY
613(B) 0689	18" CORR. GALV. STEEL PIPE	330.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	338.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	282.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100522

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	106.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	8.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	14.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	4.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	6.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	14.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6434.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	130.000	SY
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2368.000	LF

SECTION 0002 - HOBART PWA WATERLINE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
616(M) 0150	INSTALL WATER LINE	1.000	LSUM

SECTION 0003 - RURAL WATER DISTRICT WATER LINE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(W) 4496	8" JACKED CONDUIT	160.000	LF
616(B) 5221	4" POLYVINYL CHLORIDE (PVC) PIPE	2300.000	LF
616(D) 1060	4" GATE VALVE	2.000	EA
616(F) 5948	METER INSTALLATION 3/4"	4.000	EA
616(I) 0100	8" STEEL CASING	408.000	LF
616(J) 0100	HDPE CONDUIT ENCASED	440.000	LF
616(N) 0090	SERVICE CONNECTION (SHORT)	4.000	EA
619(B) 8677	CUT & PLUG 4" WATER LINE	2.000	EA

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	3150.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	14700.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	3000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	6600.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7740.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	9900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	14400.000	SD
880(C) 8836	CONSTRUCTION BARRICADES(TYPE II)	1800.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2520.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6840.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	42840.000	SD
880(F) 8878	DRUMS	9870.000	SD
880(G) 8890	CHANNELIZER CONES	13350.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	56.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100522

SECTION 0005 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	48.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	642.290	SF
851(C) 8324	2" SQUARE TUBE POST	856.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	47600.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1900.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLYMER)(12" WIDE)	700.000	LF
856(A) 8555	TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	54.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	50.000	EA

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100523

CALL ORDER: 440
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: LATIMER

PROJECT(S) : PCN
 CIRB-139D(073)RB 2359104

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$14.09
 120 CALENDAR DAYS
 RES. ENG.: LARRY PLYMATE, MCALESTER

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-434): OVER BANDY CREEK, 0.5 MILES SOUTH
 OF THE US-270 JUNCTION.
 PROJECT LENGTH = 0.169 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	5744.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2957.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	150.000	LF
227 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	4898.000	SY
303 0192	AGGREGATE BASE	555.000	CY
325 5271	SEPARATOR FABRIC	2800.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	200.000	TON
407 0250	TACK COAT	115.000	GAL
408 5774	PRIME COAT	907.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	499.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	251.000	TON
414(C) 0309	APPROACH SLABS	70.200	SY
509(D) 0325	CLASS C CONCRETE	15.000	CY
619(C) 0924	SAWING PAVEMENT	39.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	10.000	SF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	40.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	548.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	295.000	LF
509(A) 1326	CLASS AA CONCRETE	87.000	CY
509(B) 1328	CLASS A CONCRETE	60.200	CY
511(A) 1332	REINFORCING STEEL	24450.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	180.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	180.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	47.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100523****SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1040.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	315.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100524

CALL ORDER: 460
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ATOKA
 LATIMER
 MARSHALL
 CHOCTAW

PROJECT(S) : PCN
 BPMY-NBIP(426)3B 2777304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE PAINTING
 US-70/SH-43/SH-82/SH-99: AT VARIOUS LOCATIONS IN
 DIVISION II.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0006 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100525

CALL ORDER: 480
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ATOKA
 LATIMER
 MARSHALL

PROJECT(S) : PCN
 BPMY-139F(111)3B 2777305
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 45 CALENDAR DAYS
 RES. ENG.: LARRY PLYMATE, MCALESTER

CONTRACT DESCRIPTION
 JOINT SEAL/REPAIR
 SH-43/SH-82/SH-99: AT VARIOUS LOCATIONS IN DIVISION II.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	130.000	LF
504(I) 6389	ELASTOMERIC MORTAR	37.000	CF

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	272.000	LF
504(I) 6389	ELASTOMERIC MORTAR	56.000	CF
509(D) 1331	CLASS C CONCRETE	96.000	CY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	50.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	8.000	EA

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	180.000	LF
504(I) 6389	ELASTOMERIC MORTAR	8.000	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	66.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	10.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.000	GAL
523(C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	654.000	SY
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	2.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	6.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	3.000	EA

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100526

CALL ORDER: 500
LETTING DATE: September 16, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: MCCLAIN
OKFUSKEE

PROJECT(S) : PCN
BPMY-NBIP(427)3B 2777604
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$23.84
60 CALENDAR DAYS
RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION
BRIDGE PAINTING
SH-24/SH-84: AT VARIOUS LOCATIONS IN DIVISION III.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100527

CALL ORDER: 520
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCCLAIN
 OKFUSKEE

PROJECT(S) : PCN
 BPMY-144F(154)3B 2777605
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$29.26
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 JOINT SEAL/REPAIR
 SH-24/SH-84: AT VARIOUS LOCATIONS IN DIVISION III.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(G) 6390	RAPID CURE JOINT SEALANT	116.000	LF
504(H) 6389	ELASTOMERIC MORTAR	28.100	CF
509 6386	SILICONE CONSTRUCTION JOINT	140.000	LF
521(A) 6210	PNEUMATICALLY PLACED MORTAR	100.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	1036.000	SY
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	20.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	20.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	66.000	LF
504(H) 6389	ELASTOMERIC MORTAR	10.700	CF
509 6386	SILICONE CONSTRUCTION JOINT	256.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	80.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	15.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.200	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	25.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	605.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
545 4805	(PL)REPLACE BRIDGE ITEMS	6.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100529

CALL ORDER: 540
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MARSHALL

PROJECT(S) : PCN
 BRF-148C(043)CO 2130304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$6.50
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER AN UNNAMED CREEK, 4.6 MILES NORTH AND 0.3
 MILES WEST OF OAKLAND.
 PROJECT LENGTH = 0.181 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	8.600	STA
223 2801	TEMPORARY SILT FENCE	1700.000	LF
227 0100	TEMPORARY SILT DIKE	300.000	LF
230(A) 2806	SOLID SLAB SODDING	2100.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.980	AC
303 0192	AGGREGATE BASE	618.000	CY
407 0250	TACK COAT	109.000	GAL
408 5774	PRIME COAT	330.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	485.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	238.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(D) 0689	18" CORR. GALV. STEEL PIPE	102.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	6.000	EA
619(C) 0924	SAWING PAVEMENT	44.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	396.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	264.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	77.000	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	24530.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	575.600	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	575.600	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	532.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100529

SECTION 0002 - BRIDGE

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
601(A-2)1355	TYPE I-A FILTER BLANKET	118.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA

SECTION 0003 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100591

CALL ORDER: 550
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MARSHALL

PROJECT(S) : PCN
 MC-148C(069) 2809804

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 30 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT), SIGNING AND STRIPING
 US-377/SH-32: AT THE INTERSECTION OF US-377 AND SH-32.
 PROJECT LENGTH = 0.606 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S5) 5970	(SP)ASPH.CONC.,TYPE S5(PG 70-28 OK)	1700.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	4.840	CY
804(B) 2916	REINFORCING STEEL	688.000	LB
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	939.860	SF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	192.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STL.PIPE POST	144.000	LF
851(C) 8324	2" SQUARE TUBE POST	1155.500	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	16220.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	3928.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	4492.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	48.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100530

CALL ORDER: 560
LETTING DATE: September 16, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: MUSKOGEE

PROJECT(S) : PCN
BPMY-NBIP(433)3B 2777004
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$6.50
45 CALENDAR DAYS
RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
BRIDGE PAINTING
US-62: OVER SH-165, 1.7 MILES EAST OF THE SH-16 JUNCTION.

SECTION 0001 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100531

CALL ORDER: 580
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MUSKOGEE

PROJECT(S) : PCN
 SBR-151C(228)SB 2796004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 180 CALENDAR DAYS
 RES. ENG.: STEVE WRIGHT, MUSKOGEE

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-104: OVER THE ARKANSAS RIVER, 1.50 MILES EAST OF THE
 US-64 JUNCTION.
 PROJECT LENGTH = 0.417 MILES

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(H) 6390	RAPID CURE JOINT SEALANT	350.000	LF
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	30.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	770.000	LF
523(B) 6560	(SP) SEALER RESIN	5.200	GAL
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	4349.100	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	602.500	SY
540 4505	(PL)REPAIR BRIDGE ITEMS	11.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	105.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	115.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100532

CALL ORDER: 600
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 SBR-155A(785)SB 2752704
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.17
 40 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-62: OVER CHOCTAW CREEK, 11.8 MILES EAST OF THE I-35 JCT.
 PROJECT LENGTH = 0.027 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
230(A) 2806	SOLID SLAB SODDING	750.000	SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	400.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	8.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	22.400	CY
501(D) 6353	UNCLASSIFIED BACKFILL	37.800	CY
504(G) 6390	RAPID CURE JOINT SEALANT	86.000	LF
509(A) 1326	CLASS AA CONCRETE	35.200	CY
511(A) 1332	REINFORCING STEEL	1957.000	LB
513(A) 6018	CLASS A BRIDGE DECK REPAIR	10.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	5.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	33.200	SF
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	3.000	EA

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	19.900	CY
501(D) 6353	UNCLASSIFIED BACKFILL	27.700	CY
504(G) 6390	RAPID CURE JOINT SEALANT	86.000	LF
509(A) 1326	CLASS AA CONCRETE	34.700	CY
511(A) 1332	REINFORCING STEEL	3695.000	LB
513(A) 6018	CLASS A BRIDGE DECK REPAIR	10.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	5.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	108.000	EA

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	12.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	40.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100532****SECTION 0004 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(A) 8812	ARROW DISPLAY(TYPE C)	40.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	320.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	160.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	320.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	240.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	560.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	2000.000	SD
880(F) 8878	DRUMS	2000.000	SD

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100533

CALL ORDER: 620
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 SBR-155A(784)SB 2752804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 CITY STREET(LINCOLN BLVD): OVER 23RD STREET, 0.6 MILES EAST
 OF THE US-77 JUNCTION.
 PROJECT LENGTH = 0.050 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	69.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
230(A) 2806	SOLID SLAB SODDING	100.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	69.000	CY
310(B) 0149	SUBGRADE, METHOD B	213.000	SY
325 5271	SEPARATOR FABRIC	213.000	SY
414(C) 4425	CONT.REINF.P.C.C. PAVT.(PLACEMENT)	242.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	65.000	CY
414(J) 5263	TERMINAL JOINT SLEEPER SLAB	94.000	SY
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	114.000	LF
611(G) 5112	INLET CI DES. 2 (STD)	1.000	EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	1.230	VF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	242.000	SY

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	484.400	SY
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	499.800	SY
505(E) 1000	HYDRODEMOLITION	499.800	SY
509(A) 1326	CLASS AA CONCRETE	11.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	2548.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	42.600	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	900.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	90.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	525.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100533

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	525.000	LF
877(C) 8486	RELOCATE PORTABLE LONGITUDINAL BARRIER	525.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2970.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	720.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1890.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1350.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	1800.000	SD
880(F) 8878	DRUMS	1800.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100395

CALL ORDER: 640
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OTTAWA

PROJECT(S) :	PCN
BRFY-058C(235)	0893204
BRFY-058C(237)	1043004

DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$247.10
 540 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION

BRIDGES AND APPROACHES

SH-10: OVER I-44, LITTLE ELM CREEK, AND UNNAMED CREEK, 3.5 MILES, 3.0 MILES, AND 2.5 MILES WEST OF THE SH-137 JUNCTION.
 PROJECT LENGTH = 1.541 MILES

SECTION 0001 - ROADWAY - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	67905.000	CY
202(B) 0182	ROCK EXCAVATION	9988.000	CY
202(C) 0184	UNCLASSIFIED BORROW	215.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1600.000	LF
227 0100	TEMPORARY SILT DIKE	1820.000	LF
230(A) 2806	SOLID SLAB SODDING	41420.000	SY
232(B) 2814	SEEDING METHOD B	17.120	AC
233(A) 2817	VEGETATIVE MULCHING	8.560	AC
241 2832	MOWING	17.120	AC
303 0192	AGGREGATE BASE	13381.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE	47351.000	SY
325 5271	SEPARATOR FABRIC	62725.000	SY
327(J) 4290	(SP)MODIFIED SUBGRADE	54441.000	SY
328 2600	(SP)GEOSYNTHETIC SUBGRADE REINFORCEMENT	8166.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1073.000	TON
411(S3) 5935	(SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	743.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1953.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	493.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	128.000	TON
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	44850.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	11149.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	15.000	CY
509(B) 0321	CLASS A CONCRETE	24.000	CY
511(A) 0332	REINFORCING STEEL	3155.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	116.000	TON
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	11373.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100395

SECTION 0001 - ROADWAY - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(B) 0604	6" CONCRETE DRIVEWAY	4140.000	SY
611(A) 2657	MANHOLE (4' DIA.)	3.000	EA
611(A) 2658	MANHOLE (5' DIA.)	3.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	5.000	VF
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	9.000	VF
611(D) 4215	MANHOLE FRAME & COVER	31.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	6.000	EA
611(E) 5113	INLET CICI DES. 2 (B)	5.000	EA
611(E) 5115	INLET CICI DES. 2 (D)	2.000	EA
611(E) 5120	INLET CICI DES. 3 (STD)	1.000	EA
611(E) 5123	INLET CICI DES. 3 (2B)	1.000	EA
611(E) 5327	INLET GPI TYPE 1 (DES. 1)	2.000	EA
611(E) 5331	INLET GPI TYPE 1 (DES. 5)	4.000	EA
611(E) 5335	INLET GPI TYPE 2 (DES. 9)	1.000	EA
611(E) 5872	INLET W/LRG.JCT.BOX,CICI-JB-1,DES.2(B)	1.000	EA
611(E) 5874	INLET W/LRG.JCT.BOX,CICI-JB-1,DES.2(D)	1.000	EA
611(E) 5886	INLET W/LRG.JCT.BOX,CICI-JB-1,DES.3(D)	1.000	EA
611(E) 5888	INLET W/LRG.JCT.BOX,CICI-JB-1,DES.3(2B)	1.000	EA
611(E) 5970	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2	3.000	EA
611(E) 5972	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B)	7.000	EA
611(E) 5974	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(D)	7.000	EA
611(E) 5986	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(D)	2.000	EA
611(E) 5990	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(BD)	2.000	EA
611(F) 5325	INLET CICI DES. 2 (ADD'L DEPTH)	43.000	VF
611(F) 5330	INLET CICI DES. 3 (ADD'L DEPTH)	6.000	VF
611(F) 5374	INLET GPI TYPE 1 (ADD'L DEPTH)	14.000	VF
611(F) 5375	INLET GPI TYPE 2 (ADD'L DEPTH)	1.000	VF
611(F) 5870	INLET W/LJB,CICI-JB-1,DES.2(ADD.DPTH)	7.000	VF
611(F) 5882	INLET W/LJB,CICI-JB-1,DES.3(ADD.DPTH)	8.000	VF
611(F) 5970	INLET W/SJB,CICI-JB-1,DES.2(ADD.DPTH)	77.000	VF
611(F) 5982	INLET W/SJB,CICI-JB-1,DES.3(ADD.DPTH)	16.000	VF
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	96.000	EA
611(K) 4488	CAST IRON CURB INLETS	194.000	EA
613(B) 0491	18" R.C.PEPE CLASS III	1470.000	LF
613(B) 0492	24" R.C.PEPE CLASS III	2722.000	LF
613(B) 0493	30" R.C.PEPE CLASS III	1049.000	LF
613(B) 0494	36" R.C.PEPE CLASS III	545.000	LF
613(B) 0495	42" R.C.PEPE CLASS III	143.000	LF
613(B) 0496	48" R.C.PEPE CLASS III	609.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	748.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100395

SECTION 0001 - ROADWAY - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	15.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	7.000	EA
613(M) 5738	48" PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(S) 1180	TRENCH EXCAVATION	6548.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	3046.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	1288.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	16118.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	56.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	94.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	510.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
624(A) 4281	FENCE-STYLE WWF	371.000	LF
624(B) 4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	1.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	14.000	EA
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	10870.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	780.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	52.000	EA

SECTION 0002 - BRIDGE 'B' - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	154.000	CY
501(C) 1308	SUBSTRUCTURE EXCAVATION ROCK	334.000	CY
501(G) 6309	CLSM BACKFILL	69.600	CY
504(A) 1304	APPROACH SLAB	312.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	320.000	LF
509(A) 1326	CLASS AA CONCRETE	492.800	CY
509(B) 1328	CLASS A CONCRETE	172.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	171698.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	436.000	SY
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	80.000	LF
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	156.000	LF
601(A) 1351	TYPE I PLAIN RIPRAP	1513.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	142.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	38.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'C' - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	358.600	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100395

SECTION 0003 - BRIDGE 'C' - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	128.300	CY
509(A) 1326	CLASS AA CONCRETE	284.800	CY
511(A) 1332	REINFORCING STEEL	43678.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	213.900	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC PERMANENT - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	167.400	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	437.000	LF
854(C) 8525	(SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	50.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	23750.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	510.000	LF
854(C) 8555	(SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	155.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	928.000	LF
880(C) 8850	PERMANENT BARRICADE UNIT	2.000	EA
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	5.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	14.000	EA

SECTION 0005 - TRAFFIC TEMPORARY - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	14051.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	760.000	EA
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4320.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6230.000	SD
880(C) 8842	BARRICADES(TYPE III)	8240.000	SD
880(C) 8848	WING BARRICADES	2920.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	25770.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	24700.000	SD
880(F) 8878	DRUMS	24700.000	SD
880(I) 8902	FLAGGER	8.000	SD

SECTION 0006 - STAKING - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0007 - CONSTRUCTION - BRFY-058C(235)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100395

SECTION 0008 - ROADWAY - BRFY-058C(237)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	13892.000	CY
202(C) 0184	UNCLASSIFIED BORROW	160807.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	6383.000	LF
227 0100	TEMPORARY SILT DIKE	370.000	LF
230(A) 2806	SOLID SLAB SODDING	39868.000	SY
232(B) 2814	SEEDING METHOD B	16.600	AC
233(A) 2817	VEGETATIVE MULCHING	8.300	AC
241 2832	MOWING	16.600	AC
303 0192	AGGREGATE BASE	7280.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE	26155.000	SY
325 5271	SEPARATOR FABRIC	35014.000	SY
327(J) 4290	(SP)MODIFIED SUBGRADE	29057.000	SY
328 2600	(SP)GEOSYNTHETIC SUBGRADE REINFORCEMENT	2905.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	543.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	143.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	26.000	TON
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	24613.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	6057.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	82.000	CY
509(A) 0319	CLASS AA CONCRETE	164.000	CY
509(B) 0321	CLASS A CONCRETE	44.000	CY
509(D) 0325	CLASS C CONCRETE	2.000	CY
511(A) 0332	REINFORCING STEEL	32555.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	57.000	TON
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	6536.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	1058.000	SY
611(A) 2657	MANHOLE (4' DIA.)	1.000	EA
611(A) 2658	MANHOLE (5' DIA.)	1.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	2.000	VF
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	15.000	VF
611(D) 4215	MANHOLE FRAME & COVER	13.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	2.000	EA
611(E) 5113	INLET CICI DES. 2 (B)	4.000	EA
611(E) 5115	INLET CICI DES. 2 (D)	1.000	EA
611(E) 5335	INLET GPI TYPE 2 (DES. 9)	1.000	EA
611(E) 5970	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2	1.000	EA
611(E) 5972	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B)	4.000	EA
611(E) 5974	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(D)	6.000	EA
611(F) 5325	INLET CICI DES. 2 (ADD'L DEPTH)	42.000	VF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100395

SECTION 0008 - ROADWAY - BRFY-058C(237)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(F) 5970	INLET W/SJB,CICI-JB-1,DES.2(ADD.DPTH)	55.000	VF
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	36.000	EA
611(K) 4488	CAST IRON CURB INLETS	80.000	EA
613(B) 0491	18" R.C.PIPES CLASS III	2497.000	LF
613(B) 0492	24" R.C.PIPES CLASS III	581.000	LF
613(B) 0493	30" R.C.PIPES CLASS III	171.000	LF
613(D) 0689	18" CORR. GALV. STEEL PIPE	114.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	12.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(S) 1180	TRENCH EXCAVATION	2441.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	977.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	4645.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	17825.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	3409.000	LF
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	69.000	LF
619(C) 0924	SAWING PAVEMENT	405.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	500.000	LF
623(E) 7114	THREE BEAM BRIDGE CONNECTION-TYPE A	2.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
624(A) 4281	FENCE-STYLE WWF	659.000	LF
624(B) 4462	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	1.000	EA
624(B) 4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	1.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	1838.000	LF
624(D) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	125.000	LF
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	21.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	1.000	EA
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	6703.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	420.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	28.000	EA

SECTION 0009 - BRIDGE 'A' - BRFY-058C(237)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	376.000	CY
501(G) 6309	CLSM BACKFILL	492.200	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	1808.000	LF
504(A) 1304	APPROACH SLAB	631.200	SY
504(C) 6250	SEALED EXPANSION JOINT	73.000	LF
504(E) 6245	CONCRETE RAIL (TR4)	621.600	LF
506(A) 1322	STRUCTURAL STEEL	2250.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	324.000	SY
509(A) 1326	CLASS AA CONCRETE	547.600	CY
509(B) 1328	CLASS A CONCRETE	398.100	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100395

SECTION 0009 - BRIDGE 'A' - BRFY-058C(237)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
510(C) 6137	SLOPE WALL (4")	1360.000	SY
511(A) 1332	REINFORCING STEEL	2440.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	135222.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	308.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1311.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	308.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1311.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	974.000	SY
516(A) 6097	DRILLED SHAFTS 66" DIAMETER	124.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	230.000	LF
523(B) 6560	(SP) SEALER RESIN	2.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	16.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	348.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	94.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0010 - TRAFFIC PERMANENT - BRFY-058C(237)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	90.500	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	304.250	LF
854(C) 8525	(SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	30.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	12507.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	400.000	LF
854(C) 8555	(SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	60.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	530.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	100.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2200.000	LF
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	5.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	25.000	EA

SECTION 0011 - TRAFFIC TEMPORARY - BRFY-058C(237)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	6750.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	2245.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	9220.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1780.000	EA
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	565.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	214.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12295.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	9174.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	15246.000	SD
880(C) 8842	BARRICADES(TYPE III)	4788.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100395****SECTION 0011 - TRAFFIC TEMPORARY - BRFY-058C(237)**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8848	WING BARRICADES	4266.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	23980.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	45541.000	SD
880(F) 8878	DRUMS	45541.000	SD
880(I) 8902	FLAGGER	200.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	116.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	454.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100536

CALL ORDER: 680
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OTTAWA

PROJECT(S) : PCN
 BRO-158D(086)CO 2218804
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.17
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD(NS-463): OVER BEAVER CREEK, 0.50 MILES NORTH OF
 THE I-44 JUNCTION.
 PROJECT LENGTH = 0.163 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	7777.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1538.000	LF
221(F) 0100	TEMPORARY SILT DIKE	120.000	LF
229 4318	DITCH LINER PROTECTION	961.000	LF
230(A) 2806	SOLID SLAB SODDING	4838.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	547.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	150.000	TON
407(B) 0250	TACK COAT	125.000	GAL
408 5774	PRIME COAT	674.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	530.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	305.000	TON
412 5267	COLD MILLING PAVEMENT	245.000	SY
509(D) 0325	CLASS C CONCRETE	61.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	54.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1125.000	SY
619(C) 0924	SAWING PAVEMENT	40.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(G) 6309	CLSM BACKFILL	56.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	239.000	LF
504(A) 1304	APPROACH SLAB	115.000	SY
504(D) 6239	CONCRETE RAIL (TR3)	217.000	LF
506(A) 1322	STRUCTURAL STEEL	100.000	LB
507(A) 6164	FIXED BEARING ASSEMBLY	6.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100536

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	82.000	CY
509(B) 0321	CLASS A CONCRETE	40.000	CY
511(A) 0332	REINFORCING STEEL	20720.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	258.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	126.000	LF
514(K) 6260	(PL)PILOT HOLES	132.000	LF
601(B) 0536	TYPE I-A PLAIN RIPRAP	1053.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	244.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	950.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	54.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	35.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	100.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3940.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100537

CALL ORDER: 700
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: PAYNE

PROJECT(S) : PCN
 SBR-160C(176)SB 2475304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-108: OVER CIMARRON RIVER, 2.6 MILES NORTH OF THE SH-33
 JUNCTION.
 PROJECT LENGTH = 0.312 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	1500.000	LF
230(A) 2806	SOLID SLAB SODDING	750.000	SY
407(B) 0250	TACK COAT	165.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	558.000	TON
412 5267	COLD MILLING PAVEMENT	6430.000	SY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	525.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	277.300	LF
509(A) 1326	CLASS AA CONCRETE	104.400	CY
511(A) 1332	REINFORCING STEEL	17352.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	3639.000	LB
513(A) 6018	CLASS A BRIDGE DECK REPAIR	60.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	25.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	138.800	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	4567.000	SF
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1008.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	90.000	EA
619(B) 6252	REMOVAL OF EXISTING PARAPET	57.000	LF

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	240.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5526.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	72.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	400.000	EA
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	240.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100537

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	240.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1560.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	120.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1560.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	9400.000	SD
880(F) 8878	DRUMS	9400.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100538

CALL ORDER: 720
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: PITTSBURG

PROJECT(S) : PCN
 CIRB-161C(215)RB 2547104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$23.84
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-404): OVER COAL CREEK, 2.5 MILES NORTH OF
 THE US-270 JUNCTION.
 PROJECT LENGTH = 0.297 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1005.000	CY
202(C) 0184	UNCLASSIFIED BORROW	18778.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3000.000	LF
227 0100	TEMPORARY SILT DIKE	312.000	LF
230(A) 2806	SOLID SLAB SODDING	7189.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
303 0192	AGGREGATE BASE	1244.000	CY
325 5271	SEPARATOR FABRIC	3700.000	SY
407 0250	TACK COAT	184.000	GAL
408 5774	PRIME COAT	2062.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	879.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	669.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	164.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4210.000	SY
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	675.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	17.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	34.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	12.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6300.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100538

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	107.900	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	944.670	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.170	LF
504(A) 1304	APPROACH SLAB	209.400	SY
504(C) 6250	SEALED EXPANSION JOINT	80.830	LF
504(E) 1380	CONCRETE RAIL (TR1)	755.200	LF
506(A) 1322	STRUCTURAL STEEL	8120.000	LB
509(A) 1326	CLASS AA CONCRETE	315.600	CY
509(B) 1328	CLASS A CONCRETE	216.800	CY
511(A) 1332	REINFORCING STEEL	112000.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	156.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	381.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	156.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	381.000	LF
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	356.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1830.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	500.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	80.000	LF
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
627(C) 4312	PRECAST CONCRETE MEDIAN BARRIER, TYPE II	30.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 100548

CALL ORDER: 730
LETTING DATE: September 16, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: POTTAWATOMIE

PROJECT(S) : PCN
CIRB-163C(334)RB 2676604
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$5.42
90 CALENDAR DAYS
RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
COUNTY ROAD (EW-109): FROM THE SH-18 JUNCTION, EXTEND EAST.
PROJECT LENGTH = 3.970 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4291.000	TON
407(B) 0250	TACK COAT	2888.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	52081.000	SY
409(B) 4268	BITUMINOUS BINDER	14063.670	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	12566.000	TON
850(A) 8110	SHEET ALUMINUM SIGNS	159.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	331.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	75560.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100498

CALL ORDER: 735
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ROGERS

PROJECT(S) : PCN
 STP-166C(210)CO 2542704

DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$30.35
 120 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-405): OVER ELM CREEK, 2.4 MILES SOUTH OF
 LATIMER COUNTY LINE.
 PROJECT LENGTH = 0.227 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	5288.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2083.000	LF
227 0100	TEMPORARY SILT DIKE	216.000	LF
230(A) 2806	SOLID SLAB SODDING	6950.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.440	AC
303 0192	AGGREGATE BASE	1030.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	193.000	TON
407 0250	TACK COAT	281.000	GAL
408 5774	PRIME COAT	1687.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	872.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1261.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
609(B) 0381	COMBINED CURB & GUTTER(5" MOUNTABLE)	215.000	LF
609(B) 0383	COMBINED CURB & GUTTER(6" BARRIER)	51.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	117.000	SY
613(B) 0493	30" R.C.PIPE CLASS III	52.000	LF
613(B) 0494	36" R.C.PIPE CLASS III	106.000	LF
613(B) 0496	48" R.C.PIPE CLASS III	90.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	8.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	207.000	LF
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5738	48" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(S) 1180	TRENCH EXCAVATION	288.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	249.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2333.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100498

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4791	REMOVAL OF CURB	262.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	83.000	SY
619(C) 0924	SAWING PAVEMENT	62.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	44.000	CY
501(F) 6352	GRANULAR BACKFILL	35.000	CY
503(A) 6123	PRESTRESSED CONCRETE BEAMS	1677.000	LF
504(A) 1304	APPROACH SLAB	200.000	SY
504(E) 6239	CONCRETE RAIL (TR3)	304.000	LF
509(B) 1328	CLASS A CONCRETE	80.000	CY
511(A) 1332	REINFORCING STEEL	12592.000	LB
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	208.000	LF
604(A) 5860	(SP)INTERLOCKING CONCRETE STONE	1747.000	SY
604(B) 5861	(SP)FILTER FABRIC (INTERL.CONC.STONE)	1747.000	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	116.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	64.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	43.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	3.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	1.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6365.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	564.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	24.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100350

CALL ORDER: 738
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ROGERS

PROJECT(S) : PCN
 HSIPY-166B(248)TR 2733204
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 180 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 INTERSECTION MODIFICATION AND TRAFFIC SIGNALS
 SH-20: AT THE WILL ROGERS TURNPIKE GATE, EAST OF CLAREMORE.

SECTION 0001 - TRAFFIC SIGNALS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	340.000	LF
230(A) 2806	SOLID SLAB SODDING	622.000	SY
303 0192	AGGREGATE BASE	62.000	CY
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	964.000	TON
414(B1) 5757	8" H.E.S. DOWEL JOINTED CONCRETE PAV	512.000	SY
417 4267	COLD MILLING BITUMINOUS PAVEMENT	8167.000	SY
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	218.100	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	220.000	LF
619(B) 6130	REMOVAL OF 4" CONCRETE DIVIDING STRIP	436.000	SY
619(C) 0924	SAWING PAVEMENT	220.000	LF
802(A) 8320	3" GALV.STEEL ELECT.COND. TRENCHED	60.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	40.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	80.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	90.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	80.000	LF
803 8065	PULL BOX(SIZE I)	3.000	EA
803 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	8.100	CY
804(B) 2916	REINFORCING STEEL	1227.900	LB
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	2.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	3.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	740.000	LF
825 8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	6.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	1.000	EA
833 3030	BACKPLATE	7.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100350

SECTION 0001 - TRAFFIC SIGNALS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
834(A) 8207	5/C TRAF.SIG.EL.CABLE	600.000	LF
834(A) 8208	7/C TRAF.SIG.EL.CABLE	90.000	LF
834(A) 8210	12/C TRAF.SIG.EL.CABLE	240.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	12.500	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	38.750	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	11068.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	525.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	80.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	9.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	4200.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0003 - MOBILIZATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100540

CALL ORDER: 760
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 IMY-0044-2(396)225 0637444
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$714.19
 720 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 I-44: FROM RIVERSIDE DRIVE TO EAST OF PEORIA AVENUE IN THE
 CITY OF TULSA.
 PROJECT LENGTH = 1.216 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	132993.000	CY
202(C) 0184	UNCLASSIFIED BORROW	73890.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	5685.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	50.000	EA
230(A) 2806	SOLID SLAB SODDING	159003.000	SY
230(F) 2812	WATERING	6360.000	MGAL
232(A) 2813	SEEDING METHOD A	32.840	AC
233(A) 2817	VEGETATIVE MULCHING	68.000	AC
234(A) 2824	FERTILIZING (10-20-10)	20.850	TON
234(A) 4406	FERTILIZING (0-46-0)	2.470	TON
241 2832	MOWING	68.000	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	4.000	EA
243 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	137.000	EA
303 0192	AGGREGATE BASE	65323.000	CY
319 5190	OPEN GRADED BITUMINOUS BASE	32406.000	TON
325 5271	SEPARATOR FABRIC	561314.000	SY
327(J) 4290	(SP)MODIFIED SUBGRADE	191576.000	SY
328 2600	(SP)GEOSYNTHETIC SUBGRADE REINFORCEMENT	1000.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
411(S2) 5930	(SP)ASPH.CONC.,TYPE S2(PG 64-22 OK)	1722.000	TON
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	1442.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	2477.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	2343.000	TON
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	31341.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	85274.000	SY
414(D) 4425	(SP)CONT.REINF.P.C.C. PAVT.(PLACEMENT)	49230.000	SY
414(F) 5262	TERMINAL JOINT	14.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100540

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
414(G) 5263	TERMINAL JOINT SLEEPER SLAB	733.320	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	48194.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	477.000	CY
504(F) 6190	42" F-SHAPED PARAPET	515.000	LF
509(B) 0321	CLASS A CONCRETE	1486.730	CY
509(B) 4153	CLASS A CONCRETE (MED.BAR.DES.1-A)	288.940	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	16.420	CY
509(D) 0325	CLASS C CONCRETE	128.710	CY
510(A) 6333	RETAINING WALL	2623.200	SY
510(B) 6334	SOUND BARRIER WALL	9941.800	SY
511(A) 0332	REINFORCING STEEL	239269.000	LB
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	5235.000	LF
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	3508.000	LF
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	20140.000	LF
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	14015.000	LF
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	1197.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	4131.000	SY
610(A) 0650	(PL)4" DECORATIVE CONCRETE SIDEWALK	16.000	SY
610(A) 0654	(PL)6" DECORATIVE CONCRETE SIDEWALK	187.000	SY
610(B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	3499.000	SY
610(C) 0608	4" CONCRETE DIVIDING STRIP	241.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	394.000	SY
610(C) 5824	DECORATIVE MEDIAN CONCRETE	877.000	SY
610(I) 4610	(PL)TACTILE WARNING DEVICE-NEW	208.000	SF
611(A) 2657	MANHOLE (4' DIA.)	68.000	EA
611(A) 2658	MANHOLE (5' DIA.)	6.000	EA
611(A) 2659	MANHOLE (6' DIA.)	7.000	EA
611(C) 0484	SPECIAL MANHOLE	6805.000	CF
611(D) 4215	MANHOLE FRAME & COVER	112.000	EA
611(E) 4012	(PL)SPECIAL INLET DRAIN	3.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	49.000	EA
611(E) 5113	INLET CICI DES. 2 (B)	52.000	EA
611(E) 5115	INLET CICI DES. 2 (D)	16.000	EA
611(E) 5117	INLET CICI DES. 2 (2B)	1.000	EA
611(E) 5123	INLET CICI DES. 3 (2B)	3.000	EA
611(E) 5334	INLET GPI TYPE 2 (DES. 8)	7.000	EA
611(E) 5336	INLET GPI TYPE 2 (DES. 10)	2.000	EA
611(E) 5340	INLET GPI TYPE 2 (DES. 14)	1.000	EA
611(E) 5692	INLET MEDIAN BARRIER DES. 2	9.000	EA
611(E) 5693	INLET MEDIAN BARRIER DES. 2-2	13.000	EA
611(E) 5870	INLET W/LRG.JCT.BOX,CICI-JB-1,DES.2	1.000	EA
611(E) 5972	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B)	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100540

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(E) 6000	INLET (SMD-TYPE 1)	12.000	EA
611(E) 6002	INLET (SMD-TYPE 2)	3.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	318.000	EA
611(K) 4488	CAST IRON CURB INLETS	464.000	EA
611(L) 4479	DROP INLET GRATE (24" SPDI)	1.000	EA
612(A) 0641	MANHOLES ADJUST TO GRADE	8.000	EA
612(E) 0645	INLETS ADJUST TO GRADE	1.000	EA
613(B) 0491	18" R.C.PIPES CLASS III	8731.000	LF
613(B) 0492	24" R.C.PIPES CLASS III	2778.000	LF
613(B) 0493	30" R.C.PIPES CLASS III	149.000	LF
613(B) 0494	36" R.C.PIPES CLASS III	1351.000	LF
613(B) 0496	48" R.C.PIPES CLASS III	226.000	LF
613(B) 4505	24" X 38" R.C.PIPES ELL. CLASS HE-III	198.000	LF
613(D) 0689	18" CORR. GALV. STEEL PIPE	6.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	4.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	33795.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	99350.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	40.000	EA
619(B) 4742	REMOVAL OF MANHOLES	27.000	EA
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	1297.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	321.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	1569.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	7196.000	LF
619(B) 6132	REMOVAL OF 6" CONCRETE DIVIDING STRIP	990.000	SY
627(A) 4310	PRECAST CONCRETE MEDIAN BARRIER, TYPE I	3721.000	LF
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	5473.000	LF
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	36547.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	285.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	13.000	EA
871 8325	(PL)IMPACT ATTENUATOR	6.000	EA
890(A) 8708	(PL)REMOVAL OF HIGH MAST TOWER	2.000	EA

SECTION 0002 - SANITARY SEWER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
602(C) 4205	FILTER FABRIC	19059.000	SY
611(A) 2657	MANHOLE (4' DIA.)	7.000	EA
611(A) 2658	MANHOLE (5' DIA.)	21.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	14.000	VF
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	213.000	VF
611(D) 4215	MANHOLE FRAME & COVER	28.000	EA
615(C) 6120	8" POLYVINYL CHLORIDE (PVC) PIPE	284.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100540

SECTION 0002 - SANITARY SEWER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
615(D) 0300	SANITARY SEWER SERVICE CONNECTION	4.000	EA
616(A) 5125	18" DUCTILE IRON PIPE	5113.000	LF
616(I) 5273	(PL)36" STEEL CASING	295.000	LF
616(U) 6230	BORE AND JACK 36" CASING	220.000	LF

SECTION 0003 - WATERLINE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
616(A) 5121	6" DUCTILE IRON PIPE	2050.000	LF
616(A) 5122	8" DUCTILE IRON PIPE	89.000	LF
616(A) 5124	12" DUCTILE IRON PIPE	1672.000	LF
616(A) 5894	16" DUCTILE IRON PIPE	1394.000	LF
616(B) 5218	2" POLYVINYL CHLORIDE (PVC) PIPE	68.000	LF
616(B) 5223	6" POLYVINYL CHLORIDE (PVC) PIPE	3564.000	LF
616(B) 5225	8" POLYVINYL CHLORIDE (PVC) PIPE	153.000	LF
616(D) 1070	6" GATE VALVE	25.000	EA
616(D) 1080	8" GATE VALVE	4.000	EA
616(D) 1100	12" GATE VALVE	5.000	EA
616(D) 1125	16" GATE VALVE	2.000	EA
616(G) 1192	FIRE HYDRANTS	8.000	EA
616(I) 5264	(PL)18" STEEL CASING	181.000	LF
616(I) 5272	(PL)30" STEEL CASING	64.000	LF
616(N) 0090	SERVICE CONNECTION (SHORT)	11.000	EA
616(N) 0094	SHORT WATER SERVICE & RESET METER	13.000	EA
616(U) 6205	BORE AND JACK 18" CASING	181.000	LF
616(U) 6220	BORE AND JACK 30" CASING	64.000	LF

SECTION 0004 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(G) 6309	CLSM BACKFILL	227.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	2692.800	LF
504(A) 1304	APPROACH SLAB	248.000	SY
504(C) 6250	SEALED EXPANSION JOINT	84.300	LF
504(F) 6190	42" F-SHAPED PARAPET	981.600	LF
506(A) 1322	STRUCTURAL STEEL	2710.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	307.000	SY
509(A) 1326	CLASS AA CONCRETE	640.200	CY
509(B) 1328	CLASS A CONCRETE	447.200	CY
510(C) 6138	SLOPE WALL (5")	387.000	SY
511(A) 1332	REINFORCING STEEL	3420.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	224550.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	50.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	618.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100540

SECTION 0004 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(B) 6292	PILES, DRIVEN (HP 10X42)	50.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	618.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2474.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	88.000	LF
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	202.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	783.000	LF
523(B) 6560	(SP) SEALER RESIN	17.500	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	32.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	22.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	75.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	25.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0005 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 1303	SELECT BORROW	95.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	315.000	CY
501(G) 6309	CLSM BACKFILL	278.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	2892.100	LF
504(A) 1304	APPROACH SLAB	248.000	SY
504(C) 6250	SEALED EXPANSION JOINT	70.000	LF
504(F) 6190	42" F-SHAPED PARAPET	1082.100	LF
504(H) 6390	RAPID CURE JOINT SEALANT	70.500	LF
504(I) 6389	ELASTOMERIC MORTAR	18.700	CF
506(A) 1322	STRUCTURAL STEEL	3000.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	546.000	SY
509(A) 1326	CLASS AA CONCRETE	867.100	CY
509(B) 1328	CLASS A CONCRETE	501.200	CY
510(C) 6138	SLOPE WALL (5")	386.000	SY
511(A) 1332	REINFORCING STEEL	4130.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	276850.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	50.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	618.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	50.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	618.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2971.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	80.000	LF
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	238.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	915.000	LF
523(B) 6560	(SP) SEALER RESIN	19.500	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	36.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	22.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100540

SECTION 0005 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	75.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0006 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 1303	SELECT BORROW	80.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	400.000	CY
501(G) 6309	CLSM BACKFILL	583.000	CY
504(A) 1304	APPROACH SLAB	765.000	SY
504(F) 6190	42" F-SHAPED PARAPET	674.000	LF
506(A) 1322	STRUCTURAL STEEL	716890.000	LB
509 6152	(PL)SPECIAL CONCRETE FINISH	2871.000	SY
509(A) 1326	CLASS AA CONCRETE	1220.700	CY
509(B) 1328	CLASS A CONCRETE	847.600	CY
510(C) 6138	SLOPE WALL (5")	1314.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	394100.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1530.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1530.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2121.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	452.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	1096.000	LF
523(B) 6560	(SP) SEALER RESIN	23.000	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	26.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	39.000	EA
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	272.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	36.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	337.000	LF

SECTION 0007 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	6809.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	25595.000	LF
850(D) 8120	(PL)SPECIAL SIGNS	166.000	SF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	14108.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	52430.000	LF
856(G) 8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	2665.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	39205.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	12600.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
878(C) 8487	MODULAR GLARE SCREEN	81420.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	1710.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100540

SECTION 0007 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	35070.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	26760.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	30960.000	SD
880(C) 8842	BARRICADES(TYPE III)	23640.000	SD
880(C) 8848	WING BARRICADES	6720.000	SD
880(D) 8854	VERTICAL PANELS	2760.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	44340.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	232590.000	SD
880(F) 8878	DRUMS	229830.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	1680.000	SD

SECTION 0008 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 0321	CLASS A CONCRETE	216.000	CY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	140.000	LF
804(A) 2915	STRUCTURAL CONCRETE	17.810	CY
804(B) 2916	REINFORCING STEEL	8548.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	1145.000	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	364.000	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	1875.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	226.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	32.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STL.PIPE POST	114.000	LF
851(C) 8321	1 3/4" SQUARE TUBE POST	73.000	LF
851(C) 8324	2" SQUARE TUBE POST	315.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	1128.000	LF
852(B) 0110	OVHD.SN.STR., MONOTUBE TYPE A 80'	1.000	EA
852(B) 0115	OVHD.SN.STR., MONOTUBE TYPE A 85'	1.000	EA
852(B) 0130	OVHD.SN.STR., MONOTUBE TYPE A 100'	1.000	EA
852(B) 0500	OVHD.SN.STR., MONOTUBE TYPE C	1.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	18245.000	LF
854(B) 8803	TRAFFIC STRIPE(PAINT)(ARROW)	10.000	EA
854(C) 8525	(SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	69.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	41481.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	18118.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	10918.000	LF
854(C) 8555	(SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE)	512.000	LF
890(A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
890(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
890A/B 8758	(PL)REMOVE & RESET OVERHEAD SIGN STR.	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100540

SECTION 0009 - TRAFFIC SIGNAL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
890 7706	(PL)TRAFFIC ITEMS(SIGNALS)	1.000	LSUM

SECTION 0010 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	515.000	LF
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	1560.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	2155.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	24485.000	LF
802(D) 8370	JUNCTION BOX(6" X 6" X 4")	4.000	EA
803 8065	PULL BOX(SIZE I)	76.000	EA
804(A) 2915	STRUCTURAL CONCRETE	68.440	CY
804(B) 2916	REINFORCING STEEL	3941.200	LB
806(D) 8989	40' MTG.HT.HL.PTP.(G.STL.)	152.000	EA
807 8092	BREAKAWAY BASE (DES. B)	114.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	186.000	EA
809(B) 8098	UNDERPASS LUMINAIRE	32.000	EA
810(A) 3118	SERVICE POLE	3.000	EA
811 8038	1/C NO.4 ELECT.COND.	59220.000	LF
811 8044	1/C NO.10 ELECT.COND.	1520.000	LF
811 8046	1/C NO.12 ELECT.COND.	23250.000	LF

SECTION 0011 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0012 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100542

CALL ORDER: 800
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 SSP-172C(503)SS 2316504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$39.02
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENTS
 US-75/SH-11/SH-51: AT VARIOUS LOCATIONS IN THE
 CITY OF TULSA.

SECTION 0001 - TRAFFIC SIGNING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	85.500	LF
805(A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	28.000	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	270.800	SF
852(E) 0500	OVHD.SN.STR., MONOTUBE TYPE C	3.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	22.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 6252	REMOVAL OF EXISTING PARAPET	15.000	LF
870(C) 8011	SAND FILLED IMPACT ATTEN.MODULE REMOVAL	1.000	LSUM
871(A) 8325	(SP)IMPACT ATTENUATOR	9.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100544

CALL ORDER: 840
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CRAIG
 CREEK
 TULSA
 NOWATA

PROJECT(S) : PCN
 BPMY-NBIP(432)3B 2778104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE PAINTING
 US-64/US-69/US-75/SH-28/SH-48: AT VARIOUS LOCATIONS IN
 DIVISION VIII.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0007 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100544****SECTION 0008 - BRIDGE 'H'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0009 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(PL)PORTABLE TRAFFIC SIGNAL SYSTEM	135.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	80.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0010 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100545

CALL ORDER: 860
 LETTING DATE: September 16, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CRAIG
 CREEK
 TULSA
 NOWATA

PROJECT(S) : PCN
 BPMY-172F(500)3B 2778105
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$22.76
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 JOINT SEAL/REPAIR
 US-69/US-75/SH-28/SH-48: AT VARIOUS LOCATIONS IN DIVISION
 VIII.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	110.000	TON
417 5267	COLD MILLING PAVEMENT	869.000	SY
501(G) 6309	CLSM BACKFILL	10.000	CY
504(H) 6390	RAPID CURE JOINT SEALANT	91.000	LF
504(I) 6389	ELASTOMERIC MORTAR	26.700	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	20.000	SY
506(A) 1322	STRUCTURAL STEEL	2500.000	LB
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	60.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	0.600	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	228.000	LF

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	43.000	LF
504(I) 6389	ELASTOMERIC MORTAR	13.100	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	5.000	SY
506(A) 1322	STRUCTURAL STEEL	2000.000	LB
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	107.000	LF

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	58.000	LF
504(I) 6389	ELASTOMERIC MORTAR	31.200	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	40.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	10.000	SY
506(A) 1322	STRUCTURAL STEEL	500.000	LB
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100545

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	505.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	145.000	LF

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	75.000	LF
504(I) 6389	ELASTOMERIC MORTAR	26.600	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	5.000	SY
506(A) 1322	STRUCTURAL STEEL	2000.000	LB
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	188.000	LF

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(H) 6390	RAPID CURE JOINT SEALANT	57.000	LF
504(I) 6389	ELASTOMERIC MORTAR	21.100	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	30.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	200.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
523(C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	374.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	143.000	LF

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	7.000	CY
504(H) 6390	RAPID CURE JOINT SEALANT	96.000	LF
504(I) 6389	ELASTOMERIC MORTAR	47.800	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	30.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	20.000	SY
506(A) 1322	STRUCTURAL STEEL	500.000	LB
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	0.200	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	287.000	LF

SECTION 0007 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	4950.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	550.000	LF
823 8478	(PL)PORTABLE TRAFFIC SIGNAL SYSTEM	180.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15478.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	13782.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	2758.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	7500.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100545

SECTION 0007 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
870(A) 8490	(PL)SAND FILLED IMPACT ATTEN.SYSTEM	120.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	160.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100546

CALL ORDER: 880
LETTING DATE: September 16, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: TULSA

<u>PROJECT(S) :</u>	<u>PCN</u>
MC-172N(506)	2797404
MC-172N(507)	2797504

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
90 CALENDAR DAYS
RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
SOUND BARRIER WALL
US-169: PANEL REPLACEMENTS 0.30 MILES NORTH OF 41ST STREET
IN THE CITY OF TULSA.

SECTION 0001 - ROADWAY - MC-172N(506)

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
510(B) 6334	SOUND BARRIER WALL	44.000	SY
610(A) 0602	4" CONCRETE SIDEWALK	50.000	SY
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0002 - ROADWAY - MC-172N(507)

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
510(B) 6334	SOUND BARRIER WALL	133.000	SY
610(A) 0602	4" CONCRETE SIDEWALK	50.000	SY
641 1552	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – September 16, 2010 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ UPS ☐ Mail ☐ Fed Ex #:
Contractor's Name:	
Telephone No:	
Physical Address:	
Please Return Completed Form to:	
Fax # 405-522-0972 or	
Email mhenry@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ADAIR	020	CIRB-101C(066)RB	22521(04)		\$50.00	12.00 + 1.01	2
2	BECKHAM	050	SBR-105C(181)SB	26854(04)		\$50.00	12.00 + 1.01	0
3	BECKHAM / CUSTER	060	BPMY-NBIP(429)3B	27778(04)		\$50.00	15.00 + 1.26	0
4	BLAINE	070	NHY-010N(027)	20237(04)		\$50.00	132.00 + 11.06	26
5	CADD0 / GRADY	080	BPMY-NBIP(431)3B	27780(04)		\$50.00	11.00 + 0.92	0
6	CADD0 / GRADY	100	BPMY-108F(287)3B	27780(05)		\$50.00	14.00 + 1.17	0
7	CANADIAN / GARFIELD / KAY / OKLAHOMA / PAYNE	120	BRFY-NBIP(386)	20977(04)		\$50.00	8.00 + 0.67	0
8	CANADIAN	140	SEC1702Y-109A(130)HP IMY-0040-4(433)139	21008(04) 24424(09)		\$50.00	388.00 + 32.50	119
9	CARTER / GARVIN / MURRAY	180	IMG-0035-1(152)031	27843(04)		\$50.00	30.00 + 2.51	0
10	CHOCTAW	190	NHY-022N(071)	18850(04)		\$50.00	64.00 + 5.36	34
11	CIMARRON	200	SBR-113C(057)SB	24635(04)		\$50.00	12.00 + 1.01	0
12	COMANCHE	220	NHY-020N(030) NHY-020N(032)	27048(04) 27049(04)		\$50.00	223.00 + 18.68	2
13	COMANCHE	260	STP-116C(194)SS	27478(04)		\$50.00	65.00 + 5.44	30
14	ELLIS	280	SBR-123B(059)SB	24850(04)		\$50.00	10.00 + 0.84	0
15	GRADY	300	SSP-126N(177)SS	27035(04)		\$50.00	24.00 + 2.01	0
16	JACKSON	330	SBR-133C(091)SB SBR-133C(092)SB	24783(04) 24816(04)		\$50.00	20.00 + 1.68	0
17	KAY	340	BRFY-036C(267)	12302(04)		\$50.00	50.00 + 4.19	16
18	KAY	350	ACIMY-0035-4(224)235MS	25909(13)		\$50.00	136.00 + 11.39	61
19	KAY	360	SBR-136C(203)SB	27120(04)		\$50.00	21.00 + 1.76	0
20	KAY	380	SBR-136C(201)SB SBR-018N(056)SB	27533(04) 27534(04)		\$50.00	31.00 + 2.60	0
21	KIOWA	420	NHY-009N(055)	16063(28)		\$50.00	80.00 + 6.70	27
22	LATIMER	440	CIRB-139D(073)RB	23591(04)		\$50.00	13.00 + 1.09	2
23	ATOKA / CHOCTAW / LATIMER / MARSHALL	460	BPMY-NBIP(426)3B	27773(04)		\$50.00	12.00 + 1.01	0

BID OPENING OF – September 16, 2010 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ UPS ☐ Mail ☐ Fed Ex #:
Contractor's Name:	
Telephone No:	
Physical Address:	
Please Return Completed Form to:	
Fax # 405-522-0972 or	
Email mhenry@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
24	ATOKA / LATIMER / MARSHALL	480	BPMY-139F(111)3B	27773(05)		\$50.00	16.00 + 1.34	0
25	MCCLAIN / OKFUSKEE	500	BPMY-NBIP(427)3B	27776(04)		\$50.00	22.00 + 1.84	0
26	MCCLAIN / OKFUSKEE	520	BPMY-144F(154)3B	27776(05)		\$50.00	27.00 + 2.26	0
27	MARSHALL	540	BRF-148C(043)CO	21303(04)		\$50.00	6.00 + 0.50	2
28	MARSHALL	550	MC-148C(069)	28098(04)		\$50.00	No Charge	0
29	MUSKOGEE	560	BPMY-NBIP(433)3B	27770(04)		\$50.00	6.00 + 0.50	0
30	MUSKOGEE	580	SBR-151C(228)SB	27960(04)		\$50.00	17.00 + 1.42	0
31	OKLAHOMA	600	SBR-155A(785)SB	27527(04)		\$50.00	14.00 + 1.17	0
32	OKLAHOMA	620	SBR-155A(784)SB	27528(04)		\$50.00	17.00 + 1.42	0
33	OTTAWA	640	BRFY-058C(235) BRFY-058C(237)	08932(04) 10430(04)		\$50.00	228.00 + 19.10	64
34	OTTAWA	680	BRO-158D(086)CO	22188(04)		\$50.00	14.00 + 1.17	8
35	PAYNE	700	SBR-160C(176)SB	24753(04)		\$50.00	16.00 + 1.34	0
36	PITTSBURG	720	CIRB-161C(215)RB	25471(04)		\$50.00	22.00 + 1.84	16
37	POTTAWATOMIE	730	CIRB-163C(334)RB	26766(04)		\$50.00	5.00 + 0.42	0
38	ROGERS	735	STP-166C(210)CO	25427(04)		\$50.00	28.00 + 2.35	5
39	ROGERS	738	HSIPY-166B(248)TR	27332(04)		\$50.00	16.00 + 1.34	2
40	TULSA	760	IMY-0044-2(396)225	06374(44)		\$50.00	659.00 + 55.19	227
41	TULSA	800	SSP-172C(503)SS	23165(04)		\$50.00	36.00 + 3.02	0
42	CRAIG / CREEK / NOWATA / TULSA	840	BPMY-NBIP(432)3B	27781(04)		\$50.00	16.00 + 1.34	0
43	CRAIG / CREEK / NOWATA / TULSA	860	BPMY-172F(500)3B	27781(05)		\$50.00	21.00 + 1.76	0
44	TULSA	880	MC-172N(506) MC-172N(507)	27974(04) 27975(04)		\$50.00	No Charge	0