

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO **DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.9a)** AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW ACCEPTS BIDS ON LINE . TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR

<http://www.BIDX.com>



Reach more subcontractors
and suppliers and get help
meeting your DBE goals.



Start using the Small Business Network

from the Bid Express® service



The Small Business Network is a part of the Bid Express service that was created to ensure that prime bidders have a centralized on-line location to find subs - including small and disadvantaged business enterprises (DBEs). It is available for you to use as part of your Basic Service subscription. This resource center is here to help make bidding easier by expanding your reach.

Within the Small Business Network, you can:

- Create a sub-quote to post or send to subcontractors or suppliers that lists the items in a proposal that you want quoted
- Post an unlimited number of sub-quotes for items you want quoted, and optionally mark them as a DBE-preferred request
- Add attachments to sub-quotes
- View or receive unsolicited sub-quotes that subcontractors have posted or sent, complete with terms, conditions and pricing
- Easily locate pre-qualified and certified small and disadvantaged businesses
- Advertise to small and disadvantaged businesses more efficiently and cost effectively
- Document your efforts by producing a "Good Faith" form showing outreach to subs/DBEs (accepted at the discretion of your agency)



If you are not yet subscribing to the Bid Express service, go to www.bidx.com and select "Order Bid Express." The Small Business Network is a part of the Bid Express Basic Service. Begin using this service today to enhance your bidding opportunities and help meet your DBE goals.

www.bidx.com • customer.support@bidx.com
Phone: (352) 381-4888



Notice

Electronic bid packages are available for the October 21, 2010 10:30 A.M. Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on September 30, 2010.

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on October 08, 2010. concerning this October 21 Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Print Services Branch off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes prior to the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby.

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Important:

Effective with January 2011 Bid Opening, all bids for projects requiring pre-qualification will be submitted via Bid Express. Exceptions to this new policy will be discussed with the Office Engineer on a case-by-case basis, and noted on the Short and Long Form Notices

Effective with the June 2009 Letting, any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972

or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words "Pre-bid question(s) and the Call Order and the Let

*Plans for the project on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2009/plans.htm>*

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo/def2005.htm>

Reminder

Please be sure that bid bonds are stapled to the back of the proposal as instructed on the cover sheet of all proposals.

Do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mhenry@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Sealed Proposals sent by Registered Mail will be recieved through the ODOT Print Services Branch until 30 MINUTES PRIOR to the scheduled BID OPENING. From 30 MINUTES PRIOR to the BID OPENING until the Time of the BID OPENING, Bid Proposals must be turned in DIRECTLY to the ODOT COMMISSION Room located on the East side of the Lobby. The Scheduled BID OPENING is 10:30 A.M. October 21, 2010 , for the work listed below.

Each separate Proposal shall be accompanied by a CERTIFIED or CASHIER`S CHECK or BID BOND equal to 5% of the BID mad payable to the STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, as a Proposal Guaranty. Proposal Checks will be held or returned by the DEPARTMENT as per Section 103.04of the State Standard Specifications.

The MINIMUM wage to be paid laborers and mechanics employed on this project shall be included in the Proposal.

Proposals must be prepared as directed by the State Standard Specifications.

Plans, Forms of Proposals, Contracts and Specifications may be examined at the DIVISION Headquarters in the DIVISION the work is to be performed or at the OKLAHOMA DEPARTMENT OF TRANSPORTATION Office Engineer`s Division in Oklahoma City, Oklahoma. This work will be dome under the Oklahoma DEPARTMENT OF TRANSPORTATION Commission`s applicable Specifications for Highway Construction as depicted on the lower left corner of the Plan`s Title Sheet.

Plans and Proposal forms may be ordered from the Office Engineer Division, OKLAHOMA DEPARTMENT OF TRANSPORTATION Building, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105.

Cost of Bidding Documents are \$50.00 + tax for each Bidding Proposal. State Standard Specifications \$55.00 + tax. (Oklahoma tax is 8.375%). Make Checks Payable to OKLAHOMA DEPARTMENT OF TRANSPORTATION.

No Refunds will be made for Bidding Documents or Specification Books purchased.

Upon AWARD of Contract to a successful bidder, The Contract will be completely and correctly executed by the Contractor and returned to the DEPARTMENT within ten (10) WORKING days from the date of AWARD. The DEPARTMENT will have fourteen (14) WORKING days from the date of AWARD to complete its execution of the Contract.

The OKLAHOMA DEPARTMENT OF TRANSPORTATION hereby notifies ALL Bidders that it will AFFIRMATIVELY ensure that in any Contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit Bids in response to this invitation and will not be discriminated against on the grounds of Race, Color, Sex, Religion, National Origin, OR Disability in consideration for an AWARD.

Bidders are hereby notified that ALL Bids are likely to be REJECTED if the lowest RESPONSIVE BID received exceeds the Engineer`s Estimate by more than seven (7) percent. In the event ALL Bids are REJECTED for this reason, this Project may be deferred for readvertising for Bids until a more competitive situation exists.

Description of work and location of Project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100505

CALL ORDER: 020
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: ALFALFA
 MAJOR

PROJECT(S) : PCN
 BPMY-NBIP(430)3B 2777904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 BRIDGE PAINTING
 US-60/US-64: AT VARIOUS LOCATIONS IN DIVISION VI.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100506

CALL ORDER: 040
LETTING DATE: October 21, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: ALFALFA
MAJOR

PROJECT(S) : PCN
BPMY-102F(167)3B 2777905
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$10.84
45 CALENDAR DAYS
RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
JOINT SEAL/REPAIR
US-60/US-64: AT VARIOUS LOCATIONS IN DIVISION VI.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	177.000	LF
504(H) 6389	ELASTOMERIC MORTAR	29.000	CF

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	93.000	LF

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	104.000	LF
509 6386	SILICONE CONSTRUCTION JOINT	245.000	LF

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100551

CALL ORDER: 060
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: BECKHAM

PROJECT(S) : PCN
 SAP-105N(193) 2590905
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$167.98
 300 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE AND SITE PLANS
 I-40: TRUCK WEIGH STATION, 1.75 MILES EAST OF THE TEXAS
 STATE LINE.
 PROJECT LENGTH = 1.355 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	10728.000	CY
202(D) 0184	UNCLASSIFIED BORROW	136202.000	CY
202(E) 0186	SELECT BORROW	1500.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	13800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	750.000	LF
230(A) 2806	SOLID SLAB SODDING	81067.000	SY
233(A) 2817	VEGETATIVE MULCHING	17.000	AC
307(D) 4230	LIME	256.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	58277.000	SY
307(G) 4260	LIME PRETREATMENT	23313.000	SY
317 4270	CEMENT TREATED BASE	50281.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
408 5774	PRIME COAT	8744.000	GAL
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	758.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	45973.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	14931.000	CY
426(C) 5097	FLY ASH	3166.000	TON
509(A) 0319	CLASS AA CONCRETE	120.000	CY
509(D) 0325	CLASS C CONCRETE	55.000	CY
511(A) 0332	REINFORCING STEEL	21266.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	57.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	28.000	TON
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	6687.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	392.000	SY
611(A) 2657	MANHOLE (4' DIA.)	1.000	EA
613(A) 0492	24" R.C.PIPES CLASS III	94.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100551

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
615 5934	(PL)PACKAGED SEWAGE TREATMENT PLANT	1.000	LSUM
616 5000	(PL)WATER SYSTEM IMPROVEMENTS	1.000	LSUM
616(B) 5220	3" POLYVINYL CHLORIDE (PVC) PIPE	350.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	7292.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3835.000	SY
624(A) 4281	FENCE-STYLE WWF	7300.000	LF
648(B) 0200	(SP)PORT OF ENTRY FACILITY	1.000	LSUM

SECTION 0002 - TRAFFIC TEMPORARY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	600.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	4288.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - TRAFFIC PERMANENT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	238.020	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	416.750	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	360.000	LF
851(C) 8321	1 3/4" SQUARE TUBE POST	30.000	LF
851(C) 8324	2" SQUARE TUBE POST	300.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	255.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	13608.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	2248.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	3000.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	2292.000	LF
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA

SECTION 0004 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	66.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	530.000	LF
802(B) 8350	4" PVC SCH.40 PLASTIC CONDUIT TRENCHED	17980.000	LF
803(A) 8066	PULL BOX(SIZE II)	35.000	EA
809(E) 8103	HIGH MAST LUMINAIRE	8.000	EA
811 8038	1/C NO.4 ELECT.COND.	530.000	LF
812 8060	120' HIGH MAST POLE(G.STL.)	2.000	EA
813 8074	HIGH MAST LOWERING DEV.TYP.I	2.000	EA

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100551****SECTION 0006 - CONSTRUCTION**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100570

CALL ORDER: 082
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) :	PCN
IMG-0044-1(115)037TR	2705204
IMG-0044-1(114)042TR	2705604
NHIY-003N(001)	2716404

DBE GOALS : 7.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE : \$107.29

210 CALENDAR DAYS

RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION

RESURFACE (ASPHALT) AND SAFETY IMPROVEMENT (CABLE BARRIER)
 I-44: FROM THE US-281B JCT, EXT NE / FROM 2.7 MI S OF THE
 SH-49 JCT, EXT N / FROM 0.30 MI N OF THE SH-36 JCT, EXT N.
 PROJECT LENGTH = 8.782 MILES

SECTION 0001 - TRAFFIC CONTROL - IMG-44-1(115)037 TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3240.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3060.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3240.000	SD
880(C) 8842	BARRICADES(TYPE III)	720.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	960.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	30240.000	SD
880(F) 8878	DRUMS	2640.000	SD
880(G) 8890	CHANNELIZER CONES	27600.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	150.000	HOUR
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0002 - CABLE BARRIER ITEMS - IMG-44-1(115)037 TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1791.000	CY
202(C) 0184	UNCLASSIFIED BORROW	1451.000	CY
223 2801	TEMPORARY SILT FENCE	1150.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	10.000	EA
227 0100	TEMPORARY SILT DIKE	859.000	LF
230(A) 2806	SOLID SLAB SODDING	41520.000	SY
303 0192	AGGREGATE BASE	1574.000	CY
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	45677.000	LF
509(A) 0319	CLASS AA CONCRETE	104.000	CY
509(D) 0325	CLASS C CONCRETE	98.000	CY
612(E) 0645	INLETS ADJUST TO GRADE	10.000	EA
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	2280.000	LF
628 5110	(PL)CABLE END ANCHOR UNIT	8.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100570

SECTION 0002 - CABLE BARRIER ITEMS - IMG-44-1(115)037 TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	11350.000	LF
628 5175	CABLE BARRIER TENSION METER	1.000	EA

SECTION 0003 - CONSTRUCTION - IMG-44-1(115)037 TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

SECTION 0004 - TRAFFIC - IMG-44-1(114)042TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3240.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3060.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3240.000	SD
880(C) 8842	BARRICADES(TYPE III)	720.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	960.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	30240.000	SD
880(F) 8878	DRUMS	2640.000	SD
880(G) 8890	CHANNELIZER CONES	27600.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	150.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0005 - CABLE BARRIER ITEMS -IMG-44-1(114)042 TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2862.000	CY
202(C) 0184	UNCLASSIFIED BORROW	1250.000	CY
223 2801	TEMPORARY SILT FENCE	1150.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	12.000	EA
227 0100	TEMPORARY SILT DIKE	1106.000	LF
230(A) 2806	SOLID SLAB SODDING	187647.000	SY
241 2832	MOWING	58.000	AC
303 0192	AGGREGATE BASE	2363.000	CY
509(A) 0319	CLASS AA CONCRETE	184.000	CY
509(D) 0325	CLASS C CONCRETE	95.000	CY
612(E) 0645	INLETS ADJUST TO GRADE	1.000	EA
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	200.000	LF
628 5110	(PL)CABLE END ANCHOR UNIT	6.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	20151.000	LF
628 5175	CABLE BARRIER TENSION METER	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA

SECTION 0006 - CONSTRUCTION - IMG-44-1(114)042 TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100570

SECTION 0007 - ROADWAY - NHIY-003N(001)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2676.000	CY
202(C) 0184	UNCLASSIFIED BORROW	5312.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	100.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	6.000	EA
229 4318	DITCH LINER PROTECTION	700.000	LF
230(A) 2806	SOLID SLAB SODDING	36307.000	SY
233(A) 2817	VEGETATIVE MULCHING	12.000	AC
241 2832	MOWING	74.000	AC
303 0192	AGGREGATE BASE	206.000	CY
327(D) 4230	(SP)LIME	107.000	TON
327(G) 4260	(SP)LIME PRETREATMENT	7418.000	SY
407 0250	TACK COAT	11470.000	GAL
408 5774	PRIME COAT	2194.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1130.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	18290.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	7977.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	55936.000	LF
417 5267	COLD MILLING PAVEMENT	117098.000	SY
420(A) 4242	FABRIC REINFORCEMENT	116967.000	SY
420(B) 4268	BITUMINOUS BINDER	29242.000	GAL
509(A) 0319	CLASS AA CONCRETE	221.000	CY
509(D) 0325	CLASS C CONCRETE	123.000	CY
511(B) 4269	EPOXY COATED REINFORCING STEEL	8520.000	LB
619(B) 4726	REMOVAL OF CURB AND GUTTER	2957.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3542.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	3990.000	LF
619(B) 6132	REMOVAL OF 6" CONCRETE DIVIDING STRIP	1748.000	SY
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	3575.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	13.000	EA
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	3.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	14.000	EA
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	1455.000	LF
871 8325	(PL)IMPACT ATTENUATOR	1.000	EA

SECTION 0008 - BRIDGE 'A' - NHIY-003N(001)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6179	(PL)BRIDGE TRAFFIC RAIL	39.000	LF

SECTION 0009 - BRIDGE 'B' - NHIY-003N(001)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6179	(PL)BRIDGE TRAFFIC RAIL	39.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100570

SECTION 0010 - BRIDGE 'C' - NHIY-003N(001)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6179	(PL)BRIDGE TRAFFIC RAIL	38.000	LF

SECTION 0011 - BRIDGE 'D' - NHIY-003N(001)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6179	(PL)BRIDGE TRAFFIC RAIL	38.000	LF

SECTION 0012 - SIGNING & STRIPING - NHIY-003N(001)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	812.170	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	1880.050	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	244.950	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	47.500	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	142.760	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	170.000	LF
851(A) 3212	8"@40 GALV.STL.WD.FLANGE BM.POST	67.050	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	68.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STL.PIPE POST	88.000	LF
851(B) 3220	4"@10.79 GALV.STL.PIPE POST	324.000	LF
851(C) 8324	2" SQUARE TUBE POST	375.000	LF
853 9024	DELINEATORS(TYPE 1, CODE 1)	50.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	63296.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	8154.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1726.000	LF
890(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA

SECTION 0013 - TRAFFIC CONTROL - NHIY-003N(001)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	78600.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	5000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1000.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	220.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	11550.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1100.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3520.000	SD
880(C) 8842	BARRICADES(TYPE III)	2750.000	SD
880(C) 8848	WING BARRICADES	440.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6600.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	11000.000	SD
880(F) 8878	DRUMS	11000.000	SD
880(G) 8890	CHANNELIZER CONES	33000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	220.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100570****SECTION 0014 - CABLE BARRIER ITEMS - NHIY-003N(001)**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
612(E) 0645	INLETS ADJUST TO GRADE	7.000	EA
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	1257.000	LF
628 5110	(PL)CABLE END ANCHOR UNIT	10.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	14659.000	LF
628 5175	CABLE BARRIER TENSION METER	1.000	EA

SECTION 0015 - STAKING - NHIY-003N(001)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0016 - CONSTRUCTION - NHIY-003N(001)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100516

CALL ORDER: 090
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 STP-116C(194)SS 2747804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$70.44
 100 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 SH-115: FROM THE US-62 JUNCTION, EXTEND NORTH TO THE WICHITA
 MOUNTAINS WILDLIFE REFUGE PARK.
 PROJECT LENGTH = 2.851 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	11410.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	11768.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	2625.000	LF
229 4318	DITCH LINER PROTECTION	1128.000	LF
230(A) 2806	SOLID SLAB SODDING	94156.000	SY
230(F) 2812	WATERING	3765.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	19.440	AC
234(A) 2824	FERTILIZING (10-20-10)	9.420	TON
234(A) 4406	FERTILIZING (0-46-0)	1.500	TON
241 2832	MOWING	40.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	6426.000	CY
307(A) 4200	FLY ASH	1554.000	TON
307(D) 4230	LIME	380.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	42200.000	SY
307(G) 4260	LIME PRETREATMENT	7038.000	SY
325 5271	SEPARATOR FABRIC	35190.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	11575.000	TON
407(B) 0250	TACK COAT	1143.000	GAL
408 5774	PRIME COAT	9273.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	55894.000	SY
409(B) 4268	BITUMINOUS BINDER	1398.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3563.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9319.000	TON
412 5267	COLD MILLING PAVEMENT	2240.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	12.000	CY
509(A) 0319	CLASS AA CONCRETE	44.330	CY
509(D) 0325	CLASS C CONCRETE	60.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100516

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511(A) 0332	REINFORCING STEEL	5750.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	52.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	26.000	TON
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	38.000	LF
611(G) 5389	INLET CDI RCB DES. 3	1.000	EA
611(H) 5538	ADD'L DEPTH IN INLET CDI RCB DES. 3	1.000	VF
613(A) 0491	18" R.C.PIPES CLASS III	66.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	98.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P) 0760	18" GALV. STEEL CULVERT END SEC. RND.	4.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	23.000	CY
613(V) 1180	TRENCH EXCAVATION	29.000	CY
619(B) 0291	REMOVAL OF HEADWALL	7.000	EA
619(B) 4726	REMOVAL OF CURB AND GUTTER	66.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	19.000	SY
619(B) 5918	REMOVAL OF EXISTING PIPE	74.000	LF
619(C) 0924	SAWING PAVEMENT	100.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	170.000	SF
851(C) 8324	2" SQUARE TUBE POST	261.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	20.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	48089.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	24.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	32000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	6200.000	EA
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5544.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1512.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3150.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1512.000	SD
880(C) 8848	WING BARRICADES	840.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6804.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	1008.000	SD
880(G) 8890	CHANNELIZER CONES	15120.000	SD
880(I) 8902	FLAGGER	210.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100516

SECTION 0004 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100553

CALL ORDER: 120
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: CRAIG

PROJECT(S) : PCN
 CIRB-118D(071)RB 2341904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.17
 150 CALENDAR DAYS
 RES. ENG.: TIMOTHY BRAY, CLAREMORE

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-25): OVER PAW PAW CREEK, 5.0 MILES WEST OF
 THE SH-2 JUNCTION.
 PROJECT LENGTH = 0.388 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6252.000	CY
202(C) 0184	UNCLASSIFIED BORROW	8248.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3005.000	LF
227 0100	TEMPORARY SILT DIKE	176.000	LF
230(A) 2806	SOLID SLAB SODDING	24042.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.410	AC
303 0192	AGGREGATE BASE	1098.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	256.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1482.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	751.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	17.000	CY
509(B) 1328	CLASS A CONCRETE	49.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 1332	REINFORCING STEEL	8857.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	932.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	187.000	TON
601(E) 6312	FILTER FABRIC (RIPRAP)	759.000	SY
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(H) 0780	18" CORR. ALUMINUM PIPE	104.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4333.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8200.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(G) 6309	CLSM BACKFILL	112.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	889.000	LF
504(A) 1304	APPROACH SLAB	184.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100553

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 6239	CONCRETE RAIL (TR3)	520.000	LF
506(A) 1322	STRUCTURAL STEEL	5040.000	LB
509(A) 1326	CLASS AA CONCRETE	251.000	CY
509(B) 1328	CLASS A CONCRETE	111.000	CY
511(A) 1332	REINFORCING STEEL	74084.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	468.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	468.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	122.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	2690.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	676.000	TON
601(E) 6312	FILTER FABRIC (RIPRAP)	79.000	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	70.000	LF
613(Q) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	10.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	50.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100554

CALL ORDER: 140
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARFIELD

PROJECT(S) : PCN
 BRO-124D(094)CI 2373504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-310): OVER RED ROCK CREEK, 1.6 MILES SOUTH
 OF THE SH-15 JUNCTION.
 PROJECT LENGTH = 0.193 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	390.000	LF
227 0100	TEMPORARY SILT DIKE	470.000	LF
230(A) 2806	SOLID SLAB SODDING	6872.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.420	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	560.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	86.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	68.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	352.340	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	356.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	425.170	LF
506(A) 1322	STRUCTURAL STEEL	4830.000	LB
509(A) 1326	CLASS AA CONCRETE	137.800	CY
509(B) 1328	CLASS A CONCRETE	109.840	CY
511(A) 1332	REINFORCING STEEL	45818.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	585.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	585.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	121.170	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1992.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	658.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100554

SECTION 0004 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100032

CALL ORDER: 160
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARVIN

PROJECT(S) : PCN
 BHFY-125B(158) 2476204
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: BRUCE VALLEY, PURCELL

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-29: OVER WEST ROCK CREEK, 8.9 MILES EAST OF THE STEPHENS
 COUNTY LINE.
 PROJECT LENGTH = 0.053 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
417 5267	COLD MILLING PAVEMENT	885.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	160.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	400.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
504(H) 6390	RAPID CURE JOINT SEALANT	152.000	LF
504(I) 6389	ELASTOMERIC MORTAR	25.000	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	40.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	25.000	SY
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	410.000	SY
505(G) 1000	HYDRODEMOLITION	410.000	SY
509(A) 1326	CLASS AA CONCRETE	5.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	950.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
535 6386	(PL)SILICONE CONSTRUCTION JOINT	131.500	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(H) 6390	RAPID CURE JOINT SEALANT	152.000	LF
504(I) 6389	ELASTOMERIC MORTAR	25.000	CF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	40.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100032

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
505(C) 6020	CLASS C BRIDGE DECK REPAIR	30.000	SY
505(D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	475.000	SY
505(G) 1000	HYDRODEMOLITION	475.000	SY
509(A) 1326	CLASS AA CONCRETE	5.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	950.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
535 6165	(PL)EXPANSION BEARING ASSEMBLY	2.000	EA
535 6386	(PL)SILICONE CONSTRUCTION JOINT	151.500	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	480.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	480.000	LF
823 8478	(PL)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	1200.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100572

CALL ORDER: 180
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARVIN

PROJECT(S) : PCN
 SSP-125C(180)SS 2713404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$26.01
 45 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BANK PROTECTION/RIPRAP
 SH-74: OVER WASHITA RIVER, 1.25 MILES NORTH OF THE SH-19
 JUNCTION.

SECTION 0001 - BANK PROTECTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	11320.000	CY
202(D) 0184	UNCLASSIFIED BORROW	7190.000	CY
227 0300	(SP)TURF REINFORCEMENT MAT	3735.000	SY
601(E) 1359	TYPE II-A SP. PLAIN RIPRAP	24580.000	TON
601(F) 1361	TYPE II-A FILTER BLANKET	1120.000	TON
611(G) 5705	INLET CDI RCP DES. 2	2.000	EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	8.000	VF
611(L) 0487	JUNCTION BOXES	175.000	CF
613(A) 0492	24" R.C.PIPES CLASS III	983.000	LF
613(M) 7192	TYPE BB4 CULVERT END TREATMENT	1.000	EA

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100555

CALL ORDER: 200
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GREER

PROJECT(S) : PCN
 BRO-128D(076)CI 2591604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-133): OVER UNNAMED CREEK, 2.0 MILES NORTH
 AND 8.6 MILES WEST OF THE TOWN OF WILLOW.
 PROJECT LENGTH = 0.171 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	750.000	LF
230(A) 2806	SOLID SLAB SODDING	7100.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.470	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	64.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	207.000	LF
506(A) 1322	STRUCTURAL STEEL	1620.000	LB
509(A) 1326	CLASS AA CONCRETE	58.300	CY
509(B) 1328	CLASS A CONCRETE	48.800	CY
511(A) 1332	REINFORCING STEEL	20088.000	LB
514 6260	(PL)PILOT HOLES	110.220	LF
514(A) 6010	PILES, FURNISHED (HP 10X42)	80.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	225.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	80.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	225.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	564.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	140.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100555

SECTION 0004 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100603

CALL ORDER: 230
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: HASKELL

PROJECT(S) : PCN
 BRFY-131B(067) 2310204
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$50.40
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-9: OVER KINGS CREEK, 1.0 MILE EAST OF THE SH-2 JUNCTION.
 PROJECT LENGTH = 0.232 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	19623.000	CY
202(D) 0184	UNCLASSIFIED BORROW	15773.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	925.000	LF
221(F) 0100	TEMPORARY SILT DIKE	126.000	LF
229 4318	DITCH LINER PROTECTION	650.000	LF
230(A) 2806	SOLID SLAB SODDING	31404.000	SY
232(B) 2814	SEEDING METHOD B	6.490	AC
233(A) 2817	VEGETATIVE MULCHING	6.490	AC
241 2832	MOWING	11.080	AC
303(A) 2100	AGGREGATE BASE TYPE A	1451.000	CY
307(A) 4200	FLY ASH	331.000	TON
307(D) 4230	LIME	20.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	6125.000	SY
307(G) 4260	LIME PRETREATMENT	1838.000	SY
325 5271	SEPARATOR FABRIC	6125.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1539.000	TON
407(B) 0250	TACK COAT	1765.000	GAL
408 5774	PRIME COAT	3908.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	458.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3427.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	403.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1141.000	TON
412 5267	COLD MILLING PAVEMENT	922.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	2089.000	LF
509(D) 0325	CLASS C CONCRETE	117.000	CY
613(A) 4410	28 1/2" X 18" R.C.PIPES ARCH CLASS A-III	94.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	46.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	74.000	LF
613(B) 0698	72" CORR. GALV. STEEL PIPE	500.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100603

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	126.000	LF
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	53.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	75.000	LF
613(I) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	25.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	5.000	EA
613(M) 7201	TYPE AA6 CULVERT END TREATMENT	2.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	9167.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	550.000	LF
619(C) 0924	SAWING PAVEMENT	468.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1113.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2926.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	4.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	3.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(G) 6309	CLSM BACKFILL	197.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	895.010	LF
504(A) 1304	APPROACH SLAB	246.400	SY
504(B) 1305	SAW-CUT GROOVING	1117.200	SY
504(D) 6245	CONCRETE RAIL (TR4)	457.000	LF
506(A) 1322	STRUCTURAL STEEL	1170.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	20.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	20.000	EA
509(A) 1326	CLASS AA CONCRETE	242.600	CY
509(B) 1328	CLASS A CONCRETE	139.900	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	71430.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	512.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	512.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	827.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	164.000	LF
523(A) 6550	SEALER CRACK PREPARATION	186.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	650.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100603

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(C) 1355	TYPE I-A FILTER BLANKET	130.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	94.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	22.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	57.500	SF
851(C) 8324	2" SQUARE TUBE POST	111.500	LF
853 9039	DELINEATORS(TYPE 2, CODE 3)	2.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	27.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6600.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	13200.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	1850.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	5000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8640.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2160.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3240.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	3600.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(D) 8854	VERTICAL PANELS	16200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	10440.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	21600.000	SD
880(F) 8878	DRUMS	5400.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100557

CALL ORDER: 260
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) : PCN
 BRO-136D(178)CI 2564505
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-346.5): OVER CANADIAN CREEK, 12.7 MILES EAST
 AND 0.4 MILES NORTH OF THE TOWN OF NEWKIRK.
 PROJECT LENGTH = 0.117 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1200.000	LF
227 0100	TEMPORARY SILT DIKE	90.000	LF
230(A) 2806	SOLID SLAB SODDING	1700.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	339.000	TON

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	219.200	LF
506(A) 1322	STRUCTURAL STEEL	1800.000	LB
509(A) 1326	CLASS AA CONCRETE	58.500	CY
509(B) 1328	CLASS A CONCRETE	58.400	CY
511(A) 1332	REINFORCING STEEL	21335.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	96.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	195.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	96.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	195.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	6.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	737.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	145.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100557

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100558

CALL ORDER: 280
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: KINGFISHER

PROJECT(S) : PCN
 BRO-137D(055)CO 2213704
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$14.09
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-284): OVER KINGFISHER CREEK, 0.3 MILES
 NORTH OF THE SH-33 JUNCTION.
 PROJECT LENGTH = 0.302 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2560.000	LF
227 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	4160.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.900	AC
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	62.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	942.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	468.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	4800.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	828.510	LF
504(C) 6250	SEALED EXPANSION JOINT	67.100	LF
504(E) 1380	CONCRETE RAIL (TR1)	485.200	LF
506(A) 1322	STRUCTURAL STEEL	4910.000	LB
509(A) 1326	CLASS AA CONCRETE	159.700	CY
509(B) 1328	CLASS A CONCRETE	116.000	CY
511(A) 1332	REINFORCING STEEL	51490.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	206.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	471.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	206.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	471.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	116.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1540.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	330.000	TON
619(B) 6364	REMOVAL OF EXISTING RIPRAP	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100558****SECTION 0002 - BRIDGE 'A'**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6034	GUARD RAIL ANCHOR UNIT (TYPE III)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100487

CALL ORDER: 290
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: LATIMER

PROJECT(S) : PCN
 STPY-139C(070)SS 2319404
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$60.69
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 SH-82: OVER FOURCHE MALINE CREEK, 5.0 MILES WEST OF THE
 LATIMER COUNTY LINE.
 PROJECT LENGTH = 1.102 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(E) 0110	EMBANKMENTS	60715.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221 2800	TEMPORARY SLOPE DRAINS	455.000	LF
223 2801	TEMPORARY SILT FENCE	3438.000	LF
225 2804	TEMPORARY SEDIMENT BASIN	8.000	EA
227 0100	TEMPORARY SILT DIKE	1350.000	LF
230(A) 2806	SOLID SLAB SODDING	31684.000	SY
232(B) 2814	SEEDING METHOD B	3.000	AC
232(D) 2816	WATERING	1759.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
234(A) 2824	FERTILIZING (10-20-10)	3.000	TON
234(A) 4406	FERTILIZING (0-46-0)	1.000	TON
241 2832	MOWING	36.000	AC
303 0192	AGGREGATE BASE	7222.000	CY
325 5271	SEPARATOR FABRIC	24441.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2009.000	TON
407 0250	TACK COAT	1129.000	GAL
408 5774	PRIME COAT	7885.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	4045.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2448.000	TON
417 5267	COLD MILLING PAVEMENT	1471.000	SY
613(B) 4500	58" X 36" R.C.PIPE ARCH CLASS A-III	51.000	LF
613(B) 4501	65" X 40" R.C.PIPE ARCH CLASS A-III	55.000	LF
613(B) 4502	73" X 45" R.C.PIPE ARCH CLASS A-III	58.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(D) 0694	48" CORR. GALV. STEEL PIPE	34.000	LF
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	120.000	LF
613(M) 4546	58" X 36" PREFAB. CULVERT END SEC., ARCH	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100487

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(M) 4550	64" X 43" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(M) 4559	73" X 45" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(M) 5738	48" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	5012.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	11139.000	SY
619(B) 5918	REMOVAL OF EXISTING PIPE	358.000	LF
619(C) 0924	SAWING PAVEMENT	518.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	300.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(B) 4462	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	4.000	EA
624(B) 4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	1.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	5234.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	122.000	CY
501(G) 6309	CLSM BACKFILL	212.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1197.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(E) 6245	CONCRETE RAIL (TR4)	697.000	LF
506(A) 1322	STRUCTURAL STEEL	1050.000	LB
509(A) 1326	CLASS AA CONCRETE	395.000	CY
509(B) 1328	CLASS A CONCRETE	147.600	CY
509(D) 1331	CLASS C CONCRETE	15.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	103888.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	642.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	642.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1329.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	155.000	LF
523(A) 6550	(SP) SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	(SP) SEALER RESIN	1.800	GAL
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601(B-1)1359	TYPE II-A SP. PLAIN RIPRAP	900.000	TON
601(B-2)1361	TYPE II-A FILTER BLANKET	180.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100487

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	50.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	150.000	LF
855(A) 3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	21582.000	LF
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	10.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	10.000	EA

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2160.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	360.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3420.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(D) 8854	VERTICAL PANELS	1800.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3420.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	19260.000	SD
880(F) 8878	DRUMS	17460.000	SD

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100559

CALL ORDER: 300
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOGAN

PROJECT(S) : PCN
 STP-142D(106)AG 2203504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.17
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER SPRING CREEK, 0.2 MILES WEST AND 2.0 MILES
 SOUTH OF SEWARD.
 PROJECT LENGTH = 0.142 MILES

SECTION 0001 - ROADWAY - STP-142D(106)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	636.000	LF
227 0100	TEMPORARY SILT DIKE	50.000	LF
230(A) 2806	SOLID SLAB SODDING	3486.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.200	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	188.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	7.450	TON
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE 'A' - STP-142D(106)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	313.340	LF
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	276.670	LF
504(C) 6250	SEALED EXPANSION JOINT	29.420	LF
504(E) 1380	CONCRETE RAIL (TR1)	357.000	LF
506(A) 1322	STRUCTURAL STEEL	3960.000	LB
509(A) 1326	CLASS AA CONCRETE	113.200	CY
509(B) 1328	CLASS A CONCRETE	45.600	CY
511(A) 1332	REINFORCING STEEL	30220.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1353.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1353.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	342.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1300.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	260.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100559

SECTION 0002 - BRIDGE 'A' - STP-142D(106)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	2.000	EA

SECTION 0003 - STAKING - STP-142D(106)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION - STP-142D(106)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100560

CALL ORDER: 301
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOGAN

PROJECT(S) : PCN
 STP-142D(107)AG 2203604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: JOE ECHELLE (ACTING),
 STILLWATER

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-300): OVER COTTONWOOD CREEK, 2.1 MILES SOUTH
 OF THE SH-74 JUNCTION.
 PROJECT LENGTH = 0.189 MILES

SECTION 0001 - ROADWAY - STP-142D(107)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	891.000	CY
202(C) 0184	UNCLASSIFIED BORROW	3447.000	CY
223 2801	TEMPORARY SILT FENCE	500.000	LF
227 0100	TEMPORARY SILT DIKE	180.000	LF
230(A) 2806	SOLID SLAB SODDING	7260.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	540.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	54.000	LF

SECTION 0002 - BRIDGE 'A' - STP-142D(107)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	275.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	80.600	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	23840.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	228.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	728.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	228.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	728.000	LF
601(B-1)1359	TYPE II-A SP. PLAIN RIPRAP	1720.000	TON
601(B-2)1361	TYPE II-A FILTER BLANKET	450.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100560

SECTION 0002 - BRIDGE 'A' - STP-142D(107)AG

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	1.000	EA
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING - STP-142D(107)AG

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION - STP-142D(107)AG

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100571

CALL ORDER: 302
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOGAN

PROJECT(S) :	PCN
STP-142D(106)AG	2203504
STP-142D(107)AG	2203604

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$23.84
 180 CALENDAR DAYS
 RES. ENG.: JOE ECHELLE (ACTING),
 STILLWATER

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY RD: OVER SPRING CR, 0.2 MI W AND 2.0 MI S OF SEWARD.
 COUNTY RD: OVER COTTONWOOD CR, 2.1 MI S OF THE SH-74 JCT.
 PROJECT LENGTH = 0.331 MILES

SECTION 0001 - ROADWAY - STP-142D(106)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	636.000	LF
227 0100	TEMPORARY SILT DIKE	50.000	LF
230(A) 2806	SOLID SLAB SODDING	3486.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.200	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	188.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	7.450	TON
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE 'A' - STP-142D(106)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	313.340	LF
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	276.670	LF
504(C) 6250	SEALED EXPANSION JOINT	29.420	LF
504(E) 1380	CONCRETE RAIL (TR1)	357.000	LF
506(A) 1322	STRUCTURAL STEEL	3960.000	LB
509(A) 1326	CLASS AA CONCRETE	113.200	CY
509(B) 1328	CLASS A CONCRETE	45.600	CY
511(A) 1332	REINFORCING STEEL	30220.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1353.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1353.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	342.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1300.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100571

SECTION 0002 - BRIDGE 'A' - STP-142D(106)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A-2)1355	TYPE I-A FILTER BLANKET	260.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	2.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0005 - ROADWAY - STP-142D(107)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	891.000	CY
202(C) 0184	UNCLASSIFIED BORROW	3447.000	CY
223 2801	TEMPORARY SILT FENCE	500.000	LF
227 0100	TEMPORARY SILT DIKE	180.000	LF
230(A) 2806	SOLID SLAB SODDING	7260.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	540.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	54.000	LF

SECTION 0006 - BRIDGE 'A' - STP-142D(107)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	275.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	80.600	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	23840.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	228.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	728.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	228.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	728.000	LF
601(B-1)1359	TYPE II-A SP. PLAIN RIPRAP	1720.000	TON
601(B-2)1361	TYPE II-A FILTER BLANKET	450.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100571

SECTION 0006 - BRIDGE 'A' - STP-142D(107)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	1.000	EA
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100604

CALL ORDER: 310
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOVE

PROJECT(S) :	PCN
IMY-0035-1(156)011	2716604
IMY-0035-1(157)014	2716606

DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$160.39
 300 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 I-35: FROM 11.75 MILES NORTH OF TEXAS STATE LINE, EXTEND
 NORTH.
 PROJECT LENGTH = 5.734 MILES

SECTION 0001 - ROADWAY - IMY-35-1(156)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	140.000	CY
202(C) 0184	UNCLASSIFIED BORROW	189.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2450.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	3.000	EA
227 0100	TEMPORARY SILT DIKE	1288.000	LF
230(A) 2806	SOLID SLAB SODDING	28974.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.000	AC
303 0192	AGGREGATE BASE	5963.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE	23800.000	SY
325 5271	SEPARATOR FABRIC	58345.000	SY
327(D) 4230	(SP)LIME	593.000	TON
327(H) 4270	(SP)LIME STABILIZED SUBGRADE	32902.000	SY
408 5774	PRIME COAT	9527.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	685.000	TON
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	68104.000	LF
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	59243.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	98373.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	47744.000	CY
417 5267	COLD MILLING PAVEMENT	133593.000	SY
509(A) 1326	CLASS AA CONCRETE	82.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	12780.000	LB
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	24023.000	SY
619(C) 0924	SAWING PAVEMENT	1557.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	3000.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	6.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100604

SECTION 0001 - ROADWAY - IMY-35-1(156)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	8.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	14.000	EA

SECTION 0002 - TRAFFIC CONTROL - IMY-35-1(156)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	22120.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	22120.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	126400.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	10000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	60000.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	400.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	600.000	SD
878(C) 8487	MODULAR GLARE SCREEN	78400.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	400.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	24800.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	8000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	11200.000	SD
880(C) 8842	BARRICADES(TYPE III)	12000.000	SD
880(C) 8848	WING BARRICADES	800.000	SD
880(D) 8854	VERTICAL PANELS	114000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	32800.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	159200.000	SD
880(F) 8878	DRUMS	80000.000	SD
880(G) 8890	CHANNELIZER CONES	58600.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	800.000	SD

SECTION 0003 - TRAFFIC SIGNING & STRIPING - IMY-35-1(156)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	6.270	CY
804(B) 2916	REINFORCING STEEL	1254.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	130.960	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	618.400	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	37.800	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	51.000	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	155.750	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	15.000	LF
851(C) 8324	2" SQUARE TUBE POST	171.000	LF
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	71304.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	22104.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	9.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100604

SECTION 0004 - CABLE BARRIER ITEMS - IMY-35-1(156)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	33.000	CY
628 5110	(PL)CABLE END ANCHOR UNIT	6.000	EA
628 5125	HIGH-TENSION CABLE BARRIER(TL-4)	730.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	765.000	LF
628 5190	REMOVAL OF CABLE BARRIER	765.000	LF
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	60.000	EA

SECTION 0005 - STAKING - IMY-35-1(156)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0006 - CONSTRUCTION - IMY-35-1(156)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0007 - ROADWAY - IMY-35-1(157)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	16268.000	CY
202(C) 0184	UNCLASSIFIED BORROW	23384.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3490.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
227 0100	TEMPORARY SILT DIKE	1027.000	LF
230(A) 2806	SOLID SLAB SODDING	67033.000	SY
233(A) 2817	VEGETATIVE MULCHING	14.000	AC
241 2832	MOWING	16.000	AC
303 0192	AGGREGATE BASE	7959.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE	47244.000	SY
325 5271	SEPARATOR FABRIC	61252.000	SY
327(D) 4230	(SP)LIME	3808.000	TON
327(H) 4270	(SP)LIME STABILIZED SUBGRADE	82239.000	SY
408 5774	PRIME COAT	21880.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	152.000	TON
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	53022.000	LF
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	58820.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	84578.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	54239.000	CY
417 5267	COLD MILLING PAVEMENT	94853.000	SY
509(A) 0319	CLASS AA CONCRETE	14.000	CY
511(B) 4269	EPOXY COATED REINFORCING STEEL	2130.000	LB
613(D) 0689	18" CORR. GALV. STEEL PIPE	1170.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100604

SECTION 0007 - ROADWAY - IMY-35-1(157)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	58779.000	SY
619(C) 0924	SAWING PAVEMENT	7988.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	575.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0008 - TRAFFIC CONTROL - IMY-35-1(157)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	18000.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	18000.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	90000.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	7500.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	45000.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	320.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	320.000	SD
878(C) 8487	MODULAR GLARE SCREEN	36800.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	640.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	20000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	8000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	11200.000	SD
880(C) 8842	BARRICADES(TYPE III)	5600.000	SD
880(C) 8848	WING BARRICADES	640.000	SD
880(D) 8854	VERTICAL PANELS	57600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	20000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	30400.000	SD
880(F) 8878	DRUMS	19200.000	SD
880(G) 8890	CHANNELIZER CONES	73600.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	320.000	SD

SECTION 0009 - TRAFFIC - IMY-35-1(157)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	6.150	CY
804(B) 2916	REINFORCING STEEL	1164.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	234.680	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	539.900	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	35.000	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	51.200	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	102.500	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	15.000	LF
851(C) 8324	2" SQUARE TUBE POST	436.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100604

SECTION 0009 - TRAFFIC - IMY-35-1(157)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	59908.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	15048.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1600.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	9.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100561

CALL ORDER: 320
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARVIN
 MCCLAIN

PROJECT(S) : PCN
 HSIPIG-0035-2(309)081TF2626604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$22.76
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-35:FROM 0.25 MILES SOUTH OF THE GARVIN COUNTY LINE,
 EXTEND NORTH.
 PROJECT LENGTH = 4.683 MILES

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3840.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3720.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4800.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	600.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3120.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	5040.000	SD
880(F) 8878	DRUMS	5040.000	SD
880(G) 8890	CHANNELIZER CONES	36000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	960.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2215.000	CY
202(D) 0184	UNCLASSIFIED BORROW	500.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	5.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1400.000	LF
230(A) 2806	SOLID SLAB SODDING	57000.000	SY
241 2832	MOWING	92.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	1413.000	CY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	405.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	162.000	TON
509(D) 0325	CLASS C CONCRETE	92.000	CY
612(C) 0645	INLET ADJUST TO GRADE	3.000	EA
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	250.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	24550.000	LF
628(C) 5110	END ANCHORS	6.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100561

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	38.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100562

CALL ORDER: 340
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCCLAIN

PROJECT(S) : PCN
 STP-144D(139)CO 2661104
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$4.34
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 COUNTY ROAD(EW-135/NS-305): EW-135 FROM SH-24 JCT IN THE
 CITY OF WASHINGTON, EXT W 4.0 MI, THEN S 3.0 MI ON NS-305.
 PROJECT LENGTH = 7.00 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 0184	UNCLASSIFIED BORROW	600.000	CY
223 2801	TEMPORARY SILT FENCE	1145.000	LF
230(A) 2806	SOLID SLAB SODDING	12000.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	345.000	TON
407 0250	TACK COAT	2885.000	GAL
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	5660.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	9660.000	TON
417 5267	COLD MILLING PAVEMENT	250.000	SY
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A-1)1353	TYPE I-A PLAIN RIPRAP	60.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	84480.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 0184	UNCLASSIFIED BORROW	550.000	CY
223 2801	TEMPORARY SILT FENCE	855.000	LF
230(A) 2806	SOLID SLAB SODDING	9000.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	255.000	TON
407 0250	TACK COAT	2165.000	GAL
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	4240.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	7240.000	TON
417 5267	COLD MILLING PAVEMENT	250.000	SY
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A-1)1353	TYPE I-A PLAIN RIPRAP	40.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	63360.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100605

CALL ORDER: 350
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCINTOSH

PROJECT(S) : PCN
 IMY-0040-6(369)265 2088406
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$57.44
 400 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 PAVEMENT REHABILITATION (P. C. CONCRETE)
 I-40: FROM THE US-69 BUSINESS ROAD IN CHECOTAH, EXTEND EAST.
 PROJECT LENGTH = 4.987 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	3000.000	LF
227 0100	TEMPORARY SILT DIKE	1032.000	LF
230(A) 2806	SOLID SLAB SODDING	221703.000	SY
232(B) 2814	SEEDING METHOD B	48.440	AC
233(A) 2817	VEGETATIVE MULCHING	48.440	AC
241 2832	MOWING	186.000	AC
303 0192	AGGREGATE BASE	25693.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE	142010.000	SY
325 5271	SEPARATOR FABRIC	125064.000	SY
327(D) 4230	(SP)LIME	3259.000	TON
327(H) 4270	(SP)LIME STABILIZED SUBGRADE	181040.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	19984.000	TON
407 0250	TACK COAT	9777.000	GAL
408 5774	PRIME COAT	59445.000	GAL
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	18188.000	TON
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	105325.000	LF
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	159055.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	152136.000	SY
414(B) 5913	H.E.S. CONCRETE (FULL DEPTH PATCHING)	3130.000	SY
414(I) 5270	(SP)P.C. CONCRETE FOR PAVEMENT (ONLY)	83431.000	CY
417 5267	COLD MILLING PAVEMENT	52800.000	SY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	23734.000	SY
436 0100	DOWEL BAR RETROFIT	7152.000	EA
509(D) 0325	CLASS C CONCRETE	125.000	CY
611(E) 6004	INLET (SMD-TYPE 2A)	1.000	EA
613(B) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	390.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	5.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100605

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	4.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	3440.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	92910.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	23351.000	SY
619(C) 0924	SAWING PAVEMENT	608.000	LF
624(A) 4281	FENCE-STYLE WWF	59102.000	LF

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	34050.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	35075.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	305000.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	22763.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	158718.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	400.000	SD
878(C) 8487	MODULAR GLARE SCREEN	114400.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	800.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	40000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	24000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	30000.000	SD
880(C) 8842	BARRICADES(TYPE III)	20000.000	SD
880(C) 8848	WING BARRICADES	1600.000	SD
880(D) 8854	VERTICAL PANELS	316000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	48800.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	436000.000	SD
880(F) 8878	DRUMS	120000.000	SD
880(G) 8890	CHANNELIZER CONES	90000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	1600.000	SD

SECTION 0003 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	6.070	CY
804(B) 2916	REINFORCING STEEL	978.000	LB
853 9024	DELINEATORS(TYPE 1, CODE 1)	108.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	131303.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	38688.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1750.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	19.000	EA
890A/B 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100605

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100528

CALL ORDER: 360
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAJOR

PROJECT(S) : PCN
 NHY-147N(075)IP 1736018
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$175.57
 310 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 US-412: FROM 8.4 MILES EAST OF THE US-281 JUNCTION, EXTEND
 EAST.
 PROJECT LENGTH = 6.640 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	155009.000	CY
202(C) 0184	UNCLASSIFIED BORROW	4786.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	10150.000	LF
227 0100	TEMPORARY SILT DIKE	3626.000	LF
230(A) 2806	SOLID SLAB SODDING	349253.000	SY
230(F) 2812	WATERING	13970.000	MGAL
232(B) 2814	SEEDING METHOD B	20.000	AC
233(A) 2817	VEGETATIVE MULCHING	20.000	AC
241 2832	MOWING	72.000	AC
310(B) 0149	SUBGRADE, METHOD B	95425.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3151.000	TON
407 0250	TACK COAT	27257.000	GAL
408 5774	PRIME COAT	20523.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	15086.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	49096.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	10812.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	7585.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	69303.000	LF
417 5267	COLD MILLING PAVEMENT	84542.000	SY
420(A) 4242	FABRIC REINFORCEMENT	89894.000	SY
420(B) 4268	BITUMINOUS BINDER	3078.000	GAL
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	506.000	CY
509(A) 0319	CLASS AA CONCRETE	306.000	CY
509(B) 0321	CLASS A CONCRETE	597.000	CY
509(D) 0325	CLASS C CONCRETE	1763.000	CY
511(A) 0332	REINFORCING STEEL	129713.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	1353.000	TON
611(E) 6002	INLET (SMD-TYPE 2)	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100528

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 0491	18" R.C.PIPES CLASS III	72.000	LF
613(B) 0492	24" R.C.PIPES CLASS III	212.000	LF
613(B) 0493	30" R.C.PIPES CLASS III	152.000	LF
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	30.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	8.000	EA
613(CC) 7199	TYPE D6 CULVERT END TREATMENT	2.000	EA
613(CC) 7200	TYPE E6 CULVERT END TREATMENT	2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	1161.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	280.000	LF
613(D) 0693	42" CORR. GALV. STEEL PIPE	204.000	LF
613(D) 0694	48" CORR. GALV. STEEL PIPE	83.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	3000.000	LF
613(Q) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	200.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	900.000	CY
613(S) 1180	TRENCH EXCAVATION	207.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	191.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	100.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	42635.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	552.000	LF
619(C) 0924	SAWING PAVEMENT	57532.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1125.000	LF
623(E) 7114	THREE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(B) 4464	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	27.000	EA
624(C) 4458	(SP)FENCE-STYLE SWF (4 BARBED WIRE)	41517.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	180.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	399.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(E) 6245	CONCRETE RAIL (TR4)	297.000	LF
506(A) 1322	STRUCTURAL STEEL	150.000	LB
509(A) 1326	CLASS AA CONCRETE	158.600	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100528

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 1328	CLASS A CONCRETE	59.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	37340.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	420.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	420.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	461.000	SY
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1156.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	234.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	42.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1380.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	131.300	CY
509(A) 1326	CLASS AA CONCRETE	310.400	CY
511(A) 1332	REINFORCING STEEL	47450.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1100.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	91.600	CY
509(A) 1326	CLASS AA CONCRETE	228.400	CY
511(A) 1332	REINFORCING STEEL	33420.000	LB
619(B) 2510	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0005 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0006 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0007 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0008 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0009 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(G) 4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	4000.000	LF
627(H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	1000.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100528

SECTION 0009 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	50.000	SF
851(C) 8324	2" SQUARE TUBE POST	165.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	58.000	EA
853 9039	DELINEATORS(TYPE 2, CODE 3)	120.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	112552.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	10740.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	153600.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	2240.000	LF
871 8709	(PL)CONST.ZONE QUADGUARD IMPACT ATTEN.	260.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	13670.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5940.000	SD
880(C) 8842	BARRICADES(TYPE III)	11480.000	SD
880(C) 8848	WING BARRICADES	1240.000	SD
880(D) 8854	VERTICAL PANELS	157200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	41020.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	218060.000	SD
880(F) 8878	DRUMS	60860.000	SD

SECTION 0010 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0011 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100493

CALL ORDER: 380
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: MUSKOGEE

PROJECT(S) : PCN
 STPY-151A(173) 2478904
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$31.43
 160 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-165: OVER CHANDLER STREET, 2.1 MILES SOUTH OF THE US-62
 JUNCTION.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
303 0192	AGGREGATE BASE	810.000	CY
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1327.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	332.000	TON
504(C) 6250	SEALED EXPANSION JOINT	78.000	LF
504(E) 6245	CONCRETE RAIL (TR4)	259.000	LF
506(A) 1322	STRUCTURAL STEEL	1000.000	LB
509(A) 1326	CLASS AA CONCRETE	202.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	51077.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	180.000	SY
613(B) 0403	15" R.C.PIPE CLASS III	1192.000	LF
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	905.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	2200.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(C) 6250	SEALED EXPANSION JOINT	78.000	LF
504(E) 6245	CONCRETE RAIL (TR4)	259.000	LF
506(A) 1322	STRUCTURAL STEEL	1000.000	LB
509(A) 1326	CLASS AA CONCRETE	202.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	51077.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	180.000	SY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARD RAIL	1110.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100493

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	2150.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	7753.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	8117.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	24124.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	31012.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	2010.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	47118.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	10.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	720.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3600.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	8280.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3960.000	SD
880(C) 8842	BARRICADES(TYPE III)	4680.000	SD
880(D) 8854	VERTICAL PANELS	1620.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	9360.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	46260.000	SD
880(F) 8878	DRUMS	42300.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100563

CALL ORDER: 400
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKFUSKEE

PROJECT(S) : PCN
 SBR-154N(106)SB 2452604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 COUNTY ROAD (CLEARVIEW ROAD): OVER I-40.
 PROJECT LENGTH = 0.135 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	400.000	TON
417 5267	COLD MILLING PAVEMENT	2150.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	610.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	400.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	128.330	SY
504(C) 6250	SEALED EXPANSION JOINT	62.100	LF
504(E) 6245	CONCRETE RAIL (TR4)	439.700	LF
504(H) 6390	RAPID CURE JOINT SEALANT	57.250	LF
509(A) 1326	CLASS AA CONCRETE	172.500	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	46620.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	169.500	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	300.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	207.500	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	90.000	LF
523(B) 6560	(SP) SEALER RESIN	1.000	GAL
540 4505	(PL)REPAIR BRIDGE ITEMS	3.000	EA
542 4605	(PL)INSTALLATION OF BRIDGE ITEMS	440.000	EA
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	1150.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	2300.000	LF
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	10000.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 100563****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4288.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	6000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 090169

CALL ORDER: 420
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKFUSKEE

PROJECT(S) : PCN
 HSIPIG-0040-5(406)216TF2626804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$33.60
 300 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-40: FROM MILE MARKER 216 TO MILE MARKER 230.

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	300.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	300.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	9300.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6600.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4500.000	SD
880(C) 8848	WING BARRICADES	1200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	12300.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	9000.000	SD
880(F) 8878	DRUMS	9000.000	SD
880(G) 8890	CHANNELIZER CONES	75000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	2400.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	1200.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	9825.000	CY
202(D) 0184	UNCLASSIFIED BORROW	3250.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	45.000	EA
221(F) 0100	TEMPORARY SILT DIKE	3234.000	LF
230(A) 2806	SOLID SLAB SODDING	277910.000	SY
241 2832	MOWING	194.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	6417.000	CY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	596.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	238.000	TON
509(D) 0325	CLASS C CONCRETE	37.000	CY
612(C) 0645	INLET ADJUST TO GRADE	15.000	EA
613(B) 0690	24" CORR. GALV. STEEL PIPE	330.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	4.000	EA
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	200.000	LF
619(C) 0924	SAWING PAVEMENT	560.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 090169

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	80601.000	LF
628(C) 5110	END ANCHORS	18.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100564

CALL ORDER: 460
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 STPG-155F(722)AG 2232106
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENTS (TRAFFIC SIGNALS)
 CITY STREETS: AT VARIOUS LOCATIONS IN THE OKLAHOMA CITY
 AREA.

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
811 8044	1/C NO.10 ELECT.COND.	3150.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	20.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	66.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	23.000	EA
831 8262	1WAY3SEC.ADJ.SIG.HD.S-10	1.000	EA
831 8274	1WAY4SEC.ADJ.SIG.HD.S-16	4.000	EA
831 8277	1WAY5SEC.ADJ.SIG.HD.S-17	3.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	3.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	20.000	EA
833 3030	BACKPLATE	100.000	EA
834(A) 8207	5/C TRAF.SIG.EL.CABLE	8550.000	LF
834(A) 8208	7/C TRAF.SIG.EL.CABLE	575.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	425.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	1045.750	SF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100534

CALL ORDER: 480
LETTING DATE: October 21, 2010
LETTING TIME: 10:30 A.M.
COUNTIES: OKLAHOMA

PROJECT(S) : PCN
BPMY-NBIP(428)3B 2777704
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$6.50
30 CALENDAR DAYS
RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION

BRIDGE PAINTING
I-44: OVER INDEPENDENCE AVENUE, 2.3 MILES NORTH OF I-240.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100565

CALL ORDER: 520
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 STPG-155A(792)AG 2778604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 45 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENTS (SIDEWALK AND SCHOOL ZONE)
 CITY STREET (SUNNYLANE ROAD): FROM LARIET LANE,
 EXTEND SOUTH IN DEL CITY.
 PROJECT LENGTH = 0.34 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
230(A) 2806	SOLID SLAB SODDING	516.000	SY
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	952.000	TON
417 5267	COLD MILLING PAVEMENT	8498.000	SY
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	11.000	LF
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	44.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	977.000	SY
610(B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	77.000	SY
610(I) 4610	(PL)TACTILE WARNING DEVICE-NEW	286.000	SF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	11.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	77.000	SY
619(B) 4791	REMOVAL OF CURB	36.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	440.000	SY
619(C) 0924	SAWING PAVEMENT	1388.500	LF
622(A) 4746	PIPE RAILING	23.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	109.500	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	301.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	30.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	259.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	357.000	LF
803 8065	PULL BOX(SIZE I)	4.000	EA
803 8066	PULL BOX(SIZE II)	1.000	EA
803 8067	PULL BOX(SIZE III)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	1.200	CY
804(B) 2916	REINFORCING STEEL	89.200	LB
806(B) 8892	8' MTG.HT.TS PED.POLE(G.STL.)	4.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100565

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
828(B) 8138	LOOP DETECTOR WIRE	1800.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	4.000	EA
834(A) 8207	5/C TRAF.SIG.EL.CABLE	125.000	LF
834(A) 8208	7/C TRAF.SIG.EL.CABLE	1375.000	LF
834(A) 8209	9/C TRAF.SIG.EL.CABLE	115.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	2600.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8385.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	367.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890 7708	(PL)TRAFFIC ITEMS(LIGHTING)	1.000	LSUM
890(A) 8704	(PL)REMOVAL OF PULL BOX	2.000	EA
890(B) 8728	(PL)RESET OF PULL BOX	2.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA
890A/E 8764	(PL)REMOVE & STORE EXISTING SIGNS	1.000	LSUM
895 6551	CABINET	1.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100608

CALL ORDER: 530
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKMULGEE

PROJECT(S) : PCN
 BRFY-156C(120) 2310604
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$41.72
 210 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-16: OVER SALT CREEK, 4.2 MILES EAST OF CREEK COUNTY
 LINE.
 PROJECT LENGTH = 0.445 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	14029.000	CY
202(D) 0184	UNCLASSIFIED BORROW	30096.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2249.000	LF
221(F) 0100	TEMPORARY SILT DIKE	418.000	LF
229 4318	DITCH LINER PROTECTION	650.000	LF
230(A) 2806	SOLID SLAB SODDING	34370.000	SY
232(B) 2814	SEEDING METHOD B	7.100	AC
233(A) 2817	VEGETATIVE MULCHING	7.100	AC
241 2832	MOWING	14.200	AC
303(B) 2110	AGGREGATE BASE TYPE B	2570.000	CY
307(K) 4300	STABILIZED SUBGRADE	22209.000	SY
325 5271	SEPARATOR FABRIC	11753.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2347.000	TON
407(B) 0250	TACK COAT	2249.000	GAL
408 5774	PRIME COAT	6625.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	965.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	4580.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	633.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1732.000	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	4299.000	LF
509(D) 0325	CLASS C CONCRETE	118.000	CY
613(B) 0690	24" CORR. GALV. STEEL PIPE	160.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	217.000	LF
613(B) 5075	108" CORR. GALV. STEEL PIPE	225.000	LF
613(B) 5168	24" X 18" CORR. GALV. STEEL PIPE ARCH	48.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	153.000	LF
613(I) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	51.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	8.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100608

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	15065.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	780.000	LF
619(C) 0924	SAWING PAVEMENT	48.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1025.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(A) 4281	FENCE-STYLE WWF	153.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	5628.000	LF

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	209.400	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	477.340	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	318.670	LF
504(A) 1304	APPROACH SLAB	225.000	SY
504(B) 1305	SAW-CUT GROOVING	1104.600	SY
504(D) 6245	CONCRETE RAIL (TR4)	497.000	LF
506(A) 1322	STRUCTURAL STEEL	890.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	244.500	CY
509(B) 1328	CLASS A CONCRETE	135.600	CY
511(A) 1332	REINFORCING STEEL	690.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	110900.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	441.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	441.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	894.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	108.000	LF
523(A) 6550	SEALER CRACK PREPARATION	170.000	LF
523(B) 6560	SEALER RESIN	1.200	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	630.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	125.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	86.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	24.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100608

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	30.500	SF
851(C) 8324	2" SQUARE TUBE POST	44.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	26.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	11400.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	11400.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	2040.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	5000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	210.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	9450.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4200.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4200.000	SD
880(C) 8848	WING BARRICADES	840.000	SD
880(D) 8854	VERTICAL PANELS	21000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	12600.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	24150.000	SD
880(F) 8878	DRUMS	3150.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	420.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100346

CALL ORDER: 540
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: OSAGE

PROJECT(S) : PCN
 BRO-157D(073)CO 2248604
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD(EW-048): OVER GUESSO CREEK, 3.5 MILES SOUTH
 AND 2.3 MILES WEST OF SKIATOOK.
 PROJECT LENGTH = 0.288 MILE

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2236.000	CY
202(C) 0184	UNCLASSIFIED BORROW	5924.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	2325.000	LF
227 0100	TEMPORARY SILT DIKE	152.000	LF
230(A) 2806	SOLID SLAB SODDING	15684.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.240	AC
303 0192	AGGREGATE BASE	984.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	295.000	TON
408 5774	PRIME COAT	1335.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	945.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	489.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1391.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	299.000	TON
601(E) 6312	FILTER FABRIC (RIPRAP)	1192.000	SY
611(E) 5335	INLET GPI TYPE 2 (DES. 9)	1.000	EA
611(F) 5375	INLET GPI TYPE 2 (ADD'L DEPTH)	2.000	VF
613(B) 0493	30" R.C.PIPES CLASS III	28.000	LF
613(CC) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	3.000	EA
613(H) 0780	18" CORR. ALUMINUM PIPE	34.000	LF
613(H) 0781	24" CORR. ALUMINUM PIPE	48.000	LF
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3012.000	SY
619(C) 0924	SAWING PAVEMENT	42.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	6100.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100346

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(G) 6309	CLSM BACKFILL	112.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	888.510	LF
504(A) 1304	APPROACH SLAB	107.000	SY
504(C) 6250	SEALED EXPANSION JOINT	41.570	LF
504(E) 6239	CONCRETE RAIL (TR3)	515.180	LF
506(A) 1322	STRUCTURAL STEEL	5040.000	LB
509(A) 1326	CLASS AA CONCRETE	207.500	CY
509(B) 1328	CLASS A CONCRETE	124.600	CY
511(A) 1332	REINFORCING STEEL	65942.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	459.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	459.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	104.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1652.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	312.000	TON
601(E) 6312	FILTER FABRIC (RIPRAP)	1287.000	SY
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	74.000	LF
613(Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	88.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	3.000	EA
623(F) 6034	GUARD RAIL ANCHOR UNIT (TYPE III)	1.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	5.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100610

CALL ORDER: 556
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: PONTOTOC

PROJECT(S) : PCN
 BRFY-162B(118) 2184204
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$52.02
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 SH-99: OVER CLEAR BOGGY CREEK, 1.54 MILES SOUTH OF THE SH-3
 JUNCTION.
 PROJECT LENGTH = 0.254 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	20454.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1669.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3060.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE	170.000	LF
221(G) 0150	TEMPORARY FILTER DAM TYPE 1	4.000	CY
229 4318	DITCH LINER PROTECTION	345.000	LF
230(A) 2806	SOLID SLAB SODDING	18385.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.500	AC
241 2832	MOWING	13.000	AC
303(C) 2130	AGGREGATE BASE TYPE C	222.000	CY
307(D) 4230	LIME	271.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	10552.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	125.000	TON
407(A) 4659	FOG SEAL	53.000	GAL
407(B) 0250	TACK COAT	1949.000	GAL
408 5774	PRIME COAT	2340.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	499.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3817.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	383.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	856.000	TON
412 5267	COLD MILLING PAVEMENT	533.000	SY
509(D) 0325	CLASS C CONCRETE	78.000	CY
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
613(B) 0689	18" CORR. GALV. STEEL PIPE	278.000	LF
613(B) 4819	96" CORR. GALV. STEEL PIPE	420.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	3.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	3.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100610

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	7775.000	SY
619(C) 0924	SAWING PAVEMENT	556.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1092.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1311.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	6.000	EA
629(C) 4960	MAILBOX	6.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	6.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	300.000	CY
501(G) 6309	CLSM BACKFILL	220.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	636.000	LF
504(A) 1304	APPROACH SLAB	337.400	SY
504(B) 1305	SAW-CUT GROOVING	920.000	SY
504(C) 6250	SEALED EXPANSION JOINT	48.640	LF
504(D) 6245	CONCRETE RAIL (TR4)	470.500	LF
506(A) 1322	STRUCTURAL STEEL	1540.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	193.200	CY
509(B) 1328	CLASS A CONCRETE	188.300	CY
511(A) 1332	REINFORCING STEEL	560.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	83380.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	174.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	564.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	174.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	564.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1026.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	150.000	LF
523(A) 6550	SEALER CRACK PREPARATION	46.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	2005.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	478.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	96.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	46.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100610

SECTION 0003 - TRAFFIC - SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	2.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4433.000	LF

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	6600.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1500.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	100.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1500.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	240.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1250.000	LF
877(C) 8486	RELOCATE PORTABLE LONGITUDINAL BARRIER	1250.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2448.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2304.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	288.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	864.000	SD
880(C) 8848	WING BARRICADES	864.000	SD
880(D) 8854	VERTICAL PANELS	1200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2592.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	7164.000	SD
880(F) 8878	DRUMS	5400.000	SD
880(G) 8890	CHANNELIZER CONES	1500.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 090163

CALL ORDER: 580
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEQUOYAH

PROJECT(S) : PCN
 HSIPIG-0040-6(359)299TF2627004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$30.35
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-40: FROM THE US-59 JUNCTION IN THE CITY OF SALLISAW,
 EXTEND WEST.
 PROJECT LENGTH = 9.131 MILES

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7440.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5760.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5280.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1800.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	9840.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	7200.000	SD
880(F) 8878	DRUMS	7200.000	SD
880(G) 8890	CHANNELIZER CONES	60000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	480.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	960.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	9468.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1500.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	25.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1834.000	LF
230(A) 2806	SOLID SLAB SODDING	156456.000	SY
241 2832	MOWING	158.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	189.000	CY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	15532.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	254.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	127.000	TON
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	95180.000	LF
509(D) 0325	CLASS C CONCRETE	37.000	CY
612(C) 0645	INLET ADJUST TO GRADE	10.000	EA
613(B) 0689	18" CORR. GALV. STEEL PIPE	10.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 090163****SECTION 0002 - CABLE BARRIER**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 0690	24" CORR. GALV. STEEL PIPE	160.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	600.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	48060.000	LF
628(C) 5110	END ANCHORS	16.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	152.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100588

CALL ORDER: 590
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TEXAS

PROJECT(S) : PCN
 NHY-008N(019) 1497113
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$113.79
 245 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 US-54: FROM 5.5 MILES SOUTHWEST OF THE SH-94 JUNCTION,
 EXTEND NORTHEAST.
 PROJECT LENGTH = 5.284

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	20704.000	CY
202(C) 0184	UNCLASSIFIED BORROW	5000.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	48585.000	LF
227 0100	TEMPORARY SILT DIKE	310.000	LF
230(A) 2806	SOLID SLAB SODDING	76966.000	SY
230(F) 2812	WATERING	3080.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	15.900	AC
241 2832	MOWING	15.900	AC
327(A) 4200	(SP)FLY ASH	8819.000	TON
327(D) 4230	(SP)LIME	869.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	164112.000	SY
327(G) 4260	(SP)LIME PRETREATMENT	48009.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1691.000	TON
407 0250	TACK COAT	30925.000	GAL
408 5774	PRIME COAT	27001.000	GAL
411(S3) 5935	(SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	18623.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	93531.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	12098.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	3733.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	55800.000	LF
417 4267	COLD MILLING BITUMINOUS PAVEMENT	32900.000	SY
509(D) 0325	CLASS C CONCRETE	50.000	CY
609(B) 1514	1'-8" COMB.CRB.& GUT.(8" BARRIER)	3400.000	LF
613(CC) 7198	TYPE C6 CULVERT END TREATMENT	2.000	EA
613(D) 0692	36" CORR. GALV. STEEL PIPE	86.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4084.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100588

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(C) 0924	SAWING PAVEMENT	900.000	LF

SECTION 0002 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	180.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	120.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	144099.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	74.000	EA

SECTION 0003 - TEMPORARY TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	71600.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	14320.000	EA
880(A) 8815	ARROW DISPLAY(TYPE C)	2.000	EA
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	10780.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3920.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7595.000	SD
880(C) 8842	BARRICADES(TYPE III)	2205.000	SD
880(C) 8848	WING BARRICADES	1960.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4410.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	45325.000	SD
880(F) 8878	DRUMS	45325.000	SD
880(G) 8890	CHANNELIZER CONES	45325.000	SD
882(A) 8303	PORTABLE CHANGEABLE MESSAGE SIGN	4.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100566

CALL ORDER: 600
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TILLMAN

PROJECT(S) : PCN
 BRO-171D(049)CI 1856204
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-222): OVER SUTTLE CREEK, 0.5 MILES SOUTH OF
 THE US-70 JUNCTION.
 PROJECT LENGTH: 0.198 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(C) 0184	UNCLASSIFIED BORROW	921.000	CY
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1000.000	LF
230(A) 2806	SOLID SLAB SODDING	9500.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.970	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	563.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) 4531	49" X 33" CORR. GALV. STEEL PIPE ARCH	68.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	114.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	283.170	LF
506(A) 1322	STRUCTURAL STEEL	2020.000	LB
509(A) 1326	CLASS AA CONCRETE	80.900	CY
509(B) 1328	CLASS A CONCRETE	63.800	CY
511(A) 1332	REINFORCING STEEL	26918.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	490.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	490.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1660.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	418.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	102.420	LF
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100566

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100541

CALL ORDER: 620
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 IM-NHIY-0044-2(494)229 0637482
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$180.99
 325 CALENDAR DAYS
 TIME 'B' BID - \$ 15000 / DAY
 TIME 'C' BID - \$ 10000 / DAY
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, SIGNAL, SIGNING, AND LIGHTING
 I-44: FROM 41ST STREET, EXTEND NORTHEAST IN THE CITY OF
 TULSA.
 PROJECT LENGTH = 0.454 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	102982.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	108.000	LF
223 2801	TEMPORARY SILT FENCE	890.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
230(A) 2806	SOLID SLAB SODDING	49970.000	SY
233(A) 2817	VEGETATIVE MULCHING	11.280	AC
241 2832	MOWING	66.000	AC
303 0192	AGGREGATE BASE	16731.000	CY
319 5190	OPEN GRADED BITUMINOUS BASE	10690.000	TON
325 5271	SEPARATOR FABRIC	230812.000	SY
327(J) 4290	(SP)MODIFIED SUBGRADE	57691.000	SY
328 2600	(SP)GEOSYNTHETIC SUBGRADE REINFORCEMENT	48719.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	200.000	TON
411(S3) 5935	(SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	540.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1500.000	TON
411(S3) 6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	313.000	TON
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	2055.000	TON
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	14770.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	19849.000	SY
414(D) 4425	(SP)CONT.REINF.P.C.C. PAVT.(PLACEMENT)	24191.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	17116.000	CY
417 5267	COLD MILLING PAVEMENT	8965.000	SY
504(E) 6245	CONCRETE RAIL (TR4)	1565.000	LF
509(A) 0319	CLASS AA CONCRETE	720.000	CY
509(B) 0321	CLASS A CONCRETE	15.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100541

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	6.200	CY
509(D) 0325	CLASS C CONCRETE	48.200	CY
510 6390	TEMPORARY SHEET PILING	1.000	LSUM
510(A) 6333	RETAINING WALL	2121.890	SY
510(C) 6134	SLOPE WALL (4")	150.000	SY
511(B) 4269	EPOXY COATED REINFORCING STEEL	86580.000	LB
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	3231.000	LF
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	7132.000	LF
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	2295.000	LF
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	723.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	1848.000	SY
610(A) 0650	(PL)4" DECORATIVE CONCRETE SIDEWALK	139.000	SY
610(B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	3600.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	176.000	SY
610(C) 0608	4" CONCRETE DIVIDING STRIP	75.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	1289.000	SY
610(C) 5824	DECORATIVE MEDIAN CONCRETE	155.000	SY
610(G) 4142	BITUMINOUS DRIVEWAY	677.000	SY
610(I) 4610	(PL)TACTILE WARNING DEVICE-NEW	208.000	SF
611(D) 4215	MANHOLE FRAME & COVER	8.000	EA
611(E) 5112	INLET CICI DES. 2 (STD)	3.000	EA
611(E) 5113	INLET CICI DES. 2 (B)	2.000	EA
611(E) 5115	INLET CICI DES. 2 (D)	4.000	EA
611(E) 5120	INLET CICI DES. 3 (STD)	2.000	EA
611(E) 5123	INLET CICI DES. 3 (2B)	2.000	EA
611(E) 5327	INLET GPI TYPE 1 (DES. 1)	2.000	EA
611(E) 5690	INLET MEDIAN BARRIER DES. 1	6.000	EA
611(E) 5972	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B)	1.000	EA
611(E) 5974	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(D)	1.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	80.000	EA
611(J) 0487	JUNCTION BOXES	326.040	CF
611(K) 4488	CAST IRON CURB INLETS	90.000	EA
612(E) 0645	INLETS ADJUST TO GRADE	4.000	EA
612(T) 0706	REMOVE & RESET MANHOLE FRAME & COVER	2.000	EA
613(B) 0491	18" R.C.Pipe CLASS III	2270.000	LF
613(B) 0492	24" R.C.Pipe CLASS III	498.000	LF
613(B) 0493	30" R.C.Pipe CLASS III	18.000	LF
613(B) 0494	36" R.C.Pipe CLASS III	184.000	LF
613(B) 4504	19" X 30" R.C.Pipe ELL. CLASS HE-III	244.000	LF
613(B) 4505	24" X 38" R.C.Pipe ELL. CLASS HE-III	394.000	LF
613(D) 0688	12" CORR. GALV. STEEL PIPE	120.000	LF
613(D) 0689	18" CORR. GALV. STEEL PIPE	120.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100541

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	1383.000	LF
613(P) 1092	8" PERFORATED PIPE UNDERDRAIN ROUND	354.000	LF
613(Q) 1097	8" NON-PERF. PIPE UNDERDRAIN RND.	14.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	2680.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1100.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	49690.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	2430.000	SY
619(B) 4791	REMOVAL OF CURB	10425.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	1068.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	5145.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	965.000	LF
619(B) 6130	REMOVAL OF 4" CONCRETE DIVIDING STRIP	738.000	SY
619(C) 0924	SAWING PAVEMENT	7675.000	LF
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	5052.900	LF
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	8755.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	450.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	11.000	EA

SECTION 0002 - WATER LINE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
612(H) 0648	METER BOXES ADJUST TO GRADE	2.000	EA
612(M) 4816	8" WATER LINE LOWERED	240.000	LF
615(F) 6129	TRENCH EXCAVATION	7303.000	CY
616 0120	24" PLUG	2.000	EA
616(A) 0800	(PL) FITTINGS	3.000	EA
616(A) 5121	6" DUCTILE IRON PIPE	60.000	LF
616(A) 5122	8" DUCTILE IRON PIPE	628.000	LF
616(A) 5124	12" DUCTILE IRON PIPE	1093.000	LF
616(A) 5126	24" DUCTILE IRON PIPE	80.000	LF
616(A) 5172	36" DUCTILE IRON PIPE	3830.000	LF
616(A) 6200	36" PRESTR. CONC. PRESSURE PIPE (STL. CY	48.000	LF
616(A) 6210	48" PRESTR. CONC. PRESSURE PIPE (STL. CY	48.000	LF
616(D) 0700	36" BALL VALVE ASSEMBLY AND VAULT	1.000	EA
616(D) 0765	4" AIR RELEASE ASSEMBLY AND VAULT	3.000	EA
616(D) 1070	6" GATE VALVE	10.000	EA
616(D) 1080	8" GATE VALVE	2.000	EA
616(D) 1100	12" GATE VALVE	6.000	EA
616(D) 7012	16" VALVES	2.000	EA
616(D) 7051	STANDARD VALVE BOX	20.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100541

SECTION 0002 - WATER LINE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
616(D) 7078	VALVE BOX EXTENSION	44.000	EA
616(G) 1192	FIRE HYDRANTS	5.000	EA
616(I) 0018	6" SOLID SLEEVE	3.000	EA
616(I) 0020	8" SOLID SLEEVE	1.000	EA
616(I) 0024	12" SOLID SLEEVE	2.000	EA
616(I) 0029	36" DRESSER SLEEVE	1.000	EA
616(I) 5270	(PL)24" STEEL CASING	307.000	LF
616(J) 0026	8" X 8" X 6" TEE	4.000	EA
616(J) 0030	12" X 12" X 6" TEE	6.000	EA
616(J) 0035	12" X 12" X 12" TEE	1.000	EA
616(J) 0240	24" X 24" X 24" TEE	1.000	EA
616(J) 0420	36" X 36" X 12" TEE	3.000	EA
616(K) 0042	6" 45 DEGREE FITTING	4.000	EA
616(K) 0047	12" 45 DEGREE FITTING	2.000	EA
616(K) 0050	12" 90 DEGREE FITTING	1.000	EA
616(K) 0054	12" 22 1/2 DEGREE FITTING	2.000	EA
616(K) 0065	12" 11 1/4 DEGREE FITTING	1.000	EA
616(K) 0080	36" 11 1/4 DEGREE FITTING	9.000	EA
616(K) 0084	36" 45 DEGREE FITTING	1.000	EA
616(K) 0160	24" 90 DEGREE FITTING	2.000	EA
616(L) 0070	6" X 4" REDUCER	2.000	EA
616(L) 0082	12" X 8" REDUCER	2.000	EA
616(L) 0090	36"X 24" REDUCER	1.000	EA
616(L) 0150	24"X 16" REDUCER	2.000	EA
616(L) 0350	36" CONCRETE TO DUCTILE IRON ADAPTER	1.000	EA
616(N) 0090	SERVICE CONNECTION (SHORT)	6.000	EA
616(N) 0094	SHORT WATER SERVICE & RESET METER	5.000	EA

SECTION 0003 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	29.500	LF
804(A) 2915	STRUCTURAL CONCRETE	56.720	CY
804(B) 2916	REINFORCING STEEL	3330.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	490.830	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	84.000	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	278.000	SF
851(C) 8321	1 3/4" SQUARE TUBE POST	418.500	LF
851(C) 8324	2" SQUARE TUBE POST	56.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	210.670	LF
852(B) 0120	OVHD.SN.STR., MONOTUBE TYPE A 90'	1.000	EA
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	17000.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	8640.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	2300.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100541

SECTION 0003 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	10500.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	2330.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	480.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	38.000	EA
870 8011	SAND FILLED IMPACT ATTEN.MODULE REMOVAL	1.000	LSUM
871 8325	(PL)IMPACT ATTENUATOR	2.000	EA
890(A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
890(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	7650.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	7300.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	50980.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	200.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	6600.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	35840.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	120.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	260.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	600.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	45000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	38000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	15000.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	2000.000	SD
880(C) 8836	BARRICADES(TYPE II)	7000.000	SD
880(C) 8842	BARRICADES(TYPE III)	20000.000	SD
880(C) 8848	WING BARRICADES	2000.000	SD
880(D) 8854	VERTICAL PANELS	1000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	30000.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	120000.000	SD
880(F) 8878	DRUMS	100000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOUR
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	800.000	SD

SECTION 0005 - TRAFFIC SIGNALS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
890 7706	(PL)TRAFFIC ITEMS(SIGNALS)	1.000	LSUM

SECTION 0006 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 0321	CLASS A CONCRETE	30.780	CY
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	300.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	100.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	10900.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100541

SECTION 0006 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
803 8060	(PL)PULL BOX	19.000	EA
803 8065	PULL BOX(SIZE I)	8.000	EA
804(A) 2915	STRUCTURAL CONCRETE	15.660	CY
804(B) 2916	REINFORCING STEEL	5461.800	LB
806(D) 8995	36' MTG.HT.HL.PTP.(G.STL.)	19.000	EA
806(D) 8997	38' MTG.HT.HL.PTP.(G.STL.)	29.000	EA
807 8092	BREAKAWAY BASE (DES. B)	14.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	69.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	24020.000	LF
811 8046	1/C NO.12 ELECT.COND.	5346.000	LF

SECTION 0007 - TRAFFIC LIGHTING (TEMPORARY)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(M) 8340	(SP)TEMPORARY ROADWAY LIGHTING ASSEMBLY	8000.000	LM DY

SECTION 0008 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0009 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100612

CALL ORDER: 630
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 STPY-172C(509) 1114307
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$36.85
 300 CALENDAR DAYS
 TIME 'B' BID - \$ 5000 / DAY
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 PAVEMENT REHABILITATION (ASPHALT)
 SH-51: FROM 0.6 MILES EAST OF THE CREEK COUNTY LINE, EXTEND
 EAST.
 PROJECT LENGTH = 5.955 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2344.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2857.000	CY
223 2801	TEMPORARY SILT FENCE	2500.000	LF
227 0100	TEMPORARY SILT DIKE	773.000	LF
230(A) 2806	SOLID SLAB SODDING	61093.000	SY
232(B) 2814	SEEDING METHOD B	1.000	AC
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
241 2832	MOWING	1.000	AC
303 0192	AGGREGATE BASE	39435.000	CY
319 5190	OPEN GRADED BITUMINOUS BASE	30223.000	TON
325 5271	SEPARATOR FABRIC	386447.000	SY
327(A) 4200	(SP)FLY ASH	9994.000	TON
327(D) 4230	(SP)LIME	1250.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	198285.000	SY
327(G) 4260	(SP)LIME PRETREATMENT	69420.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	27247.000	TON
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	17286.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	31883.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	11399.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	4411.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	62895.000	LF
613(D) 0689	18" CORR. GALV. STEEL PIPE	2792.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	2213.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	737.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	138117.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2407.000	SY
619(B) 4780	REMOVAL OF GUARD RAIL	5977.000	LF
619(C) 0924	SAWING PAVEMENT	1586.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100612

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	5663.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	8.000	EA
623(F) 6032	GUARD RAIL ANCHOR UNIT (TYPE I)	1.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	7.000	EA
653(C) 5946	OUTLET LATERAL HEADWALL	6.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	6225.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	38480.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	800.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1000.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	1200.000	SD
878(C) 8487	MODULAR GLARE SCREEN	100400.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	710.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	46200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	31600.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	17290.000	SD
880(C) 8842	BARRICADES(TYPE III)	1500.000	SD
880(C) 8848	WING BARRICADES	1200.000	SD
880(D) 8854	VERTICAL PANELS	134800.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	31600.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	464400.000	SD
880(F) 8878	DRUMS	110200.000	SD
880(G) 8884	TUBE CHANNELIZERS	214000.000	SD
880(G) 8890	CHANNELIZER CONES	20000.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	600.000	SD

SECTION 0003 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	3.170	CY
804(B) 2916	REINFORCING STEEL	833.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	65.250	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	296.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	37.500	LF
851(A) 3211	8"@35 GALV.STL.WD.FLANGE BM.POST	59.630	LF
851(C) 8324	2" SQUARE TUBE POST	66.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	74640.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	30.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	49.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 100612

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100567

CALL ORDER: 640
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 STP-172B(276)IG 2214804
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$34.68
 145 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 GRADE, DRAIN,SURFACE, AND BRIDGE
 CITY STREET (96TH STREET): FROM ADAMS STREET, EXTEND EAST IN
 THE CITY OF JENKS.
 PROJECT LENGTH = 0.094 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1130.000	CY
202(C) 0184	UNCLASSIFIED BORROW	10017.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1375.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
227 0100	TEMPORARY SILT DIKE	160.000	LF
230(A) 2806	SOLID SLAB SODDING	8714.000	SY
232(A) 2813	SEEDING METHOD A	3.980	AC
233(A) 2817	VEGETATIVE MULCHING	3.980	AC
243 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	2.000	EA
303 0192	AGGREGATE BASE	1826.000	CY
310(B) 0149	SUBGRADE, METHOD B	4759.000	SY
325 5271	SEPARATOR FABRIC	4759.000	SY
407 0250	TACK COAT	663.000	GAL
408 5774	PRIME COAT	2125.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	2171.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1040.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	2084.000	SY
510(A) 6333	RETAINING WALL	145.000	SY
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	1000.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	571.000	SY
610(A) 0650	(PL)4" DECORATIVE CONCRETE SIDEWALK	222.000	SY
611(A) 2657	MANHOLE (4' DIA.)	1.000	EA
611(D) 4215	MANHOLE FRAME & COVER	1.000	EA
611(E) 5120	INLET CICI DES. 3 (STD)	2.000	EA
611(E) 5706	INLET CDI 30" RCP	1.000	EA
611(F) 5330	INLET CICI DES. 3 (ADD'L DEPTH)	6.000	VF
613(B) 0491	18" R.C.PEPE CLASS III	119.000	LF
613(B) 0492	24" R.C.PEPE CLASS III	64.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100567

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 0493	30" R.C.PIPE CLASS III	258.000	LF
613(C) 4373	SP. END SECTION OF 18" RCP ROUND	3.000	EA
613(S) 1180	TRENCH EXCAVATION	275.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	180.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3295.000	SY

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	1051.000	CY
509(A) 1326	CLASS AA CONCRETE	645.700	CY
511(A) 1332	REINFORCING STEEL	90668.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	540.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	540.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	18.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	16431.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	8591.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1633.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	270.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	580.000	SD
880(C) 8842	BARRICADES(TYPE III)	135.000	SD
880(D) 8854	VERTICAL PANELS	1215.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	425.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	4750.000	SD
880(F) 8878	DRUMS	4750.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - STAKING - CITY OF JENKS WATERLINE (NON-PARTICIPATING)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0006 - STAKING - RWD NO. 2 WATERLINE (NON-PARTICIPATING)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100567

SECTION 0008 - ROADWAY (NON-PARTICIPATING)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
612(A) 0641	MANHOLES ADJUST TO GRADE	2.000	EA
612(G) 0647	VALVE BOXES ADJUST TO GRADE	3.000	EA
612(J) 0650	FIRE HYDRANT RESET	1.000	EA
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	1254.000	LF

SECTION 0009 - ROADWAY - CITY OF JENKS WATERLINE (NON-PARTICIPATING)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
230(A) 2806	SOLID SLAB SODDING	126.000	SY
611(C) 0484	SPECIAL MANHOLE	54.000	CF
616(B) 5229	12" POLYVINYL CHLORIDE (PVC) PIPE	283.000	LF
616(D) 1100	12" GATE VALVE	2.000	EA
616(U) 6217	BORE AND JACK 27" CASING	84.000	LF

SECTION 0010 - ROADWAY - RWD NO. 2 WATERLINE (NON-PARTICIPATING)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
230(A) 2806	SOLID SLAB SODDING	793.000	SY
611(C) 0484	SPECIAL MANHOLE	54.000	CF
616(B) 5223	6" POLYVINYL CHLORIDE (PVC) PIPE	1420.000	LF
616(D) 0750	1/2" AIR RELIEF VALVE & VAULT	1.000	EA
616(D) 0775	2" BLOW OFF VALVE	1.000	EA
616(D) 1070	6" GATE VALVE	4.000	EA
616(I) 5264	(PL)18" STEEL CASING	73.000	LF
616(U) 6205	BORE AND JACK 18" CASING	73.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100569

CALL ORDER: 663
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) :	PCN
SBR-172N(389)SB	2479604
SBR-172A(392)SB	2496204
SBR-172A(491)SB	2733804

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$88.87
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-51/CITY STREET: ON SH-51, OVER UTICA AVE AND OVER ST.
 LOUIS STREET. ON 12TH ST, OVER I-444 IN THE CITY OF TULSA.
 PROJECT LENGTH = 0.097 MILES

SECTION 0001 - BRIDGE 'A' - SBR-172N(389)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	250.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	344.900	SY
504(C) 6250	SEALED EXPANSION JOINT	310.360	LF
504(F) 6190	42" F-SHAPED PARAPET	230.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	51.400	LF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	350.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	144.000	SY
506(A) 1322	STRUCTURAL STEEL	5500.000	LB
509(B) 1328	CLASS A CONCRETE	190.800	CY
510(C) 6134	SLOPE WALL (4")	320.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	42280.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	825.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	500.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	12.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	40.000	SY
523(C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	2015.000	SY
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	80.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	40.000	SY
535 6164	(PL)FIXED BEARING ASSEMBLY	14.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	14.000	EA
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
623(A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	25.000	LF
623(E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	2.000	EA
890 7708	(PL)TRAFFIC ITEMS(LIGHTING)	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100569

SECTION 0002 - TRAFFIC - SBR-172N(389)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	700.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1080.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	2000.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1080.000	LF
870(A) 8490	(PL)SAND FILLED IMPACT ATTEN.SYSTEM	30.000	SD
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	15.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	1200.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2400.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2400.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	240.000	SD
880(C) 8842	BARRICADES(TYPE III)	2400.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(C) 8855	DIRECTION INDICATOR BARRICADE	2040.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5520.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	4920.000	SD
880(F) 8878	DRUMS	2880.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	50.000	HOUR
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0003 - BRIDGE 'A' - SBR-172A(392)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S4) 5950	(SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	195.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	2302.500	SY
501(G) 6309	CLSM BACKFILL	20.000	CY
504(H) 6390	RAPID CURE JOINT SEALANT	564.500	LF
505 6139	(PL)MEMBRANE	2302.500	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	275.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	800.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	20.800	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	200.000	SY
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	47.200	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	200.000	SY

SECTION 0004 - TRAFFIC - SBR-172A(392)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1000.000	EA
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	360.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1560.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2040.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	120.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100569

SECTION 0004 - TRAFFIC - SBR-172A(392)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8842	BARRICADES(TYPE III)	1800.000	SD
880(C) 8848	WING BARRICADES	840.000	SD
880(C) 8855	DIRECTION INDICATOR BARRICADE	3840.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3840.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	5580.000	SD
880(F) 8878	DRUMS	4980.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	100.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0005 - BRIDGE 'A' - SBR-172A(491)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	280.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	278.000	SY
501(G) 6309	CLSM BACKFILL	10.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	725.000	SY
504(C) 6250	SEALED EXPANSION JOINT	159.800	LF
504(F) 6190	42" F-SHAPED PARAPET	278.000	LF
505(B) 6019	CLASS B BRIDGE DECK REPAIR	36.000	SY
505(C) 6020	CLASS C BRIDGE DECK REPAIR	18.000	SY
509 6152	(PL)SPECIAL CONCRETE FINISH	683.000	SY
509(A) 1326	CLASS AA CONCRETE	428.700	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	69430.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1177.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	10.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	0.400	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	35.000	SY
523(A) 6550	(SP) SEALER CRACK PREPARATION	359.500	LF
523(B) 6560	(SP) SEALER RESIN	3.000	GAL
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	223.200	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	33.100	SY
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0006 - TRAFFIC CONTROL - SBR-172A(491)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	1340.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	1240.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	16891.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2855.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	240.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	420.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6600.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100569

SECTION 0006 - TRAFFIC CONTROL - SBR-172A(491)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6120.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	120.000	SD
880(C) 8842	BARRICADES(TYPE III)	2820.000	SD
880(C) 8848	WING BARRICADES	600.000	SD
880(D) 8854	VERTICAL PANELS	3228.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3840.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	10320.000	SD
880(F) 8878	DRUMS	17460.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	360.000	HOURL
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	240.000	SD
882 8372	(SP)SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	240.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	240.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	120.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0007 - TRAFFIC SIGNING AND STRIPING - SBR-172A(491)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6745.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	404.000	LF

SECTION 0008 - STAKING - SBR-172A(491)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0009 - CONSTRUCTION - SBR-172A(491)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100543

CALL ORDER: 680
 LETTING DATE: October 21, 2010
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 BHIY-0244-2(484)005 2630405
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$37.93
 200 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 I-244: AT THE EXIT RAMP TO 1ST STREET IN THE CITY OF TULSA.
 PROJECT LENGTH = 0.170 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 4349	(PL)UNCLASSIFIED EXCAVATION	1.000	LSUM
202(D) 0186	SELECT BORROW	2000.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1500.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	5.000	EA
226 2805	TEMPORARY SEDIMENT REMOVAL	60.000	CY
230(A) 2806	SOLID SLAB SODDING	2500.000	SY
230(F) 2812	WATERING	100.000	MGAL
234(A) 2824	FERTILIZING (10-20-10)	0.250	TON
234(A) 4406	FERTILIZING (0-46-0)	0.040	TON
241 2832	MOWING	2.000	AC
303 0192	AGGREGATE BASE	582.000	CY
317(F) 4270	(SP)CEMENT TREATED BASE	3243.000	SY
325 5271	SEPARATOR FABRIC	4587.000	SY
327(D) 4230	(SP)LIME	63.000	TON
327(H) 4270	(SP)LIME STABILIZED SUBGRADE	3743.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	2146.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	597.000	CY
504(F) 1381	CONCRETE PARAPET	456.000	LF
504(F) 6190	42" F-SHAPED PARAPET	349.000	LF
509(A) 0319	CLASS AA CONCRETE	266.000	CY
510(C) 6136	SLOPE WALL (6")	700.000	SY
511(B) 4269	EPOXY COATED REINFORCING STEEL	25104.000	LB
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	81.000	LF
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	375.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	345.000	SY
611(E) 7126	INLET MEDIAN BARRIER, TYPE I, DES.1	4.000	EA
611(G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	8.000	EA
613(B) 0491	18" R.C.PIPE CLASS III	32.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100543

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	635.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	120.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	97.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	2844.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	5.000	EA
619(B) 4780	REMOVAL OF GUARD RAIL	638.000	LF
619(C) 0924	SAWING PAVEMENT	100.000	LF

SECTION 0002 - BRIDGE '14'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	92.000	CY
504(A) 1304	APPROACH SLAB	139.000	SY
504(C) 6250	SEALED EXPANSION JOINT	100.000	LF
504(F) 1381	CONCRETE PARAPET	781.000	LF
509(A) 1326	CLASS AA CONCRETE	280.000	CY
509(B) 1328	CLASS A CONCRETE	10.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	83325.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	631.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	37.000	SY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	587.500	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	300.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	30.080	SF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	54.000	LF
854(C) 8530	(SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	2200.000	LF
854(C) 8535	(SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	600.000	LF
854(C) 8540	(SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	500.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	500.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	500.000	LF
871 8325	(PL)IMPACT ATTENUATOR	2.000	EA
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	400.000	SD
880(A) 8806	ARROW DISPLAY(TYPE B)	1000.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5400.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6600.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6200.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	1400.000	SD
880(C) 8842	BARRICADES(TYPE III)	3800.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100543****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8848	WING BARRICADES	1200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7600.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	36400.000	SD
880(F) 8878	DRUMS	34000.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	400.000	SD
890(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
890A/B 8744	(PL)REMOVE & RESET LIGHT POLE	5.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – October 21, 2010 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail
Contractor's Name:	
Telephone No:	
Physical Address:	
Please Return Completed Form to:	
Fax # 405-522-0972 or	
Email mhenry@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ALFALFA / MAJOR	020	BPMY-NBIP(430)3B	27779(04)		\$50.00	10.00 + 0.84	0
2	ALFALFA / MAJOR	040	BPMY-102F(167)3B	27779(05)		\$50.00	10.00 + 0.84	0
3	BECKHAM	060	SAP-105N(193)	25909(05)		\$50.00	155.00 + 12.98	33
4	COMANCHE	082	IMG-0044-1(115)037TR IMG-0044-1(114)042TR NHIY-003N(001)	27052(04) 27056(04) 27164(04)		\$50.00	99.00 + 8.29	29
5	COMANCHE	090	STP-116C(194)SS	27478(04)		\$50.00	65.00 + 5.44	30
6	CRAIG	120	CIRB-118D(071)RB	23419(04)		\$50.00	14.00 + 1.17	9
7	GARFIELD	140	BRO-124D(094)CI	23735(04)		\$50.00	17.00 + 1.42	5
8	GARVIN	160	BHFY-125B(158)	24762(04)		\$50.00	8.00 + 0.67	0
9	GARVIN	180	SSP-125C(180)SS	27134(04)		\$50.00	24.00 + 2.01	4
10	GREER	200	BRO-128D(076)CI	25916(04)		\$50.00	10.00 + 0.84	3
11	HASKELL	230	BRFY-131B(067)	23102(04)		\$50.00	46.50 + 3.90	9
12	KAY	260	BRO-136D(178)CI	25645(05)		\$50.00	12.00 + 1.01	2
13	KINGFISHER	280	BRO-137D(055)CO	22137(04)		\$50.00	13.00 + 1.09	3
14	LATIMER	290	STPY-139C(070)SS	23194(04)		\$50.00	56.00 + 4.69	44
15	LOGAN	300	STP-142D(106)AG	22035(04)		\$50.00	14.00 + 1.17	4
16	LOGAN	301	STP-142D(107)AG	22036(04)		\$50.00	8.00 + 0.67	2
17	LOGAN	302	STP-142D(106)AG STP-142D(107)AG	22035(04)C 22036(04)C		\$50.00	22.00 + 1.84	6
18	LOVE	310	IMY-0035-1(156)011 IMY-0035-1(157)014	27166(04) 27166(06)		\$50.00	148.00 + 12.39	97
19	GARVIN / MCCLAIN	320	HSIPIG-0035-2(309)081TR	26266(04)		\$50.00	21.00 + 1.76	0
20	MCCLAIN	340	STP-144D(139)CO	26611(04)		\$50.00	4.00 + 0.34	0
21	MCINTOSH	350	IMY-0040-6(369)265	20884(06)		\$50.00	53.00 + 4.44	0
22	MAJOR	360	NHY-147N(075)IP	17360(18)		\$50.00	162.00 + 13.57	113
23	MUSKOGEE	380	STPY-151A(173)	24789(04)		\$50.00	29.00 + 2.43	0
24	OKFUSKEE	400	SBR-154N(106)SB	24526(04)		\$50.00	12.00 + 1.01	0
25	OKFUSKEE	420	HSIPIG-0040-5(406)216TR	26268(04)		\$50.00	31.00 + 2.60	0

BID OPENING OF – October 21, 2010 AM

Date:		Order Taken by:	
Contractor's Id No.:		No. Of Proposal(s):	
Person Ordering:		☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail	
Contractor's Name:			
Telephone No:			
Physical Address:		Please Return Completed Form to:	
		Fax # 405-522-0972 or	
		Email mhenry@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
26	OKLAHOMA	460	STPG-155F(722)AG	22321(06)		\$50.00	No Charge	0
27	OKLAHOMA	480	BPMY-NBIP(428)3B	27777(04)		\$50.00	6.00 + 0.50	0
28	OKLAHOMA	520	STPG-155A(792)AG	27786(04)		\$50.00	8.00 + 0.67	0
29	OKMULGEE	530	BRFY-156C(120)	23106(04)		\$50.00	38.50 + 3.22	18
30	OSAGE	540	BRO-157D(073)CO	22486(04)		\$50.00	11.00 + 0.92	5
31	PONTOTOC	556	BRFY-162B(118)	21842(04)		\$50.00	48.00 + 4.02	12
32	SEQUOYAH	580	HSIPIG-0040-6(359)299TR	26270(04)		\$50.00	28.00 + 2.35	0
33	TEXAS	590	NHY-008N(019)	14971(13)		\$50.00	105.00 + 8.79	80
34	TILLMAN	600	BRO-171D(049)CI	18562(04)		\$50.00	11.00 + 0.92	6
35	TULSA	620	IM-NHIY-0044-2(494)229	06374(82)		\$50.00	167.00 + 13.99	27
36	TULSA	630	STPY-172C(509)	11143(07)		\$50.00	34.00 + 2.85	0
37	TULSA	640	STP-172B(276)IG	22148(04)		\$50.00	32.00 + 2.68	8
38	TULSA	663	SBR-172N(389)SB SBR-172A(392)SB SBR-172A(491)SB	24796(04) 24962(04) 27338(04)		\$50.00	82.00 + 6.87	0
39	TULSA	680	BHIY-0244-2(484)005	26304(05)		\$50.00	35.00 + 2.93	0