

## NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO **DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.9a)** AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

[www.okladot.state.ok.us/contracts/index.htm](http://www.okladot.state.ok.us/contracts/index.htm)




## REMINDER

ODOT NOW ACCEPTS BIDS ON LINE . TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR

<http://www.BIDX.com>





# Bid Express<sup>®</sup>

SECURE INTERNET BIDDING

## Small Business Network Training for Primes

Is your company aware, it is projected, by the January 2011 Letting, the ODOT will require Prime Contractors to submit bids electronically for construction projects on the monthly letting schedule.

Bid Express has been one software which many of our Prime Contractors have utilized. But is your company aware of the Small Business Network (SBN) component of Bid Express? The SBN will allow Prime Contractors to post solicitations for quotes, and allow Certified Disadvantaged Business Enterprise companies to search for bid opportunities. Electronic searches and solicitations will also allow DBEs valuable time to comprise and submit a competitive bid.

Within the Small Business Network allows Prime Contractors to:

- Access a business center in Bid Express that can help meet Disadvantaged Business Enterprise (DBE) goals.
- Post an unlimited number of solicitations for items to quote.
- Create and post an electronic notice that lists the items to be quoted, and send an alert e-mail about the post.
- View all outstanding sub-quote requests at a glance.
- Easily locate certified small and disadvantaged businesses.
- Advertise to small and disadvantaged businesses more efficiently and cost effectively.
- Take a step to demonstrate good faith effort in reaching disadvantaged businesses.
- Quickly obtain and analyze bid tab data from past bids, including the high, average and low prices of items. This data can be viewed by item, by proposal or by contractor to give a clear picture of recent bids for that item.

Two training sessions will be available for Prime Contractors to participate in and learn how to navigate through the Small Business Network site. A Bid Express Representative will be available on the following locations, dates and times.

### OKLAHOMA CITY AREA

**December 6, 2010 (1:00 pm—3:00 pm)**

Rose State College  
Professional Education and Training Center  
1720 Hudiburg Drive  
Midwest City, OK 73170

### TULSA AREA

**December 7, 2010 (8:00 am—11:00 am)**

Tulsa Technology Center  
Training Center—Lemley Campus  
3638 S. Memorial Drive  
Tulsa, OK 74147

Please RSVP Martha Garcia, DBE Supportive Services Coordinator  
at 405.521.6411 or toll free 1.800.788.4539 by November 19, 2010



Reach more subcontractors  
and suppliers and get help  
meeting your DBE goals.



# Start using the Small Business Network

from the Bid Express® service



The Small Business Network is a part of the Bid Express service that was created to ensure that prime bidders have a centralized on-line location to find subs - including small and disadvantaged business enterprises (DBEs). It is available for you to use as part of your Basic Service subscription. This resource center is here to help make bidding easier by expanding your reach.

Within the Small Business Network, you can:

- Create a sub-quote to post or send to subcontractors or suppliers that lists the items in a proposal that you want quoted
- Post an unlimited number of sub-quotes for items you want quoted, and optionally mark them as a DBE-preferred request
- Add attachments to sub-quotes
- View or receive unsolicited sub-quotes that subcontractors have posted or sent, complete with terms, conditions and pricing
- Easily locate pre-qualified and certified small and disadvantaged businesses
- Advertise to small and disadvantaged businesses more efficiently and cost effectively
- Document your efforts by producing a "Good Faith" form showing outreach to subs/DBEs (accepted at the discretion of your agency)



If you are not yet subscribing to the Bid Express service, go to [www.bidx.com](http://www.bidx.com) and select "Order Bid Express." The Small Business Network is a part of the Bid Express Basic Service. Begin using this service today to enhance your bidding opportunities and help meet your DBE goals.

[www.bidx.com](http://www.bidx.com) • [customer.support@bidx.com](mailto:customer.support@bidx.com)  
Phone: (352) 381-4888



## Notice

Electronic bid packages are available for the November 18, 2010 10:30 A.M. Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on October 28, 2010.

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on November 05, 2010. concerning this November 18 Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Print Services Branch off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes prior to the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby.

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

### **Important:**

**Effective with January 2011 Bid Opening, all bids for projects requiring pre-qualification will be submitted via Bid Express. Exceptions to this new policy will be discussed with the Office Engineer on a case-by-case basis, and noted on the Short and Long Form Notices**

*Effective with the June 2009 Letting, any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.*

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:  
Office Engineer Division at 405-522-0972

or emailed to:

[mpajoh@odot.org](mailto:mpajoh@odot.org) with copy to [bschmitt@odot.org](mailto:bschmitt@odot.org)

Please include words "Pre-bid question(s) and the Call Order and the Let

*Plans for the project on this letting can be found at:  
<http://www.okladot.state.ok.us/contracts/a2009/plans.htm>*

## **CERTIFIED PAYROLL – FEDERAL RULE CHANGE**

---

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

***Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.***

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

***Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.***

***Reminder***

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:  
<http://www.okladot.state.ok.us/regserv/dbeinfo/dcf2005.htm>

***Reminder***

Please be sure that bid bonds are stapled to the back of the proposal as instructed on the cover sheet of all proposals.

**Do not disassemble the bidding proposal in any way.**

***Note***

***Only written, Email, Fax and in-person orders will be accepted.***

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

***[mhenry@odot.org](mailto:mhenry@odot.org)***

## **OKLAHOMA DEPARTMENT OF TRANSPORTATION**

Sealed Proposals sent by Registered Mail will be recieved through the ODOT Print Services Branch until 30 MINUTES PRIOR to the scheduled BID OPENING. From 30 MINUTES PRIOR to the BID OPENING until the Time of the BID OPENING, Bid Proposals must be turned in DIRECTLY to the ODOT COMMISSION Room located on the East side of the Lobby. The Scheduled BID OPENING is 10:30 A.M. November 18, 2010 , for the work listed below.

Each separate Proposal shall be accompanied by a CERTIFIED or CASHIER`S CHECK or BID BOND equal to 5% of the BID mad payable to the STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, as a Proposal Guaranty. Proposal Checks will be held or returned by the DEPARTMENT as per Section 103.04of the State Standard Specifications.

The MINIMUM wage to be paid laborers and mechanics employed on this project shall be included in the Proposal.

Proposals must be prepared as directed by the State Standard Specifications.

Plans, Forms of Proposals, Contracts and Specifications may be examined at the DIVISION Headquarters in the DIVISION the work is to be performed or at the OKLAHOMA DEPARTMENT OF TRANSPORTATION Office Engineer`s Division in Oklahoma City, Oklahoma. This work will be dome under the Oklahoma DEPARTMENT OF TRANSPORTATION Commission`s applicable Specifications for Highway Construction as depicted on the lower left corner of the Plan`s Title Sheet.

Plans and Proposal forms may be ordered from the Office Engineer Division, OKLAHOMA DEPARTMENT OF TRANSPORTATION Building, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105.

Cost of Bidding Documents are \$50.00 + tax for each Bidding Proposal. State Standard Specifications \$55.00 + tax. (Oklahoma tax is 8.375%). Make Checks Payable to OKLAHOMA DEPARTMENT OF TRANSPORTATION.

No Refunds will be made for Bidding Documents or Specification Books purchased.

Upon AWARD of Contract to a successful bidder, The Contract will be completely and correctly executed by the Contractor and returned to the DEPARTMENT within ten (10) WORKING days from the date of AWARD. The DEPARTMENT will have fourteen (14) WORKING days from the date of AWARD to complete its execution of the Contract.

The OKLAHOMA DEPARTMENT OF TRANSPORTATION hereby notifies ALL Bidders that it will AFFIRMATIVELY ensure that in any Contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit Bids in response to this invitation and will not be discriminated against on the grounds of Race, Color, Sex, Religion, National Origin, OR Disability in consideration for an AWARD.

Bidders are hereby notified that ALL Bids are likely to be REJECTED if the lowest RESPONSIVE BID received exceeds the Engineer`s Estimate by more than seven (7) percent. In the event ALL Bids are REJECTED for this reason, this Project may be deferred for readvertising for Bids until a more competitive situation exists.

Description of work and location of Project:

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100592

CALL ORDER: 020  
LETTING DATE: November 18, 2010  
LETTING TIME: 10:30 A.M.  
COUNTIES: ADAIR

PROJECT(S) : PCN  
STPY-101A(094)RW 1692822  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
180 CALENDAR DAYS  
RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION  
RIGHT-OF-WAY CLEARANCE  
US-59: FROM 2.0 MILES NORTH OF THE TOWN OF WESTVILLE,  
EXTEND NORTH.

### SECTION 0001 - CONSTRUCTION

| ITEM NO.    | ITEM DESCRIPTION       | QUANTITY | UNITS |
|-------------|------------------------|----------|-------|
| 619(G) 0094 | RIGHT-OF-WAY CLEARANCE | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100613

CALL ORDER: 030  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: ALFALFA

PROJECT(S) : PCN  
 BRFY-102C(103) 2406304  
 DBE GOALS : 3.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$31.43  
 45 CALENDAR DAYS  
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 SH-8: OVER AN UNNAMED CREEK, 0.2 MILES NORTH OF THE US-64W  
 JUNCTION.  
 PROJECT LENGTH = 0.190 MILES

## SECTION 0001 - ROADWAY

| ITEM NO.    | ITEM DESCRIPTION                    | QUANTITY | UNITS |
|-------------|-------------------------------------|----------|-------|
| 201(A) 0102 | CLEARING AND GRUBBING               | 1.000    | LSUM  |
| 202(A) 0183 | UNCLASSIFIED EXCAVATION             | 652.000  | CY    |
| 202(D) 0184 | UNCLASSIFIED BORROW                 | 397.000  | CY    |
| 205(A) 4229 | TYPE A-SALVAGED TOPSOIL             | 1.000    | LSUM  |
| 221(B) 2801 | TEMPORARY BALE BARRIER              | 190.000  | LF    |
| 221(C) 2801 | TEMPORARY SILT FENCE                | 2390.000 | LF    |
| 221(F) 0100 | TEMPORARY SILT DIKE                 | 190.000  | LF    |
| 230(A) 2806 | SOLID SLAB SODDING                  | 4580.000 | SY    |
| 233(A) 2817 | VEGETATIVE MULCHING                 | 0.950    | AC    |
| 241 2832    | MOWING                              | 5.700    | AC    |
| 310(B) 0149 | SUBGRADE, METHOD B                  | 3098.000 | SY    |
| 402(A) 0217 | TRAFFIC BOUND SURFACE COURSE TYPE A | 25.000   | TON   |
| 407(B) 0250 | TACK COAT                           | 550.000  | GAL   |
| 408 5774    | PRIME COAT                          | 533.000  | GAL   |
| 411(B) 5945 | SUPERPAVE, TYPE S3(PG 64-22 OK)     | 1243.700 | TON   |
| 411(C) 5960 | SUPERPAVE, TYPE S4(PG 64-22 OK)     | 328.300  | TON   |
| 412 5267    | COLD MILLING PAVEMENT               | 544.000  | SY    |
| 509(D) 0325 | CLASS C CONCRETE                    | 10.000   | CY    |
| 619(B) 4728 | REMOVAL OF ASPHALT PAVEMENT         | 2227.000 | SY    |
| 619(B) 4780 | REMOVAL OF GUARDRAIL                | 650.000  | LF    |
| 619(C) 0924 | SAWING PAVEMENT                     | 48.000   | LF    |

## SECTION 0002 - BRIDGE 'A'

| ITEM NO.    | ITEM DESCRIPTION                   | QUANTITY  | UNITS |
|-------------|------------------------------------|-----------|-------|
| 501(A) 1306 | STRUCTURAL EXCAVATION UNCLASSIFIED | 86.000    | CY    |
| 509(A) 1326 | CLASS AA CONCRETE                  | 231.600   | CY    |
| 511(A) 1332 | REINFORCING STEEL                  | 46050.000 | LB    |
| 619(B) 2500 | REMOVAL OF BRIDGE ITEMS            | 1.000     | LSUM  |

## SECTION 0003 - TRAFFIC

| ITEM NO. | ITEM DESCRIPTION                   | QUANTITY | UNITS |
|----------|------------------------------------|----------|-------|
| 823 8478 | (SP)PORTABLE TRAFFIC SIGNAL SYSTEM | 84.000   | SD    |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100613

## SECTION 0003 - TRAFFIC

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY | UNITS |
|-------------|------------------------------------------|----------|-------|
| 856(A) 8530 | TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)     | 8620.000 | LF    |
| 857(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 2400.000 | LF    |
| 857(E) 8887 | (PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1 | 400.000  | EA    |
| 857(F) 8006 | PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)       | 3600.000 | LF    |
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF          | 1299.000 | SD    |
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF   | 168.000  | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF   | 564.000  | SD    |
| 880(C) 8842 | CONSTRUCTION BARRICADES(TYPE III)        | 252.000  | SD    |
| 880(C) 8848 | WING BARRICADES                          | 360.000  | SD    |
| 880(D) 8854 | VERTICAL PANELS                          | 714.000  | SD    |
| 880(E) 8860 | WARNING LIGHTS(TYPE A)                   | 1023.000 | SD    |
| 880(E) 8872 | WARNING LIGHTS(TYPE C)                   | 2247.000 | SD    |
| 880(F) 8878 | DRUMS                                    | 1533.000 | SD    |
| 882(A) 8306 | PORT.CHANGEABLE MESSAGE SIGN             | 30.000   | SD    |

## SECTION 0004 - STAKING

| ITEM NO.    | ITEM DESCRIPTION              | QUANTITY | UNITS |
|-------------|-------------------------------|----------|-------|
| 642(B) 0096 | CONSTRUCTION STAKING LEVEL II | 1.000    | LSUM  |

## SECTION 0005 - CONSTRUCTION

| ITEM NO. | ITEM DESCRIPTION                   | QUANTITY | UNITS |
|----------|------------------------------------|----------|-------|
| 220 2800 | SWPPP DOCUMENTATION AND MANAGEMENT | 1.000    | LSUM  |
| 641 1552 | MOBILIZATION                       | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100060

CALL ORDER: 040  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: BECKHAM

PROJECT(S) : PCN  
 STPY-105A(080) 2080004  
 DBE GOALS : 5.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$131.13  
 240 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 WIDEN AND RESURFACE (ASPHALT)  
 I-40B: FROM 0.25 MILES WEST OF PIONEER STREET IN ELK CITY,  
 EXTEND EAST.  
 PROJECT LENGTH = 1.809 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                      | QUANTITY  | UNITS |
|--------------|---------------------------------------|-----------|-------|
| 209 0120     | MACHINE GRADING                       | 100.000   | STA   |
| 223 2801     | TEMPORARY SILT FENCE                  | 500.000   | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                    | 4000.000  | SY    |
| 243 0450     | (PL)TEMPORARY INLET SEDIMENT FILTER   | 110.000   | EA    |
| 327(A) 4200  | (SP)FLY ASH                           | 357.000   | TON   |
| 327(E) 4240  | (SP)CEMENTITIOUS STABILIZED SUBGRADE  | 5500.000  | SY    |
| 407 0250     | TACK COAT                             | 11308.000 | GAL   |
| 408 5774     | PRIME COAT                            | 1843.000  | GAL   |
| 411(S3) 5935 | (SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)   | 8930.000  | TON   |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)   | 9913.000  | TON   |
| 411(S4) 5950 | (SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)   | 7826.000  | TON   |
| 411(S4) 5960 | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)   | 2003.000  | TON   |
| 417 4267     | COLD MILLING BITUMINOUS PAVEMENT      | 63989.000 | SY    |
| 509(B) 0321  | CLASS A CONCRETE                      | 50.000    | CY    |
| 509(D) 0325  | CLASS C CONCRETE                      | 75.000    | CY    |
| 609(B) 1513  | 1'-8" COMB.CRB.& GUT.(6" BARRIER)     | 19778.000 | LF    |
| 610(A) 0602  | 4" CONCRETE SIDEWALK                  | 4318.000  | SY    |
| 610(B) 0399  | 6" CONCRETE DRIVEWAY (H.E.S.)         | 3150.000  | SY    |
| 610(B) 0400  | 8" CONCRETE DRIVEWAY (H.E.S.)         | 1321.000  | SY    |
| 610(I) 4610  | (PL)TACTILE WARNING DEVICE-NEW        | 1174.000  | SF    |
| 611(E) 5101  | INLET CICI DES. 1 (A)                 | 2.000     | EA    |
| 611(E) 5112  | INLET CICI DES. 2 (STD)               | 3.000     | EA    |
| 611(E) 5113  | INLET CICI DES. 2 (B)                 | 4.000     | EA    |
| 611(E) 5115  | INLET CICI DES. 2 (D)                 | 1.000     | EA    |
| 611(E) 5117  | INLET CICI DES. 2 (2B)                | 1.000     | EA    |
| 611(E) 5970  | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2 | 3.000     | EA    |
| 611(G) 4488  | INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F) | 84.000    | EA    |
| 611(K) 4488  | CAST IRON CURB INLETS                 | 82.000    | EA    |
| 612(A) 0641  | MANHOLES ADJUST TO GRADE              | 9.000     | EA    |
| 612(E) 0645  | INLETS ADJUST TO GRADE                | 22.000    | EA    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100060

**SECTION 0001 - ROADWAY**

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY  | UNITS |
|-------------|------------------------------|-----------|-------|
| 612(U) 0710 | JUNCTION BOX ADJUST TO GRADE | 9.000     | EA    |
| 613(B) 0491 | 18" R.C.PIPES CLASS III      | 138.000   | LF    |
| 613(B) 0492 | 24" R.C.PIPES CLASS III      | 68.000    | LF    |
| 613(B) 0494 | 36" R.C.PIPES CLASS III      | 2.000     | LF    |
| 619(B) 4727 | REMOVAL OF CONCRETE PAVEMENT | 3622.000  | SY    |
| 619(B) 4728 | REMOVAL OF ASPHALT PAVEMENT  | 814.000   | SY    |
| 619(B) 4741 | REMOVAL OF DRAINAGE INLETS   | 14.000    | EA    |
| 619(B) 4791 | REMOVAL OF CURB              | 19327.000 | LF    |
| 619(B) 4792 | REMOVAL OF SIDEWALK          | 3770.000  | SY    |

**SECTION 0002 - TRAFFIC SIGNING AND STRIPING**

| ITEM NO.    | ITEM DESCRIPTION                  | QUANTITY  | UNITS |
|-------------|-----------------------------------|-----------|-------|
| 850(A) 8110 | SHEET ALUMINUM SIGNS              | 271.000   | SF    |
| 851(C) 8324 | 2" SQUARE TUBE POST               | 648.000   | LF    |
| 855(A) 8812 | TRAFFIC STRIPE(PLASTIC)(4" WIDE)  | 34265.000 | LF    |
| 855(A) 8825 | TRAFFIC STRIPE(PLASTIC)(24" WIDE) | 570.000   | LF    |
| 855(B) 8818 | TRAFFIC STRIPE(PLASTIC)(ARROWS)   | 101.000   | EA    |
| 855(B) 8821 | TRAFFIC STRIPE(PLASTIC)(WORDS)    | 17.000    | EA    |
| 890A/B 8756 | (PL)REMOVE & RESET EXISTING SIGNS | 39.000    | EA    |

**SECTION 0003 - LIGHTING**

| ITEM NO.    | ITEM DESCRIPTION                       | QUANTITY  | UNITS |
|-------------|----------------------------------------|-----------|-------|
| 802(B) 8340 | 2" PVC SCH.40 PLASTIC CONDUIT BORED    | 2459.000  | LF    |
| 802(B) 8342 | 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED | 7629.000  | LF    |
| 803 8065    | PULL BOX(SIZE I)                       | 3.000     | EA    |
| 804(A) 2915 | STRUCTURAL CONCRETE                    | 30.740    | CY    |
| 804(B) 2916 | REINFORCING STEEL                      | 1770.000  | LB    |
| 806(C) 8924 | 40' MTG & 10' HLMA(G.STL.)             | 53.000    | EA    |
| 807 8092    | BREAKAWAY BASE (DES. B)                | 53.000    | EA    |
| 809(A) 8090 | (PL)ROADWAY LUMINAIRE                  | 53.000    | EA    |
| 810(A) 3118 | SERVICE POLE                           | 1.000     | EA    |
| 811 8038    | 1/C NO.4 ELECT.COND.                   | 35387.000 | LF    |
| 811 8046    | 1/C NO.12 ELECT.COND.                  | 4850.000  | LF    |
| 890(A) 8712 | (PL)REMOVAL OF LIGHT POLE              | 53.000    | EA    |

**SECTION 0004 - TRAFFIC CONTROL**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 856(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 77460.000 | LF    |
| 856(B) 8842 | CONSTRUCTION TRAFFIC STR.(PAINT)(ARROWS) | 40.000    | EA    |
| 859(A) 8006 | PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)       | 80100.000 | LF    |
| 880(A) 8812 | ARROW DISPLAY(TYPE C)                    | 900.000   | SD    |
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF          | 4080.000  | SD    |
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF   | 47640.000 | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF   | 12060.000 | SD    |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100060

## SECTION 0004 - TRAFFIC CONTROL

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY  | UNITS |
|-------------|------------------------------|-----------|-------|
| 880(C) 8842 | BARRICADES(TYPE III)         | 35820.000 | SD    |
| 880(C) 8848 | WING BARRICADES              | 1200.000  | SD    |
| 880(E) 8860 | WARNING LIGHTS(TYPE A)       | 83700.000 | SD    |
| 880(E) 8872 | WARNING LIGHTS(TYPE C)       | 90360.000 | SD    |
| 880(F) 8878 | DRUMS                        | 90360.000 | SD    |
| 882(B) 8306 | PORT.CHANGEABLE MESSAGE SIGN | 480.000   | SD    |

## SECTION 0005 - TRAFFIC SIGNAL

| ITEM NO.    | ITEM DESCRIPTION                        | QUANTITY | UNITS |
|-------------|-----------------------------------------|----------|-------|
| 802(B) 8342 | 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED  | 130.000  | LF    |
| 802(B) 8344 | 3" PVC SCH.40 PLASTIC CONDUIT BORED     | 335.000  | LF    |
| 802(B) 8346 | 3" PVC SCH.40 PLASTIC CONDUIT TRENCHED  | 50.000   | LF    |
| 803 8065    | PULL BOX(SIZE I)                        | 3.000    | EA    |
| 803 8066    | PULL BOX(SIZE II)                       | 1.000    | EA    |
| 804(A) 2915 | STRUCTURAL CONCRETE                     | 12.000   | CY    |
| 804(B) 2916 | REINFORCING STEEL                       | 1827.400 | LB    |
| 806(A) 8312 | 32'MH POLE 40'TS & 10'LMA(G.STL.)       | 2.000    | EA    |
| 806(A) 8313 | 32'MH POLE 45'TS & 10'LMA(G.STL.)       | 1.000    | EA    |
| 806(A) 8314 | 32'MH POLE 50'TS & 10'LMA(G.STL.)       | 1.000    | EA    |
| 809(A) 8090 | (PL)ROADWAY LUMINAIRE                   | 4.000    | EA    |
| 811 8040    | 1/C NO.6 ELECT.COND.                    | 200.000  | LF    |
| 811 8044    | 1/C NO.10 ELECT.COND.                   | 1804.000 | LF    |
| 825 8550    | VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM         | 1.000    | EA    |
| 828 8132    | (PL)DETECTION SYSTEM (VIDEO)            | 1.000    | LSUM  |
| 831 8231    | 1WAY3SEC.ADJ.SIG.HD.S-6                 | 8.000    | EA    |
| 831 8252    | 1WAY3SEC.ADJ.SIG.HD.S-9                 | 2.000    | EA    |
| 831 8286    | 1WAY5SEC.ADJ.SIG.HD.S-19                | 2.000    | EA    |
| 833 3030    | BACKPLATE                               | 12.000   | EA    |
| 834(A) 8207 | 5/C TRAF.SIG.EL.CABLE                   | 531.000  | LF    |
| 834(A) 8208 | 7/C TRAF.SIG.EL.CABLE                   | 142.000  | LF    |
| 834(A) 8213 | 21/C TRAF.SIG.EL.CABLE                  | 787.000  | LF    |
| 850(C) 8118 | MAST ARM MOUNTED SIGNS(ALUM.)           | 55.500   | SF    |
| 890 7700    | (PL)TRAFFIC ITEMS                       | 1.000    | LSUM  |
| 890 7706    | (PL)TRAFFIC ITEMS(SIGNALS)              | 1.000    | LSUM  |
| 890(A) 8726 | (PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT | 1.000    | LSUM  |

## SECTION 0006 - CONSTRUCTION

| ITEM NO. | ITEM DESCRIPTION                       | QUANTITY | UNITS |
|----------|----------------------------------------|----------|-------|
| 220 2800 | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000    | LSUM  |
| 641 1552 | MOBILIZATION                           | 1.000    | LSUM  |
| 643 0087 | (SP)CONTRACTORS QUALITY CONTROL        | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100060

## SECTION 0007 - STAKING

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 642 0098 | STAKING          | 1.000    | LSUM  |

## SECTION 0008 - SANITARY SEWER - NON PARTICIPATING

| ITEM NO.    | ITEM DESCRIPTION         | QUANTITY | UNITS |
|-------------|--------------------------|----------|-------|
| 612(A) 0641 | MANHOLES ADJUST TO GRADE | 22.000   | EA    |

## SECTION 0009 - WATER LINE - NON PARTICIPATING

| ITEM NO.    | ITEM DESCRIPTION                    | QUANTITY | UNITS |
|-------------|-------------------------------------|----------|-------|
| 403(E) 0225 | TRAFFIC BOUND SURFACE COURSE TYPE E | 996.000  | TON   |
| 612(G) 0647 | VALVE BOXES ADJUST TO GRADE         | 7.000    | EA    |
| 612(H) 0648 | METER BOXES ADJUST TO GRADE         | 48.000   | EA    |
| 616 0130    | 4" WATER LINE CONNECTION            | 4.000    | EA    |
| 616(A) 5120 | 4" DUCTILE IRON PIPE                | 125.000  | LF    |
| 616(A) 5121 | 6" DUCTILE IRON PIPE                | 50.000   | LF    |
| 616(A) 5122 | 8" DUCTILE IRON PIPE                | 3360.000 | LF    |
| 616(C) 0869 | 1" COPPER WATER SERVICE PIPE        | 1288.000 | LF    |
| 616(C) 0872 | 2" COPPER WATER SERVICE PIPE        | 240.000  | LF    |
| 616(D) 1060 | 4" GATE VALVE                       | 4.000    | EA    |
| 616(D) 1070 | 6" GATE VALVE                       | 1.000    | EA    |
| 616(D) 1080 | 8" GATE VALVE                       | 9.000    | EA    |
| 616(D) 7022 | 10" X 10" TAPPING SLEEVE & VALVE    | 1.000    | EA    |
| 616(G) 1192 | FIRE HYDRANTS                       | 8.000    | EA    |
| 616(I) 5260 | (PL)14" STEEL CASING                | 590.000  | LF    |
| 616(J) 0025 | 8" X 8" X 4" TEE                    | 4.000    | EA    |
| 616(J) 0026 | 8" X 8" X 6" TEE                    | 8.000    | EA    |
| 619(B) 4727 | REMOVAL OF CONCRETE PAVEMENT        | 598.000  | SY    |
| 619(C) 0924 | SAWING PAVEMENT                     | 2692.000 | LF    |

## SECTION 0010 - AT&T LINE - NON PARTICIPATING

| ITEM NO.    | ITEM DESCRIPTION         | QUANTITY | UNITS |
|-------------|--------------------------|----------|-------|
| 612(A) 0641 | MANHOLES ADJUST TO GRADE | 7.000    | EA    |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100574

CALL ORDER: 060  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: BRYAN

PROJECT(S) : PCN  
 STP-107D(164)SG 2727404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$27.09  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, AND SURFACE  
 REI ACCESS ROAD: FROM WES WATKINS BLVD, EXTEND NORTH THEN  
 EAST IN THE CITY OF DURANT.  
 PROJECT LENGTH = 0.08 MILES

## SECTION 0001 - ROADWAY

| ITEM NO.    | ITEM DESCRIPTION                   | QUANTITY | UNITS |
|-------------|------------------------------------|----------|-------|
| 201(A) 0102 | CLEARING AND GRUBBING              | 1.000    | LSUM  |
| 202(A) 0183 | UNCLASSIFIED EXCAVATION            | 235.000  | CY    |
| 202(D) 0184 | UNCLASSIFIED BORROW                | 1008.000 | CY    |
| 205(A) 4229 | TYPE A-SALVAGED TOPSOIL            | 1.000    | LSUM  |
| 221(B) 2801 | TEMPORARY BALE BARRIER             | 80.000   | LF    |
| 221(C) 2801 | TEMPORARY SILT FENCE               | 475.000  | LF    |
| 230(A) 2806 | SOLID SLAB SODDING                 | 2998.000 | SY    |
| 233(A) 2817 | VEGETATIVE MULCHING                | 1.000    | AC    |
| 303(A) 2100 | AGGREGATE BASE TYPE A              | 483.000  | CY    |
| 326(B) 0100 | GEOGRID REINFORCEMENT              | 1939.000 | SY    |
| 414(A) 0210 | P.C.CONCRETE PAVEMENT(PLACEMENT)   | 1319.000 | SY    |
| 414(G) 5275 | P.C. CONCRETE FOR PAVEMENT         | 256.000  | CY    |
| 509(C) 0322 | CLASS A CONCRETE, SMALL STRUCTURES | 14.000   | CY    |
| 601(A) 0297 | TYPE I PLAIN RIPRAP                | 1.000    | TON   |
| 601(I) 6312 | FILTER FABRIC (RIPRAP)             | 151.000  | SY    |
| 613(A) 0492 | 24" R.C.PIPES CLASS III            | 252.000  | LF    |

## SECTION 0002 - TRAFFIC

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY | UNITS |
|-------------|--------------------------------|----------|-------|
| 850(A) 8110 | SHEET ALUMINUM SIGNS           | 11.000   | SF    |
| 850(D) 8121 | SPECIAL SIGNS                  | 1.000    | EA    |
| 851(D) 8597 | FLANGE CHANNEL POSTS(4 LB/FT)  | 24.000   | LF    |
| 854(A) 8800 | TRAFFIC STRIPE(PAINT)(4" WIDE) | 1846.000 | LF    |
| 880(J) 8905 | CONSTRUCTION TRAFFIC CONTROL   | 1.000    | LSUM  |

## SECTION 0003 - STAKING

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY | UNITS |
|-------------|------------------------------|----------|-------|
| 642(A) 0095 | CONSTRUCTION STAKING LEVEL I | 1.000    | LSUM  |

## SECTION 0004 - CONSTRUCTION

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 641 1552 | MOBILIZATION     | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100614

CALL ORDER: 070  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CIMARRON

PROJECT(S) : PCN  
 NHY-017N(238) 1333705  
 DBE GOALS : 2.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$98.62  
 200 CALENDAR DAYS  
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 US-287: FROM 6.9 MILES NORTH OF BOISE CITY, EXTEND NORTH.  
 PROJECT LENGTH = 3.139 MILES

## SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|--------------|------------------------------------------|-----------|-------|
| 201 0102     | CLEARING AND GRUBBING                    | 1.000     | LSUM  |
| 202(A) 0183  | UNCLASSIFIED EXCAVATION                  | 65302.000 | CY    |
| 202(C) 0184  | UNCLASSIFIED BORROW                      | 27479.000 | CY    |
| 205 4229     | TYPE A-SALVAGED TOPSOIL                  | 1.000     | LSUM  |
| 222 2801     | TEMPORARY BALE BARRIER                   | 1425.000  | LF    |
| 223 2801     | TEMPORARY SILT FENCE                     | 10285.000 | LF    |
| 229 4318     | DITCH LINER PROTECTION                   | 10800.000 | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                       | 12939.000 | SY    |
| 230(F) 2812  | WATERING                                 | 3494.000  | MGAL  |
| 232(B) 2814  | SEEDING METHOD B                         | 27.050    | AC    |
| 233(A) 2817  | VEGETATIVE MULCHING                      | 61.420    | AC    |
| 233(C) 2819  | ASPHALT MULCHING                         | 40586.000 | GAL   |
| 234(A) 2824  | FERTILIZING (10-20-10)                   | 8.050     | TON   |
| 241 2832     | MOWING                                   | 30.710    | AC    |
| 327(E) 4240  | (SP)CEMENTITIOUS STABILIZED SUBGRADE     | 59729.000 | SY    |
| 403(A) 0217  | TRAFFIC BOUND SURFACE COURSE TYPE A      | 445.000   | TON   |
| 407 0250     | TACK COAT                                | 2330.000  | GAL   |
| 408 5774     | PRIME COAT                               | 22070.000 | GAL   |
| 411(S2) 5930 | (SP)ASPH.CONC.,TYPE S2(PG 64-22 OK)      | 1438.000  | TON   |
| 411(S3) 5940 | (SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)      | 581.000   | TON   |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)      | 12963.000 | TON   |
| 411(S3) 6210 | (SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK) | 94.000    | TON   |
| 411(S4) 5955 | (SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)      | 440.000   | TON   |
| 411(S4) 5960 | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)      | 3501.000  | TON   |
| 413(D) 4868  | (SP)RUMBLE STRIP-METHOD PCC-CON          | 16576.000 | LF    |
| 414(A1) 5760 | 11" P.C. DOWEL JOINTED CONCRETE PAVEMENT | 51106.000 | SY    |
| 414(A1) 6853 | 8.5" P.C. DOWEL JOINTED CONCRETE PAVE.   | 30452.000 | SY    |
| 501(G) 6315  | CLSM BACKFILL                            | 4.600     | CY    |
| 509(B) 0321  | CLASS A CONCRETE                         | 61.800    | CY    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100614

**SECTION 0001 - ROADWAY**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>               | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|---------------------------------------|-----------------|--------------|
| 509(D) 0325     | CLASS C CONCRETE                      | 570.000         | CY           |
| 611(E) 6002     | INLET (SMD-TYPE 2)                    | 1.000           | EA           |
| 611(L) 4210     | DROP INLET GRATE (SMD-TYPE 2)         | 1.000           | EA           |
| 613(B) 0492     | 24" R.C.PIPES CLASS III               | 402.000         | LF           |
| 613(B) 0493     | 30" R.C.PIPES CLASS III               | 534.000         | LF           |
| 613(B) 0494     | 36" R.C.PIPES CLASS III               | 586.000         | LF           |
| 613(CC) 6105    | (PL)SPEC. TRIPLE CULV. END TREATMENT  | 1.000           | EA           |
| 613(CC) 6115    | SPEC. TRIPLE CULV.END TRT.(6:1SLP)    | 3.000           | EA           |
| 613(CC) 6123    | 3-30" CULVERT END TREATMENT(RC-GR)    | 1.000           | EA           |
| 613(CC) 7187    | TYPE B4 CULVERT END TREATMENT         | 3.000           | EA           |
| 613(CC) 7189    | TYPE D4 CULVERT END TREATMENT         | 1.000           | EA           |
| 613(CC) 7193    | TYPE CC4 CULVERT END TREATMENT        | 3.000           | EA           |
| 613(CC) 7197    | TYPE B6 CULVERT END TREATMENT         | 1.000           | EA           |
| 613(CC) 7198    | TYPE C6 CULVERT END TREATMENT         | 18.000          | EA           |
| 613(CC) 7199    | TYPE D6 CULVERT END TREATMENT         | 1.000           | EA           |
| 613(CC) 7203    | TYPE CC6 CULVERT END TREATMENT        | 1.000           | EA           |
| 613(D) 4530     | 42" X 29" CORR. GALV. STEEL PIPE ARCH | 698.000         | LF           |
| 613(P) 1091     | 6" PERFORATED PIPE UNDERDRAIN ROUND   | 200.000         | LF           |
| 613(Q) 1096     | 6" NON-PERF.PIPES UNDERDRAIN RND.     | 100.000         | LF           |
| 613(R) 1100     | PIPE UNDERDRAIN COVER MAT'L.          | 45.000          | CY           |
| 613(S) 1180     | TRENCH EXCAVATION                     | 1084.000        | CY           |
| 613(T) 1181     | STANDARD BEDDING MATERIAL             | 639.000         | CY           |
| 619(A) 0920     | REMOVAL OF STRUCTURES & OBSTRUCTIONS  | 1.000           | LSUM         |
| 619(B) 0291     | REMOVAL OF HEADWALL                   | 1.000           | EA           |
| 619(B) 4725     | REMOVAL OF FENCE                      | 25577.000       | LF           |
| 619(B) 4728     | REMOVAL OF ASPHALT PAVEMENT           | 59289.000       | SY           |
| 619(B) 4780     | REMOVAL OF GUARD RAIL                 | 1245.000        | LF           |
| 619(B) 5918     | REMOVAL OF EXISTING PIPE              | 494.000         | LF           |
| 619(C) 0924     | SAWING PAVEMENT                       | 7158.000        | LF           |
| 624(C) 4459     | (SP)FENCE-STYLE SWF (5 BARBED WIRE)   | 28018.000       | LF           |
| 629(A) 4958     | MAILBOX INSTALLATION-SINGLE           | 1.000           | EA           |
| 629(C) 4960     | MAILBOX                               | 1.000           | EA           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100614

**SECTION 0002 - BRIDGE 'A'**

| ITEM NO.    | ITEM DESCRIPTION                   | QUANTITY  | UNITS |
|-------------|------------------------------------|-----------|-------|
| 202(A) 1301 | UNCLASSIFIED EXCAVATION            | 850.000   | CY    |
| 501(A) 1306 | STRUCTURAL EXCAVATION UNCLASSIFIED | 177.000   | CY    |
| 509(A) 1326 | CLASS AA CONCRETE                  | 387.700   | CY    |
| 511(A) 1332 | REINFORCING STEEL                  | 51020.000 | LB    |
| 619(B) 2500 | (PL)REMOVAL OF BRIDGE ITEMS        | 1.000     | LSUM  |

**SECTION 0003 - BRIDGE 'B'**

| ITEM NO.    | ITEM DESCRIPTION                   | QUANTITY  | UNITS |
|-------------|------------------------------------|-----------|-------|
| 202(A) 1301 | UNCLASSIFIED EXCAVATION            | 280.000   | CY    |
| 501(A) 1306 | STRUCTURAL EXCAVATION UNCLASSIFIED | 109.000   | CY    |
| 509(A) 1326 | CLASS AA CONCRETE                  | 299.900   | CY    |
| 511(A) 1332 | REINFORCING STEEL                  | 42240.000 | LB    |
| 619(B) 2500 | (PL)REMOVAL OF BRIDGE ITEMS        | 1.000     | LSUM  |

**SECTION 0004 - TRAFFIC**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 850(A) 8110 | SHEET ALUMINUM SIGNS                     | 86.000    | SF    |
| 851(C) 8327 | 2 1/4" SQUARE TUBE POST                  | 126.600   | LF    |
| 854(C) 8525 | (SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)  | 4.000     | EA    |
| 854(C) 8530 | (SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE) | 54540.000 | LF    |
| 856(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 30296.000 | LF    |
| 856(C) 8851 | REMOVABLE PAVEMENT MARKING TAPE(4" WIDE) | 1000.000  | LF    |
| 856(G) 8890 | (PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2 | 1000.000  | EA    |
| 859(A) 8006 | PAVEMENT MRKNG.REMOVAL(TRAF.STRP)        | 30296.000 | LF    |
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF          | 1000.000  | SD    |
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF   | 3500.000  | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF   | 6000.000  | SD    |
| 880(B) 8827 | CONSTRUCTION SIGNS 33.0 SF & OVER        | 1000.000  | SD    |
| 880(C) 8836 | BARRICADES(TYPE II)                      | 400.000   | SD    |
| 880(C) 8842 | BARRICADES(TYPE III)                     | 1000.000  | SD    |
| 880(C) 8848 | WING BARRICADES                          | 1000.000  | SD    |
| 880(D) 8854 | VERTICAL PANELS                          | 1000.000  | SD    |
| 880(E) 8860 | WARNING LIGHTS(TYPE A)                   | 12000.000 | SD    |
| 880(E) 8872 | WARNING LIGHTS(TYPE C)                   | 5000.000  | SD    |
| 880(F) 8878 | DRUMS                                    | 1000.000  | SD    |
| 880(G) 8890 | CHANNELIZER CONES                        | 25000.000 | SD    |
| 880(I) 8902 | FLAGGER                                  | 125.000   | SD    |
| 880(W) 8800 | PILOT CAR                                | 1.000     | LSUM  |
| 882(B) 8306 | PORT.CHANGEABLE MESSAGE SIGN             | 250.000   | SD    |

**SECTION 0005 - STAKING**

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 642 0098 | STAKING          | 1.000    | LSUM  |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100614****SECTION 0006 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 640 1426        | FIELD OFFICE                           | 1.000           | EA           |
| 641 1552        | MOBILIZATION                           | 1.000           | LSUM         |
| 643 0087        | (SP)CONTRACTORS QUALITY CONTROL        | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100576

CALL ORDER: 080  
LETTING DATE: November 18, 2010  
LETTING TIME: 10:30 A.M.  
COUNTIES: CLEVELAND

PROJECT(S) : PCN  
STPG-114F(277)AG 2779404  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$4.34  
30 CALENDAR DAYS  
RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
TRAFFIC SIGNALS  
CITY STREETS: AT VARIOUS LOCATIONS IN THE CITY OF NORMAN.

## SECTION 0001 - TRAFFIC

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY | UNITS |
|-------------|------------------------------|----------|-------|
| 831 8100    | TRAFFIC SIGNAL HEADS         | 726.000  | EA    |
| 831 8295    | 1WAY2SEC.ADJ.PED.SIG.HD.S-20 | 140.000  | EA    |
| 880(J) 8905 | CONSTRUCTION TRAFFIC CONTROL | 1.000    | LSUM  |
| 890 7700    | (PL)TRAFFIC ITEMS            | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100577

CALL ORDER: 100  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CLEVELAND

PROJECT(S) : PCN  
 STPY-114A(280)TR 2782304  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$11.92  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

**CONTRACT DESCRIPTION**

TRAFFIC SIGNALS  
 CITY STREETS: AT THE INTERSECTION OF FLOOD AVE AND FRANKLIN  
 ROAD IN THE CITY OF NORMAN.

**SECTION 0001 - TRAFFIC SIGNAL**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY | UNITS |
|-------------|------------------------------------------|----------|-------|
| 802(B) 8332 | 1" PVC SCH.40 PLASTIC CONDUIT BORED      | 120.000  | LF    |
| 802(B) 8336 | 1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED  | 50.000   | LF    |
| 802(B) 8338 | 1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH | 750.000  | LF    |
| 802(B) 8342 | 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED   | 95.000   | LF    |
| 802(B) 8344 | 3" PVC SCH.40 PLASTIC CONDUIT BORED      | 315.000  | LF    |
| 802(B) 8346 | 3" PVC SCH.40 PLASTIC CONDUIT TRENCHED   | 50.000   | LF    |
| 802(C) 8552 | 2" HIGH DENSITY PE PIPE - BORED          | 200.000  | LF    |
| 802(C) 8557 | 2" HIGH DENSITY PE PIPE - TRENCHED       | 5150.000 | LF    |
| 803(A) 8065 | PULL BOX(SIZE I)                         | 3.000    | EA    |
| 803(A) 8066 | PULL BOX(SIZE II)                        | 1.000    | EA    |
| 803(B) 8100 | GROUND BOX (R36)                         | 5.000    | EA    |
| 804(A) 2915 | STRUCTURAL CONCRETE                      | 9.600    | CY    |
| 804(B) 2916 | REINFORCING STEEL                        | 1421.000 | LB    |
| 805(A) 8724 | (PL)REMOVAL OF EXISTING SIGNS            | 4.000    | EA    |
| 806(A) 8862 | 40' MHP 40' TS & 15' LMA(G.STL.)         | 2.000    | EA    |
| 806(A) 8870 | 40' MHP 45' TS & 15' LMA(G.STL.)         | 1.000    | EA    |
| 806(B) 8894 | 10' MTG.HT.TS PED.POLE(G.STL.)           | 1.000    | EA    |
| 809(A) 8090 | ROADWAY LUMINAIRE                        | 3.000    | EA    |
| 810(A) 3118 | SERVICE POLE                             | 2.000    | EA    |
| 811 8040    | 1/C NO.6 ELECT.COND.                     | 200.000  | LF    |
| 811 8044    | 1/C NO.10 ELECT.COND.                    | 1785.000 | LF    |
| 818(A) 8715 | (SP)FIBER OPTIC CABLE, 24 SMF            | 75.000   | LF    |
| 818(A) 8733 | (SP)FIBER OPTIC CABLE, 144 SMF           | 5800.000 | LF    |
| 818(B) 8745 | (SP)FIBER OPTIC PATCH PANEL, 24 PORT     | 1.000    | EA    |
| 818(C) 8735 | (SP)FIBER OPTIC CABLE SPLICE             | 12.000   | EA    |
| 818(D) 8740 | (SP)FIBER OPTIC CABLE TERMINATION        | 18.000   | EA    |
| 818(G) 5570 | (SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO | 1.000    | EA    |
| 825 8550    | TRAFFIC SIGNAL CONTROLLER ASSEMBLY       | 1.000    | EA    |
| 830 8000    | PEDESTRIAN PUSH BUTTON                   | 2.000    | EA    |
| 831 8231    | 1WAY3SEC.ADJ.SIG.HD.S-6                  | 4.000    | EA    |
| 831 8252    | 1WAY3SEC.ADJ.SIG.HD.S-9                  | 3.000    | EA    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100577

**SECTION 0001 - TRAFFIC SIGNAL**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>              | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|--------------------------------------|-----------------|--------------|
| 831 8262        | 1WAY3SEC.ADJ.SIG.HD.S-10             | 1.000           | EA           |
| 831 8295        | 1WAY2SEC.ADJ.PED.SIG.HD.S-20         | 2.000           | EA           |
| 833 3030        | BACKPLATE                            | 8.000           | EA           |
| 834(A) 8207     | 5/C TRAFFIC SIGNAL ELECTRICAL CABLE  | 745.000         | LF           |
| 834(A) 8213     | 21/C TRAFFIC SIGNAL ELECTRICAL CABLE | 620.000         | LF           |
| 840(A) 8592     | E.P.S. OPTICAL EMITTER               | 5.000           | EA           |
| 840(B) 8593     | E.P.S. OPTICAL DETECTOR              | 2.000           | EA           |
| 840(C) 8594     | E.P.S. OPTICAL DETECTOR CABLE        | 355.000         | LF           |
| 840(D) 8595     | E.P.S. 2 CHANNEL PHASE SELECTOR      | 2.000           | EA           |
| 850(A) 8110     | SHEET ALUMINUM SIGNS                 | 16.000          | SF           |
| 850(C) 8118     | MAST ARM MOUNTED SIGNS(ALUM.)        | 72.500          | SF           |
| 851(B) 3217     | 2 1/2"@5.79 GALV.STL.PIPE POST       | 28.000          | LF           |
| 855(A) 8812     | TRAFFIC STRIPE(PLASTIC)(4" WIDE)     | 2630.000        | LF           |
| 855(A) 8818     | TRAFFIC STRIPE(PLASTIC)(12" WIDE)    | 135.000         | LF           |
| 855(A) 8825     | TRAFFIC STRIPE(PLASTIC)(24" WIDE)    | 245.000         | LF           |
| 855(B) 8818     | TRAFFIC STRIPE(PLASTIC)(ARROWS)      | 3.000           | EA           |
| 857(F) 8006     | PAVEMENT MRKNG.REMOVAL(TRAF.STRP)    | 3000.000        | LF           |
| 857(F) 8007     | PAVEMENT MARKING REMOVAL(ARROWS)     | 16.000          | EA           |
| 857(F) 8008     | PAVEMENT MARKING REMOVAL(WORDS)      | 14.000          | EA           |
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL         | 1.000           | LSUM         |
| 887(F) 8370     | (PL)SHIELD ISOLATION PEDESTAL        | 1.000           | EA           |

**SECTION 0002 - ADD ALT 1**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                  | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------------|-----------------|--------------|
| 802(B) 8332     | 1" PVC SCH.40 PLASTIC CONDUIT BORED      | 120.000         | LF           |
| 802(B) 8336     | 1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED  | 50.000          | LF           |
| 802(B) 8338     | 1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH | 750.000         | LF           |
| 803(A) 8067     | PULL BOX(SIZE III)                       | 4.000           | EA           |
| 828(A) 8135     | SOL.STE.DIGITAL IND.VEH.LP.DET.          | 7.000           | EA           |
| 828(B) 8136     | LOOP DETECTOR WIRE                       | 3040.000        | LF           |
| 834(B) 8220     | 2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE | 2070.000        | LF           |

**SECTION 0003 - ADD ALT 2**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>      | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------|-----------------|--------------|
| 828 8132        | (PL)DETECTION SYSTEM (VIDEO) | 1.000           | LSUM         |

**SECTION 0004 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>       | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------------|-----------------|--------------|
| 642(B) 0096     | CONSTRUCTION STAKING LEVEL II | 1.000           | LSUM         |

**SECTION 0005 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 641 1552        | MOBILIZATION            | 1.000           | LSUM         |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 100577**

**SECTION 0006 - NON-PARTICIPATING**

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u>             | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|-------------------------------------|-----------------|--------------|
| 836 8425        | REGULATORY OR WARNING SIGN ASSEMBLY | 1.000           | EA           |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100595

CALL ORDER: 120  
LETTING DATE: November 18, 2010  
LETTING TIME: 10:30 A.M.  
COUNTIES: CUSTER

PROJECT(S) : PCN  
NHY-009N(096)RW 0927807  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
180 CALENDAR DAYS  
RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
RIGHT-OF-WAY CLEARANCE  
US-183: FROM THE WASHITA RIVER, EXTEND NORTH.

### SECTION 0001 - CONSTRUCTION

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u> | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|-------------------------|-----------------|--------------|
| 619(G) 0094     | RIGHT-OF-WAY CLEARANCE  | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100579

CALL ORDER: 140  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: DEWEY

PROJECT(S) : PCN  
 BRO-122D(062)CI 2497404  
 DBE GOALS : 5.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$17.34  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-82): OVER UNNAMED CREEK, 1.2 MILES EAST OF  
 THE US-183 JUNCTION.  
 PROJECT LENGTH = 0.445 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                      | QUANTITY  | UNITS |
|--------------|---------------------------------------|-----------|-------|
| 202(G) 0185  | EARTHWORK                             | 1.000     | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                  | 1500.000  | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                    | 19900.000 | SY    |
| 233(A) 2817  | VEGETATIVE MULCHING                   | 4.100     | AC    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E   | 1200.000  | TON   |
| 509(D) 0325  | CLASS C CONCRETE                      | 10.000    | CY    |
| 601(A) 0297  | TYPE I PLAIN RIPRAP                   | 900.000   | TON   |
| 613(CC) 7187 | TYPE B4 CULVERT END TREATMENT         | 6.000     | EA    |
| 613(D) 4528  | 28" X 20" CORR. GALV. STEEL PIPE ARCH | 264.000   | LF    |

### SECTION 0002 - BRIDGE 'A'

| ITEM NO.     | ITEM DESCRIPTION                     | QUANTITY  | UNITS |
|--------------|--------------------------------------|-----------|-------|
| 501(B) 1307  | SUBSTRUCTURE EXCAVATION COMMON       | 96.000    | CY    |
| 501(D) 6353  | UNCLASSIFIED BACKFILL                | 114.000   | CY    |
| 503(A) 1313  | PRESTRESSED CONCRETE BEAMS (TYPE IV) | 316.670   | LF    |
| 504(E) 1380  | CONCRETE RAIL (TR1)                  | 233.170   | LF    |
| 506(A) 1322  | STRUCTURAL STEEL                     | 2020.000  | LB    |
| 509(A) 1326  | CLASS AA CONCRETE                    | 60.200    | CY    |
| 509(B) 1328  | CLASS A CONCRETE                     | 63.800    | CY    |
| 511(A) 1332  | REINFORCING STEEL                    | 23118.000 | LB    |
| 514(A) 6010  | PILES, FURNISHED (HP 10X42)          | 1055.000  | LF    |
| 514(B) 6292  | PILES, DRIVEN (HP 10X42)             | 1055.000  | LF    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                | 700.000   | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET              | 200.000   | TON   |
| 619(D) 1397  | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000     | LSUM  |
| 623(F) 6033  | GUARD RAIL ANCHOR UNIT (TYPE II)     | 4.000     | EA    |
| 880(J) 8905  | CONSTRUCTION TRAFFIC CONTROL         | 1.000     | LSUM  |

### SECTION 0003 - STRUCTURE NO. 1

| ITEM NO.    | ITEM DESCRIPTION        | QUANTITY | UNITS |
|-------------|-------------------------|----------|-------|
| 202(A) 1301 | UNCLASSIFIED EXCAVATION | 250.000  | CY    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100579****SECTION 0003 - STRUCTURE NO. 1**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>            | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------|-----------------|--------------|
| 501(A) 1306     | STRUCTURAL EXCAVATION UNCLASSIFIED | 39.000          | CY           |
| 509(B) 1328     | CLASS A CONCRETE                   | 112.400         | CY           |
| 511(A) 1332     | REINFORCING STEEL                  | 14973.000       | LB           |

**SECTION 0004 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0005 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1399        | MOBILIZATION                           | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100596

CALL ORDER: 160  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: GARVIN

PROJECT(S) : PCN  
 BRO-125D(127)CO 2261304  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$8.67  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-310): OVER WEST ROCK CREEK, 2.8 MILES FROM  
 THE SH-29 JUNCTION.  
 PROJECT LENGTH = 0.0947 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.    | ITEM DESCRIPTION                    | QUANTITY | UNITS |
|-------------|-------------------------------------|----------|-------|
| 201 0102    | CLEARING AND GRUBBING               | 1.000    | LSUM  |
| 202(A) 0183 | UNCLASSIFIED EXCAVATION             | 844.000  | CY    |
| 202(C) 0184 | UNCLASSIFIED BORROW                 | 1566.000 | CY    |
| 223 2801    | TEMPORARY SILT FENCE                | 1000.000 | LF    |
| 227 0100    | TEMPORARY SILT DIKE                 | 100.000  | LF    |
| 230(A) 2806 | SOLID SLAB SODDING                  | 1800.000 | SY    |
| 233(A) 2817 | VEGETATIVE MULCHING                 | 0.500    | AC    |
| 403(E) 0225 | TRAFFIC BOUND SURFACE COURSE TYPE E | 310.000  | TON   |
| 509(D) 0325 | CLASS C CONCRETE                    | 14.000   | CY    |

### SECTION 0002 - BRIDGE 'A'

| ITEM NO.     | ITEM DESCRIPTION                      | QUANTITY  | UNITS |
|--------------|---------------------------------------|-----------|-------|
| 501(B) 1307  | SUBSTRUCTURE EXCAVATION COMMON        | 88.000    | CY    |
| 501(D) 6353  | UNCLASSIFIED BACKFILL                 | 90.000    | CY    |
| 503(A) 1312  | PRESTRESSED CONCRETE BEAMS (TYPE III) | 296.170   | LF    |
| 504(E) 1380  | CONCRETE RAIL (TR1)                   | 216.000   | LF    |
| 506(A) 1322  | STRUCTURAL STEEL                      | 1800.000  | LB    |
| 509(A) 1326  | CLASS AA CONCRETE                     | 58.500    | CY    |
| 509(B) 1328  | CLASS A CONCRETE                      | 58.400    | CY    |
| 511(A) 1332  | REINFORCING STEEL                     | 20990.000 | LB    |
| 514(A) 6010  | PILES, FURNISHED (HP 10X42)           | 184.000   | LF    |
| 514(A) 6011  | PILES, FURNISHED (HP 12X53)           | 455.000   | LF    |
| 514(B) 6292  | PILES, DRIVEN (HP 10X42)              | 184.000   | LF    |
| 514(B) 6294  | PILES, DRIVEN (HP 12X53)              | 455.000   | LF    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                 | 1230.000  | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET               | 430.000   | TON   |
| 619(B) 2500  | (PL)REMOVAL OF BRIDGE ITEMS           | 1.000     | LSUM  |
| 623(F) 6033  | GUARD RAIL ANCHOR UNIT (TYPE II)      | 4.000     | EA    |
| 880(J) 8905  | CONSTRUCTION TRAFFIC CONTROL          | 1.000     | LSUM  |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100596****SECTION 0003 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0004 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1399        | MOBILIZATION                           | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100572

CALL ORDER: 170  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: GARVIN

PROJECT(S) : PCN  
 SSP-125C(180)SS 2713404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$26.01  
 45 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 BANK PROTECTION/RIPRAP  
 SH-74: OVER WASHITA RIVER, 1.25 MILES NORTH OF THE SH-19  
 JUNCTION.

## SECTION 0001 - BANK PROTECTION

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY  | UNITS |
|-------------|--------------------------------|-----------|-------|
| 202(A) 1301 | UNCLASSIFIED EXCAVATION        | 11320.000 | CY    |
| 202(D) 0184 | UNCLASSIFIED BORROW            | 7190.000  | CY    |
| 221(C) 2801 | TEMPORARY SILT FENCE           | 2772.000  | LF    |
| 227 0300    | (SP)TURF REINFORCEMENT MAT     | 3735.000  | SY    |
| 230(A) 2806 | SOLID SLAB SODDING             | 1677.000  | SY    |
| 233(A) 2817 | VEGETATIVE MULCHING            | 2.000     | AC    |
| 601(E) 1359 | TYPE II-A SP. PLAIN RIPRAP     | 24580.000 | TON   |
| 601(F) 1361 | TYPE II-A FILTER BLANKET       | 1120.000  | TON   |
| 611(G) 5705 | INLET CDI RCP DES. 2           | 2.000     | EA    |
| 611(H) 5325 | ADD'L DEPTH IN INLET CI DES. 2 | 8.000     | VF    |
| 611(L) 0487 | JUNCTION BOXES                 | 175.000   | CF    |
| 613(A) 0492 | 24" R.C.PIPE CLASS III         | 983.000   | LF    |
| 613(M) 7192 | TYPE BB4 CULVERT END TREATMENT | 1.000     | EA    |

## SECTION 0002 - TRAFFIC

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY | UNITS |
|-------------|------------------------------|----------|-------|
| 880(J) 8905 | CONSTRUCTION TRAFFIC CONTROL | 1.000    | LSUM  |

## SECTION 0003 - STAKING

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY | UNITS |
|-------------|------------------------------|----------|-------|
| 642(A) 0095 | CONSTRUCTION STAKING LEVEL I | 1.000    | LSUM  |

## SECTION 0004 - CONSTRUCTION

| ITEM NO. | ITEM DESCRIPTION                   | QUANTITY | UNITS |
|----------|------------------------------------|----------|-------|
| 220 2800 | SWPPP DOCUMENTATION AND MANAGEMENT | 1.000    | LSUM  |
| 641 1399 | MOBILIZATION                       | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100580

CALL ORDER: 180  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: GRADY

PROJECT(S) : PCN  
 BRF-126C(108)CI 2313604  
 DBE GOALS : 3.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$10.84  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-280): OVER LITTLE WASHITA CREEK, 3.5 MILES  
 SOUTH OF THE US-277 JUNCTION.  
 PROJECT LENGTH = 0.245 MILES

## SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                    | QUANTITY | UNITS |
|--------------|-------------------------------------|----------|-------|
| 201 0102     | CLEARING AND GRUBBING               | 1.000    | LSUM  |
| 202(G) 0185  | EARTHWORK                           | 1.000    | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                | 2600.000 | LF    |
| 227 0100     | TEMPORARY SILT DIKE                 | 250.000  | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                  | 9450.000 | SY    |
| 233(A) 2817  | VEGETATIVE MULCHING                 | 4.000    | AC    |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK) | 636.000  | TON   |
| 411(S4) 5960 | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK) | 330.000  | TON   |
| 509(D) 0325  | CLASS C CONCRETE                    | 10.000   | CY    |
| 854(A) 8800  | TRAFFIC STRIPE(PAINT)(4" WIDE)      | 386.000  | LF    |
| 880(J) 8905  | CONSTRUCTION TRAFFIC CONTROL        | 1.000    | LSUM  |

## SECTION 0002 - BRIDGE 'A'

| ITEM NO.     | ITEM DESCRIPTION                     | QUANTITY  | UNITS |
|--------------|--------------------------------------|-----------|-------|
| 501(B) 1307  | SUBSTRUCTURE EXCAVATION COMMON       | 96.000    | CY    |
| 501(D) 6353  | UNCLASSIFIED BACKFILL                | 114.000   | CY    |
| 503(A) 1313  | PRESTRESSED CONCRETE BEAMS (TYPE IV) | 1088.510  | LF    |
| 504(C) 6250  | SEALED EXPANSION JOINT               | 33.540    | LF    |
| 504(E) 1380  | CONCRETE RAIL (TR1)                  | 623.170   | LF    |
| 506(A) 1322  | STRUCTURAL STEEL                     | 5570.000  | LB    |
| 509(A) 1326  | CLASS AA CONCRETE                    | 208.600   | CY    |
| 509(B) 1328  | CLASS A CONCRETE                     | 108.800   | CY    |
| 511(A) 1332  | REINFORCING STEEL                    | 62955.000 | LB    |
| 514(A) 6010  | PILES, FURNISHED (HP 10X42)          | 1239.000  | LF    |
| 514(B) 6292  | PILES, DRIVEN (HP 10X42)             | 1239.000  | LF    |
| 516(A) 6094  | DRILLED SHAFTS 48" DIAMETER          | 290.000   | LF    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                | 840.000   | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET              | 229.000   | TON   |
| 619(D) 1397  | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000     | LSUM  |
| 623(F) 6033  | GUARD RAIL ANCHOR UNIT (TYPE II)     | 4.000     | EA    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100580****SECTION 0003 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0004 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1399        | MOBILIZATION                           | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100602

CALL ORDER: 190  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: GREER

PROJECT(S) : PCN  
 STPY-128B(004) 1010007  
 DBE GOALS : 6.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$37.93  
 130 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 SURFACE (ASPHALT)  
 SH-6: FROM 1.0 MILE NORTH OF THE SH-9 JUNCTION, EXTEND  
 NORTH.  
 PROJECT LENGTH = 3.566 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.    | ITEM DESCRIPTION                    | QUANTITY   | UNITS |
|-------------|-------------------------------------|------------|-------|
| 202(A) 0183 | UNCLASSIFIED EXCAVATION             | 500.000    | CY    |
| 202(D) 0184 | UNCLASSIFIED BORROW                 | 500.000    | CY    |
| 230(A) 2806 | SOLID SLAB SODDING                  | 21500.000  | SY    |
| 307(A) 4200 | FLY ASH                             | 5421.000   | TON   |
| 307(D) 4230 | LIME                                | 272.000    | TON   |
| 307(E) 4240 | CEMENTITIOUS STABILIZED SUBGRADE    | 100374.000 | SY    |
| 307(G) 4260 | LIME PRETREATMENT                   | 15056.000  | SY    |
| 402(A) 0217 | TRAFFIC BOUND SURFACE COURSE TYPE A | 515.000    | TON   |
| 407(B) 0250 | TACK COAT                           | 15544.000  | GAL   |
| 408 5774    | PRIME COAT                          | 21248.000  | GAL   |
| 411(B) 5945 | SUPERPAVE, TYPE S3(PG 64-22 OK)     | 40054.000  | TON   |
| 411(C) 5960 | SUPERPAVE, TYPE S4(PG 64-22 OK)     | 10528.000  | TON   |
| 413(A) 4861 | RUMBLE STRIP-METHOD HMA-CON         | 37656.000  | LF    |
| 509(D) 0325 | CLASS C CONCRETE                    | 50.000     | CY    |

### SECTION 0002 - TRAFFIC SIGNING AND STRIPING

| ITEM NO.    | ITEM DESCRIPTION                  | QUANTITY  | UNITS |
|-------------|-----------------------------------|-----------|-------|
| 805(D) 8756 | (PL)REMOVE & RESET EXISTING SIGNS | 13.000    | EA    |
| 850(A) 8110 | SHEET ALUMINUM SIGNS              | 800.000   | SF    |
| 851(C) 8324 | 2" SQUARE TUBE POST               | 1040.000  | LF    |
| 855(A) 8812 | TRAFFIC STRIPE(PLASTIC)(4" WIDE)  | 95911.000 | LF    |
| 855(A) 8825 | TRAFFIC STRIPE(PLASTIC)(24" WIDE) | 120.000   | LF    |
| 855(B) 8818 | TRAFFIC STRIPE(PLASTIC)(ARROWS)   | 23.000    | EA    |

### SECTION 0003 - TRAFFIC CONTROL

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 857(E) 8887 | (PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1 | 536.000   | EA    |
| 857(F) 8006 | PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)       | 63361.000 | LF    |
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF          | 1300.000  | SD    |
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF   | 1040.000  | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF   | 780.000   | SD    |
| 880(C) 8848 | WING BARRICADES                          | 520.000   | SD    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100602****SECTION 0003 - TRAFFIC CONTROL**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>      | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------|-----------------|--------------|
| 880(E) 8860     | WARNING LIGHTS(TYPE A)       | 1820.000        | SD           |
| 880(E) 8872     | WARNING LIGHTS(TYPE C)       | 720.000         | SD           |
| 880(F) 8878     | DRUMS                        | 720.000         | SD           |
| 882(A) 8306     | PORT.CHANGEABLE MESSAGE SIGN | 260.000         | SD           |

**SECTION 0004 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>       | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------------|-----------------|--------------|
| 642(B) 0096     | CONSTRUCTION STAKING LEVEL II | 1.000           | LSUM         |

**SECTION 0005 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>            | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------|-----------------|--------------|
| 220 2800        | SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 640(A) 1426     | FIELD OFFICE                       | 1.000           | EA           |
| 641 1552        | MOBILIZATION                       | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100583

CALL ORDER: 220  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: JACKSON

PROJECT(S) : PCN  
 BRO-133D(101)CI 2600204  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$10.84  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-171): OVER GYPSUM CREEK, 0.6 MILES WEST OF  
 THE SH-34 JUNCTION.  
 PROJECT LENGTH = 0.276 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                      | QUANTITY  | UNITS |
|--------------|---------------------------------------|-----------|-------|
| 202(G) 0185  | EARTHWORK                             | 1.000     | LSUM  |
| 210 0121     | OBLITERATING ABANDONED ROAD           | 9.000     | STA   |
| 223 2801     | TEMPORARY SILT FENCE                  | 1200.000  | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                    | 17000.000 | SY    |
| 233(A) 2817  | VEGETATIVE MULCHING                   | 3.510     | AC    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E   | 653.000   | TON   |
| 509(D) 0325  | CLASS C CONCRETE                      | 74.000    | CY    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                 | 323.000   | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET               | 107.000   | TON   |
| 613(CC) 7187 | TYPE B4 CULVERT END TREATMENT         | 3.000     | EA    |
| 613(D) 4527  | 21" X 15" CORR. GALV. STEEL PIPE ARCH | 44.000    | LF    |
| 613(D) 4528  | 28" X 20" CORR. GALV. STEEL PIPE ARCH | 44.000    | LF    |

### SECTION 0002 - BRIDGE 'A'

| ITEM NO.     | ITEM DESCRIPTION                     | QUANTITY  | UNITS |
|--------------|--------------------------------------|-----------|-------|
| 501(B) 1307  | SUBSTRUCTURE EXCAVATION COMMON       | 96.000    | CY    |
| 501(D) 6353  | UNCLASSIFIED BACKFILL                | 114.000   | CY    |
| 503(A) 1313  | PRESTRESSED CONCRETE BEAMS (TYPE IV) | 396.170   | LF    |
| 504(E) 1380  | CONCRETE RAIL (TR1)                  | 273.160   | LF    |
| 506(A) 1322  | STRUCTURAL STEEL                     | 2020.000  | LB    |
| 509(A) 1326  | CLASS AA CONCRETE                    | 77.200    | CY    |
| 509(B) 1328  | CLASS A CONCRETE                     | 63.800    | CY    |
| 511(A) 1332  | REINFORCING STEEL                    | 26119.000 | LB    |
| 514(A) 6010  | PILES, FURNISHED (HP 10X42)          | 140.000   | LF    |
| 514(A) 6011  | PILES, FURNISHED (HP 12X53)          | 434.000   | LF    |
| 514(B) 6292  | PILES, DRIVEN (HP 10X42)             | 140.000   | LF    |
| 514(B) 6294  | PILES, DRIVEN (HP 12X53)             | 434.000   | LF    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                | 1179.000  | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET              | 354.000   | TON   |
| 619(D) 1397  | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000     | LSUM  |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100583****SECTION 0002 - BRIDGE 'A'**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>          | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------|-----------------|--------------|
| 623(F) 6033     | GUARD RAIL ANCHOR UNIT (TYPE II) | 4.000           | EA           |
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL     | 1.000           | LSUM         |

**SECTION 0003 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0004 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1399        | MOBILIZATION                           | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100584

CALL ORDER: 240  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: JOHNSTON

PROJECT(S) : PCN  
 BRFY-035C(190) 0893104  
 DBE GOALS : 7.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$54.19  
 210 CALENDAR DAYS  
 TIME 'B' BID - \$ 2500 / DAY  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 SH-78: OVER BRUSHY CREEK, JUST SOUTH OF THE TOWN OF MILBURN.  
 PROJECT LENGTH = 0.854 MILES

## SECTION 0001 - ROADWAY

| ITEM NO.    | ITEM DESCRIPTION                      | QUANTITY   | UNITS |
|-------------|---------------------------------------|------------|-------|
| 201(A) 0102 | CLEARING AND GRUBBING                 | 1.000      | LSUM  |
| 202(A) 0183 | UNCLASSIFIED EXCAVATION               | 73749.000  | CY    |
| 202(D) 0184 | UNCLASSIFIED BORROW                   | 500.000    | CY    |
| 205(A) 4229 | TYPE A-SALVAGED TOPSOIL               | 1.000      | LSUM  |
| 221(C) 2801 | TEMPORARY SILT FENCE                  | 1650.000   | LF    |
| 221(F) 0100 | TEMPORARY SILT DIKE                   | 224.000    | LF    |
| 221(G) 0150 | TEMPORARY ROCK FILTER DAM TYPE 1      | 36.000     | CY    |
| 229 4318    | DITCH LINER PROTECTION                | 4542.000   | LF    |
| 230(A) 2806 | SOLID SLAB SODDING                    | 128383.000 | SY    |
| 230(F) 2812 | WATERING                              | 5136.000   | KGAL  |
| 233(A) 2817 | VEGETATIVE MULCHING                   | 18.380     | AC    |
| 234(A) 2824 | FERTILIZING (10-20-10)                | 13.000     | TON   |
| 234(A) 4406 | FERTILIZING (0-46-0)                  | 0.810      | TON   |
| 241 2832    | MOWING                                | 36.760     | AC    |
| 303(B) 2110 | AGGREGATE BASE TYPE B                 | 5015.000   | CY    |
| 307(A) 4200 | FLY ASH                               | 696.000    | TON   |
| 307(F) 4250 | CEMENTITIOUS MODIFIED SUBGRADE        | 24160.000  | SY    |
| 325 5271    | SEPARATOR FABRIC                      | 24160.000  | SY    |
| 402(E) 0225 | TRAFFIC BOUND SURFACE COURSE TYPE E   | 2240.000   | TON   |
| 407(B) 0250 | TACK COAT                             | 3157.000   | GAL   |
| 408 5774    | PRIME COAT                            | 9139.000   | GAL   |
| 411(B) 5940 | SUPERPAVE, TYPE S3(PG 70-28 OK)       | 1957.000   | TON   |
| 411(B) 5945 | SUPERPAVE, TYPE S3(PG 64-22 OK)       | 5099.000   | TON   |
| 411(C) 5955 | SUPERPAVE, TYPE S4(PG 70-28 OK)       | 1305.000   | TON   |
| 411(C) 5960 | SUPERPAVE, TYPE S4(PG 64-22 OK)       | 1107.000   | TON   |
| 509(D) 0325 | CLASS C CONCRETE                      | 841.000    | CY    |
| 613(B) 0689 | 18" CORR. GALV. STEEL PIPE            | 350.000    | LF    |
| 613(B) 0690 | 24" CORR. GALV. STEEL PIPE            | 253.000    | LF    |
| 613(B) 4527 | 21" X 15" CORR. GALV. STEEL PIPE ARCH | 75.000     | LF    |
| 613(H) 0500 | 8" PERFORATED PIPE UNDERDRAIN ROUND   | 319.000    | LF    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100584

**SECTION 0001 - ROADWAY**

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY | UNITS |
|-------------|--------------------------------------|----------|-------|
| 613(I) 1097 | 8" NON-PERF.PIPE UNDERDRAIN RND.     | 106.000  | LF    |
| 613(M) 7186 | TYPE A4 CULVERT END TREATMENT        | 12.000   | EA    |
| 613(M) 7187 | TYPE B4 CULVERT END TREATMENT        | 10.000   | EA    |
| 613(Q) 5946 | OUTLET LATERAL HEADWALL              | 1.000    | EA    |
| 613(U) 1100 | PIPE UNDERDRAIN COVER MAT'L.         | 96.000   | CY    |
| 613(V) 1180 | TRENCH EXCAVATION                    | 128.000  | CY    |
| 619(A) 0920 | REMOVAL OF STRUCTURES & OBSTRUCTIONS | 1.000    | LSUM  |
| 619(B) 4728 | REMOVAL OF ASPHALT PAVEMENT          | 4330.000 | SY    |
| 619(C) 0924 | SAWING PAVEMENT                      | 44.000   | LF    |
| 623(A) 0932 | BEAM GUARDRAIL W-BEAM SINGLE         | 750.000  | LF    |
| 623(G) 8571 | GUARDRAIL END TREATMENT (GET)        | 4.000    | EA    |
| 623(I) 8675 | GUARDRAIL BRIDGE CONNECTION-TYPE A   | 4.000    | EA    |
| 624(C) 4459 | FENCE-STYLE SWF (5 BARBED WIRE)      | 829.000  | LF    |

**SECTION 0002 - BRIDGE 'A'**

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY  | UNITS |
|-------------|--------------------------------------|-----------|-------|
| 501(B) 1307 | SUBSTRUCTURE EXCAVATION COMMON       | 210.000   | CY    |
| 501(G) 6309 | CLSM BACKFILL                        | 216.200   | CY    |
| 503(A) 1313 | PRESTRESSED CONCRETE BEAMS (TYPE IV) | 398.670   | LF    |
| 504(A) 1304 | APPROACH SLAB                        | 225.000   | SY    |
| 504(B) 1305 | SAW-CUT GROOVING                     | 660.100   | SY    |
| 504(D) 6245 | CONCRETE RAIL (TR4)                  | 297.000   | LF    |
| 506(A) 1322 | STRUCTURAL STEEL                     | 150.000   | LB    |
| 507(A) 6164 | FIXED BEARING ASSEMBLY               | 8.000     | EA    |
| 509(A) 1326 | CLASS AA CONCRETE                    | 134.700   | CY    |
| 509(B) 1328 | CLASS A CONCRETE                     | 53.200    | CY    |
| 511(B) 6010 | EPOXY COATED REINFORCING STEEL       | 34930.000 | LB    |
| 514(A) 6010 | PILES, FURNISHED (HP 10X42)          | 1610.000  | LF    |
| 514(B) 6292 | PILES, DRIVEN (HP 10X42)             | 1610.000  | LF    |
| 515(A) 6013 | WATER REPELLENT (VISUALLY INSPECTED) | 500.000   | SY    |
| 601(B) 1353 | TYPE I-A PLAIN RIPRAP                | 1050.000  | TON   |
| 601(C) 1355 | TYPE I-A FILTER BLANKET              | 160.000   | TON   |
| 613(H) 6204 | 6" PERFORATED PIPE UNDERDRAIN ROUND  | 86.000    | LF    |
| 613(I) 6207 | 6" NON-PERF.PIPE UNDERDRAIN RND.     | 30.000    | LF    |
| 619(D) 1397 | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000     | LSUM  |

**SECTION 0003 - TRAFFIC**

| ITEM NO.    | ITEM DESCRIPTION                       | QUANTITY  | UNITS |
|-------------|----------------------------------------|-----------|-------|
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF        | 13860.000 | SD    |
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF | 4200.000  | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF | 4410.000  | SD    |
| 880(C) 8842 | CONSTRUCTION BARRICADES(TYPE III)      | 5670.000  | SD    |
| 880(C) 8848 | WING BARRICADES                        | 840.000   | SD    |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100584

## SECTION 0003 - TRAFFIC

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY  | UNITS |
|-------------|------------------------------|-----------|-------|
| 880(D) 8854 | VERTICAL PANELS              | 2100.000  | SD    |
| 880(E) 8860 | WARNING LIGHTS(TYPE A)       | 13440.000 | SD    |
| 880(E) 8872 | WARNING LIGHTS(TYPE C)       | 2100.000  | SD    |
| 882(A) 8306 | PORT.CHANGEABLE MESSAGE SIGN | 60.000    | SD    |

## SECTION 0004 - TRAFFIC SIGNING & STRIPING

| ITEM NO.    | ITEM DESCRIPTION                  | QUANTITY  | UNITS |
|-------------|-----------------------------------|-----------|-------|
| 805(D) 8756 | (PL)REMOVE & RESET EXISTING SIGNS | 2.000     | EA    |
| 850(A) 8110 | SHEET ALUMINUM SIGNS              | 66.250    | SF    |
| 851(C) 8324 | 2" SQUARE TUBE POST               | 167.500   | LF    |
| 855(A) 8812 | TRAFFIC STRIPE(PLASTIC)(4" WIDE)  | 18316.000 | LF    |

## SECTION 0005 - STAKING

| ITEM NO.    | ITEM DESCRIPTION              | QUANTITY | UNITS |
|-------------|-------------------------------|----------|-------|
| 642(B) 0096 | CONSTRUCTION STAKING LEVEL II | 1.000    | LSUM  |

## SECTION 0006 - CONSTRUCTION

| ITEM NO.    | ITEM DESCRIPTION                   | QUANTITY | UNITS |
|-------------|------------------------------------|----------|-------|
| 220 2800    | SWPPP DOCUMENTATION AND MANAGEMENT | 1.000    | LSUM  |
| 640(A) 1426 | FIELD OFFICE                       | 1.000    | EA    |
| 641 1552    | MOBILIZATION                       | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100585

CALL ORDER: 260  
LETTING DATE: November 18, 2010  
LETTING TIME: 10:30 A.M.  
COUNTIES: LOGAN

PROJECT(S) : PCN  
STPG-142C(203)AG 2780004  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
20 CALENDAR DAYS  
RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
STRIPING AND PAVEMENT MARKING  
CITY STREETS (SEWARD RD/DOUGLAS BLVD/FORREST HILL RD): AT  
VARIOUS LOCATIONS IN THE CITY OF GUTHRIE.

### SECTION 0001 - TRAFFIC

| ITEM NO.    | ITEM DESCRIPTION                  | QUANTITY   | UNITS |
|-------------|-----------------------------------|------------|-------|
| 854(A) 8800 | TRAFFIC STRIPE(PAINT)(4" WIDE)    | 121500.000 | LF    |
| 857(F) 8006 | PAVEMENT MRKNG.REMOVAL(TRAF.STRP) | 105000.000 | LF    |
| 880(J) 8905 | CONSTRUCTION TRAFFIC CONTROL      | 1.000      | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100611

CALL ORDER: 265  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: MCCLAIN

PROJECT(S) : PCN  
 STPY-144C(121) 2414204  
 DBE GOALS : 8.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$97.54  
 365 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 WIDEN, RESURFACE, AND BRIDGE  
 SH-39: FROM 1.78 MILES EAST OF THE SH-24 JUNCTION, EXTEND  
 EAST.  
 PROJECT LENGTH = 5.051 MILES

## SECTION 0001 - ROADWAY

| ITEM NO.    | ITEM DESCRIPTION                    | QUANTITY   | UNITS |
|-------------|-------------------------------------|------------|-------|
| 201(A) 0102 | CLEARING AND GRUBBING               | 1.000      | LSUM  |
| 202(A) 0183 | UNCLASSIFIED EXCAVATION             | 144000.000 | CY    |
| 202(D) 0184 | UNCLASSIFIED BORROW                 | 61800.000  | CY    |
| 205(A) 4229 | TYPE A-SALVAGED TOPSOIL             | 1.000      | LSUM  |
| 221(C) 2801 | TEMPORARY SILT FENCE                | 12275.000  | LF    |
| 221(D) 2803 | TEMPORARY SEDIMENT FILTER           | 16.000     | EA    |
| 221(F) 0100 | TEMPORARY SILT DIKE                 | 1316.000   | LF    |
| 221(G) 0150 | TEMPORARY ROCK FILTER DAM TYPE 1    | 350.000    | CY    |
| 221(G) 0152 | TEMPORARY ROCK FILTER DAM TYPE 3    | 180.000    | CY    |
| 229 4318    | DITCH LINER PROTECTION              | 6080.000   | LF    |
| 230(A) 2806 | SOLID SLAB SODDING                  | 113400.000 | SY    |
| 230(F) 2812 | WATERING                            | 4536.000   | KGAL  |
| 232(B) 2814 | SEEDING METHOD B                    | 11.000     | AC    |
| 233(A) 2817 | VEGETATIVE MULCHING                 | 32.500     | AC    |
| 234(A) 2824 | FERTILIZING (10-20-10)              | 10.500     | TON   |
| 234(A) 4406 | FERTILIZING (0-46-0)                | 2.450      | TON   |
| 241 2832    | MOWING                              | 32.500     | AC    |
| 303(A) 2100 | AGGREGATE BASE TYPE A               | 16810.000  | CY    |
| 307(A) 4200 | FLY ASH                             | 4830.000   | TON   |
| 307(D) 4230 | LIME                                | 325.000    | TON   |
| 307(E) 4240 | CEMENTITIOUS STABILIZED SUBGRADE    | 89397.000  | SY    |
| 307(G) 4260 | LIME PRETREATMENT                   | 22350.000  | SY    |
| 325 5271    | SEPARATOR FABRIC                    | 138345.000 | SY    |
| 402(E) 0225 | TRAFFIC BOUND SURFACE COURSE TYPE E | 11647.000  | TON   |
| 407(B) 0250 | TACK COAT                           | 8450.000   | GAL   |
| 408 5774    | PRIME COAT                          | 28750.000  | GAL   |
| 409(A) 4242 | FABRIC REINFORCEMENT                | 16660.000  | SY    |
| 409(B) 4268 | BITUMINOUS BINDER                   | 4165.000   | GAL   |
| 411(B) 5945 | SUPERPAVE, TYPE S3(PG 64-22 OK)     | 36320.000  | TON   |
| 411(C) 5960 | SUPERPAVE, TYPE S4(PG 64-22 OK)     | 16708.000  | TON   |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100611

**SECTION 0001 - ROADWAY**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>               | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|---------------------------------------|-----------------|--------------|
| 412 5267        | COLD MILLING PAVEMENT                 | 57609.000       | SY           |
| 501(A) 0313     | STRUCTURAL EXCAVATION UNCLASSIFIED    | 291.000         | CY           |
| 509(A) 0319     | CLASS AA CONCRETE                     | 622.000         | CY           |
| 509(B) 0321     | CLASS A CONCRETE                      | 375.000         | CY           |
| 509(D) 0325     | CLASS C CONCRETE                      | 812.000         | CY           |
| 511(A) 0332     | REINFORCING STEEL                     | 109800.000      | LB           |
| 601(B) 0536     | TYPE I-A PLAIN RIPRAP                 | 65.000          | TON          |
| 609(B) 1524     | 2'-8" COMB.CRB.& GUT.(6" MNTBLE)      | 4504.000        | LF           |
| 610(B) 0604     | 6" CONCRETE DRIVEWAY                  | 631.000         | SY           |
| 611(G) 5113     | INLET CI DES. 2 (B)                   | 6.000           | EA           |
| 611(G) 5388     | INLET CDI RCB DES. 2                  | 3.000           | EA           |
| 611(G) 5800     | INLET CDI 45SK RCP DES.4              | 1.000           | EA           |
| 611(G) 5974     | INLET W/SMALL JCT. BOX, CI, DES.2(D)  | 1.000           | EA           |
| 611(G) 6002     | INLET (SMD-TYPE 2)                    | 5.000           | EA           |
| 611(H) 5325     | ADD'L DEPTH IN INLET CI DES. 2        | 1.000           | VF           |
| 613(A) 0491     | 18" R.C.PIPE CLASS III                | 1184.000        | LF           |
| 613(A) 0492     | 24" R.C.PIPE CLASS III                | 1059.000        | LF           |
| 613(A) 0494     | 36" R.C.PIPE CLASS III                | 430.000         | LF           |
| 613(A) 4503     | 14" X 23" R.C.PIPE ELL. CLASS HE-III  | 51.000          | LF           |
| 613(A) 4505     | 24" X 38" R.C.PIPE ELL. CLASS HE-III  | 57.000          | LF           |
| 613(C) 5100     | 18" PRECOATED CORR. STEEL PIPE        | 294.000         | LF           |
| 613(C) 5102     | 24" PRECOATED CORR. STEEL PIPE        | 24.000          | LF           |
| 613(C) 5110     | 48" PRECOATED CORR. STEEL PIPE        | 23.000          | LF           |
| 613(J) 5915     | EDGE DRAIN CONDUIT-PERFORATED         | 3277.000        | LF           |
| 613(L) 5730     | 24" PREFAB. CULVERT END SEC., ROUND   | 5.000           | EA           |
| 613(L) 5734     | 36" PREFAB. CULVERT END SEC., ROUND   | 4.000           | EA           |
| 613(M) 7196     | TYPE A6 CULVERT END TREATMENT         | 26.000          | EA           |
| 613(M) 7197     | TYPE B6 CULVERT END TREATMENT         | 6.000           | EA           |
| 613(O) 5100     | SP. END SECTION OF 24" X 38" RCP ELL. | 2.000           | EA           |
| 613(P) 0760     | 18" GALV. STEEL CULVERT END SEC. RND. | 22.000          | EA           |
| 613(T) 1187     | STANDARD BEDDING MATERIAL, CLASS C    | 1663.000        | CY           |
| 613(V) 1180     | TRENCH EXCAVATION                     | 2356.000        | CY           |
| 619(A) 0920     | REMOVAL OF STRUCTURES & OBSTRUCTIONS  | 1.000           | LSUM         |
| 619(B) 0291     | REMOVAL OF HEADWALL                   | 33.000          | EA           |
| 619(B) 4728     | REMOVAL OF ASPHALT PAVEMENT           | 15850.000       | SY           |
| 619(C) 0924     | SAWING PAVEMENT                       | 37700.000       | LF           |
| 623(A) 0932     | BEAM GUARDRAIL W-BEAM SINGLE          | 43.000          | LF           |
| 623(G) 8571     | GUARDRAIL END TREATMENT (GET)         | 4.000           | EA           |
| 623(I) 8675     | GUARDRAIL BRIDGE CONNECTION-TYPE A    | 4.000           | EA           |
| 624(A) 4281     | FENCE-STYLE WWF                       | 2490.000        | LF           |
| 624(C) 4459     | FENCE-STYLE SWF (5 BARBED WIRE)       | 10280.000       | LF           |
| 629(A) 4958     | MAILBOX INSTALLATION-SINGLE           | 15.000          | EA           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100611

**SECTION 0001 - ROADWAY**

| ITEM NO.    | ITEM DESCRIPTION                | QUANTITY | UNITS |
|-------------|---------------------------------|----------|-------|
| 629(B) 4959 | MAILBOX INSTALLATION-MULTIPLE   | 2.000    | EA    |
| 629(C) 4960 | MAILBOX                         | 19.000   | EA    |
| 629(D) 4961 | REMOVAL OF MAILBOX INSTALLATION | 17.000   | EA    |

**SECTION 0002 - BRIDGE 'A'**

| ITEM NO.    | ITEM DESCRIPTION                   | QUANTITY  | UNITS |
|-------------|------------------------------------|-----------|-------|
| 202(A) 1301 | UNCLASSIFIED EXCAVATION            | 640.000   | CY    |
| 501(A) 1306 | STRUCTURAL EXCAVATION UNCLASSIFIED | 211.000   | CY    |
| 509(A) 1326 | CLASS AA CONCRETE                  | 396.000   | CY    |
| 511(A) 1332 | REINFORCING STEEL                  | 78640.000 | LB    |
| 619(B) 0291 | REMOVAL OF HEADWALL                | 2.000     | EA    |

**SECTION 0003 - TRAFFIC**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY   | UNITS |
|-------------|------------------------------------------|------------|-------|
| 805(A) 8722 | (PL)REMOVAL OF EXISTING SIGNS            | 1.000      | LSUM  |
| 857(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 40500.000  | LF    |
| 857(E) 8887 | (PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1 | 2500.000   | EA    |
| 857(F) 8006 | PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)       | 12000.000  | LF    |
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF          | 51500.000  | SD    |
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF   | 24300.000  | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF   | 37250.000  | SD    |
| 880(C) 8836 | CONSTRUCTION BARRICADES(TYPE II)         | 14000.000  | SD    |
| 880(C) 8842 | CONSTRUCTION BARRICADES(TYPE III)        | 20000.000  | SD    |
| 880(C) 8848 | WING BARRICADES                          | 2920.000   | SD    |
| 880(D) 8854 | VERTICAL PANELS                          | 75000.000  | SD    |
| 880(E) 8860 | WARNING LIGHTS(TYPE A)                   | 78820.000  | SD    |
| 880(E) 8872 | WARNING LIGHTS(TYPE C)                   | 102000.000 | SD    |
| 880(F) 8878 | DRUMS                                    | 27000.000  | SD    |
| 880(G) 8890 | CHANNELIZER CONES                        | 37500.000  | SD    |

**SECTION 0004 - SIGN AND STRIPE**

| ITEM NO.    | ITEM DESCRIPTION                      | QUANTITY   | UNITS |
|-------------|---------------------------------------|------------|-------|
| 804(A) 2915 | STRUCTURAL CONCRETE                   | 1.540      | CY    |
| 850(A) 8110 | SHEET ALUMINUM SIGNS                  | 117.000    | SF    |
| 851(C) 8327 | 2 1/4" SQUARE TUBE POST               | 299.000    | LF    |
| 853 9051    | DELINEATORS(TYPE 2, CODE 1, FLEXIBLE) | 48.000     | EA    |
| 855(A) 8812 | TRAFFIC STRIPE(PLASTIC)(4" WIDE)      | 117500.000 | LF    |
| 855(B) 8818 | TRAFFIC STRIPE(PLASTIC)(ARROWS)       | 10.000     | EA    |

**SECTION 0005 - STAKING**

| ITEM NO.    | ITEM DESCRIPTION              | QUANTITY | UNITS |
|-------------|-------------------------------|----------|-------|
| 642(B) 0096 | CONSTRUCTION STAKING LEVEL II | 1.000    | LSUM  |

**SECTION 0006 - CONSTRUCTION**

| ITEM NO. | ITEM DESCRIPTION                   | QUANTITY | UNITS |
|----------|------------------------------------|----------|-------|
| 220 2800 | SWPPP DOCUMENTATION AND MANAGEMENT | 1.000    | LSUM  |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 100611**

**SECTION 0006 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 640(A) 1426     | FIELD OFFICE            | 1.000           | EA           |
| 641 1552        | MOBILIZATION            | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100607

CALL ORDER: 275  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: NOWATA

PROJECT(S) : PCN  
 NHY-030N(068) 2705704  
 DBE GOALS : 5.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$33.60  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 PAVEMENT REHABILITATION (ASPHALT)  
 US-169: FROM 6.0 MILES SOUTH OF THE KANSAS STATE LINE,  
 EXTEND SOUTH.  
 PROJECT LENGTH = 6.009 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                     | QUANTITY   | UNITS |
|--------------|--------------------------------------|------------|-------|
| 205 4229     | TYPE A-SALVAGED TOPSOIL              | 1.000      | LSUM  |
| 209 0120     | MACHINE GRADING                      | 114.000    | STA   |
| 223 2801     | TEMPORARY SILT FENCE                 | 2500.000   | LF    |
| 227 0100     | TEMPORARY SILT DIKE                  | 1505.000   | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                   | 6243.000   | SY    |
| 241 2832     | MOWING                               | 128.000    | AC    |
| 411(S4) 5950 | (SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)  | 16690.000  | TON   |
| 411(S4) 5960 | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)  | 15670.000  | TON   |
| 413(A) 4861  | RUMBLE STRIP-METHOD AC-CON           | 62642.000  | LF    |
| 417 5267     | COLD MILLING PAVEMENT                | 155228.000 | SY    |
| 420(A) 4242  | FABRIC REINFORCEMENT                 | 153208.000 | SY    |
| 619(A) 0920  | REMOVAL OF STRUCTURES & OBSTRUCTIONS | 1.000      | LSUM  |
| 619(B) 4780  | REMOVAL OF GUARD RAIL                | 6146.000   | LF    |
| 623(A) 0932  | BEAM GUARD RAIL-W-BEAM-SINGLE        | 8388.000   | LF    |
| 623(E) 7114  | THRIE BEAM BRIDGE CONNECTION-TYPE A  | 4.000      | EA    |
| 623(F) 6032  | GUARD RAIL ANCHOR UNIT (TYPE I)      | 2.000      | EA    |
| 623(H) 8571  | (SP)G.E.T. GUARD RAIL END SECTION    | 20.000     | EA    |

### SECTION 0002 - TRAFFIC CONTROL

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 856(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 5000.000  | LF    |
| 856(C) 8851 | REMOVABLE PAVEMENT MARKING TAPE(4" WIDE) | 5000.000  | LF    |
| 856(G) 8887 | (PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1 | 50688.000 | EA    |
| 876(C) 8482 | (PL)TRUCK MOUNTED ATTENUATOR             | 310.000   | SD    |
| 880(J) 8905 | CONSTRUCTION TRAFFIC CONTROL             | 1.000     | LSUM  |
| 880(W) 8800 | PILOT CAR                                | 1.000     | LSUM  |
| 882(B) 8306 | PORT.CHANGEABLE MESSAGE SIGN             | 310.000   | SD    |

### SECTION 0003 - SIGNING AND STRIPING

| ITEM NO.    | ITEM DESCRIPTION                 | QUANTITY  | UNITS |
|-------------|----------------------------------|-----------|-------|
| 855(A) 8812 | TRAFFIC STRIPE(PLASTIC)(4" WIDE) | 81455.000 | LF    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100607****SECTION 0003 - SIGNING AND STRIPING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>           | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-----------------------------------|-----------------|--------------|
| 855(A) 8814     | TRAFFIC STRIPE(PLASTIC)(8" WIDE)  | 450.000         | LF           |
| 855(A) 8825     | TRAFFIC STRIPE(PLASTIC)(24" WIDE) | 48.000          | LF           |

**SECTION 0004 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0005 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1552        | MOBILIZATION                           | 1.000           | LSUM         |
| 643 0087        | (SP)CONTRACTORS QUALITY CONTROL        | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100494

CALL ORDER: 280  
LETTING DATE: November 18, 2010  
LETTING TIME: 10:30 A.M.  
COUNTIES: OKLAHOMA

PROJECT(S) : PCN  
IMY-0040-4(425)149 2027506  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$10.84  
60 CALENDAR DAYS  
RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
BRIDGE REHABILITATION  
I-40: ON THE CROSSTOWN EXPRESSWAY BRIDGE, FROM 0.20 MILES  
WEST OF WESTERN AVE, EXTEND EAST IN OKLAHOMA CITY.  
PROJECT LENGTH = 1.683 MILES

### SECTION 0001 - BRIDGE 'A'

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY | UNITS |
|-------------|------------------------------|----------|-------|
| 521(A) 6210 | PNEUMATICALLY PLACED MORTAR  | 560.000  | SY    |
| 880(J) 8905 | CONSTRUCTION TRAFFIC CONTROL | 1.000    | LSUM  |

### SECTION 0002 - CONSTRUCTION

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 641 1399 | MOBILIZATION     | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100535

CALL ORDER: 300  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN  
 BPMY-155N(791)3B 2777705  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$11.92  
 30 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 JOINT SEAL/REPAIR  
 I-40/I-44: AT MULTIPLE LOCATIONS IN DIVISION IV.

### SECTION 0001 - BRIDGE 'A'

| ITEM NO.    | ITEM DESCRIPTION            | QUANTITY | UNITS |
|-------------|-----------------------------|----------|-------|
| 504(A) 1304 | APPROACH SLAB               | 219.200  | SY    |
| 619(B) 2505 | (PL)REMOVAL OF BRIDGE ITEMS | 1.000    | EA    |

### SECTION 0002 - BRIDGE 'B'

| ITEM NO.    | ITEM DESCRIPTION            | QUANTITY | UNITS |
|-------------|-----------------------------|----------|-------|
| 504(A) 1304 | APPROACH SLAB               | 219.200  | SY    |
| 509(D) 1331 | CLASS C CONCRETE            | 5.000    | CY    |
| 619(B) 2505 | (PL)REMOVAL OF BRIDGE ITEMS | 1.000    | EA    |

### SECTION 0003 - BRIDGE 'C'

| ITEM NO.    | ITEM DESCRIPTION                | QUANTITY | UNITS |
|-------------|---------------------------------|----------|-------|
| 505(B) 6019 | CLASS B BRIDGE DECK REPAIR      | 20.000   | SY    |
| 509 6386    | (PL)SILICONE CONSTRUCTION JOINT | 278.800  | LF    |

### SECTION 0004 - BRIDGE 'D'

| ITEM NO.    | ITEM DESCRIPTION           | QUANTITY | UNITS |
|-------------|----------------------------|----------|-------|
| 504(H) 6390 | RAPID CURE JOINT SEALANT   | 301.000  | LF    |
| 505(B) 6019 | CLASS B BRIDGE DECK REPAIR | 10.000   | SY    |

### SECTION 0005 - TRAFFIC

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY | UNITS |
|-------------|------------------------------|----------|-------|
| 876(C) 8482 | (PL)TRUCK MOUNTED ATTENUATOR | 90.000   | SD    |
| 880(A) 8812 | ARROW DISPLAY(TYPE C)        | 90.000   | SD    |
| 880(J) 8905 | CONSTRUCTION TRAFFIC CONTROL | 1.000    | LSUM  |
| 882(B) 8306 | PORT.CHANGEABLE MESSAGE SIGN | 90.000   | SD    |

### SECTION 0006 - CONSTRUCTION

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 641 1399 | MOBILIZATION     | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100395

CALL ORDER: 310  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OTTAWA

| PROJECT(S) :   | PCN     |
|----------------|---------|
| BRFY-058C(235) | 0893204 |
| BRFY-058C(237) | 1043004 |
| STPY-058C(240) | 1257304 |

DBE GOALS : 5.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$418.33  
 650 CALENDAR DAYS  
 TIME 'B' BID - \$ 6000 / DAY  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 SH-10: FROM THE I-44 INTERCHANGE, EXTEND EAST.  
 PROJECT LENGTH = 3.566 MILES

## SECTION 0001 - ROADWAY - BRFY-058C(235)

| ITEM NO.     | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|--------------|------------------------------------------|-----------|-------|
| 201 0102     | CLEARING AND GRUBBING                    | 1.000     | LSUM  |
| 202(A) 0183  | UNCLASSIFIED EXCAVATION                  | 65661.000 | CY    |
| 202(B) 0182  | ROCK EXCAVATION                          | 9988.000  | CY    |
| 202(C) 0184  | UNCLASSIFIED BORROW                      | 215.000   | CY    |
| 205 4229     | TYPE A-SALVAGED TOPSOIL                  | 1.000     | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                     | 1600.000  | LF    |
| 227 0100     | TEMPORARY SILT DIKE                      | 1820.000  | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                       | 39607.000 | SY    |
| 232(B) 2814  | SEEDING METHOD B                         | 16.300    | AC    |
| 233(A) 2817  | VEGETATIVE MULCHING                      | 8.200     | AC    |
| 241 2832     | MOWING                                   | 16.400    | AC    |
| 303 0192     | AGGREGATE BASE                           | 12176.000 | CY    |
| 317(F) 4270  | (SP)CEMENT TREATED BASE                  | 42461.000 | SY    |
| 325 5271     | SEPARATOR FABRIC                         | 57517.000 | SY    |
| 327(J) 4290  | (SP)MODIFIED SUBGRADE                    | 49233.000 | SY    |
| 328 2600     | (SP)GEOSYNTHETIC SUBGRADE REINFORCEMENT  | 4923.000  | SY    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E      | 1073.000  | TON   |
| 411(S3) 5935 | (SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)      | 694.000   | TON   |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)      | 1919.000  | TON   |
| 411(S4) 5950 | (SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)      | 495.000   | TON   |
| 411(S4) 5960 | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)      | 128.000   | TON   |
| 414(A1) 5725 | (SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT) | 40198.000 | SY    |
| 414(P) 6000  | (SP)P.C. CONCRETE FOR PAVEMENT           | 9986.000  | CY    |
| 501(A) 0313  | STRUCTURAL EXCAVATION UNCLASSIFIED       | 15.000    | CY    |
| 509(B) 0321  | CLASS A CONCRETE                         | 24.000    | CY    |
| 511(A) 0332  | REINFORCING STEEL                        | 3155.000  | LB    |
| 601(A) 0297  | TYPE I PLAIN RIPRAP                      | 116.000   | TON   |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0001 - ROADWAY - BRFY-058C(235)**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                   | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------------------------|-----------------|--------------|
| 609(A) 0300     | CONC.CURB(6" BARRIER-INTEGRAL)            | 10223.000       | LF           |
| 609(B) 1525     | 2'-8" COMB.CRB.& GUT.(6" BARRIER)         | 1150.000        | LF           |
| 610(B) 0604     | 6" CONCRETE DRIVEWAY                      | 3836.000        | SY           |
| 611(A) 2657     | MANHOLE (4' DIA.)                         | 3.000           | EA           |
| 611(A) 2658     | MANHOLE (5' DIA.)                         | 3.000           | EA           |
| 611(B) 2680     | ADD'L.DEPTH IN MANHOLE (4' DIA.)          | 5.000           | VF           |
| 611(B) 2681     | ADD'L.DEPTH IN MANHOLE (5' DIA.)          | 9.000           | VF           |
| 611(D) 4215     | MANHOLE FRAME & COVER                     | 31.000          | EA           |
| 611(E) 5112     | INLET CICI DES. 2 (STD)                   | 6.000           | EA           |
| 611(E) 5113     | INLET CICI DES. 2 (B)                     | 5.000           | EA           |
| 611(E) 5115     | INLET CICI DES. 2 (D)                     | 2.000           | EA           |
| 611(E) 5120     | INLET CICI DES. 3 (STD)                   | 1.000           | EA           |
| 611(E) 5123     | INLET CICI DES. 3 (2B)                    | 1.000           | EA           |
| 611(E) 5327     | INLET GPI TYPE 1 (DES. 1)                 | 1.000           | EA           |
| 611(E) 5331     | INLET GPI TYPE 1 (DES. 5)                 | 4.000           | EA           |
| 611(E) 5335     | INLET GPI TYPE 2 (DES. 9)                 | 1.000           | EA           |
| 611(E) 5872     | INLET W/LRG.JCT.BOX,CICI-JB-1,DES.2(B)    | 1.000           | EA           |
| 611(E) 5874     | INLET W/LRG.JCT.BOX,CICI-JB-1,DES.2(D)    | 1.000           | EA           |
| 611(E) 5886     | INLET W/LRG.JCT.BOX,CICI-JB-1,DES.3(D)    | 1.000           | EA           |
| 611(E) 5888     | INLET W/LRG.JCT.BOX,CICI-JB-1,DES.3(2B)   | 1.000           | EA           |
| 611(E) 5970     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2     | 3.000           | EA           |
| 611(E) 5972     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B)  | 7.000           | EA           |
| 611(E) 5974     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(D)  | 7.000           | EA           |
| 611(E) 5986     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(D)  | 2.000           | EA           |
| 611(E) 5990     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(BD) | 2.000           | EA           |
| 611(F) 5325     | INLET CICI DES. 2 (ADD'L DEPTH)           | 43.000          | VF           |
| 611(F) 5330     | INLET CICI DES. 3 (ADD'L DEPTH)           | 6.000           | VF           |
| 611(F) 5374     | INLET GPI TYPE 1 (ADD'L DEPTH)            | 13.000          | VF           |
| 611(F) 5375     | INLET GPI TYPE 2 (ADD'L DEPTH)            | 1.000           | VF           |
| 611(F) 5870     | INLET W/LJB,CICI-JB-1,DES.2(ADD.DPTH)     | 7.000           | VF           |
| 611(F) 5882     | INLET W/LJB,CICI-JB-1,DES.3(ADD.DPTH)     | 8.000           | VF           |
| 611(F) 5970     | INLET W/SJB,CICI-JB-1,DES.2(ADD.DPTH)     | 77.000          | VF           |
| 611(F) 5982     | INLET W/SJB,CICI-JB-1,DES.3(ADD.DPTH)     | 16.000          | VF           |
| 611(G) 4488     | INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)     | 96.000          | EA           |
| 611(K) 4488     | CAST IRON CURB INLETS                     | 194.000         | EA           |
| 613(B) 0491     | 18" R.C.PIPES CLASS III                   | 1428.000        | LF           |
| 613(B) 0492     | 24" R.C.PIPES CLASS III                   | 2722.000        | LF           |
| 613(B) 0493     | 30" R.C.PIPES CLASS III                   | 1049.000        | LF           |
| 613(B) 0494     | 36" R.C.PIPES CLASS III                   | 545.000         | LF           |
| 613(B) 0495     | 42" R.C.PIPES CLASS III                   | 143.000         | LF           |
| 613(B) 0496     | 48" R.C.PIPES CLASS III                   | 609.000         | LF           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0001 - ROADWAY - BRFY-058C(235)**

| ITEM NO.     | ITEM DESCRIPTION                        | QUANTITY  | UNITS |
|--------------|-----------------------------------------|-----------|-------|
| 613(CC) 7186 | TYPE A4 CULVERT END TREATMENT           | 2.000     | EA    |
| 613(D) 0689  | 18" CORR. GALV. STEEL PIPE              | 748.000   | LF    |
| 613(M) 5726  | 18" PREFAB. CULVERT END SEC., ROUND     | 15.000    | EA    |
| 613(M) 5730  | 24" PREFAB. CULVERT END SEC., ROUND     | 2.000     | EA    |
| 613(M) 5732  | 30" PREFAB. CULVERT END SEC., ROUND     | 2.000     | EA    |
| 613(M) 5734  | 36" PREFAB. CULVERT END SEC., ROUND     | 7.000     | EA    |
| 613(M) 5738  | 48" PREFAB. CULVERT END SEC., ROUND     | 3.000     | EA    |
| 613(S) 1180  | TRENCH EXCAVATION                       | 6522.000  | CY    |
| 613(T) 1181  | STANDARD BEDDING MATERIAL               | 3034.000  | CY    |
| 619(A) 0920  | REMOVAL OF STRUCTURES & OBSTRUCTIONS    | 1.000     | LSUM  |
| 619(B) 4725  | REMOVAL OF FENCE                        | 1288.000  | LF    |
| 619(B) 4728  | REMOVAL OF ASPHALT PAVEMENT             | 15714.000 | SY    |
| 619(B) 4766  | REMOVAL OF CONCRETE DRIVEWAY            | 56.000    | SY    |
| 619(B) 4780  | REMOVAL OF GUARD RAIL                   | 94.000    | LF    |
| 623(A) 0932  | BEAM GUARD RAIL-W-BEAM-SINGLE           | 510.000   | LF    |
| 623(E) 7114  | THRIE BEAM BRIDGE CONNECTION-TYPE A     | 2.000     | EA    |
| 623(H) 8571  | (SP)G.E.T. GUARD RAIL END SECTION       | 2.000     | EA    |
| 624(A) 4281  | FENCE-STYLE WWF                         | 371.000   | LF    |
| 624(B) 4466  | GATES-STYLE WWF (4.5'HIGH X 16'LONG)    | 1.000     | EA    |
| 629(E) 5048  | REMOVE AND RESET MAILBOX                | 14.000    | EA    |
| 653(A) 5915  | EDGE DRAIN CONDUIT-PERFORATED           | 11320.000 | LF    |
| 653(B) 5916  | EDGE DRAIN OUTLET LATERAL-NONPERFORATED | 720.000   | LF    |
| 653(C) 5946  | OUTLET LATERAL HEADWALL                 | 48.000    | EA    |

**SECTION 0002 - BRIDGE 'B' - BRFY-058C(235)**

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY   | UNITS |
|-------------|--------------------------------------|------------|-------|
| 501(B) 1307 | SUBSTRUCTURE EXCAVATION COMMON       | 154.000    | CY    |
| 501(C) 1308 | SUBSTRUCTURE EXCAVATION ROCK         | 334.000    | CY    |
| 501(G) 6309 | CLSM BACKFILL                        | 69.600     | CY    |
| 504(A) 1304 | APPROACH SLAB                        | 312.000    | SY    |
| 504(E) 6245 | CONCRETE RAIL (TR4)                  | 320.000    | LF    |
| 509(A) 1326 | CLASS AA CONCRETE                    | 492.800    | CY    |
| 509(B) 1328 | CLASS A CONCRETE                     | 172.600    | CY    |
| 511(B) 6010 | EPOXY COATED REINFORCING STEEL       | 171698.000 | LB    |
| 515(A) 6013 | WATER REPELLENT (VISUALLY INSPECTED) | 436.000    | SY    |
| 516(A) 6091 | DRILLED SHAFTS 30" DIAMETER          | 80.000     | LF    |
| 516(A) 6092 | DRILLED SHAFTS 36" DIAMETER          | 156.000    | LF    |
| 601(A) 1351 | TYPE I PLAIN RIPRAP                  | 1513.000   | TON   |
| 613(P) 6204 | 6" PERFORATED PIPE UNDERDRAIN ROUND  | 142.000    | LF    |
| 613(Q) 6207 | 6" NON-PERF.PIPE UNDERDRAIN RND.     | 38.000     | LF    |
| 619(D) 1397 | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000      | LSUM  |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0003 - BRIDGE 'C' - BRFY-058C(235)**

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY  | UNITS |
|-------------|--------------------------------------|-----------|-------|
| 202(A) 1301 | UNCLASSIFIED EXCAVATION              | 358.600   | CY    |
| 501(A) 1306 | STRUCTURAL EXCAVATION UNCLASSIFIED   | 128.300   | CY    |
| 509(A) 1326 | CLASS AA CONCRETE                    | 284.800   | CY    |
| 511(A) 1332 | REINFORCING STEEL                    | 43678.000 | LB    |
| 601(A) 1351 | TYPE I PLAIN RIPRAP                  | 213.900   | TON   |
| 619(D) 1397 | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000     | LSUM  |

**SECTION 0004 - TRAFFIC PERMANENT - BRFY-058C(235)**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 850(A) 8110 | SHEET ALUMINUM SIGNS                     | 78.180    | SF    |
| 851(C) 8327 | 2 1/4" SQUARE TUBE POST                  | 291.000   | LF    |
| 854(C) 8525 | (SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)  | 47.000    | EA    |
| 854(C) 8530 | (SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE) | 17210.000 | LF    |
| 854(C) 8540 | (SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE) | 229.000   | LF    |
| 854(C) 8555 | (SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE) | 155.000   | LF    |
| 855(A) 8812 | TRAFFIC STRIPE(PLASTIC)(4" WIDE)         | 1900.000  | LF    |
| 855(A) 8814 | TRAFFIC STRIPE(PLASTIC)(8" WIDE)         | 125.000   | LF    |
| 859(A) 8006 | PAVEMENT MRKNG.REMOVAL(TRAF.STRP)        | 928.000   | LF    |
| 890(A) 8724 | (PL)REMOVAL OF EXISTING SIGNS            | 5.000     | EA    |
| 890A/B 8756 | (PL)REMOVE & RESET EXISTING SIGNS        | 14.000    | EA    |

**SECTION 0005 - TRAFFIC TEMPORARY - BRFY-058C(235)**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 856(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 14051.000 | LF    |
| 856(G) 8887 | (PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1 | 760.000   | EA    |
| 871 8705    | (PL)CONST.ZONE IMPACT ATTEN.             | 180.000   | SD    |
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF          | 8500.000  | SD    |
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF   | 4320.000  | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF   | 6230.000  | SD    |
| 880(C) 8842 | BARRICADES(TYPE III)                     | 8240.000  | SD    |
| 880(C) 8848 | WING BARRICADES                          | 2920.000  | SD    |
| 880(E) 8860 | WARNING LIGHTS(TYPE A)                   | 25770.000 | SD    |
| 880(E) 8872 | WARNING LIGHTS(TYPE C)                   | 24700.000 | SD    |
| 880(F) 8878 | DRUMS                                    | 24700.000 | SD    |
| 880(I) 8902 | FLAGGER                                  | 8.000     | SD    |

**SECTION 0006 - STAKING - BRFY-058C(235)**

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 642 0098 | STAKING          | 1.000    | LSUM  |

**SECTION 0007 - CONSTRUCTION - BRFY-058C(235)**

| ITEM NO. | ITEM DESCRIPTION                       | QUANTITY | UNITS |
|----------|----------------------------------------|----------|-------|
| 220 2800 | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000    | LSUM  |
| 640 1426 | FIELD OFFICE                           | 1.000    | EA    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0007 - CONSTRUCTION - BRFY-058C(235)**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 641 1552        | MOBILIZATION            | 1.000           | LSUM         |

**SECTION 0008 - ROADWAY - BRFY-058C(237)**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                  | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------------|-----------------|--------------|
| 201 0102        | CLEARING AND GRUBBING                    | 1.000           | LSUM         |
| 202(A) 0183     | UNCLASSIFIED EXCAVATION                  | 13892.000       | CY           |
| 202(C) 0184     | UNCLASSIFIED BORROW                      | 160807.000      | CY           |
| 205 4229        | TYPE A-SALVAGED TOPSOIL                  | 1.000           | LSUM         |
| 223 2801        | TEMPORARY SILT FENCE                     | 6383.000        | LF           |
| 227 0100        | TEMPORARY SILT DIKE                      | 370.000         | LF           |
| 230(A) 2806     | SOLID SLAB SODDING                       | 39868.000       | SY           |
| 232(B) 2814     | SEEDING METHOD B                         | 16.600          | AC           |
| 233(A) 2817     | VEGETATIVE MULCHING                      | 8.300           | AC           |
| 241 2832        | MOWING                                   | 16.600          | AC           |
| 303 0192        | AGGREGATE BASE                           | 7280.000        | CY           |
| 317(F) 4270     | (SP)CEMENT TREATED BASE                  | 26155.000       | SY           |
| 325 5271        | SEPARATOR FABRIC                         | 35014.000       | SY           |
| 327(J) 4290     | (SP)MODIFIED SUBGRADE                    | 29057.000       | SY           |
| 328 2600        | (SP)GEOSYNTHETIC SUBGRADE REINFORCEMENT  | 2905.000        | SY           |
| 403(E) 0225     | TRAFFIC BOUND SURFACE COURSE TYPE E      | 543.000         | TON          |
| 411(S3) 5945    | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)      | 143.000         | TON          |
| 411(S4) 5960    | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)      | 26.000          | TON          |
| 414(A1) 5725    | (SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT) | 24613.000       | SY           |
| 414(P) 6000     | (SP)P.C. CONCRETE FOR PAVEMENT           | 6057.000        | CY           |
| 501(A) 0313     | STRUCTURAL EXCAVATION UNCLASSIFIED       | 82.000          | CY           |
| 509(A) 0319     | CLASS AA CONCRETE                        | 164.000         | CY           |
| 509(B) 0321     | CLASS A CONCRETE                         | 44.000          | CY           |
| 509(D) 0325     | CLASS C CONCRETE                         | 2.000           | CY           |
| 511(A) 0332     | REINFORCING STEEL                        | 32555.000       | LB           |
| 601(A) 0297     | TYPE I PLAIN RIPRAP                      | 57.000          | TON          |
| 609(A) 0300     | CONC.CURB(6" BARRIER-INTEGRAL)           | 6536.000        | LF           |
| 610(B) 0604     | 6" CONCRETE DRIVEWAY                     | 1058.000        | SY           |
| 611(A) 2657     | MANHOLE (4' DIA.)                        | 1.000           | EA           |
| 611(A) 2658     | MANHOLE (5' DIA.)                        | 1.000           | EA           |
| 611(B) 2680     | ADD'L.DEPTH IN MANHOLE (4' DIA.)         | 2.000           | VF           |
| 611(B) 2681     | ADD'L.DEPTH IN MANHOLE (5' DIA.)         | 15.000          | VF           |
| 611(D) 4215     | MANHOLE FRAME & COVER                    | 13.000          | EA           |
| 611(E) 5112     | INLET CICI DES. 2 (STD)                  | 2.000           | EA           |
| 611(E) 5113     | INLET CICI DES. 2 (B)                    | 4.000           | EA           |
| 611(E) 5115     | INLET CICI DES. 2 (D)                    | 1.000           | EA           |
| 611(E) 5335     | INLET GPI TYPE 2 (DES. 9)                | 1.000           | EA           |
| 611(E) 5970     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2    | 1.000           | EA           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0008 - ROADWAY - BRFY-058C(237)**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 611(E) 5972 | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B) | 4.000     | EA    |
| 611(E) 5974 | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(D) | 6.000     | EA    |
| 611(F) 5325 | INLET CICI DES. 2 (ADD'L DEPTH)          | 42.000    | VF    |
| 611(F) 5970 | INLET W/SJB,CICI-JB-1,DES.2(ADD.DPTH)    | 55.000    | VF    |
| 611(G) 4488 | INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)    | 36.000    | EA    |
| 611(K) 4488 | CAST IRON CURB INLETS                    | 80.000    | EA    |
| 613(B) 0491 | 18" R.C.PIPES CLASS III                  | 2497.000  | LF    |
| 613(B) 0492 | 24" R.C.PIPES CLASS III                  | 581.000   | LF    |
| 613(B) 0493 | 30" R.C.PIPES CLASS III                  | 171.000   | LF    |
| 613(D) 0689 | 18" CORR. GALV. STEEL PIPE               | 114.000   | LF    |
| 613(M) 5726 | 18" PREFAB. CULVERT END SEC., ROUND      | 12.000    | EA    |
| 613(M) 5732 | 30" PREFAB. CULVERT END SEC., ROUND      | 1.000     | EA    |
| 613(S) 1180 | TRENCH EXCAVATION                        | 2441.000  | CY    |
| 613(T) 1181 | STANDARD BEDDING MATERIAL                | 977.000   | CY    |
| 619(A) 0920 | REMOVAL OF STRUCTURES & OBSTRUCTIONS     | 1.000     | LSUM  |
| 619(B) 4725 | REMOVAL OF FENCE                         | 4645.000  | LF    |
| 619(B) 4728 | REMOVAL OF ASPHALT PAVEMENT              | 17825.000 | SY    |
| 619(B) 4780 | REMOVAL OF GUARD RAIL                    | 3409.000  | LF    |
| 619(B) 4915 | REMOVAL OF CONCRETE MEDIAN BARRIER       | 69.000    | LF    |
| 619(C) 0924 | SAWING PAVEMENT                          | 405.000   | LF    |
| 623(A) 0932 | BEAM GUARD RAIL-W-BEAM-SINGLE            | 500.000   | LF    |
| 623(E) 7114 | THREE BEAM BRIDGE CONNECTION-TYPE A      | 2.000     | EA    |
| 623(H) 8571 | (SP)G.E.T. GUARD RAIL END SECTION        | 2.000     | EA    |
| 624(A) 4281 | FENCE-STYLE WWF                          | 659.000   | LF    |
| 624(B) 4462 | GATES-STYLE WWF (4.5'HIGH X 12'LONG)     | 1.000     | EA    |
| 624(B) 4466 | GATES-STYLE WWF (4.5'HIGH X 16'LONG)     | 1.000     | EA    |
| 624(C) 4459 | (SP)FENCE-STYLE SWF (5 BARBED WIRE)      | 1838.000  | LF    |
| 624(D) 4292 | FENCE-STYLE CLF (6'HIGH, CLASS A)        | 125.000   | LF    |
| 627(I) 4317 | CONCRETE MEDIAN BARRIER, DESIGN 1        | 21.000    | LF    |
| 629(E) 5048 | REMOVE AND RESET MAILBOX                 | 1.000     | EA    |
| 653(A) 5915 | EDGE DRAIN CONDUIT-PERFORATED            | 6703.000  | LF    |
| 653(B) 5916 | EDGE DRAIN OUTLET LATERAL-NONPERFORATED  | 420.000   | LF    |
| 653(C) 5946 | OUTLET LATERAL HEADWALL                  | 28.000    | EA    |

**SECTION 0009 - BRIDGE 'A' - BRFY-058C(237)**

| ITEM NO.    | ITEM DESCRIPTION                       | QUANTITY | UNITS |
|-------------|----------------------------------------|----------|-------|
| 501(B) 1307 | SUBSTRUCTURE EXCAVATION COMMON         | 376.000  | CY    |
| 501(G) 6309 | CLSM BACKFILL                          | 492.200  | CY    |
| 503(A) 6290 | PRESTRESSED CONCRETE BEAMS (TYPE J BT) | 1808.000 | LF    |
| 504(A) 1304 | APPROACH SLAB                          | 631.200  | SY    |
| 504(C) 6250 | SEALED EXPANSION JOINT                 | 73.000   | LF    |
| 504(E) 6245 | CONCRETE RAIL (TR4)                    | 621.600  | LF    |
| 506(A) 1322 | STRUCTURAL STEEL                       | 2250.000 | LB    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0009 - BRIDGE 'A' - BRFY-058C(237)**

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY   | UNITS |
|-------------|--------------------------------------|------------|-------|
| 509 6152    | (PL)SPECIAL CONCRETE FINISH          | 324.000    | SY    |
| 509(A) 1326 | CLASS AA CONCRETE                    | 547.600    | CY    |
| 509(B) 1328 | CLASS A CONCRETE                     | 398.100    | CY    |
| 510(C) 6137 | SLOPE WALL (4")                      | 1360.000   | SY    |
| 511(A) 1332 | REINFORCING STEEL                    | 2440.000   | LB    |
| 511(B) 6010 | EPOXY COATED REINFORCING STEEL       | 135222.000 | LB    |
| 514(A) 6010 | PILES, FURNISHED (HP 10X42)          | 308.000    | LF    |
| 514(A) 6011 | PILES, FURNISHED (HP 12X53)          | 1311.000   | LF    |
| 514(B) 6292 | PILES, DRIVEN (HP 10X42)             | 308.000    | LF    |
| 514(B) 6294 | PILES, DRIVEN (HP 12X53)             | 1311.000   | LF    |
| 515(A) 6013 | WATER REPELLENT (VISUALLY INSPECTED) | 974.000    | SY    |
| 516(A) 6097 | DRILLED SHAFTS 66" DIAMETER          | 124.000    | LF    |
| 523(A) 6550 | (SP) SEALER CRACK PREPARATION        | 230.000    | LF    |
| 523(B) 6560 | (SP) SEALER RESIN                    | 2.000      | GAL   |
| 535 6164    | (PL)FIXED BEARING ASSEMBLY           | 16.000     | EA    |
| 535 6165    | (PL)EXPANSION BEARING ASSEMBLY       | 16.000     | EA    |
| 613(P) 6204 | 6" PERFORATED PIPE UNDERDRAIN ROUND  | 348.000    | LF    |
| 613(Q) 6207 | 6" NON-PERF.PIPE UNDERDRAIN RND.     | 94.000     | LF    |
| 619(D) 1397 | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000      | LSUM  |

**SECTION 0010 - TRAFFIC PERMANENT - BRFY-058C(237)**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 850(A) 8110 | SHEET ALUMINUM SIGNS                     | 90.500    | SF    |
| 851(C) 8327 | 2 1/4" SQUARE TUBE POST                  | 304.250   | LF    |
| 854(C) 8525 | (SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)  | 30.000    | EA    |
| 854(C) 8530 | (SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE) | 12507.000 | LF    |
| 854(C) 8540 | (SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE) | 400.000   | LF    |
| 854(C) 8555 | (SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE) | 60.000    | LF    |
| 855(A) 8812 | TRAFFIC STRIPE(PLASTIC)(4" WIDE)         | 530.000   | LF    |
| 855(A) 8813 | TRAFFIC STRIPE(PLASTIC)(6" WIDE)         | 100.000   | LF    |
| 859(A) 8006 | PAVEMENT MRKNG.REMOVAL(TRAF.STRP)        | 2200.000  | LF    |
| 890(A) 8724 | (PL)REMOVAL OF EXISTING SIGNS            | 5.000     | EA    |
| 890A/B 8756 | (PL)REMOVE & RESET EXISTING SIGNS        | 25.000    | EA    |

**SECTION 0011 - TRAFFIC TEMPORARY - BRFY-058C(237)**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 627(O) 4410 | REL.OF RENTED PORT.PREC.CONC.MED.BARRIER | 6750.000  | LF    |
| 627(P) 4425 | RENTED PORT.TYPE PREC.CONC.MED. BARR.    | 2245.000  | LF    |
| 856(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 9220.000  | LF    |
| 856(G) 8887 | (PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1 | 1780.000  | EA    |
| 871 8705    | (PL)CONST.ZONE IMPACT ATTEN.             | 565.000   | SD    |
| 880(A) 8812 | ARROW DISPLAY(TYPE C)                    | 214.000   | SD    |
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF          | 12295.000 | SD    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0011 - TRAFFIC TEMPORARY - BRFY-058C(237)**

| ITEM NO.    | ITEM DESCRIPTION                       | QUANTITY  | UNITS |
|-------------|----------------------------------------|-----------|-------|
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF | 9174.000  | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF | 15246.000 | SD    |
| 880(C) 8842 | BARRICADES(TYPE III)                   | 4788.000  | SD    |
| 880(C) 8848 | WING BARRICADES                        | 4266.000  | SD    |
| 880(E) 8860 | WARNING LIGHTS(TYPE A)                 | 23980.000 | SD    |
| 880(E) 8872 | WARNING LIGHTS(TYPE C)                 | 45541.000 | SD    |
| 880(F) 8878 | DRUMS                                  | 45541.000 | SD    |
| 880(I) 8902 | FLAGGER                                | 200.000   | SD    |
| 880(L) 8911 | TRAFFIC SURVEILLANCE, POLICE           | 116.000   | HOURL |
| 882(B) 8306 | PORT.CHANGEABLE MESSAGE SIGN           | 454.000   | SD    |

**SECTION 0012 - ROADWAY - STPY-058C(240)**

| ITEM NO.     | ITEM DESCRIPTION                         | QUANTITY   | UNITS |
|--------------|------------------------------------------|------------|-------|
| 201 0102     | CLEARING AND GRUBBING                    | 1.000      | LSUM  |
| 202(A) 0183  | UNCLASSIFIED EXCAVATION                  | 134155.000 | CY    |
| 202(C) 0184  | UNCLASSIFIED BORROW                      | 245.000    | CY    |
| 205 4229     | TYPE A-SALVAGED TOPSOIL                  | 1.000      | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                     | 1285.000   | LF    |
| 227 0100     | TEMPORARY SILT DIKE                      | 2320.000   | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                       | 82510.000  | SY    |
| 232(B) 2814  | SEEDING METHOD B                         | 34.100     | AC    |
| 233(A) 2817  | VEGETATIVE MULCHING                      | 17.050     | AC    |
| 241 2832     | MOWING                                   | 34.100     | AC    |
| 303 0192     | AGGREGATE BASE                           | 25497.000  | CY    |
| 317(F) 4270  | (SP)CEMENT TREATED BASE                  | 3178.000   | SY    |
| 325 5271     | SEPARATOR FABRIC                         | 120392.000 | SY    |
| 327(J) 4290  | (SP)MODIFIED SUBGRADE                    | 109425.000 | SY    |
| 328 2600     | (SP)GEOSYNTHETIC SUBGRADE REINFORCEMENT  | 10789.000  | SY    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E      | 1548.000   | TON   |
| 411(S3) 5935 | (SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)      | 14126.000  | TON   |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)      | 42885.000  | TON   |
| 411(S4) 5950 | (SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)      | 9895.000   | TON   |
| 411(S4) 5960 | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)      | 833.000    | TON   |
| 414(A1) 5725 | (SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT) | 3054.000   | SY    |
| 414(P) 6000  | (SP)P.C. CONCRETE FOR PAVEMENT           | 765.000    | CY    |
| 501(A) 0313  | STRUCTURAL EXCAVATION UNCLASSIFIED       | 1106.000   | CY    |
| 509(B) 0321  | CLASS A CONCRETE                         | 618.000    | CY    |
| 511(A) 0332  | REINFORCING STEEL                        | 104800.000 | LB    |
| 601(A) 0297  | TYPE I PLAIN RIPRAP                      | 656.000    | TON   |
| 609(A) 0300  | CONC.CURB(6" BARRIER-INTEGRAL)           | 505.000    | LF    |
| 609(B) 1525  | 2'-8" COMB.CRB.& GUT.(6" BARRIER)        | 21588.000  | LF    |
| 610(B) 0604  | 6" CONCRETE DRIVEWAY                     | 1122.000   | SY    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0012 - ROADWAY - STPY-058C(240)**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                  | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------------|-----------------|--------------|
| 610(C) 0608     | 4" CONCRETE DIVIDING STRIP               | 5.000           | SY           |
| 611(A) 2658     | MANHOLE (5' DIA.)                        | 2.000           | EA           |
| 611(A) 2659     | MANHOLE (6' DIA.)                        | 1.000           | EA           |
| 611(B) 2681     | ADD'L.DEPTH IN MANHOLE (5' DIA.)         | 5.000           | VF           |
| 611(B) 2682     | ADD'L.DEPTH IN MANHOLE (6' DIA.)         | 3.000           | VF           |
| 611(D) 4215     | MANHOLE FRAME & COVER                    | 27.000          | EA           |
| 611(E) 5112     | INLET CICI DES. 2 (STD)                  | 4.000           | EA           |
| 611(E) 5113     | INLET CICI DES. 2 (B)                    | 8.000           | EA           |
| 611(E) 5115     | INLET CICI DES. 2 (D)                    | 9.000           | EA           |
| 611(E) 5117     | INLET CICI DES. 2 (2B)                   | 2.000           | EA           |
| 611(E) 5121     | INLET CICI DES. 3 (B)                    | 1.000           | EA           |
| 611(E) 5122     | INLET CICI DES. 3 (D)                    | 3.000           | EA           |
| 611(E) 5123     | INLET CICI DES. 3 (2B)                   | 1.000           | EA           |
| 611(E) 5124     | INLET CICI DES. 3 (B-D)                  | 1.000           | EA           |
| 611(E) 5125     | INLET CICI DES. 3 (2D)                   | 1.000           | EA           |
| 611(E) 5327     | INLET GPI TYPE 1 (DES. 1)                | 3.000           | EA           |
| 611(E) 5891     | INLET W/LRG.JCT.BOX,CICI-JB-1,DES.3(B-D) | 1.000           | EA           |
| 611(E) 5970     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2    | 3.000           | EA           |
| 611(E) 5972     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B) | 10.000          | EA           |
| 611(E) 5974     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(D) | 5.000           | EA           |
| 611(E) 5986     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(D) | 1.000           | EA           |
| 611(E) 5988     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(2B | 2.000           | EA           |
| 611(E) 5990     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(BD | 1.000           | EA           |
| 611(F) 5325     | INLET CICI DES. 2 (ADD'L DEPTH)          | 74.000          | VF           |
| 611(F) 5330     | INLET CICI DES. 3 (ADD'L DEPTH)          | 24.000          | VF           |
| 611(F) 5374     | INLET GPI TYPE 1 (ADD'L DEPTH)           | 1.000           | VF           |
| 611(F) 5882     | INLET W/LJB,CICI-JB-1,DES.3(ADD.DPTH)    | 4.000           | VF           |
| 611(F) 5970     | INLET W/SJB,CICI-JB-1,DES.2(ADD.DPTH)    | 70.000          | VF           |
| 611(F) 5982     | INLET W/SJB,CICI-JB-1,DES.3(ADD.DPTH)    | 16.000          | VF           |
| 611(G) 4488     | INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)    | 130.000         | EA           |
| 611(J) 0487     | JUNCTION BOXES                           | 312.000         | CF           |
| 611(K) 4488     | CAST IRON CURB INLETS                    | 286.000         | EA           |
| 613(B) 0491     | 18" R.C.PIPES CLASS III                  | 3614.000        | LF           |
| 613(B) 0492     | 24" R.C.PIPES CLASS III                  | 2153.000        | LF           |
| 613(B) 0493     | 30" R.C.PIPES CLASS III                  | 1025.000        | LF           |
| 613(B) 0494     | 36" R.C.PIPES CLASS III                  | 1248.000        | LF           |
| 613(CC) 7186    | TYPE A4 CULVERT END TREATMENT            | 18.000          | EA           |
| 613(D) 0689     | 18" CORR. GALV. STEEL PIPE               | 502.000         | LF           |
| 613(M) 5726     | 18" PREFAB. CULVERT END SEC., ROUND      | 17.000          | EA           |
| 613(M) 5730     | 24" PREFAB. CULVERT END SEC., ROUND      | 2.000           | EA           |
| 613(M) 5734     | 36" PREFAB. CULVERT END SEC., ROUND      | 6.000           | EA           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0012 - ROADWAY - STPY-058C(240)**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                 | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-----------------------------------------|-----------------|--------------|
| 613(S) 1180     | TRENCH EXCAVATION                       | 6560.000        | CY           |
| 613(T) 1181     | STANDARD BEDDING MATERIAL               | 3100.000        | CY           |
| 619(A) 0920     | REMOVAL OF STRUCTURES & OBSTRUCTIONS    | 1.000           | LSUM         |
| 619(B) 4725     | REMOVAL OF FENCE                        | 14708.000       | LF           |
| 619(B) 4728     | REMOVAL OF ASPHALT PAVEMENT             | 76589.000       | SY           |
| 619(B) 4766     | REMOVAL OF CONCRETE DRIVEWAY            | 411.000         | SY           |
| 624 5920        | (PL) GATE                               | 1.000           | EA           |
| 624(A) 4281     | FENCE-STYLE WWF                         | 2377.000        | LF           |
| 624(C) 4459     | (SP)FENCE-STYLE SWF (5 BARBED WIRE)     | 8278.000        | LF           |
| 629(E) 5048     | REMOVE AND RESET MAILBOX                | 11.000          | EA           |
| 653(A) 5915     | EDGE DRAIN CONDUIT-PERFORATED           | 22773.000       | LF           |
| 653(B) 5916     | EDGE DRAIN OUTLET LATERAL-NONPERFORATED | 1080.000        | LF           |
| 653(C) 5946     | OUTLET LATERAL HEADWALL                 | 72.000          | EA           |

**SECTION 0013 - TRAFFIC PERMANENT - STPY-058C(240)**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                 | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-----------------------------------------|-----------------|--------------|
| 802(B) 8342     | 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED  | 44.000          | LF           |
| 802(B) 8344     | 3" PVC SCH.40 PLASTIC CONDUIT BORED     | 344.000         | LF           |
| 802(B) 8346     | 3" PVC SCH.40 PLASTIC CONDUIT TRENCHED  | 6.000           | LF           |
| 803 8065        | PULL BOX(SIZE I)                        | 3.000           | EA           |
| 803 8066        | PULL BOX(SIZE II)                       | 1.000           | EA           |
| 804(A) 2915     | STRUCTURAL CONCRETE                     | 11.600          | CY           |
| 804(B) 2916     | REINFORCING STEEL                       | 1767.000        | LB           |
| 806(A) 8324     | 32'MH POLE 45'TS & 15'LMA(G.STL.)       | 1.000           | EA           |
| 806(A) 8333     | 32'MH POLE 40'TS & 15'LMA(G.STL.)       | 2.000           | EA           |
| 806(A) 8334     | 32'MH POLE 35'TS & 15'LMA(G.STL.)       | 1.000           | EA           |
| 811 8040        | 1/C NO.6 ELECT.COND.                    | 93.000          | LF           |
| 811 8044        | 1/C NO.10 ELECT.COND.                   | 1556.000        | LF           |
| 825 8550        | VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM         | 1.000           | EA           |
| 828 8132        | (PL)DETECTION SYSTEM (VIDEO)            | 1.000           | LSUM         |
| 831 8231        | 1WAY3SEC.ADJ.SIG.HD.S-6                 | 8.000           | EA           |
| 833 3030        | BACKPLATE                               | 8.000           | EA           |
| 834(A) 8207     | 5/C TRAF.SIG.EL.CABLE                   | 384.000         | LF           |
| 834(A) 8208     | 7/C TRAF.SIG.EL.CABLE                   | 260.000         | LF           |
| 834(A) 8210     | 12/C TRAF.SIG.EL.CABLE                  | 570.000         | LF           |
| 840(B) 8593     | (PL)E.P.S. OPTICAL DETECTOR             | 4.000           | EA           |
| 840(C) 8594     | (PL)E.P.S. OPTICAL DETECTOR CABLE       | 723.000         | LF           |
| 840(D) 8598     | (PL)E.P.S. 4 CHANNEL PHASE SELECTOR     | 1.000           | EA           |
| 850(A) 8110     | SHEET ALUMINUM SIGNS                    | 197.320         | SF           |
| 850(C) 8118     | MAST ARM MOUNTED SIGNS(ALUM.)           | 25.500          | SF           |
| 851(C) 8327     | 2 1/4" SQUARE TUBE POST                 | 722.000         | LF           |
| 851(C) 8330     | 2 1/2" SQUARE TUBE POST                 | 156.000         | LF           |
| 854(C) 8525     | (SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC) | 4.000           | EA           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100395

**SECTION 0013 - TRAFFIC PERMANENT - STPY-058C(240)**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                  | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------------|-----------------|--------------|
| 854(C) 8530     | (SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE) | 825.000         | LF           |
| 854(C) 8555     | (SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE) | 380.000         | LF           |
| 855(A) 8812     | TRAFFIC STRIPE(PLASTIC)(4" WIDE)         | 43111.000       | LF           |
| 855(A) 8814     | TRAFFIC STRIPE(PLASTIC)(8" WIDE)         | 1079.000        | LF           |
| 855(A) 8825     | TRAFFIC STRIPE(PLASTIC)(24" WIDE)        | 101.000         | LF           |
| 855(B) 8818     | TRAFFIC STRIPE(PLASTIC)(ARROWS)          | 92.000          | EA           |
| 855(B) 8821     | TRAFFIC STRIPE(PLASTIC)(WORDS)           | 9.000           | EA           |
| 859(A) 8006     | PAVEMENT MRKNG.REMOVAL(TRAF.STRP)        | 1294.000        | LF           |
| 890(A) 8724     | (PL)REMOVAL OF EXISTING SIGNS            | 13.000          | EA           |
| 890A/B<br>8756  | (PL)REMOVE & RESET EXISTING SIGNS        | 73.000          | EA           |

**SECTION 0014 - TRAFFIC TEMPORARY - STPY-058C(240)**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                 | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-----------------------------------------|-----------------|--------------|
| 856(A) 8839     | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE) | 38828.000       | LF           |
| 880(B) 8818     | CONSTRUCTION SIGNS 0 TO 6.25 SF         | 12370.000       | SD           |
| 880(B) 8821     | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF  | 11670.000       | SD           |
| 880(B) 8824     | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF  | 17400.000       | SD           |
| 880(C) 8842     | BARRICADES(TYPE III)                    | 8610.000        | SD           |
| 880(C) 8848     | WING BARRICADES                         | 4240.000        | SD           |
| 880(E) 8860     | WARNING LIGHTS(TYPE A)                  | 32190.000       | SD           |
| 880(E) 8872     | WARNING LIGHTS(TYPE C)                  | 85630.000       | SD           |
| 880(F) 8878     | DRUMS                                   | 85630.000       | SD           |
| 880(I) 8902     | FLAGGER                                 | 6.000           | SD           |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100597

CALL ORDER: 320  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: PITTSBURG

PROJECT(S) : PCN  
 SBR-161B(239)SB 2755704  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$34.68  
 180 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 BRIDGE REHABILITATION  
 US-270: OVER BRUSHY CREEK, 1.0 MILE NORTHWEST OF THE SH-3  
 JUNCTION.

## SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                    | QUANTITY | UNITS |
|--------------|-------------------------------------|----------|-------|
| 201 0102     | CLEARING AND GRUBBING               | 1.000    | LSUM  |
| 202(C) 0184  | UNCLASSIFIED BORROW                 | 390.000  | CY    |
| 205 4229     | TYPE A-SALVAGED TOPSOIL             | 1.000    | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                | 840.000  | LF    |
| 227 0100     | TEMPORARY SILT DIKE                 | 20.000   | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                  | 770.000  | SY    |
| 303 0192     | AGGREGATE BASE                      | 193.000  | CY    |
| 411(S3) 5940 | (SP)ASPH.CONC.,TYPE S3(PG 70-28 OK) | 119.600  | TON   |
| 411(S4) 5955 | (SP)ASPH.CONC.,TYPE S4(PG 70-28 OK) | 186.400  | TON   |
| 417 5267     | COLD MILLING PAVEMENT               | 1276.000 | SY    |
| 619(B) 4780  | REMOVAL OF GUARD RAIL               | 570.000  | LF    |
| 623(A) 0932  | BEAM GUARD RAIL-W-BEAM-SINGLE       | 250.000  | LF    |
| 623(E) 7114  | THRIE BEAM BRIDGE CONNECTION-TYPE A | 4.000    | EA    |
| 623(H) 8571  | (SP)G.E.T. GUARD RAIL END SECTION   | 3.000    | EA    |

## SECTION 0002 - BRIDGE 'A'

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY   | UNITS |
|-------------|--------------------------------------|------------|-------|
| 501(B) 1307 | SUBSTRUCTURE EXCAVATION COMMON       | 60.000     | CY    |
| 501(G) 6309 | CLSM BACKFILL                        | 90.000     | CY    |
| 504(A) 1304 | APPROACH SLAB                        | 205.200    | SY    |
| 504(C) 6250 | SEALED EXPANSION JOINT               | 47.200     | LF    |
| 504(E) 6245 | CONCRETE RAIL (TR4)                  | 606.000    | LF    |
| 506(A) 1322 | STRUCTURAL STEEL                     | 305010.000 | LB    |
| 509(A) 1326 | CLASS AA CONCRETE                    | 314.200    | CY    |
| 509(B) 1328 | CLASS A CONCRETE                     | 102.500    | CY    |
| 511 6306    | (PL)MECHANICAL SPLICES               | 1854.000   | EA    |
| 511(A) 1332 | REINFORCING STEEL                    | 1080.000   | LB    |
| 511(B) 6010 | EPOXY COATED REINFORCING STEEL       | 100120.000 | LB    |
| 514(A) 6011 | PILES, FURNISHED (HP 12X53)          | 102.000    | LF    |
| 514(B) 6294 | PILES, DRIVEN (HP 12X53)             | 102.000    | LF    |
| 515(A) 6013 | WATER REPELLENT (VISUALLY INSPECTED) | 812.000    | SY    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 100597

**SECTION 0002 - BRIDGE 'A'**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>              | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|--------------------------------------|-----------------|--------------|
| 516(A) 6094     | DRILLED SHAFTS 48" DIAMETER          | 80.000          | LF           |
| 520(A) 6058     | PREPARATION OF CRACKS ABOVE WATER    | 19.000          | LF           |
| 520(C) 6060     | EPOXY RESIN ABOVE WATER              | 3.000           | GAL          |
| 521(A) 6210     | PNEUMATICALLY PLACED MORTAR          | 9.000           | SY           |
| 523(A) 6550     | (SP) SEALER CRACK PREPARATION        | 1096.800        | LF           |
| 523(B) 6560     | (SP) SEALER RESIN                    | 14.000          | GAL          |
| 535 6164        | (PL)FIXED BEARING ASSEMBLY           | 12.000          | EA           |
| 535 6165        | (PL)EXPANSION BEARING ASSEMBLY       | 24.000          | EA           |
| 601(A) 1351     | TYPE I PLAIN RIPRAP                  | 300.000         | TON          |
| 619(D) 1397     | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000           | LSUM         |

**SECTION 0003 - TRAFFIC**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                  | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------------|-----------------|--------------|
| 413(H) 5800     | RUMBLE STRIP-TEMPORARY                   | 180.000         | SD           |
| 627(G) 4316     | RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR | 1520.000        | LF           |
| 627(H) 5856     | DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR | 3240.000        | LF           |
| 855(A) 8812     | TRAFFIC STRIPE(PLASTIC)(4" WIDE)         | 6436.000        | LF           |
| 870(A) 8490     | (PL)SAND FILLED IMPACT ATTEN.SYSTEM      | 90.000          | SD           |
| 871 8705        | (PL)CONST.ZONE IMPACT ATTEN.             | 360.000         | SD           |
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL             | 1.000           | LSUM         |
| 882(B) 8306     | PORT.CHANGEABLE MESSAGE SIGN             | 90.000          | SD           |

**SECTION 0004 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0005 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 641 1399        | MOBILIZATION            | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100609

CALL ORDER: 330  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: PONTOTOC

PROJECT(S) : PCN  
 BRFY-162C(108) 2100104  
 DBE GOALS : 5.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$44.43  
 120 CALENDAR DAYS  
 TIME 'B' BID - \$ 3000 / DAY  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 SH-48: OVER SINCERE CREEK, 7.76 MILES NORTH OF THE COAL  
 COUNTY LINE.  
 PROJECT LENGTH = 0.227 MILES

## SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                     | QUANTITY  | UNITS |
|--------------|--------------------------------------|-----------|-------|
| 201 0102     | CLEARING AND GRUBBING                | 1.000     | LSUM  |
| 202(A) 0183  | UNCLASSIFIED EXCAVATION              | 2913.000  | CY    |
| 202(C) 0184  | UNCLASSIFIED BORROW                  | 9360.000  | CY    |
| 205 4229     | TYPE A-SALVAGED TOPSOIL              | 1.000     | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                 | 1918.000  | LF    |
| 227 0100     | TEMPORARY SILT DIKE                  | 98.000    | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                   | 21806.000 | SY    |
| 230(F) 2812  | WATERING                             | 852.000   | MGAL  |
| 233(A) 2817  | VEGETATIVE MULCHING                  | 4.400     | AC    |
| 234(A) 2824  | FERTILIZING (10-20-10)               | 3.000     | TON   |
| 234(A) 4406  | FERTILIZING (0-46-0)                 | 1.000     | TON   |
| 235(A) 0100  | (PL)ROCK FILTER DAM, TYPE 1          | 4.440     | CY    |
| 241 2832     | MOWING                               | 4.400     | AC    |
| 303 0192     | AGGREGATE BASE                       | 870.000   | CY    |
| 325 5271     | SEPARATOR FABRIC                     | 4381.000  | SY    |
| 327(A) 4200  | (SP)FLY ASH                          | 190.000   | TON   |
| 327(D) 4230  | (SP)LIME                             | 19.000    | TON   |
| 327(E) 4240  | (SP)CEMENTITIOUS STABILIZED SUBGRADE | 4381.000  | SY    |
| 327(G) 4260  | (SP)LIME PRETREATMENT                | 1752.000  | SY    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E  | 375.000   | TON   |
| 407 0250     | TACK COAT                            | 331.000   | GAL   |
| 408 5774     | PRIME COAT                           | 1550.000  | GAL   |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)  | 942.000   | TON   |
| 411(S4) 5960 | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)  | 370.000   | TON   |
| 613(P) 1092  | 8" PERFORATED PIPE UNDERDRAIN ROUND  | 135.000   | LF    |
| 613(Q) 1097  | 8" NON-PERF.PIPE UNDERDRAIN RND.     | 45.000    | LF    |
| 613(R) 1100  | PIPE UNDERDRAIN COVER MAT'L.         | 40.000    | CY    |
| 613(S) 1180  | TRENCH EXCAVATION                    | 55.000    | CY    |
| 613(T) 1181  | STANDARD BEDDING MATERIAL            | 9.000     | CY    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100609

**SECTION 0001 - ROADWAY**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>              | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|--------------------------------------|-----------------|--------------|
| 619(A) 0920     | REMOVAL OF STRUCTURES & OBSTRUCTIONS | 1.000           | LSUM         |
| 619(B) 4725     | REMOVAL OF FENCE                     | 2838.000        | LF           |
| 619(B) 4728     | REMOVAL OF ASPHALT PAVEMENT          | 2675.000        | SY           |
| 619(B) 4780     | REMOVAL OF GUARD RAIL                | 2270.000        | LF           |
| 619(C) 0924     | SAWING PAVEMENT                      | 44.000          | LF           |
| 623(A) 0932     | BEAM GUARD RAIL-W-BEAM-SINGLE        | 763.000         | LF           |
| 623(E) 7114     | THRIE BEAM BRIDGE CONNECTION-TYPE A  | 4.000           | EA           |
| 623(H) 8571     | (SP)G.E.T. GUARD RAIL END SECTION    | 4.000           | EA           |
| 624(C) 4459     | (SP)FENCE-STYLE SWF (5 BARBED WIRE)  | 2895.000        | LF           |

**SECTION 0002 - BRIDGE 'A'**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>              | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|--------------------------------------|-----------------|--------------|
| 501(B) 1307     | SUBSTRUCTURE EXCAVATION COMMON       | 80.000          | CY           |
| 501(F) 6352     | GRANULAR BACKFILL                    | 113.000         | CY           |
| 503(A) 1313     | PRESTRESSED CONCRETE BEAMS (TYPE IV) | 996.000         | LF           |
| 504(A) 1304     | APPROACH SLAB                        | 182.300         | SY           |
| 504(E) 6245     | CONCRETE RAIL (TR4)                  | 597.000         | LF           |
| 506(A) 1322     | STRUCTURAL STEEL                     | 870.000         | LB           |
| 509(A) 1326     | CLASS AA CONCRETE                    | 276.200         | CY           |
| 509(B) 1328     | CLASS A CONCRETE                     | 115.500         | CY           |
| 509(D) 1331     | CLASS C CONCRETE                     | 6.900           | CY           |
| 511(B) 6010     | EPOXY COATED REINFORCING STEEL       | 67730.000       | LB           |
| 514(A) 6010     | PILES, FURNISHED (HP 10X42)          | 1152.000        | LF           |
| 514(B) 6292     | PILES, DRIVEN (HP 10X42)             | 1152.000        | LF           |
| 515(A) 6013     | WATER REPELLENT (VISUALLY INSPECTED) | 1091.000        | SY           |
| 516(A) 6096     | DRILLED SHAFTS 60" DIAMETER          | 322.000         | LF           |
| 523(A) 6550     | (SP) SEALER CRACK PREPARATION        | 131.000         | LF           |
| 523(B) 6560     | (SP) SEALER RESIN                    | 1.500           | GAL          |
| 535 6164        | (PL)FIXED BEARING ASSEMBLY           | 8.000           | EA           |
| 535 6165        | (PL)EXPANSION BEARING ASSEMBLY       | 16.000          | EA           |
| 535 6282        | (PL)ELASTOMERIC BEARING PADS         | 16.000          | EA           |
| 601(A-1)1353    | TYPE I-A PLAIN RIPRAP                | 760.000         | TON          |
| 601(A-2)1355    | TYPE I-A FILTER BLANKET              | 135.000         | TON          |
| 613(P) 6204     | 6" PERFORATED PIPE UNDERDRAIN ROUND  | 70.000          | LF           |
| 613(Q) 6207     | 6" NON-PERF.PIPE UNDERDRAIN RND.     | 20.000          | LF           |
| 619(D) 1397     | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000           | LSUM         |

**SECTION 0003 - TRAFFIC**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>          | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------|-----------------|--------------|
| 855(A) 8812     | TRAFFIC STRIPE(PLASTIC)(4" WIDE) | 4500.000        | LF           |
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL     | 1.000           | LSUM         |
| 882(B) 8306     | PORT.CHANGEABLE MESSAGE SIGN     | 240.000         | SD           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100609****SECTION 0004 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0005 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1399        | MOBILIZATION                           | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100586

CALL ORDER: 340  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: POTTAWATOMIE

PROJECT(S) : PCN  
 STPY-163C(162) 2178704  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$30.35  
 45 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, AND SURFACE  
 SH-102: FROM 3.9 MILES SOUTH OF THE SH-9 JCT, EXTEND NORTH.  
 PROJECT LENGTH = 0.037 MILES

## SECTION 0001 - ROADWAY

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY  | UNITS |
|-------------|--------------------------------------|-----------|-------|
| 201(A) 0102 | CLEARING AND GRUBBING                | 1.000     | LSUM  |
| 202(A) 0183 | UNCLASSIFIED EXCAVATION              | 2154.000  | CY    |
| 202(D) 0184 | UNCLASSIFIED BORROW                  | 120.000   | CY    |
| 205(A) 4229 | TYPE A-SALVAGED TOPSOIL              | 1.000     | LSUM  |
| 221(G) 0150 | TEMPORARY ROCK FILTER DAM TYPE 1     | 9.000     | CY    |
| 229 4318    | DITCH LINER PROTECTION               | 200.000   | LF    |
| 230(A) 2806 | SOLID SLAB SODDING                   | 6877.000  | SY    |
| 233(A) 2817 | VEGETATIVE MULCHING                  | 1.420     | AC    |
| 234(A) 2824 | FERTILIZING (10-20-10)               | 0.680     | TON   |
| 241 2832    | MOWING                               | 1.420     | AC    |
| 307(K) 4300 | STABILIZED SUBGRADE                  | 982.000   | SY    |
| 407(B) 0250 | TACK COAT                            | 90.000    | GAL   |
| 408 5774    | PRIME COAT                           | 207.000   | GAL   |
| 411(B) 5945 | SUPERPAVE, TYPE S3(PG 64-22 OK)      | 306.000   | TON   |
| 411(C) 5960 | SUPERPAVE, TYPE S4(PG 64-22 OK)      | 100.000   | TON   |
| 501(A) 0313 | STRUCTURAL EXCAVATION UNCLASSIFIED   | 108.000   | CY    |
| 509(A) 0319 | CLASS AA CONCRETE                    | 249.400   | CY    |
| 509(D) 0325 | CLASS C CONCRETE                     | 41.280    | CY    |
| 511(A) 0332 | REINFORCING STEEL                    | 31936.000 | LB    |
| 601(A) 0297 | TYPE I PLAIN RIPRAP                  | 198.000   | TON   |
| 619(A) 0920 | REMOVAL OF STRUCTURES & OBSTRUCTIONS | 1.000     | LSUM  |
| 619(B) 4728 | REMOVAL OF ASPHALT PAVEMENT          | 489.000   | SY    |
| 619(C) 0924 | SAWING PAVEMENT                      | 48.000    | LF    |
| 624(C) 4459 | FENCE-STYLE SWF (5 BARBED WIRE)      | 701.000   | LF    |

## SECTION 0002 - TRAFFIC

| ITEM NO.    | ITEM DESCRIPTION                       | QUANTITY | UNITS |
|-------------|----------------------------------------|----------|-------|
| 855(A) 8840 | TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE) | 900.000  | LF    |
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF        | 6840.000 | SD    |
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF | 450.000  | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF | 585.000  | SD    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100586****SECTION 0002 - TRAFFIC**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>           | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-----------------------------------|-----------------|--------------|
| 880(C) 8842     | CONSTRUCTION BARRICADES(TYPE III) | 630.000         | SD           |
| 880(C) 8848     | WING BARRICADES                   | 180.000         | SD           |
| 880(E) 8860     | WARNING LIGHTS(TYPE A)            | 1530.000        | SD           |
| 882(A) 8306     | PORT.CHANGEABLE MESSAGE SIGN      | 90.000          | SD           |

**SECTION 0003 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>      | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------|-----------------|--------------|
| 642(A) 0095     | CONSTRUCTION STAKING LEVEL I | 1.000           | LSUM         |

**SECTION 0004 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>            | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------|-----------------|--------------|
| 220 2800        | SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 640(A) 1426     | FIELD OFFICE                       | 1.000           | EA           |
| 641 1552        | MOBILIZATION                       | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## STATE PROJECT

CONTRACT ID: 100539

CALL ORDER: 360  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: SEQUOYAH

PROJECT(S) : PCN  
 CIRB-168D(147)RB 2252404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$11.92  
 175 CALENDAR DAYS  
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD: OVER LITTLE SALLISAW CREEK, 0.20 MILES SOUTH  
 OF THE I-40 JUNCTION.  
 PROJECT LENGTH = 0.340 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|--------------|------------------------------------------|-----------|-------|
| 201 0102     | CLEARING AND GRUBBING                    | 1.000     | LSUM  |
| 202(A) 0183  | UNCLASSIFIED EXCAVATION                  | 6188.000  | CY    |
| 202(C) 0184  | UNCLASSIFIED BORROW                      | 20466.000 | CY    |
| 223 2801     | TEMPORARY SILT FENCE                     | 3204.000  | LF    |
| 227 0100     | TEMPORARY SILT DIKE                      | 340.000   | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                       | 13587.000 | SY    |
| 233(A) 2817  | VEGETATIVE MULCHING                      | 5.700     | AC    |
| 303 0192     | AGGREGATE BASE                           | 1160.000  | CY    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E      | 10.000    | TON   |
| 407 0250     | TACK COAT                                | 286.000   | GAL   |
| 408 5774     | PRIME COAT                               | 2383.000  | GAL   |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)      | 1290.000  | TON   |
| 411(S4) 5960 | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)      | 635.000   | TON   |
| 509(D) 0325  | CLASS C CONCRETE                         | 10.000    | CY    |
| 619(B) 4728  | REMOVAL OF ASPHALT PAVEMENT              | 3817.000  | SY    |
| 850(A) 8110  | SHEET ALUMINUM SIGNS                     | 10.000    | SF    |
| 855(A) 8815  | TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE) | 7200.000  | LF    |

### SECTION 0002 - BRIDGE 'A'

| ITEM NO.    | ITEM DESCRIPTION                      | QUANTITY  | UNITS |
|-------------|---------------------------------------|-----------|-------|
| 501(B) 1307 | SUBSTRUCTURE EXCAVATION COMMON        | 84.000    | CY    |
| 501(D) 6353 | UNCLASSIFIED BACKFILL                 | 80.000    | CY    |
| 503(A) 1312 | PRESTRESSED CONCRETE BEAMS (TYPE III) | 830.000   | LF    |
| 504(A) 1304 | APPROACH SLAB                         | 168.200   | SY    |
| 504(C) 6250 | SEALED EXPANSION JOINT                | 32.500    | LF    |
| 504(E) 1380 | CONCRETE RAIL (TR1)                   | 477.000   | LF    |
| 506(A) 1322 | STRUCTURAL STEEL                      | 4550.000  | LB    |
| 509(A) 1326 | CLASS AA CONCRETE                     | 192.000   | CY    |
| 509(B) 1328 | CLASS A CONCRETE                      | 107.100   | CY    |
| 511(A) 1332 | REINFORCING STEEL                     | 63380.000 | LB    |
| 514(A) 6011 | PILES, FURNISHED (HP 12X53)           | 401.000   | LF    |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100539

## SECTION 0002 - BRIDGE 'A'

| ITEM NO.     | ITEM DESCRIPTION                     | QUANTITY | UNITS |
|--------------|--------------------------------------|----------|-------|
| 514(B) 6294  | PILES, DRIVEN (HP 12X53)             | 401.000  | LF    |
| 516(A) 6093  | DRILLED SHAFTS 42" DIAMETER          | 43.200   | LF    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                | 1340.000 | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET              | 390.000  | TON   |
| 619(D) 1397  | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000    | LSUM  |
| 623(F) 6033  | GUARD RAIL ANCHOR UNIT (TYPE II)     | 4.000    | EA    |
| 880(J) 8905  | CONSTRUCTION TRAFFIC CONTROL         | 1.000    | LSUM  |

## SECTION 0003 - STAKING

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 642 0098 | STAKING          | 1.000    | LSUM  |

## SECTION 0004 - CONSTRUCTION

| ITEM NO. | ITEM DESCRIPTION                       | QUANTITY | UNITS |
|----------|----------------------------------------|----------|-------|
| 220 2800 | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000    | LSUM  |
| 641 1399 | MOBILIZATION                           | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100589

CALL ORDER: 400  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: TILLMAN

PROJECT(S) : PCN  
 BRO-171D(095)CI 2323704  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$10.84  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-225): OVER LITTLE DEEP RED CREEK, 0.6 MILES  
 SOUTH OF THE SH-5 JUNCTION.  
 PROJECT LENGTH = 0.189 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                      | QUANTITY  | UNITS |
|--------------|---------------------------------------|-----------|-------|
| 202(G) 0185  | EARTHWORK                             | 1.000     | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                  | 700.000   | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                    | 10900.000 | SY    |
| 233(A) 2817  | VEGETATIVE MULCHING                   | 2.250     | AC    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E   | 503.000   | TON   |
| 509(D) 0325  | CLASS C CONCRETE                      | 10.000    | CY    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                 | 440.000   | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET               | 145.000   | TON   |
| 613(CC) 7188 | TYPE C4 CULVERT END TREATMENT         | 2.000     | EA    |
| 613(D) 4530  | 42" X 29" CORR. GALV. STEEL PIPE ARCH | 60.000    | LF    |

### SECTION 0002 - BRIDGE 'A'

| ITEM NO.     | ITEM DESCRIPTION                      | QUANTITY  | UNITS |
|--------------|---------------------------------------|-----------|-------|
| 501(B) 1307  | SUBSTRUCTURE EXCAVATION COMMON        | 78.000    | CY    |
| 501(D) 6353  | UNCLASSIFIED BACKFILL                 | 64.000    | CY    |
| 503(A) 1312  | PRESTRESSED CONCRETE BEAMS (TYPE III) | 296.670   | LF    |
| 504(E) 1380  | CONCRETE RAIL (TR1)                   | 207.000   | LF    |
| 506(A) 1322  | STRUCTURAL STEEL                      | 1620.000  | LB    |
| 509(A) 1326  | CLASS AA CONCRETE                     | 58.300    | CY    |
| 509(B) 1328  | CLASS A CONCRETE                      | 48.800    | CY    |
| 511(A) 1332  | REINFORCING STEEL                     | 20088.000 | LB    |
| 514 6260     | (PL)PILOT HOLES                       | 120.000   | LF    |
| 514(A) 6010  | PILES, FURNISHED (HP 10X42)           | 80.000    | LF    |
| 514(A) 6011  | PILES, FURNISHED (HP 12X53)           | 200.000   | LF    |
| 514(B) 6292  | PILES, DRIVEN (HP 10X42)              | 80.000    | LF    |
| 514(B) 6294  | PILES, DRIVEN (HP 12X53)              | 200.000   | LF    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                 | 975.000   | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET               | 300.000   | TON   |
| 619(D) 1397  | REMOVAL OF EXISTING BRIDGE STRUCTURE  | 1.000     | LSUM  |
| 623(F) 6033  | GUARD RAIL ANCHOR UNIT (TYPE II)      | 4.000     | EA    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100589****SECTION 0002 - BRIDGE 'A'**

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u>      | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|------------------------------|-----------------|--------------|
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL | 1.000           | LSUM         |

**SECTION 0003 - STAKING**

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u> | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0004 - CONSTRUCTION**

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u>                | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1399        | MOBILIZATION                           | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100617

CALL ORDER: 410  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: TULSA

PROJECT(S) : PCN  
 IMY-0044-2(396)225 0637444  
 DBE GOALS : 6.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$714.19  
 720 CALENDAR DAYS  
 TIME 'B' BID - \$ 15000 / DAY  
 TIME 'C' BID - \$ 15000 / DAY  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 I-44: FROM RIVERSIDE DRIVE TO EAST OF PEORIA AVENUE IN THE  
 CITY OF TULSA.  
 PROJECT LENGTH = 1.215 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                        | QUANTITY   | UNITS |
|--------------|-----------------------------------------|------------|-------|
| 201 0102     | CLEARING AND GRUBBING                   | 1.000      | LSUM  |
| 202(A) 0183  | UNCLASSIFIED EXCAVATION                 | 132993.000 | CY    |
| 202(C) 0184  | UNCLASSIFIED BORROW                     | 73890.000  | CY    |
| 205 4229     | TYPE A-SALVAGED TOPSOIL                 | 1.000      | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                    | 5685.000   | LF    |
| 224 2803     | TEMPORARY SEDIMENT FILTER               | 50.000     | EA    |
| 225 2804     | TEMPORARY SEDIMENT BASIN                | 5.000      | EA    |
| 230(A) 2806  | SOLID SLAB SODDING                      | 159003.000 | SY    |
| 230(F) 2812  | WATERING                                | 6360.000   | MGAL  |
| 232(A) 2813  | SEEDING METHOD A                        | 32.840     | AC    |
| 233(A) 2817  | VEGETATIVE MULCHING                     | 68.000     | AC    |
| 234(A) 2824  | FERTILIZING (10-20-10)                  | 20.850     | TON   |
| 234(A) 4406  | FERTILIZING (0-46-0)                    | 2.470      | TON   |
| 241 2832     | MOWING                                  | 68.000     | AC    |
| 242 0400     | (PL)STABILIZED CONSTRUCTION EXIT        | 4.000      | EA    |
| 243 0450     | (PL)TEMPORARY INLET SEDIMENT FILTER     | 137.000    | EA    |
| 303 0192     | AGGREGATE BASE                          | 65323.000  | CY    |
| 319 5190     | OPEN GRADED BITUMINOUS BASE             | 32406.000  | TON   |
| 325 5271     | SEPARATOR FABRIC                        | 561314.000 | SY    |
| 327(J) 4290  | (SP)MODIFIED SUBGRADE                   | 191576.000 | SY    |
| 328 2600     | (SP)GEOSYNTHETIC SUBGRADE REINFORCEMENT | 1000.000   | SY    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E     | 500.000    | TON   |
| 411(S2) 5930 | (SP)ASPH.CONC.,TYPE S2(PG 64-22 OK)     | 1722.000   | TON   |
| 411(S3) 5940 | (SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)     | 1442.000   | TON   |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)     | 2477.000   | TON   |
| 411(S4) 5955 | (SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)     | 2343.000   | TON   |
| 414(A) 0210  | (SP)P.C.CONCRETE PAVEMENT(PLACEMENT)    | 31341.000  | SY    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100617

**SECTION 0001 - ROADWAY**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                  | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------------|-----------------|--------------|
| 414(A1) 5725    | (SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT) | 85274.000       | SY           |
| 414(D) 4425     | (SP)CONT.REINF.P.C.C. PAVT.(PLACEMENT)   | 49230.000       | SY           |
| 414(F) 5262     | TERMINAL JOINT                           | 14.000          | EA           |
| 414(G) 5263     | TERMINAL JOINT SLEEPER SLAB              | 733.320         | SY           |
| 414(P) 6000     | (SP)P.C. CONCRETE FOR PAVEMENT           | 48194.000       | CY           |
| 501(A) 0313     | STRUCTURAL EXCAVATION UNCLASSIFIED       | 477.000         | CY           |
| 504(F) 6190     | 42" F-SHAPED PARAPET                     | 515.000         | LF           |
| 509(B) 0321     | CLASS A CONCRETE                         | 1486.730        | CY           |
| 509(B) 4153     | CLASS A CONCRETE (MED.BAR.DES.1-A)       | 288.940         | CY           |
| 509(C) 0322     | CLASS A CONCRETE FOR SMALL STRUCTURES    | 16.420          | CY           |
| 509(D) 0325     | CLASS C CONCRETE                         | 128.710         | CY           |
| 510(A) 6333     | RETAINING WALL                           | 2623.200        | SY           |
| 510(B) 6334     | SOUND BARRIER WALL                       | 9941.800        | SY           |
| 511(A) 0332     | REINFORCING STEEL                        | 239269.000      | LB           |
| 516(A) 6091     | DRILLED SHAFTS 30" DIAMETER              | 5235.000        | LF           |
| 609(A) 0287     | CONC.CURB(4" MNTBLE-INTEGRAL)            | 3508.000        | LF           |
| 609(A) 0300     | CONC.CURB(6" BARRIER-INTEGRAL)           | 20140.000       | LF           |
| 609(A) 0380     | CONC.CURB(8" BARRIER-INTEGRAL)           | 14015.000       | LF           |
| 609(B) 1513     | 1'-8" COMB.CRB.& GUT.(6" BARRIER)        | 1197.000        | LF           |
| 610(A) 0602     | 4" CONCRETE SIDEWALK                     | 4131.000        | SY           |
| 610(A) 0650     | (PL)4" DECORATIVE CONCRETE SIDEWALK      | 16.000          | SY           |
| 610(A) 0654     | (PL)6" DECORATIVE CONCRETE SIDEWALK      | 187.000         | SY           |
| 610(B) 0399     | 6" CONCRETE DRIVEWAY (H.E.S.)            | 3499.000        | SY           |
| 610(C) 0608     | 4" CONCRETE DIVIDING STRIP               | 241.000         | SY           |
| 610(C) 0609     | 6" CONCRETE DIVIDING STRIP               | 394.000         | SY           |
| 610(C) 5824     | DECORATIVE MEDIAN CONCRETE               | 877.000         | SY           |
| 610(I) 4610     | (PL)TACTILE WARNING DEVICE-NEW           | 208.000         | SF           |
| 611(A) 2657     | MANHOLE (4' DIA.)                        | 68.000          | EA           |
| 611(A) 2658     | MANHOLE (5' DIA.)                        | 6.000           | EA           |
| 611(A) 2659     | MANHOLE (6' DIA.)                        | 7.000           | EA           |
| 611(C) 0484     | SPECIAL MANHOLE                          | 6805.000        | CF           |
| 611(D) 4215     | MANHOLE FRAME & COVER                    | 112.000         | EA           |
| 611(E) 4012     | (PL)SPECIAL INLET DRAIN                  | 3.000           | EA           |
| 611(E) 5112     | INLET CICI DES. 2 (STD)                  | 49.000          | EA           |
| 611(E) 5113     | INLET CICI DES. 2 (B)                    | 52.000          | EA           |
| 611(E) 5115     | INLET CICI DES. 2 (D)                    | 16.000          | EA           |
| 611(E) 5117     | INLET CICI DES. 2 (2B)                   | 1.000           | EA           |
| 611(E) 5123     | INLET CICI DES. 3 (2B)                   | 3.000           | EA           |
| 611(E) 5334     | INLET GPI TYPE 2 (DES. 8)                | 7.000           | EA           |
| 611(E) 5336     | INLET GPI TYPE 2 (DES. 10)               | 2.000           | EA           |
| 611(E) 5340     | INLET GPI TYPE 2 (DES. 14)               | 1.000           | EA           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100617

**SECTION 0001 - ROADWAY**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                  | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------------|-----------------|--------------|
| 611(E) 5692     | INLET MEDIAN BARRIER DES. 2              | 9.000           | EA           |
| 611(E) 5693     | INLET MEDIAN BARRIER DES. 2-2            | 13.000          | EA           |
| 611(E) 5870     | INLET W/LRG.JCT.BOX,CICI-JB-1,DES.2      | 1.000           | EA           |
| 611(E) 5972     | INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B) | 4.000           | EA           |
| 611(E) 6000     | INLET (SMD-TYPE 1)                       | 12.000          | EA           |
| 611(E) 6002     | INLET (SMD-TYPE 2)                       | 3.000           | EA           |
| 611(G) 4488     | INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)    | 318.000         | EA           |
| 611(K) 4488     | CAST IRON CURB INLETS                    | 464.000         | EA           |
| 611(L) 4479     | DROP INLET GRATE (24" SPDI)              | 1.000           | EA           |
| 612(A) 0641     | MANHOLES ADJUST TO GRADE                 | 8.000           | EA           |
| 612(E) 0645     | INLETS ADJUST TO GRADE                   | 1.000           | EA           |
| 613(B) 0491     | 18" R.C.PIPE CLASS III                   | 8731.000        | LF           |
| 613(B) 0492     | 24" R.C.PIPE CLASS III                   | 2778.000        | LF           |
| 613(B) 0493     | 30" R.C.PIPE CLASS III                   | 149.000         | LF           |
| 613(B) 0494     | 36" R.C.PIPE CLASS III                   | 1351.000        | LF           |
| 613(B) 0496     | 48" R.C.PIPE CLASS III                   | 226.000         | LF           |
| 613(B) 4505     | 24" X 38" R.C.PIPE ELL. CLASS HE-III     | 198.000         | LF           |
| 613(D) 0689     | 18" CORR. GALV. STEEL PIPE               | 6.000           | LF           |
| 613(D) 0690     | 24" CORR. GALV. STEEL PIPE               | 4.000           | LF           |
| 613(M) 5726     | 18" PREFAB. CULVERT END SEC., ROUND      | 1.000           | EA           |
| 619(A) 0920     | REMOVAL OF STRUCTURES & OBSTRUCTIONS     | 1.000           | LSUM         |
| 619(B) 4727     | REMOVAL OF CONCRETE PAVEMENT             | 33795.000       | SY           |
| 619(B) 4728     | REMOVAL OF ASPHALT PAVEMENT              | 99350.000       | SY           |
| 619(B) 4741     | REMOVAL OF DRAINAGE INLETS               | 40.000          | EA           |
| 619(B) 4742     | REMOVAL OF MANHOLES                      | 27.000          | EA           |
| 619(B) 4766     | REMOVAL OF CONCRETE DRIVEWAY             | 1297.000        | SY           |
| 619(B) 4780     | REMOVAL OF GUARD RAIL                    | 321.000         | LF           |
| 619(B) 4792     | REMOVAL OF SIDEWALK                      | 1569.000        | SY           |
| 619(B) 4915     | REMOVAL OF CONCRETE MEDIAN BARRIER       | 7196.000        | LF           |
| 619(B) 6132     | REMOVAL OF 6" CONCRETE DIVIDING STRIP    | 990.000         | SY           |
| 627(A) 4310     | PRECAST CONCRETE MEDIAN BARRIER, TYPE I  | 3721.000        | LF           |
| 627(I) 4317     | CONCRETE MEDIAN BARRIER, DESIGN 1        | 5473.000        | LF           |
| 653(A) 5915     | EDGE DRAIN CONDUIT-PERFORATED            | 36547.000       | LF           |
| 653(B) 5916     | EDGE DRAIN OUTLET LATERAL-NONPERFORATED  | 285.000         | LF           |
| 653(C) 5946     | OUTLET LATERAL HEADWALL                  | 13.000          | EA           |
| 871 8325        | (PL)IMPACT ATTENUATOR                    | 6.000           | EA           |
| 890(A) 8708     | (PL)REMOVAL OF HIGH MAST TOWER           | 2.000           | EA           |

**SECTION 0002 - SANITARY SEWER**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 602(C) 4205     | FILTER FABRIC           | 19059.000       | SY           |
| 611(A) 2657     | MANHOLE (4' DIA.)       | 7.000           | EA           |
| 611(A) 2658     | MANHOLE (5' DIA.)       | 21.000          | EA           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100617

**SECTION 0002 - SANITARY SEWER**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>           | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-----------------------------------|-----------------|--------------|
| 611(B) 2680     | ADD'L.DEPTH IN MANHOLE (4' DIA.)  | 14.000          | VF           |
| 611(B) 2681     | ADD'L.DEPTH IN MANHOLE (5' DIA.)  | 213.000         | VF           |
| 611(D) 4215     | MANHOLE FRAME & COVER             | 28.000          | EA           |
| 615(C) 6120     | 8" POLYVINYL CHLORIDE (PVC) PIPE  | 284.000         | LF           |
| 615(D) 0300     | SANITARY SEWER SERVICE CONNECTION | 4.000           | EA           |
| 616(A) 5125     | 18" DUCTILE IRON PIPE             | 5113.000        | LF           |
| 616(I) 5273     | (PL)36" STEEL CASING              | 295.000         | LF           |
| 616(U) 6230     | BORE AND JACK 36" CASING          | 220.000         | LF           |

**SECTION 0003 - WATERLINE**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>           | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-----------------------------------|-----------------|--------------|
| 616(A) 5121     | 6" DUCTILE IRON PIPE              | 2050.000        | LF           |
| 616(A) 5122     | 8" DUCTILE IRON PIPE              | 89.000          | LF           |
| 616(A) 5124     | 12" DUCTILE IRON PIPE             | 1672.000        | LF           |
| 616(A) 5894     | 16" DUCTILE IRON PIPE             | 1394.000        | LF           |
| 616(B) 5218     | 2" POLYVINYL CHLORIDE (PVC) PIPE  | 68.000          | LF           |
| 616(B) 5223     | 6" POLYVINYL CHLORIDE (PVC) PIPE  | 3564.000        | LF           |
| 616(B) 5225     | 8" POLYVINYL CHLORIDE (PVC) PIPE  | 153.000         | LF           |
| 616(D) 1070     | 6" GATE VALVE                     | 25.000          | EA           |
| 616(D) 1080     | 8" GATE VALVE                     | 4.000           | EA           |
| 616(D) 1100     | 12" GATE VALVE                    | 5.000           | EA           |
| 616(D) 1125     | 16" GATE VALVE                    | 2.000           | EA           |
| 616(G) 1192     | FIRE HYDRANTS                     | 8.000           | EA           |
| 616(I) 5264     | (PL)18" STEEL CASING              | 181.000         | LF           |
| 616(I) 5272     | (PL)30" STEEL CASING              | 64.000          | LF           |
| 616(N) 0090     | SERVICE CONNECTION (SHORT)        | 11.000          | EA           |
| 616(N) 0094     | SHORT WATER SERVICE & RESET METER | 13.000          | EA           |
| 616(U) 6205     | BORE AND JACK 18" CASING          | 181.000         | LF           |
| 616(U) 6220     | BORE AND JACK 30" CASING          | 64.000          | LF           |

**SECTION 0004 - BRIDGE 'A'**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>              | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|--------------------------------------|-----------------|--------------|
| 501(B) 1307     | SUBSTRUCTURE EXCAVATION COMMON       | 120.000         | CY           |
| 501(G) 6309     | CLSM BACKFILL                        | 227.000         | CY           |
| 503(A) 1313     | PRESTRESSED CONCRETE BEAMS (TYPE IV) | 2692.800        | LF           |
| 504(A) 1304     | APPROACH SLAB                        | 248.000         | SY           |
| 504(C) 6250     | SEALED EXPANSION JOINT               | 84.300          | LF           |
| 504(F) 6190     | 42" F-SHAPED PARAPET                 | 981.600         | LF           |
| 506(A) 1322     | STRUCTURAL STEEL                     | 2710.000        | LB           |
| 509 6152        | (PL)SPECIAL CONCRETE FINISH          | 307.000         | SY           |
| 509(A) 1326     | CLASS AA CONCRETE                    | 640.200         | CY           |
| 509(B) 1328     | CLASS A CONCRETE                     | 447.200         | CY           |
| 510(C) 6138     | SLOPE WALL (5")                      | 387.000         | SY           |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100617

**SECTION 0004 - BRIDGE 'A'**

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY   | UNITS |
|-------------|--------------------------------------|------------|-------|
| 511(A) 1332 | REINFORCING STEEL                    | 3420.000   | LB    |
| 511(B) 6010 | EPOXY COATED REINFORCING STEEL       | 224550.000 | LB    |
| 514(A) 6010 | PILES, FURNISHED (HP 10X42)          | 50.000     | LF    |
| 514(A) 6011 | PILES, FURNISHED (HP 12X53)          | 618.000    | LF    |
| 514(B) 6292 | PILES, DRIVEN (HP 10X42)             | 50.000     | LF    |
| 514(B) 6294 | PILES, DRIVEN (HP 12X53)             | 618.000    | LF    |
| 515(A) 6013 | WATER REPELLENT (VISUALLY INSPECTED) | 2474.000   | SY    |
| 516(A) 6096 | DRILLED SHAFTS 60" DIAMETER          | 88.000     | LF    |
| 516(A) 6098 | DRILLED SHAFTS 72" DIAMETER          | 202.000    | LF    |
| 523(A) 6550 | (SP) SEALER CRACK PREPARATION        | 783.000    | LF    |
| 523(B) 6560 | (SP) SEALER RESIN                    | 17.500     | GAL   |
| 535 6164    | (PL)FIXED BEARING ASSEMBLY           | 32.000     | EA    |
| 535 6165    | (PL)EXPANSION BEARING ASSEMBLY       | 22.000     | EA    |
| 613(P) 6204 | 6" PERFORATED PIPE UNDERDRAIN ROUND  | 75.000     | LF    |
| 613(Q) 6207 | 6" NON-PERF.PIPE UNDERDRAIN RND.     | 25.000     | LF    |
| 619(B) 2500 | (PL)REMOVAL OF BRIDGE ITEMS          | 1.000      | LSUM  |
| 619(B) 2510 | (PL)REMOVAL OF BRIDGE ITEM (TYPE A)  | 1.000      | LSUM  |

**SECTION 0005 - BRIDGE 'B'**

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY   | UNITS |
|-------------|--------------------------------------|------------|-------|
| 202(D) 1303 | SELECT BORROW                        | 95.000     | CY    |
| 501(B) 1307 | SUBSTRUCTURE EXCAVATION COMMON       | 315.000    | CY    |
| 501(G) 6309 | CLSM BACKFILL                        | 278.000    | CY    |
| 503(A) 1313 | PRESTRESSED CONCRETE BEAMS (TYPE IV) | 2892.100   | LF    |
| 504(A) 1304 | APPROACH SLAB                        | 248.000    | SY    |
| 504(C) 6250 | SEALED EXPANSION JOINT               | 70.000     | LF    |
| 504(F) 6190 | 42" F-SHAPED PARAPET                 | 1082.100   | LF    |
| 504(H) 6390 | RAPID CURE JOINT SEALANT             | 70.500     | LF    |
| 504(I) 6389 | ELASTOMERIC MORTAR                   | 18.700     | CF    |
| 506(A) 1322 | STRUCTURAL STEEL                     | 3000.000   | LB    |
| 509 6152    | (PL)SPECIAL CONCRETE FINISH          | 546.000    | SY    |
| 509(A) 1326 | CLASS AA CONCRETE                    | 867.100    | CY    |
| 509(B) 1328 | CLASS A CONCRETE                     | 501.200    | CY    |
| 510(C) 6138 | SLOPE WALL (5")                      | 386.000    | SY    |
| 511(A) 1332 | REINFORCING STEEL                    | 4130.000   | LB    |
| 511(B) 6010 | EPOXY COATED REINFORCING STEEL       | 276850.000 | LB    |
| 514(A) 6010 | PILES, FURNISHED (HP 10X42)          | 50.000     | LF    |
| 514(A) 6011 | PILES, FURNISHED (HP 12X53)          | 618.000    | LF    |
| 514(B) 6292 | PILES, DRIVEN (HP 10X42)             | 50.000     | LF    |
| 514(B) 6294 | PILES, DRIVEN (HP 12X53)             | 618.000    | LF    |
| 515(A) 6013 | WATER REPELLENT (VISUALLY INSPECTED) | 2971.000   | SY    |
| 516(A) 6096 | DRILLED SHAFTS 60" DIAMETER          | 80.000     | LF    |
| 516(A) 6098 | DRILLED SHAFTS 72" DIAMETER          | 238.000    | LF    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100617

**SECTION 0005 - BRIDGE 'B'**

| ITEM NO.    | ITEM DESCRIPTION                    | QUANTITY | UNITS |
|-------------|-------------------------------------|----------|-------|
| 523(A) 6550 | (SP) SEALER CRACK PREPARATION       | 915.000  | LF    |
| 523(B) 6560 | (SP) SEALER RESIN                   | 19.500   | GAL   |
| 535 6164    | (PL)FIXED BEARING ASSEMBLY          | 36.000   | EA    |
| 535 6165    | (PL)EXPANSION BEARING ASSEMBLY      | 22.000   | EA    |
| 613(P) 6204 | 6" PERFORATED PIPE UNDERDRAIN ROUND | 75.000   | LF    |
| 619(B) 2500 | (PL)REMOVAL OF BRIDGE ITEMS         | 1.000    | LSUM  |
| 619(B) 2510 | (PL)REMOVAL OF BRIDGE ITEM (TYPE A) | 1.000    | LSUM  |

**SECTION 0006 - BRIDGE 'C'**

| ITEM NO.    | ITEM DESCRIPTION                     | QUANTITY   | UNITS |
|-------------|--------------------------------------|------------|-------|
| 202(D) 1303 | SELECT BORROW                        | 80.000     | CY    |
| 501(B) 1307 | SUBSTRUCTURE EXCAVATION COMMON       | 400.000    | CY    |
| 501(G) 6309 | CLSM BACKFILL                        | 583.000    | CY    |
| 504(A) 1304 | APPROACH SLAB                        | 765.000    | SY    |
| 504(F) 6190 | 42" F-SHAPED PARAPET                 | 674.000    | LF    |
| 506(A) 1322 | STRUCTURAL STEEL                     | 716890.000 | LB    |
| 509 6152    | (PL)SPECIAL CONCRETE FINISH          | 2871.000   | SY    |
| 509(A) 1326 | CLASS AA CONCRETE                    | 1220.700   | CY    |
| 509(B) 1328 | CLASS A CONCRETE                     | 847.600    | CY    |
| 510(C) 6138 | SLOPE WALL (5")                      | 1314.000   | SY    |
| 511(B) 6010 | EPOXY COATED REINFORCING STEEL       | 394100.000 | LB    |
| 514(A) 6010 | PILES, FURNISHED (HP 10X42)          | 1530.000   | LF    |
| 514(B) 6292 | PILES, DRIVEN (HP 10X42)             | 1530.000   | LF    |
| 515(A) 6013 | WATER REPELLENT (VISUALLY INSPECTED) | 2121.000   | SY    |
| 516(A) 6096 | DRILLED SHAFTS 60" DIAMETER          | 452.000    | LF    |
| 523(A) 6550 | (SP) SEALER CRACK PREPARATION        | 1096.000   | LF    |
| 523(B) 6560 | (SP) SEALER RESIN                    | 23.000     | GAL   |
| 535 6164    | (PL)FIXED BEARING ASSEMBLY           | 26.000     | EA    |
| 535 6165    | (PL)EXPANSION BEARING ASSEMBLY       | 39.000     | EA    |
| 613(P) 6204 | 6" PERFORATED PIPE UNDERDRAIN ROUND  | 272.000    | LF    |
| 613(Q) 6207 | 6" NON-PERF.PIPE UNDERDRAIN RND.     | 36.000     | LF    |
| 619(D) 1397 | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000      | LSUM  |
| 627(I) 4317 | CONCRETE MEDIAN BARRIER, DESIGN 1    | 337.000    | LF    |

**SECTION 0007 - TRAFFIC CONTROL**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 627(O) 4410 | REL.OF RENTED PORT.PREC.CONC.MED.BARRIER | 6809.000  | LF    |
| 627(P) 4425 | RENTED PORT.TYPE PREC.CONC.MED. BARR.    | 25595.000 | LF    |
| 850(D) 8120 | (PL)SPECIAL SIGNS                        | 166.000   | SF    |
| 856(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 14108.000 | LF    |
| 856(C) 8851 | REMOVABLE PAVEMENT MARKING TAPE(4" WIDE) | 52430.000 | LF    |
| 856(G) 8881 | (PL)CONSTRUCTION ZONE PAVEMENT MARKERS   | 2665.000  | EA    |
| 859(A) 8006 | PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)       | 39205.000 | LF    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100617

**SECTION 0007 - TRAFFIC CONTROL**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 870(A) 8485     | SAND FILLED IMPACT ATTEN.MODULE        | 12150.000       | SD           |
| 876(C) 8482     | (PL)TRUCK MOUNTED ATTENUATOR           | 180.000         | SD           |
| 878(C) 8487     | MODULAR GLARE SCREEN                   | 81420.000       | SD           |
| 880(A) 8812     | ARROW DISPLAY(TYPE C)                  | 1470.000        | SD           |
| 880(B) 8818     | CONSTRUCTION SIGNS 0 TO 6.25 SF        | 29790.000       | SD           |
| 880(B) 8821     | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF | 24810.000       | SD           |
| 880(B) 8824     | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF | 26910.000       | SD           |
| 880(C) 8842     | BARRICADES(TYPE III)                   | 22620.000       | SD           |
| 880(C) 8848     | WING BARRICADES                        | 5760.000        | SD           |
| 880(D) 8854     | VERTICAL PANELS                        | 2760.000        | SD           |
| 880(E) 8860     | WARNING LIGHTS(TYPE A)                 | 39720.000       | SD           |
| 880(E) 8872     | WARNING LIGHTS(TYPE C)                 | 197790.000      | SD           |
| 880(F) 8878     | DRUMS                                  | 195030.000      | SD           |
| 880(L) 8911     | TRAFFIC SURVEILLANCE, POLICE           | 500.000         | HOURL        |
| 882(B) 8306     | PORT.CHANGEABLE MESSAGE SIGN           | 1680.000        | SD           |

**SECTION 0008 - TRAFFIC SIGNING AND STRIPING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                  | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------------|-----------------|--------------|
| 509(B) 0321     | CLASS A CONCRETE                         | 216.000         | CY           |
| 516(A) 6096     | DRILLED SHAFTS 60" DIAMETER              | 140.000         | LF           |
| 804(A) 2915     | STRUCTURAL CONCRETE                      | 17.810          | CY           |
| 804(B) 2916     | REINFORCING STEEL                        | 8548.000        | LB           |
| 850(A) 8110     | SHEET ALUMINUM SIGNS                     | 1145.000        | SF           |
| 850(B) 8112     | EXTRUDED ALUMINUM PANEL SIGNS            | 364.000         | SF           |
| 850(B) 8114     | EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)          | 1875.000        | SF           |
| 851(A) 3206     | 4"@13 GALV.STL.WD.FLANGE BM.POST         | 226.000         | LF           |
| 851(B) 3218     | 3"@7.58 GALV.STL.PIPE POST               | 32.000          | LF           |
| 851(B) 3219     | 3 1/2"@9.11 GALV.STL.PIPE POST           | 114.000         | LF           |
| 851(C) 8321     | 1 3/4" SQUARE TUBE POST                  | 73.000          | LF           |
| 851(C) 8324     | 2" SQUARE TUBE POST                      | 315.000         | LF           |
| 851(C) 8327     | 2 1/4" SQUARE TUBE POST                  | 1128.000        | LF           |
| 852(B) 0110     | OVHD.SN.STR., MONOTUBE TYPE A 80'        | 1.000           | EA           |
| 852(B) 0115     | OVHD.SN.STR., MONOTUBE TYPE A 85'        | 1.000           | EA           |
| 852(B) 0130     | OVHD.SN.STR., MONOTUBE TYPE A 100'       | 1.000           | EA           |
| 852(B) 0500     | OVHD.SN.STR., MONOTUBE TYPE C            | 1.000           | EA           |
| 854(A) 8800     | TRAFFIC STRIPE(PAINT)(4" WIDE)           | 18245.000       | LF           |
| 854(B) 8803     | TRAFFIC STRIPE(PAINT)(ARROW)             | 10.000          | EA           |
| 854(C) 8525     | (SP)TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)  | 69.000          | EA           |
| 854(C) 8530     | (SP)TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE) | 41481.000       | LF           |
| 854(C) 8535     | (SP)TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE) | 18118.000       | LF           |
| 854(C) 8540     | (SP)TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE) | 10918.000       | LF           |
| 854(C) 8555     | (SP)TRAFF. STRIPE(MULTI-POLY.)(24" WIDE) | 512.000         | LF           |
| 890(A) 8718     | (PL)REMOVAL OF OVHD.SIGN STR. & SIGNS    | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100617

## SECTION 0008 - TRAFFIC SIGNING AND STRIPING

| ITEM NO.    | ITEM DESCRIPTION                      | QUANTITY | UNITS |
|-------------|---------------------------------------|----------|-------|
| 890(A) 8720 | (PL)REMOVAL OF GROUND MOUNTED SIGNS   | 1.000    | LSUM  |
| 890A/B 8758 | (PL)REMOVE & RESET OVERHEAD SIGN STR. | 1.000    | EA    |

## SECTION 0009 - TRAFFIC SIGNAL

| ITEM NO. | ITEM DESCRIPTION           | QUANTITY | UNITS |
|----------|----------------------------|----------|-------|
| 890 7706 | (PL)TRAFFIC ITEMS(SIGNALS) | 1.000    | LSUM  |

## SECTION 0010 - TRAFFIC LIGHTING

| ITEM NO.    | ITEM DESCRIPTION                       | QUANTITY  | UNITS |
|-------------|----------------------------------------|-----------|-------|
| 802(A) 8300 | 3/4" GALV.STEEL ELECT.COND. EXPOSED    | 515.000   | LF    |
| 802(A) 8306 | 1 1/4" GALV.STEEL ELECT.COND. EXPOSED  | 1560.000  | LF    |
| 802(B) 8340 | 2" PVC SCH.40 PLASTIC CONDUIT BORED    | 2155.000  | LF    |
| 802(B) 8342 | 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED | 24485.000 | LF    |
| 802(D) 8370 | JUNCTION BOX(6" X 6" X 4")             | 4.000     | EA    |
| 803 8065    | PULL BOX(SIZE I)                       | 76.000    | EA    |
| 804(A) 2915 | STRUCTURAL CONCRETE                    | 68.440    | CY    |
| 804(B) 2916 | REINFORCING STEEL                      | 3941.200  | LB    |
| 806(D) 8989 | 40' MTG.HT.HL.PTP.(G.STL.)             | 152.000   | EA    |
| 807 8092    | BREAKAWAY BASE (DES. B)                | 114.000   | EA    |
| 809(A) 8090 | (PL)ROADWAY LUMINAIRE                  | 186.000   | EA    |
| 809(B) 8098 | UNDERPASS LUMINAIRE                    | 32.000    | EA    |
| 810(A) 3118 | SERVICE POLE                           | 3.000     | EA    |
| 811 8038    | 1/C NO.4 ELECT.COND.                   | 59220.000 | LF    |
| 811 8044    | 1/C NO.10 ELECT.COND.                  | 1520.000  | LF    |
| 811 8046    | 1/C NO.12 ELECT.COND.                  | 23250.000 | LF    |

## SECTION 0011 - STAKING

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 642 0098 | STAKING          | 1.000    | LSUM  |

## SECTION 0012 - CONSTRUCTION

| ITEM NO. | ITEM DESCRIPTION                       | QUANTITY | UNITS |
|----------|----------------------------------------|----------|-------|
| 220 2800 | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000    | LSUM  |
| 640 1426 | FIELD OFFICE                           | 1.000    | EA    |
| 641 1552 | MOBILIZATION                           | 1.000    | LSUM  |
| 643 0087 | (SP)CONTRACTORS QUALITY CONTROL        | 1.000    | LSUM  |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

**FEDERAL PROJECT**

CONTRACT ID: 100612

CALL ORDER: 415  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: TULSA

PROJECT(S) : PCN  
 STPY-172C(509) 1114307  
 DBE GOALS : 8.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$36.85  
 300 CALENDAR DAYS  
 TIME 'B' BID - \$ 5000 / DAY  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 PAVEMENT REHABILITATION (ASPHALT)  
 SH-51: FROM 0.6 MILES EAST OF THE CREEK COUNTY LINE, EXTEND  
 EAST.  
 PROJECT LENGTH = 5.955 MILES

## SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                     | QUANTITY   | UNITS |
|--------------|--------------------------------------|------------|-------|
| 202(A) 0183  | UNCLASSIFIED EXCAVATION              | 2344.000   | CY    |
| 202(C) 0184  | UNCLASSIFIED BORROW                  | 2857.000   | CY    |
| 223 2801     | TEMPORARY SILT FENCE                 | 2500.000   | LF    |
| 227 0100     | TEMPORARY SILT DIKE                  | 773.000    | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                   | 61093.000  | SY    |
| 232(B) 2814  | SEEDING METHOD B                     | 5.000      | AC    |
| 233(A) 2817  | VEGETATIVE MULCHING                  | 5.000      | AC    |
| 241 2832     | MOWING                               | 5.000      | AC    |
| 303 0192     | AGGREGATE BASE                       | 39435.000  | CY    |
| 319 5190     | OPEN GRADED BITUMINOUS BASE          | 30223.000  | TON   |
| 325 5271     | SEPARATOR FABRIC                     | 386447.000 | SY    |
| 327(A) 4200  | (SP)FLY ASH                          | 9994.000   | TON   |
| 327(D) 4230  | (SP)LIME                             | 1250.000   | TON   |
| 327(E) 4240  | (SP)CEMENTITIOUS STABILIZED SUBGRADE | 198285.000 | SY    |
| 327(G) 4260  | (SP)LIME PRETREATMENT                | 69420.000  | SY    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E  | 27247.000  | TON   |
| 411(S3) 5940 | (SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)  | 17286.000  | TON   |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)  | 31073.000  | TON   |
| 411(S4) 5955 | (SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)  | 11399.000  | TON   |
| 411(S4) 5960 | (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)  | 4411.000   | TON   |
| 413(A) 4861  | RUMBLE STRIP-METHOD AC-CON           | 62895.000  | LF    |
| 613(D) 0689  | 18" CORR. GALV. STEEL PIPE           | 2792.000   | LF    |
| 613(P) 1091  | 6" PERFORATED PIPE UNDERDRAIN ROUND  | 2213.000   | LF    |
| 613(Q) 1096  | 6" NON-PERF.PIPE UNDERDRAIN RND.     | 737.000    | LF    |
| 619(A) 0920  | REMOVAL OF STRUCTURES & OBSTRUCTIONS | 1.000      | LSUM  |
| 619(B) 4727  | REMOVAL OF CONCRETE PAVEMENT         | 138117.000 | SY    |
| 619(B) 4728  | REMOVAL OF ASPHALT PAVEMENT          | 2407.000   | SY    |
| 619(B) 4780  | REMOVAL OF GUARD RAIL                | 5977.000   | LF    |
| 619(C) 0924  | SAWING PAVEMENT                      | 1586.000   | LF    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100612

**SECTION 0001 - ROADWAY**

| ITEM NO.    | ITEM DESCRIPTION                  | QUANTITY | UNITS |
|-------------|-----------------------------------|----------|-------|
| 623(A) 0932 | BEAM GUARD RAIL-W-BEAM-SINGLE     | 5663.000 | LF    |
| 623(F) 4447 | GUARD RAIL ANCHOR UNIT (TYPE B)   | 8.000    | EA    |
| 623(F) 6032 | GUARD RAIL ANCHOR UNIT (TYPE I)   | 1.000    | EA    |
| 623(H) 8571 | (SP)G.E.T. GUARD RAIL END SECTION | 7.000    | EA    |
| 653(C) 5946 | OUTLET LATERAL HEADWALL           | 6.000    | EA    |

**SECTION 0002 - TRAFFIC CONTROL**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY   | UNITS |
|-------------|------------------------------------------|------------|-------|
| 627(P) 4425 | RENTED PORT.TYPE PREC.CONC.MED. BARR.    | 6225.000   | LF    |
| 856(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 38480.000  | LF    |
| 856(G) 8887 | (PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1 | 800.000    | EA    |
| 859(A) 8006 | PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)       | 1000.000   | LF    |
| 871 8705    | (PL)CONST.ZONE IMPACT ATTEN.             | 1800.000   | SD    |
| 878(C) 8487 | MODULAR GLARE SCREEN                     | 150600.000 | SD    |
| 880(A) 8812 | ARROW DISPLAY(TYPE C)                    | 1065.000   | SD    |
| 880(B) 8818 | CONSTRUCTION SIGNS 0 TO 6.25 SF          | 69300.000  | SD    |
| 880(B) 8821 | CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF   | 47400.000  | SD    |
| 880(B) 8824 | CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF   | 25935.000  | SD    |
| 880(C) 8842 | BARRICADES(TYPE III)                     | 2250.000   | SD    |
| 880(C) 8848 | WING BARRICADES                          | 1800.000   | SD    |
| 880(D) 8854 | VERTICAL PANELS                          | 202200.000 | SD    |
| 880(E) 8860 | WARNING LIGHTS(TYPE A)                   | 47400.000  | SD    |
| 880(E) 8872 | WARNING LIGHTS(TYPE C)                   | 696600.000 | SD    |
| 880(F) 8878 | DRUMS                                    | 165300.000 | SD    |
| 880(G) 8884 | TUBE CHANNELIZERS                        | 321000.000 | SD    |
| 880(G) 8890 | CHANNELIZER CONES                        | 30000.000  | SD    |
| 882(B) 8306 | PORT.CHANGEABLE MESSAGE SIGN             | 900.000    | SD    |

**SECTION 0003 - TRAFFIC SIGNING AND STRIPING**

| ITEM NO.    | ITEM DESCRIPTION                  | QUANTITY  | UNITS |
|-------------|-----------------------------------|-----------|-------|
| 804(A) 2915 | STRUCTURAL CONCRETE               | 3.170     | CY    |
| 804(B) 2916 | REINFORCING STEEL                 | 833.000   | LB    |
| 850(A) 8110 | SHEET ALUMINUM SIGNS              | 65.250    | SF    |
| 850(B) 8112 | EXTRUDED ALUMINUM PANEL SIGNS     | 296.000   | SF    |
| 851(A) 3206 | 4"@13 GALV.STL.WD.FLANGE BM.POST  | 37.500    | LF    |
| 851(A) 3211 | 8"@35 GALV.STL.WD.FLANGE BM.POST  | 59.630    | LF    |
| 851(C) 8324 | 2" SQUARE TUBE POST               | 66.000    | LF    |
| 855(A) 8812 | TRAFFIC STRIPE(PLASTIC)(4" WIDE)  | 74640.000 | LF    |
| 855(B) 8818 | TRAFFIC STRIPE(PLASTIC)(ARROWS)   | 30.000    | EA    |
| 890A/B 8756 | (PL)REMOVE & RESET EXISTING SIGNS | 49.000    | EA    |

**SECTION 0004 - STAKING**

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 642 0098 | STAKING          | 1.000    | LSUM  |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100612****SECTION 0005 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 640 1426        | FIELD OFFICE                           | 1.000           | EA           |
| 641 1552        | MOBILIZATION                           | 1.000           | LSUM         |
| 643 0087        | (SP)CONTRACTORS QUALITY CONTROL        | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100598

CALL ORDER: 420  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: TULSA

PROJECT(S) : PCN  
 BRO-172D(467)CO 2676404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$7.59  
 60 CALENDAR DAYS  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-405); OVER AN UNNAMED TRIBUTARY OF THE CANEY  
 RIVER, 0.50 MILES SOUTH OF 186TH STREET.  
 PROJECT LENGTH = 0.133 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                    | QUANTITY | UNITS |
|--------------|-------------------------------------|----------|-------|
| 202(G) 0185  | EARTHWORK                           | 1.000    | LSUM  |
| 222 2801     | TEMPORARY BALE BARRIER              | 100.000  | LF    |
| 223 2801     | TEMPORARY SILT FENCE                | 250.000  | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                  | 3140.000 | SY    |
| 303 0192     | AGGREGATE BASE                      | 541.900  | CY    |
| 325 5271     | SEPARATOR FABRIC                    | 2862.000 | SY    |
| 411(S2) 5930 | (SP)ASPH.CONC.,TYPE S2(PG 64-22 OK) | 487.300  | TON   |
| 411(S3) 5940 | (SP)ASPH.CONC.,TYPE S3(PG 70-28 OK) | 274.500  | TON   |
| 613(B) 0492  | 24" R.C.PIPE CLASS III              | 179.000  | LF    |
| 613(C) 4375  | SP. END SECTION OF 24" RCP ROUND    | 1.000    | EA    |
| 619(B) 4728  | REMOVAL OF ASPHALT PAVEMENT         | 1455.500 | SY    |
| 619(C) 0924  | SAWING PAVEMENT                     | 40.000   | LF    |
| 855(A) 8812  | TRAFFIC STRIPE(PLASTIC)(4" WIDE)    | 2724.000 | LF    |

### SECTION 0002 - BRIDGE 'A'

| ITEM NO.     | ITEM DESCRIPTION                     | QUANTITY  | UNITS |
|--------------|--------------------------------------|-----------|-------|
| 202(A) 1301  | UNCLASSIFIED EXCAVATION              | 1200.000  | CY    |
| 501(A) 1306  | STRUCTURAL EXCAVATION UNCLASSIFIED   | 187.000   | CY    |
| 501(G) 6309  | CLSM BACKFILL                        | 40.000    | CY    |
| 504(E) 1380  | CONCRETE RAIL (TR1)                  | 99.400    | LF    |
| 509(B) 1328  | CLASS A CONCRETE                     | 381.100   | CY    |
| 511(A) 1332  | REINFORCING STEEL                    | 61128.500 | LB    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                | 100.800   | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET              | 33.600    | TON   |
| 601(E) 6312  | FILTER FABRIC (RIPRAP)               | 106.700   | SY    |
| 619(D) 1397  | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000     | LSUM  |
| 623(A) 1418  | BEAM GUARD RAIL-W-BEAM-SINGLE        | 50.000    | LF    |
| 623(F) 5686  | GUARD RAIL ANCHOR UNIT (TYPE D-BF)   | 4.000     | EA    |
| 623(H) 8571  | (SP)G.E.T. GUARD RAIL END SECTION    | 4.000     | EA    |
| 880(J) 8905  | CONSTRUCTION TRAFFIC CONTROL         | 1.000     | LSUM  |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100598****SECTION 0003 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0004 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1399        | MOBILIZATION                           | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100618

CALL ORDER: 425  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CRAIG  
 CREEK  
 TULSA  
 NOWATA

PROJECT(S) : PCN  
 BPMY-NBIP(432)3B 2778104  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$17.34  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 BRIDGE PAINTING  
 US-64/US-69/US-75/SH-28/SH-48: AT VARIOUS LOCATIONS IN  
 DIVISION VIII.

### SECTION 0001 - BRIDGE 'A'

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY | UNITS |
|-------------|--------------------------------|----------|-------|
| 512(A) 1323 | PAINTING EXISTING STRUCTURES   | 1.000    | LSUM  |
| 512(B) 6303 | COLLECTION & HANDLING OF WASTE | 1.000    | LSUM  |

### SECTION 0002 - BRIDGE 'B'

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY | UNITS |
|-------------|--------------------------------|----------|-------|
| 512(A) 1323 | PAINTING EXISTING STRUCTURES   | 1.000    | LSUM  |
| 512(B) 6303 | COLLECTION & HANDLING OF WASTE | 1.000    | LSUM  |

### SECTION 0003 - BRIDGE 'C'

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY | UNITS |
|-------------|--------------------------------|----------|-------|
| 512(A) 1323 | PAINTING EXISTING STRUCTURES   | 1.000    | LSUM  |
| 512(B) 6303 | COLLECTION & HANDLING OF WASTE | 1.000    | LSUM  |

### SECTION 0004 - BRIDGE 'D'

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY | UNITS |
|-------------|--------------------------------|----------|-------|
| 512(A) 1323 | PAINTING EXISTING STRUCTURES   | 1.000    | LSUM  |
| 512(B) 6303 | COLLECTION & HANDLING OF WASTE | 1.000    | LSUM  |

### SECTION 0005 - BRIDGE 'E'

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY | UNITS |
|-------------|--------------------------------|----------|-------|
| 512(A) 1323 | PAINTING EXISTING STRUCTURES   | 1.000    | LSUM  |
| 512(B) 6303 | COLLECTION & HANDLING OF WASTE | 1.000    | LSUM  |

### SECTION 0006 - BRIDGE 'F'

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY | UNITS |
|-------------|--------------------------------|----------|-------|
| 512(A) 1323 | PAINTING EXISTING STRUCTURES   | 1.000    | LSUM  |
| 512(B) 6303 | COLLECTION & HANDLING OF WASTE | 1.000    | LSUM  |

### SECTION 0007 - BRIDGE 'G'

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY | UNITS |
|-------------|--------------------------------|----------|-------|
| 512(A) 1323 | PAINTING EXISTING STRUCTURES   | 1.000    | LSUM  |
| 512(B) 6303 | COLLECTION & HANDLING OF WASTE | 1.000    | LSUM  |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100618****SECTION 0008 - BRIDGE 'H'**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>        | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|--------------------------------|-----------------|--------------|
| 512(A) 1323     | PAINTING EXISTING STRUCTURES   | 1.000           | LSUM         |
| 512(B) 6303     | COLLECTION & HANDLING OF WASTE | 1.000           | LSUM         |

**SECTION 0009 - TRAFFIC**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>            | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|------------------------------------|-----------------|--------------|
| 823 8478        | (PL)PORTABLE TRAFFIC SIGNAL SYSTEM | 270.000         | SD           |
| 876(C) 8482     | (PL)TRUCK MOUNTED ATTENUATOR       | 90.000          | SD           |
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL       | 1.000           | LSUM         |
| 880(L) 8911     | TRAFFIC SURVEILLANCE, POLICE       | 80.000          | HOURL        |
| 882(B) 8306     | PORT.CHANGEABLE MESSAGE SIGN       | 360.000         | SD           |

**SECTION 0010 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 641 1399        | MOBILIZATION            | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100619

CALL ORDER: 426  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CRAIG  
 CREEK  
 TULSA  
 NOWATA

PROJECT(S) : PCN  
 BPMY-172F(500)3B 2778105  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$22.76  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 JOINT SEAL/REPAIR  
 US-69/US-75/SH-28/SH-48: AT VARIOUS LOCATIONS IN DIVISION  
 VIII.

### SECTION 0001 - BRIDGE 'A'

| ITEM NO.     | ITEM DESCRIPTION                    | QUANTITY | UNITS |
|--------------|-------------------------------------|----------|-------|
| 411(S4) 5950 | (SP)ASPH.CONC.,TYPE S4(PG 76-28 OK) | 110.000  | TON   |
| 417 5267     | COLD MILLING PAVEMENT               | 869.000  | SY    |
| 501(G) 6309  | CLSM BACKFILL                       | 10.000   | CY    |
| 504(H) 6390  | RAPID CURE JOINT SEALANT            | 91.000   | LF    |
| 504(I) 6389  | ELASTOMERIC MORTAR                  | 26.700   | CF    |
| 505 6139     | (PL)MEMBRANE                        | 869.000  | SY    |
| 505(B) 6019  | CLASS B BRIDGE DECK REPAIR          | 20.000   | SY    |
| 506(A) 1322  | STRUCTURAL STEEL                    | 2500.000 | LB    |
| 520(A) 6058  | PREPARATION OF CRACKS ABOVE WATER   | 60.000   | LF    |
| 520(C) 6060  | EPOXY RESIN ABOVE WATER             | 0.600    | GAL   |
| 521(A) 6210  | PNEUMATICALLY PLACED MORTAR         | 5.000    | SY    |
| 535 6386     | (PL)SILICONE CONSTRUCTION JOINT     | 228.000  | LF    |

### SECTION 0002 - BRIDGE 'B'

| ITEM NO.    | ITEM DESCRIPTION                | QUANTITY | UNITS |
|-------------|---------------------------------|----------|-------|
| 504(H) 6390 | RAPID CURE JOINT SEALANT        | 43.000   | LF    |
| 504(I) 6389 | ELASTOMERIC MORTAR              | 13.100   | CF    |
| 505(B) 6019 | CLASS B BRIDGE DECK REPAIR      | 5.000    | SY    |
| 506(A) 1322 | STRUCTURAL STEEL                | 2000.000 | LB    |
| 521(A) 6210 | PNEUMATICALLY PLACED MORTAR     | 20.000   | SY    |
| 535 6386    | (PL)SILICONE CONSTRUCTION JOINT | 107.000  | LF    |

### SECTION 0003 - BRIDGE 'C'

| ITEM NO.    | ITEM DESCRIPTION           | QUANTITY | UNITS |
|-------------|----------------------------|----------|-------|
| 504(H) 6390 | RAPID CURE JOINT SEALANT   | 58.000   | LF    |
| 504(I) 6389 | ELASTOMERIC MORTAR         | 31.200   | CF    |
| 505(B) 6019 | CLASS B BRIDGE DECK REPAIR | 40.000   | SY    |
| 505(C) 6020 | CLASS C BRIDGE DECK REPAIR | 10.000   | SY    |
| 506(A) 1322 | STRUCTURAL STEEL           | 500.000  | LB    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 100619

**SECTION 0003 - BRIDGE 'C'**

| ITEM NO.    | ITEM DESCRIPTION                   | QUANTITY | UNITS |
|-------------|------------------------------------|----------|-------|
| 521(A) 6210 | PNEUMATICALLY PLACED MORTAR        | 5.000    | SY    |
| 523(C) 6570 | (SP) DECK AREA SEALED (FLOODCOATS) | 505.000  | SY    |
| 535 6386    | (PL)SILICONE CONSTRUCTION JOINT    | 145.000  | LF    |

**SECTION 0004 - BRIDGE 'D'**

| ITEM NO.    | ITEM DESCRIPTION                | QUANTITY | UNITS |
|-------------|---------------------------------|----------|-------|
| 504(H) 6390 | RAPID CURE JOINT SEALANT        | 75.000   | LF    |
| 504(I) 6389 | ELASTOMERIC MORTAR              | 26.600   | CF    |
| 505(B) 6019 | CLASS B BRIDGE DECK REPAIR      | 5.000    | SY    |
| 506(A) 1322 | STRUCTURAL STEEL                | 2000.000 | LB    |
| 521(A) 6210 | PNEUMATICALLY PLACED MORTAR     | 5.000    | SY    |
| 535 6386    | (PL)SILICONE CONSTRUCTION JOINT | 188.000  | LF    |

**SECTION 0005 - BRIDGE 'E'**

| ITEM NO.    | ITEM DESCRIPTION                   | QUANTITY | UNITS |
|-------------|------------------------------------|----------|-------|
| 504(H) 6390 | RAPID CURE JOINT SEALANT           | 57.000   | LF    |
| 504(I) 6389 | ELASTOMERIC MORTAR                 | 21.100   | CF    |
| 505(B) 6019 | CLASS B BRIDGE DECK REPAIR         | 30.000   | SY    |
| 520(A) 6058 | PREPARATION OF CRACKS ABOVE WATER  | 200.000  | LF    |
| 520(C) 6060 | EPOXY RESIN ABOVE WATER            | 2.000    | GAL   |
| 521(A) 6210 | PNEUMATICALLY PLACED MORTAR        | 20.000   | SY    |
| 523(C) 6570 | (SP) DECK AREA SEALED (FLOODCOATS) | 374.000  | SY    |
| 535 6386    | (PL)SILICONE CONSTRUCTION JOINT    | 143.000  | LF    |

**SECTION 0006 - BRIDGE 'F'**

| ITEM NO.    | ITEM DESCRIPTION                  | QUANTITY | UNITS |
|-------------|-----------------------------------|----------|-------|
| 501(G) 6309 | CLSM BACKFILL                     | 7.000    | CY    |
| 504(H) 6390 | RAPID CURE JOINT SEALANT          | 96.000   | LF    |
| 504(I) 6389 | ELASTOMERIC MORTAR                | 47.800   | CF    |
| 505(B) 6019 | CLASS B BRIDGE DECK REPAIR        | 30.000   | SY    |
| 505(C) 6020 | CLASS C BRIDGE DECK REPAIR        | 20.000   | SY    |
| 506(A) 1322 | STRUCTURAL STEEL                  | 500.000  | LB    |
| 520(A) 6058 | PREPARATION OF CRACKS ABOVE WATER | 20.000   | LF    |
| 520(C) 6060 | EPOXY RESIN ABOVE WATER           | 0.200    | GAL   |
| 521(A) 6210 | PNEUMATICALLY PLACED MORTAR       | 5.000    | SY    |
| 535 6386    | (PL)SILICONE CONSTRUCTION JOINT   | 287.000  | LF    |

**SECTION 0007 - TRAFFIC CONTROL**

| ITEM NO.    | ITEM DESCRIPTION                         | QUANTITY  | UNITS |
|-------------|------------------------------------------|-----------|-------|
| 823 8478    | (PL)PORTABLE TRAFFIC SIGNAL SYSTEM       | 270.000   | SD    |
| 855(A) 8812 | TRAFFIC STRIPE(PLASTIC)(4" WIDE)         | 15478.000 | LF    |
| 856(A) 8839 | CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)  | 13782.000 | LF    |
| 856(G) 8887 | (PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1 | 2758.000  | EA    |
| 859(A) 8006 | PAVEMENT MRKNG.REMOVAL(TRAF.STRP)        | 7500.000  | LF    |
| 876(C) 8482 | (PL)TRUCK MOUNTED ATTENUATOR             | 90.000    | SD    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100619****SECTION 0007 - TRAFFIC CONTROL**

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u>      | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|------------------------------|-----------------|--------------|
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL | 1.000           | LSUM         |
| 880(L) 8911     | TRAFFIC SURVEILLANCE, POLICE | 160.000         | HOURL        |
| 882(B) 8306     | PORT.CHANGEABLE MESSAGE SIGN | 360.000         | SD           |

**SECTION 0008 - CONSTRUCTION**

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u> | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|-------------------------|-----------------|--------------|
| 641 1399        | MOBILIZATION            | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100616

CALL ORDER: 430  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: WAGONER

PROJECT(S) : PCN  
 STPY-173A(172) 2710906  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$6.50  
 30 CALENDAR DAYS  
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION  
 INTERSECTION MODIFICATION AND TRAFFIC SIGNAL  
 SH-51: AT THE INTERSECTION OF MIDWAY ROAD, IN THE TOWN OF  
 COWETA.

### SECTION 0001 - TRAFFIC SIGNAL

| ITEM NO.    | ITEM DESCRIPTION                       | QUANTITY | UNITS |
|-------------|----------------------------------------|----------|-------|
| 802(B) 8342 | 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED | 75.000   | LF    |
| 802(B) 8344 | 3" PVC SCH.40 PLASTIC CONDUIT BORED    | 250.000  | LF    |
| 802(B) 8346 | 3" PVC SCH.40 PLASTIC CONDUIT TRENCHED | 130.000  | LF    |
| 803(A) 8065 | PULL BOX(SIZE I)                       | 3.000    | EA    |
| 803(A) 8066 | PULL BOX(SIZE II)                      | 1.000    | EA    |
| 804(A) 2915 | STRUCTURAL CONCRETE                    | 11.800   | CY    |
| 804(B) 2916 | REINFORCING STEEL                      | 1807.100 | LB    |
| 805(A) 8724 | (PL)REMOVAL OF EXISTING SIGNS          | 2.000    | EA    |
| 806(A) 8313 | 32'MH POLE 45'TS & 10'LMA(G.STL.)      | 2.000    | EA    |
| 806(A) 8730 | POLE & 35' TS MST.ARM(G.STL.)          | 1.000    | EA    |
| 806(A) 8732 | POLE & 40' TS MST.ARM(G.STL.)          | 1.000    | EA    |
| 809(A) 8090 | ROADWAY LUMINAIRE                      | 2.000    | EA    |
| 810(A) 3118 | SERVICE POLE                           | 1.000    | EA    |
| 811 8040    | 1/C NO.6 ELECT.COND.                   | 250.000  | LF    |
| 811 8044    | 1/C NO.10 ELECT.COND.                  | 435.000  | LF    |
| 825 8550    | TRAFFIC SIGNAL CONTROLLER ASSEMBLY     | 1.000    | EA    |
| 828 8132    | (PL)DETECTION SYSTEM (VIDEO)           | 1.000    | LSUM  |
| 831 8231    | 1WAY3SEC.ADJ.SIG.HD.S-6                | 7.000    | EA    |
| 831 8252    | 1WAY3SEC.ADJ.SIG.HD.S-9                | 2.000    | EA    |
| 831 8286    | 1WAY5SEC.ADJ.SIG.HD.S-19               | 1.000    | EA    |
| 833 3030    | BACKPLATE                              | 10.000   | EA    |
| 834(A) 8207 | 5/C TRAFFIC SIGNAL ELECTRICAL CABLE    | 790.000  | LF    |
| 834(A) 8208 | 7/C TRAFFIC SIGNAL ELECTRICAL CABLE    | 75.000   | LF    |
| 834(A) 8209 | 9/C TRAFFIC SIGNAL ELECTRICAL CABLE    | 300.000  | LF    |
| 834(A) 8210 | 12/C TRAFFIC SIGNAL ELECTRICAL CABLE   | 130.000  | LF    |
| 840(A) 8592 | E.P.S. OPTICAL EMITTER                 | 1.000    | EA    |
| 840(B) 8593 | E.P.S. OPTICAL DETECTOR                | 4.000    | EA    |
| 840(C) 8594 | E.P.S. OPTICAL DETECTOR CABLE          | 250.000  | LF    |
| 840(D) 8595 | E.P.S. 2 CHANNEL PHASE SELECTOR        | 2.000    | EA    |
| 850(C) 8118 | MAST ARM MOUNTED SIGNS(ALUM.)          | 35.500   | SF    |
| 855(A) 8825 | TRAFFIC STRIPE(PLASTIC)(24" WIDE)      | 163.000  | LF    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100616****SECTION 0001 - TRAFFIC SIGNAL**

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u>      | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|------------------------------|-----------------|--------------|
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL | 1.000           | LSUM         |

**SECTION 0002 - STAKING**

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u>      | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|------------------------------|-----------------|--------------|
| 642(A) 0095     | CONSTRUCTION STAKING LEVEL I | 1.000           | LSUM         |

**SECTION 0003 - CONSTRUCTION**

| <u>ITEM NO.</u> | <u>ITEM DESCRIPTION</u> | <u>QUANTITY</u> | <u>UNITS</u> |
|-----------------|-------------------------|-----------------|--------------|
| 641 1552        | MOBILIZATION            | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100599

CALL ORDER: 440  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: WASHINGTON

PROJECT(S) : PCN  
 BRO-174D(046)CO 2355204  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$15.17  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-22): OVER FISH CREEK, 2.8 MILES EAST OF THE  
 US-60 JUNCTION.  
 PROJECT LENGTH = 0.227 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                      | QUANTITY | UNITS |
|--------------|---------------------------------------|----------|-------|
| 201 0102     | CLEARING AND GRUBBING                 | 1.000    | LSUM  |
| 202(G) 0185  | EARTHWORK                             | 1.000    | LSUM  |
| 205 4229     | TYPE A-SALVAGED TOPSOIL               | 1.000    | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                  | 1300.000 | LF    |
| 227 0100     | TEMPORARY SILT DIKE                   | 228.000  | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                    | 5507.000 | SY    |
| 233(A) 2817  | VEGETATIVE MULCHING                   | 2.400    | AC    |
| 303 0192     | AGGREGATE BASE                        | 1055.000 | CY    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E   | 740.000  | TON   |
| 408 5774     | PRIME COAT                            | 1695.000 | GAL   |
| 411(S2) 5930 | (SP)ASPH.CONC.,TYPE S2(PG 64-22 OK)   | 99.000   | TON   |
| 411(S3) 5945 | (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)   | 596.000  | TON   |
| 411(S4) 5955 | (SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)   | 427.000  | TON   |
| 509(D) 0325  | CLASS C CONCRETE                      | 10.000   | CY    |
| 613(B) 0491  | 18" R.C.PIPE CLASS III                | 120.000  | LF    |
| 613(B) 0493  | 30" R.C.PIPE CLASS III                | 126.000  | LF    |
| 613(CC) 7187 | TYPE B4 CULVERT END TREATMENT         | 2.000    | EA    |
| 613(D) 0693  | 42" CORR. GALV. STEEL PIPE            | 186.000  | LF    |
| 613(D) 4528  | 28" X 20" CORR. GALV. STEEL PIPE ARCH | 160.000  | LF    |
| 613(M) 5726  | 18" PREFAB. CULVERT END SEC., ROUND   | 2.000    | EA    |
| 613(M) 5732  | 30" PREFAB. CULVERT END SEC., ROUND   | 6.000    | EA    |
| 619(B) 4728  | REMOVAL OF ASPHALT PAVEMENT           | 2670.000 | SY    |
| 855(A) 8812  | TRAFFIC STRIPE(PLASTIC)(4" WIDE)      | 4800.000 | LF    |

### SECTION 0002 - BRIDGE 'A'

| ITEM NO.    | ITEM DESCRIPTION                   | QUANTITY  | UNITS |
|-------------|------------------------------------|-----------|-------|
| 501(A) 1306 | STRUCTURAL EXCAVATION UNCLASSIFIED | 99.700    | CY    |
| 504(F) 1381 | CONCRETE PARAPET                   | 44.200    | LF    |
| 509(B) 1328 | CLASS A CONCRETE                   | 213.600   | CY    |
| 511(A) 1332 | REINFORCING STEEL                  | 35990.000 | LB    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100599****SECTION 0002 - BRIDGE 'A'**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>              | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|--------------------------------------|-----------------|--------------|
| 601(B) 1357     | TYPE II SP. PLAIN RIPRAP             | 60.000          | TON          |
| 619(D) 1397     | REMOVAL OF EXISTING BRIDGE STRUCTURE | 1.000           | LSUM         |
| 623(A) 1418     | BEAM GUARD RAIL-W-BEAM-SINGLE        | 687.500         | LF           |
| 623(F) 5686     | GUARD RAIL ANCHOR UNIT (TYPE D-BF)   | 2.000           | EA           |
| 623(F) 6030     | GUARD RAIL ANCHOR UNIT (TYPE B)      | 2.000           | EA           |
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL         | 1.000           | LSUM         |

**SECTION 0003 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0004 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1399        | MOBILIZATION                           | 1.000           | LSUM         |

# OKLAHOMA DEPARTMENT OF TRANSPORTATION

## FEDERAL PROJECT

CONTRACT ID: 100590

CALL ORDER: 460  
 LETTING DATE: November 18, 2010  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: WASHITA

PROJECT(S) : PCN  
 BRO-175D(069)CI 2309704  
 DBE GOALS : 4.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$14.09  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-123): OVER SOUTH CAVALRY CREEK, 4.7 MILES  
 EAST OF THE US-183 JUNCTION.  
 PROJECT LENGTH = 0.246 MILES

### SECTION 0001 - ROADWAY

| ITEM NO.     | ITEM DESCRIPTION                      | QUANTITY  | UNITS |
|--------------|---------------------------------------|-----------|-------|
| 202(A) 0183  | UNCLASSIFIED EXCAVATION               | 3400.000  | CY    |
| 202(G) 0185  | EARTHWORK                             | 1.000     | LSUM  |
| 223 2801     | TEMPORARY SILT FENCE                  | 1500.000  | LF    |
| 230(A) 2806  | SOLID SLAB SODDING                    | 13400.000 | SY    |
| 233(A) 2817  | VEGETATIVE MULCHING                   | 2.770     | AC    |
| 403(E) 0225  | TRAFFIC BOUND SURFACE COURSE TYPE E   | 666.000   | TON   |
| 509(D) 0325  | CLASS C CONCRETE                      | 135.000   | CY    |
| 613(CC) 7187 | TYPE B4 CULVERT END TREATMENT         | 4.000     | EA    |
| 613(D) 4528  | 28" X 20" CORR. GALV. STEEL PIPE ARCH | 116.000   | LF    |
| 850(A) 8110  | SHEET ALUMINUM SIGNS                  | 13.180    | SF    |
| 851(A) 3206  | 4"@13 GALV.STL.WD.FLANGE BM.POST      | 24.000    | LF    |

### SECTION 0002 - BRIDGE

| ITEM NO.     | ITEM DESCRIPTION                      | QUANTITY  | UNITS |
|--------------|---------------------------------------|-----------|-------|
| 501(B) 1307  | SUBSTRUCTURE EXCAVATION COMMON        | 88.000    | CY    |
| 501(D) 6353  | UNCLASSIFIED BACKFILL                 | 90.000    | CY    |
| 503(A) 1312  | PRESTRESSED CONCRETE BEAMS (TYPE III) | 296.170   | LF    |
| 504(E) 1380  | CONCRETE RAIL (TR1)                   | 215.170   | LF    |
| 506(A) 1322  | STRUCTURAL STEEL                      | 1800.000  | LB    |
| 509(A) 1326  | CLASS AA CONCRETE                     | 58.500    | CY    |
| 509(B) 1328  | CLASS A CONCRETE                      | 58.400    | CY    |
| 511(A) 1332  | REINFORCING STEEL                     | 21413.000 | LB    |
| 514(A) 6010  | PILES, FURNISHED (HP 10X42)           | 200.000   | LF    |
| 514(A) 6011  | PILES, FURNISHED (HP 12X53)           | 470.000   | LF    |
| 514(B) 6292  | PILES, DRIVEN (HP 10X42)              | 200.000   | LF    |
| 514(B) 6294  | PILES, DRIVEN (HP 12X53)              | 470.000   | LF    |
| 601(A-1)1353 | TYPE I-A PLAIN RIPRAP                 | 2700.000  | TON   |
| 601(A-2)1355 | TYPE I-A FILTER BLANKET               | 744.000   | TON   |
| 623(A) 1418  | BEAM GUARD RAIL-W-BEAM-SINGLE         | 82.000    | LF    |
| 623(F) 6030  | GUARD RAIL ANCHOR UNIT (TYPE B)       | 1.000     | EA    |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****FEDERAL PROJECT****CONTRACT ID: 100590****SECTION 0002 - BRIDGE**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>          | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------|-----------------|--------------|
| 623(F) 6033     | GUARD RAIL ANCHOR UNIT (TYPE II) | 3.000           | EA           |
| 880(J) 8905     | CONSTRUCTION TRAFFIC CONTROL     | 1.000           | LSUM         |

**SECTION 0003 - STAKING**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b> | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|-------------------------|-----------------|--------------|
| 642 0098        | STAKING                 | 1.000           | LSUM         |

**SECTION 0004 - CONSTRUCTION**

| <b>ITEM NO.</b> | <b>ITEM DESCRIPTION</b>                | <b>QUANTITY</b> | <b>UNITS</b> |
|-----------------|----------------------------------------|-----------------|--------------|
| 220 2800        | (SP)SWPPP DOCUMENTATION AND MANAGEMENT | 1.000           | LSUM         |
| 641 1399        | MOBILIZATION                           | 1.000           | LSUM         |

**OKLAHOMA DEPARTMENT OF TRANSPORTATION****STATE PROJECT**

CONTRACT ID: 100600

CALL ORDER: 480  
LETTING DATE: November 18, 2010  
LETTING TIME: 10:30 A.M.  
COUNTIES: WOODWARD

PROJECT(S) : PCN  
SSP-NBIP(385)SS 2327604  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$4.34  
50 CALENDAR DAYS  
RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
BRIDGE PAINTING  
SH-50: OVER THE NORTH CANADIAN RIVER OVERFLOW AND OVER  
INDIAN CREEK, 5.3 MILES AND 3.8 MILES N OF THE US-183 JCT.

**SECTION 0001 - BRIDGE 'A'**

| ITEM NO.    | ITEM DESCRIPTION               | QUANTITY | UNITS |
|-------------|--------------------------------|----------|-------|
| 512(A) 1323 | PAINTING EXISTING STRUCTURES   | 1.000    | LSUM  |
| 512(B) 6303 | COLLECTION & HANDLING OF WASTE | 1.000    | LSUM  |

**SECTION 0002 - BRIDGE 'B'**

| ITEM NO.    | ITEM DESCRIPTION                | QUANTITY | UNITS |
|-------------|---------------------------------|----------|-------|
| 512(A) 1323 | PAINTING EXISTING STRUCTURES    | 1.000    | LSUM  |
| 512(B) 6303 | COLLECTION & HANDLING OF WASTE  | 1.000    | LSUM  |
| 540 4515    | (PL)REPAIR BRIDGE ITEM (TYPE A) | 8.000    | EA    |

**SECTION 0003 - TRAFFIC**

| ITEM NO.    | ITEM DESCRIPTION             | QUANTITY | UNITS |
|-------------|------------------------------|----------|-------|
| 880(J) 8905 | CONSTRUCTION TRAFFIC CONTROL | 1.000    | LSUM  |

**SECTION 0004 - CONSTRUCTION**

| ITEM NO. | ITEM DESCRIPTION | QUANTITY | UNITS |
|----------|------------------|----------|-------|
| 641 1399 | MOBILIZATION     | 1.000    | LSUM  |



## List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

| Name of Company and Individual                                                                                                                                            | Suspended                                     | Debarred                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------|
| <b>J &amp; N INTERNATIONAL COATINGS, INC.</b><br>Ms. Nikoleta M. Tiliakos<br>Mr. John D. Tiliakos<br>Mr. Drossos J. Tiliakos<br>17130 Groeschke Road<br>Houston, TX 77084 |                                               | X                          |
| <b>KERRVILLE PAINTING COMPANY, INC.</b><br>Mr. Nickolas Mouzakis<br>203 "G" Street, South<br>Kerrville, TX 78028                                                          |                                               | X                          |
| <b>MBE, INC.</b><br>Ms. Fani Gialousis<br>Mr. Tony Gialousis<br>Mr. Manuel Gialousis<br>426 South Florida Ave.<br>P.O. Box 1292<br>Tarpon Springs, FL 34689               | X                                             |                            |
| <b>GLOVER CONSTRUCTION COMPANY, INC.</b><br><b>Mr. George Paul Glover</b><br>P.O. Box 489<br>Muskogee, OK 74402                                                           |                                               | X<br>(pending appeal)      |
| <b>PATTON CONSTRUCTION</b><br>Mr. Alan Patton<br>Rt. 2, Box 303<br>Tahlequah, OK 74464                                                                                    |                                               | X<br>(Voluntary Exclusion) |
| <b>SHANKS EXCAVATING COMPANY</b><br>Jimmy "Dale" Shanks<br>204 North 4th Street<br>P.O. Box 510<br>Webbers Falls, OK 74470                                                |                                               | X<br>(Voluntary Exclusion) |
| <b>Mr. Gary Wayne Carr</b><br>318 Dog Wood<br>Tahlequah, OK 74464                                                                                                         |                                               | X                          |
| <b>HORIZON CONSTRUCTION CO., INC.</b><br>Mr. Max Elliot Wolf<br>P.O. Box 690<br>Owasso, OK 74055                                                                          | X<br>(suspended by FHWA<br>pending debarment) |                            |



## List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

| Name of Company and Individual                                                                                                                                                             | Suspended                                     | Debarred |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------|
| <b>YOCHAM ENTERPRISES</b><br>Mr. Harlen Eugene Yocham<br>12350 S. Mesa Road<br>Sapulpa, OK                                                                                                 | X<br>(suspended by FHWA<br>pending debarment) |          |
| <b>HECKERT CONSTRUCTION COMPANY, INC.</b><br>Mr. Charles Heckert<br>Mr. Roger A. Heckert<br>Mr. Michael Lehman<br>Ms. Dietra Cowan<br>746 E. 526 <sup>th</sup> Ave.<br>Pittsburg, KS 66762 | X<br>(suspended by FHWA<br>pending debarment) |          |

**BID OPENING OF – November 18, 2010 AM**

|                      |  |                                                                                                                                                                                 |  |
|----------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Date:                |  | Order Taken by:                                                                                                                                                                 |  |
| Contractor's Id No.: |  | No. Of Proposal(s):                                                                                                                                                             |  |
| Person Ordering:     |  | <input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight<br><input type="checkbox"/> Fed Ex    #: _____<br><input type="checkbox"/> Mail |  |
| Contractor's Name:   |  |                                                                                                                                                                                 |  |
| Telephone No:        |  |                                                                                                                                                                                 |  |
| Physical Address:    |  | Please Return Completed Form to:                                                                                                                                                |  |
|                      |  | Fax #      405-522-0972 or                                                                                                                                                      |  |
|                      |  | Email <a href="mailto:mhenry@odot.org">mhenry@odot.org</a>                                                                                                                      |  |

Specification Book Ordered:

| #  | County       | Call No. | Project Number                                     | JP                                  | Sample Proposal | Bid Proposal | Plan Cost      | X-sec |
|----|--------------|----------|----------------------------------------------------|-------------------------------------|-----------------|--------------|----------------|-------|
| 1  | ADAIR        | 020      | STPY-101A(094)RW                                   | 16928(22)                           |                 | \$50.00      | No Charge      | 0     |
| 2  | ALFALFA      | 030      | BRFY-102C(103)                                     | 24063(04)                           |                 | \$50.00      | 29.00 + 2.43   | 8     |
| 3  | BECKHAM      | 040      | STPY-105A(080)                                     | 20800(04)                           |                 | \$50.00      | 121.00 + 10.13 | 33    |
| 4  | BRYAN        | 060      | STP-107D(164)SG                                    | 27274(04)                           |                 | \$50.00      | 25.00 + 2.09   | 2     |
| 5  | CIMARRON     | 070      | NHY-017N(238)                                      | 13337(05)                           |                 | \$50.00      | 91.00 + 7.62   | 33    |
| 6  | CLEVELAND    | 080      | STPG-114F(277)AG                                   | 27794(04)                           |                 | \$50.00      | 4.00 + 0.34    | 0     |
| 7  | CLEVELAND    | 100      | STPY-114A(280)TR                                   | 27823(04)                           |                 | \$50.00      | 11.00 + 0.92   | 0     |
| 8  | CUSTER       | 120      | NHY-009N(096)RW                                    | 09278(07)                           |                 | \$50.00      | No Charge      | 0     |
| 9  | DEWEY        | 140      | BRO-122D(062)CI                                    | 24974(04)                           |                 | \$50.00      | 16.00 + 1.34   | 9     |
| 10 | GARVIN       | 160      | BRO-125D(127)CO                                    | 22613(04)                           |                 | \$50.00      | 8.00 + 0.67    | 2     |
| 11 | GARVIN       | 170      | SSP-125C(180)SS                                    | 27134(04)                           |                 | \$50.00      | 24.00 + 2.01   | 4     |
| 12 | GRADY        | 180      | BRF-126C(108)CI                                    | 23136(04)                           |                 | \$50.00      | 10.00 + 0.84   | 5     |
| 13 | GREER        | 190      | STPY-128B(004)                                     | 10100(07)                           |                 | \$50.00      | 35.00 + 2.93   | 0     |
| 14 | JACKSON      | 220      | BRO-133D(101)CI                                    | 26002(04)                           |                 | \$50.00      | 10.00 + 0.84   | 6     |
| 15 | JOHNSTON     | 240      | BRFY-035C(190)                                     | 08931(04)                           |                 | \$50.00      | 50.00 + 4.19   | 18    |
| 16 | LOGAN        | 260      | STPG-142C(203)AG                                   | 27800(04)                           |                 | \$50.00      | No Charge      | 0     |
| 17 | MCCLAIN      | 265      | STPY-144C(121)                                     | 24142(04)                           |                 | \$50.00      | 90.00 + 7.54   | 85    |
| 18 | NOWATA       | 275      | NHY-030N(068)                                      | 27057(04)                           |                 | \$50.00      | 31.00 + 2.60   | 0     |
| 19 | OKLAHOMA     | 280      | IMY-0040-4(425)149                                 | 20275(06)                           |                 | \$50.00      | 10.00 + 0.84   | 0     |
| 20 | OKLAHOMA     | 300      | BPMY-155N(791)3B                                   | 27777(05)                           |                 | \$50.00      | 11.00 + 0.92   | 0     |
| 21 | OTTAWA       | 310      | BRFY-058C(235)<br>BRFY-058C(237)<br>STPY-058C(240) | 08932(04)<br>10430(04)<br>12573(04) |                 | \$50.00      | 386.00 + 32.33 | 130   |
| 22 | PITTSBURG    | 320      | SBR-161B(239)SB                                    | 27557(04)                           |                 | \$50.00      | 32.00 + 2.68   | 0     |
| 23 | PONTOTOC     | 330      | BRFY-162C(108)                                     | 21001(04)                           |                 | \$50.00      | 41.00 + 3.43   | 5     |
| 24 | POTTAWATOMIE | 340      | STPY-163C(162)                                     | 21787(04)                           |                 | \$50.00      | 28.00 + 2.35   | 2     |
| 25 | SEQUOYAH     | 360      | CIRB-168D(147)RB                                   | 22524(04)                           |                 | \$50.00      | 11.00 + 0.92   | 3     |
| 26 | TILLMAN      | 400      | BRO-171D(095)CI                                    | 23237(04)                           |                 | \$50.00      | 10.00 + 0.84   | 5     |

**BID OPENING OF – November 18, 2010 AM**

|                      |  |                                                                                                                                                                                 |  |
|----------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Date:                |  | Order Taken by:                                                                                                                                                                 |  |
| Contractor's Id No.: |  | No. Of Proposal(s):                                                                                                                                                             |  |
| Person Ordering:     |  | <input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight<br><input type="checkbox"/> Fed Ex    #: _____<br><input type="checkbox"/> Mail |  |
| Contractor's Name:   |  |                                                                                                                                                                                 |  |
| Telephone No:        |  |                                                                                                                                                                                 |  |
| Physical Address:    |  | Please Return Completed Form to:                                                                                                                                                |  |
|                      |  | Fax #      405-522-0972 or                                                                                                                                                      |  |
|                      |  | Email <a href="mailto:mhenry@odot.org">mhenry@odot.org</a>                                                                                                                      |  |

Specification Book Ordered:

| #  | County                         | Call No. | Project Number     | JP        | Sample Proposal | Bid Proposal | Plan Cost      | X-sec |
|----|--------------------------------|----------|--------------------|-----------|-----------------|--------------|----------------|-------|
| 27 | TULSA                          | 410      | IMY-0044-2(396)225 | 06374(44) |                 | \$50.00      | 659.00 + 55.19 | 227   |
| 28 | TULSA                          | 415      | STPY-172C(509)     | 11143(07) |                 | \$50.00      | 34.00 + 2.85   | 0     |
| 29 | TULSA                          | 420      | BRO-172D(467)CO    | 26764(04) |                 | \$50.00      | 7.00 + 0.59    | 2     |
| 30 | CRAIG / CREEK / NOWATA / TULSA | 425      | BPMY-NBIP(432)3B   | 27781(04) |                 | \$50.00      | 16.00 + 1.34   | 0     |
| 31 | CRAIG / CREEK / NOWATA / TULSA | 426      | BPMY-172F(500)3B   | 27781(05) |                 | \$50.00      | 21.00 + 1.76   | 0     |
| 32 | WAGONER                        | 430      | STPY-173A(172)     | 27109(06) |                 | \$50.00      | 6.00 + 0.50    | 0     |
| 33 | WASHINGTON                     | 440      | BRO-174D(046)CO    | 23552(04) |                 | \$50.00      | 14.00 + 1.17   | 8     |
| 34 | WASHITA                        | 460      | BRO-175D(069)CI    | 23097(04) |                 | \$50.00      | 13.00 + 1.09   | 9     |
| 35 | WOODWARD                       | 480      | SSP-NBIP(385)SS    | 23276(04) |                 | \$50.00      | 4.00 + 0.34    | 0     |