

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO **DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.9a)** AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the [March 17, 2011](#) 10:30 A.M. Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [February 24, 2011](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [March 04, 2011](#) concerning this [March 17th](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Important:

Effective with January 2011 Bid Opening, all bids for projects requiring pre-qualification will be submitted via Bid Express. Exceptions to this new policy will be discussed with the Office Engineer on a case-by-case basis, and noted on the Short and Long Form Notices

Effective with the June 2009 Letting, any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:

Office Engineer Division at 405-522-0972

or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

*Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2009/plans.htm>*

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo/pcf2005.htm>

Reminder

Please be sure that bid bonds are stapled to the back of the proposal as instructed on the cover sheet of all proposals.

Do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mjunsay@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby.

The scheduled bid opening is 10:30 A.M., March 17, 2011 , for the work listed below. No proposal for construction or maintenance work of the Department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal..

Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation building, 200 N.E. 21st street, Oklahoma City, Oklahoma 73105. Cost of bidding documents is \$50.00 + tax for each bidding proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No Refunds will be made for Bidding Documents or Specification Books purchased.

Upon award of contract to a successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete its execution of the contract.

The Oklahoma Department of Transportation hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion, national origin, or disability in consideration for an award.

Description of work and location of Project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110176

CALL ORDER: 040
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: BECKHAM

PROJECT(S) : PCN
STPY-105C(196) 2808704

DBE GOALS : 4.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE : \$0.00

35 CALENDAR DAYS

RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)

SH-152: FROM 0.24 MILES WEST OF THE US-283 JCT, EXT EAST.

US-283: FROM THE I-40 OVERPASS, EXTEND NORTH.

PROJECT LENGTH = 2.70 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(D) 5965	SUPERPAVE, TYPE S5(PG 76-28 OK)	10112.000	TON
412 5267	COLD MILLING PAVEMENT	34947.000	SY
828(B) 8136	LOOP DETECTOR WIRE	2640.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	76490.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	8.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110178

CALL ORDER: 060
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: CARTER

PROJECT(S) : PCN
MC-110C(231) 2809504
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
30 CALENDAR DAYS
RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-53A: FROM 1.00 MILE SOUTH OF THE SH-53 JUNCTION, EXTEND
NORTH.
PROJECT LENGTH = 1.00 MILE

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(H) 0185	EARTHWORK	1.000	LSUM
409(A) 4242	FABRIC REINFORCEMENT	12910.000	SY
409(B) 4268	BITUMINOUS BINDER	3225.000	GAL
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	956.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	75.000	TON
412 5267	COLD MILLING PAVEMENT	4170.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	21850.000	LF
855(B) 3300	TRAF.STR(PLAST)(SYMBOLS, WORDS, ETC)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110211

CALL ORDER: 080
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CARTER

PROJECT(S) : PCN
 HSIPIY-110B(237)TR 2838604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$3.79
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION**SCHOOL ZONE**

US-177/SH-199: AT MULTIPLE LOCATIONS IN THE CITY OF DICKSON.

PROJECT LENGTH = 0.36 MILES

SECTION 0001 - TRAFFIC SCHOOL ZONE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	450.000	LF
803(A) 8067	PULL BOX(SIZE III)	4.000	EA
811 8044	1/C NO.10 ELECT.COND.	900.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	4.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	6.000	EA
836 8425	REGULATORY OR WARNING SIGN ASSEMBLY	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	118.500	SF
851(C) 8324	2" SQUARE TUBE POST	165.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	144.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	144.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110194

CALL ORDER: 100
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: CLEVELAND

PROJECT(S) : PCN
STPY-114C(296)RW 2099716
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
180 CALENDAR DAYS
RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
RIGHT-OF-WAY CLEARANCE
US-77: FROM THE SH-39 JUNCTION, EXTEND NORTH.

SECTION 0001 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
619(G) 0094	RIGHT-OF-WAY CLEARANCE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110006

CALL ORDER: 120
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: CLEVELAND

PROJECT(S) : PCN
STPG-114F(279)AG 2779604
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$3.25
45 CALENDAR DAYS
RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
STRIPING AND PAVEMENT MARKING
CITY STREETS: AT VARIOUS LOCATIONS IN THE CITY OF NORMAN.

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	65779.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1120.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	1005.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	60.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	18.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	13.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	136789.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	3748.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	4229.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	180.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	218740.000	LF
857(F) 8007	PAVEMENT MARKING REMOVAL(ARROWS)	178.000	EA
857(F) 8008	PAVEMENT MARKING REMOVAL(WORDS)	64.000	EA
857(F) 8009	PAVEMENT MARKING REMOVAL(SYMBOLS)	8.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110179

CALL ORDER: 140
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ELLIS

PROJECT(S) : PCN
 BRF-123C(055)CI 2433904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.17
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-056): OVER A TRIBUTARY OF LONG CREEK, 5.75
 MI WEST OF THE US-283 JUNCTION.
 PROJECT LENGTH = 0.207 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1200.000	LF
230(A) 2806	SOLID SLAB SODDING	7650.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.580	AC
303 5912	AGGREGATE BASE	908.000	TON
407 0250	TACK COAT	274.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	292.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	289.000	TON
509(D) 0325	CLASS C CONCRETE	127.000	CY
613(CC) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	56.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	104.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	118.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	231.000	LF
506(A) 1322	STRUCTURAL STEEL	1620.000	LB
509(A) 1326	CLASS AA CONCRETE	58.300	CY
509(B) 1328	CLASS A CONCRETE	78.840	CY
511(A) 1332	REINFORCING STEEL	23044.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	320.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1120.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	320.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1120.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	700.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	170.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110179****SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110180

CALL ORDER: 160
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: ELLIS

PROJECT(S) : PCN
STPY-123C(079) 2809104
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
20 CALENDAR DAYS
RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
PAVEMENT REHABILITATION (ASPHALT)
SH-46: FROM 0.04 MILES NORTH OF THE SH-15 JUNCTION, EXTEND
NORTH.
PROJECT LENGTH = 0.24 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407(B) 0250	TACK COAT	685.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	640.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	25.000	TON
412 5267	COLD MILLING PAVEMENT	5720.000	SY
619(C) 0924	SAWING PAVEMENT	250.000	LF

SECTION 0002 - TRAFFIC

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	2890.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110182

CALL ORDER: 180
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: GRADY

PROJECT(S) : PCN
MC-126N(191) 2840804
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
10 CALENDAR DAYS
RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
BRIDGE REPAIR
US-81: OVER UNION PACIFIC RAILROAD, 0.50 MILES NORTH OF
THE SH-37W JUNCTION.

SECTION 0001 - BRIDGE 'A'

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0002 - TRAFFIC

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	10.000	SD

SECTION 0003 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110185

CALL ORDER: 200
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: JEFFERSON

PROJECT(S) : PCN
STPY-134C(085) 2809304
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
30 CALENDAR DAYS
RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-5: FROM 4TH STREET IN HASTINGS, EXTEND SOUTH THEN EAST.
PROJECT LENGTH = 1.25 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	1618.000	TON
412 5267	COLD MILLING PAVEMENT	4310.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	22014.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110188

CALL ORDER: 240
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: KINGFISHER
 CANADIAN

PROJECT(S) : PCN
 STPY-137A(097) 2808804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 US-81: FROM 0.36 MILES SOUTH OF THE CANADIAN COUNTY LINE,
 EXTEND NORTH.
 PROJECT LENGTH = 0.47 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1800.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	50.000	TON
412 5267	COLD MILLING PAVEMENT	16000.000	SY
612(A) 0641	MANHOLES ADJUST TO GRADE	1.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	1.000	EA

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
828(B) 8136	LOOP DETECTOR WIRE	4000.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	2000.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6000.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	1500.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	400.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	8.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110190

CALL ORDER: 260
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: LEFLORE

PROJECT(S) : PCN
STPY-140C(209) 2808504
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
45 CALENDAR DAYS
RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
US-271: FROM THE SH-63 JUNCTION, EXTEND NORTH.
PROJECT LENGTH = 0.57 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(D) 5965	SUPERPAVE, TYPE S5(PG 76-28 OK)	747.000	TON
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110212

CALL ORDER: 280
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCCURTAIN

PROJECT(S) : PCN
 HSIPY-145A(194)TR 2838504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$3.79
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION**SCHOOL ZONE**

SH-3: FROM JUST EAST OF THE US-259 JUNCTION, EXTEND EAST IN
 THE CITY OF IDABEL.

PROJECT LENGTH = 0.36 MILES

SECTION 0001 - TRAFFIC - SCHOOL ZONE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	300.000	LF
803(A) 8067	PULL BOX(SIZE III)	2.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8044	1/C NO.10 ELECT.COND.	600.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
836 8425	REGULATORY OR WARNING SIGN ASSEMBLY	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	26.000	SF
851(C) 8324	2" SQUARE TUBE POST	26.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	96.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110192

CALL ORDER: 300
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: MURRAY

PROJECT(S) : PCN
MC-150C(089) 2809004
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
30 CALENDAR DAYS
RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-7: FROM 0.40 MILES WEST OF THE US-177 JUNCTION, EXTEND
EAST.
PROJECT LENGTH = 0.40 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
409(A) 4242	FABRIC REINFORCEMENT	8303.000	SY
409(B) 4268	BITUMINOUS BINDER	2075.000	GAL
411(D) 5970	SUPERPAVE, TYPE S5(PG 70-28 OK)	950.000	TON
412 5267	COLD MILLING PAVEMENT	10517.000	SY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	3570.000	SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	325.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	1.000	EA
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	262.000	LF
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	9850.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110103

CALL ORDER: 320
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MUSKOGEE

PROJECT(S) : PCN
 SBR-151A(229)SB 2799404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$59.61
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-62: OVER THE MK&T RAILROAD, 3.2 MILES EAST OF THE US-69
 JUNCTION.

SECTION 0001 - ROADWAY BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	266.000	TON
412 5267	COLD MILLING PAVEMENT	845.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	200.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	300.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	36.700	CY
501(G) 6309	CLSM BACKFILL	12.000	CY
504(A) 1304	APPROACH SLAB	326.800	SY
504(B) 1305	SAW-CUT GROOVING	1546.000	SY
504(C) 6250	SEALED EXPANSION JOINT	138.000	LF
504(E) 6190	42" F-SHAPED PARAPET	927.700	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(A) 1326	CLASS AA CONCRETE	327.200	CY
509(D) 1331	CLASS C CONCRETE	36.700	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	107462.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	414.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	114.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.800	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	17.200	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	139.500	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	15.500	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	18.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
542 4600	(PL)INSTALLATION OF BRIDGE ITEMS	1.000	LSUM
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110103

SECTION 0003 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	22.600	CY
501(G) 6309	CLSM BACKFILL	12.000	CY
504(C) 6250	SEALED EXPANSION JOINT	225.400	LF
504(E) 1381	CONCRETE PARAPET	70.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	247.200	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(D) 1331	CLASS C CONCRETE	45.300	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	5960.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
513(A) 6018	CLASS A BRIDGE DECK REPAIR	37.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	37.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	165.200	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	43.200	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	65.100	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	1776.200	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	350.300	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	39.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	64.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	5.000	EA

SECTION 0004 - TRAFFIC CONTROL BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	8565.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3480.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	120.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	1150.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARR	1150.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	960.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	780.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2400.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1500.000	SD
880(D) 8854	VERTICAL PANELS	3120.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1680.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	3600.000	SD
880(F) 8878	DRUMS	6240.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0005 - TRAFFIC CONTROL BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	5240.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110103

SECTION 0005 - TRAFFIC CONTROL BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2650.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	120.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	840.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARR	840.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	840.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	480.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2400.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	960.000	SD
880(D) 8854	VERTICAL PANELS	1920.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1680.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	2580.000	SD
880(F) 8878	DRUMS	3540.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0006 - TRAFFIC SIGNING AND STRIPING BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8485.000	LF

SECTION 0007 - TRAFFIC SIGNING AND STRIPING BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5230.000	LF

SECTION 0008 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0009 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110193

CALL ORDER: 340
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCINTOSH
 MUSKOGEE

PROJECT(S) : PCN
 STPY-151C(231) 2807804
 STPY-151C(232) 2807904
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 45 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)
 SH-72: FROM 0.13 MI SOUTH OF THE MUSKOGEE C/L, EXTEND NORTH.
 US-62: FROM 6.13 MI NORTH OF THE MCINTOSH C/L, EXTEND NORTH.
 PROJECT LENGTH = 1.60 MILES

SECTION 0001 - ROADWAY - STPY-151C(231)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	700.000	CY
230(A) 2806	SOLID SLAB SODDING	2000.000	SY
407(B) 0250	TACK COAT	900.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1885.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	80.000	TON
412 5267	COLD MILLING PAVEMENT	2500.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15000.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	300.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY - STPY-151C(232)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	200.000	CY
230(A) 2806	SOLID SLAB SODDING	1300.000	SY
402(F) 7047	TRAFFIC BOUND SURFACE COURSE TYPE F	250.000	TON
407(B) 0250	TACK COAT	1300.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2000.000	TON
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	380.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	60.000	TON
412 5267	COLD MILLING PAVEMENT	7135.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	18000.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	220.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110196

CALL ORDER: 360
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: NOWATA

PROJECT(S) : PCN
STPY-153A(195) 2809404
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
30 CALENDAR DAYS
RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
US-60: FROM PINE STREET IN THE CITY OF NOWATA, EXTEND EAST.
PROJECT LENGTH = 0.5 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	2630.000	TON
412 5267	COLD MILLING PAVEMENT	18000.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5500.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110114

CALL ORDER: 370
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: OKLAHOMA

PROJECT(S) : PCN
SBR-155N(786)SB 2488305
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$9.75
45 CALENDAR DAYS
RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
BRIDGE REHABILITATION
I-44: OVER SH-3A (BELLE ISLE BRIDGE), 5.7 MILES NORTHEAST OF
THE I-40 JUNCTION IN OKLAHOMA CITY.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
521(A) 6210	PNEUMATICALLY PLACED MORTAR	495.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	4209.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	491.000	SY

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
521(A) 6210	PNEUMATICALLY PLACED MORTAR	301.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	4425.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	540.000	SY

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110198

CALL ORDER: 380
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: OSAGE

PROJECT(S) : PCN
STPY-157B(175) 2809204
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
30 CALENDAR DAYS
RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-18: FROM 4.21 MILES NORTH OF THE SH-20 JUNCTION, EXTEND
NORTH.
PROJECT LENGTH = 0.96 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1171.000	TON
412 5267	COLD MILLING PAVEMENT	13516.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5000.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110201

CALL ORDER: 440
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: OTTAWA

PROJECT(S) : PCN
STPY-158A(186) 2809604
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
30 CALENDAR DAYS
RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
US-69: FROM 1.0 MILE NORTHEAST OF THE US-59 JUNCTION, EXTEND
EAST IN THE CITY OF MIAMI.
PROJECT LENGTH = 0.282 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1180.000	TON
412 5267	COLD MILLING PAVEMENT	9477.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5280.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110227

CALL ORDER: 460
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: OSAGE
PAWNEE

PROJECT(S) : PCN
MC-159B(109) 2849404
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
20 CALENDAR DAYS
RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
BRIDGE IMPROVEMENT
SH-18: DRIFT REMOVAL ON THE ARKANSAS RIVER AT THE
PAWNEE/OSAGE COUNTY LINE.
PROJECT LENGTH = 0.28 MILES

SECTION 0001 - BRIDGE

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
201 6215	(PL)REMOVE DRIFT AND SILT	1.000	LSUM

SECTION 0002 - TRAFFIC CONTROL

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110177

CALL ORDER:	480	<u>PROJECT(S) :</u>	<u>PCN</u>
LETTING DATE:	March 17, 2011	STPY-160B(166)	2033106
LETTING TIME:	10:30 A.M.	STPY-160B(171)	2033108
COUNTIES:	PAYNE	DBE GOALS : 0.00	
		GUARANTY : 5% OF BID TOTAL	
		PLAN PRICE : \$149.56	
		300 CALENDAR DAYS	
		RES. ENG.: DIVISION 4 (PERRY)	

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 SH-33: FROM THE NEW ALIGNMENT OVER THE CIMARRON RIVER,
 EXTEND EAST.
 PROJECT LENGTH = 7.209 MILES

SECTION 0001 - ROADWAY - STPY-160B(166)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	31729.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2000.000	CY
203 7116	TEST ROLLING	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	500.000	LF
227 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	33500.000	SY
233(A) 2817	VEGETATIVE MULCHING	7.000	AC
241 2832	MOWING	14.000	AC
317(F) 4270	(SP)CEMENT TREATED BASE	71640.000	SY
327(K) 4300	(SP)STABILIZED SUBGRADE	75106.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2713.000	TON
407 0250	TACK COAT	1242.000	GAL
408 5774	PRIME COAT	18430.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	4180.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1376.000	TON
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	21643.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	47383.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	17258.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	104.000	CY
509(A) 0319	CLASS AA CONCRETE	281.000	CY
509(D) 0325	CLASS C CONCRETE	500.000	CY
511(A) 0332	REINFORCING STEEL	45447.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	5000.000	TON
610(B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	210.000	SY
611(E) 6002	INLET (SMD-TYPE 2)	1.000	EA
613(B) 4495	22" X 13" R.C.PIPES ARCH CLASS A-III	42.000	LF
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110177

SECTION 0001 - ROADWAY - STPY-160B(166)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	32.000	EA
613(D) 0688	12" CORR. GALV. STEEL PIPE	44.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	1188.000	LF
613(D) 4533	64" X 43" CORR. GALV. STEEL PIPE ARCH	41.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	180.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	40284.000	SY
619(C) 0924	SAWING PAVEMENT	300.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	6.000	EA

SECTION 0002 - TRAFFIC CONTROL - STPY-160B(166)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - TRAFFIC - SIGNING AND STRIPING - STPY-160B(166)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	1730.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	122.000	SF
851(C) 8324	2" SQUARE TUBE POST	287.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	64814.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	400.000	LF
880(C) 8845	BARRICADES(TYPE III)	21.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA

SECTION 0004 - CONSTRUCTION - STPY-160B(166)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0005 - STAKING - STPY-160B(166)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0006 - ROADWAY - STPY-160B(171)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	35961.000	CY
202(C) 0184	UNCLASSIFIED BORROW	2000.000	CY
203 7116	TEST ROLLING	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	470.000	LF
227 0100	TEMPORARY SILT DIKE	160.000	LF
230(A) 2806	SOLID SLAB SODDING	14500.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
241 2832	MOWING	6.000	AC
317(F) 4270	(SP)CEMENT TREATED BASE	97594.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110177

SECTION 0006 - ROADWAY - STPY-160B(171)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
327(K) 4300	(SP)STABILIZED SUBGRADE	102823.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3532.000	TON
407 0250	TACK COAT	382.000	GAL
408 5774	PRIME COAT	22360.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	79.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1203.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	53.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	440.000	TON
414(A) 0210	(SP)P.C.CONCRETE PAVEMENT(PLACEMENT)	28768.000	SY
414(A1) 5725	(SP)DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	64067.000	SY
414(P) 6000	(SP)P.C. CONCRETE FOR PAVEMENT	23209.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	467.000	CY
509(A) 0319	CLASS AA CONCRETE	1159.000	CY
509(D) 0325	CLASS C CONCRETE	50.000	CY
511(A) 0332	REINFORCING STEEL	180744.000	LB
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	38.000	EA
613(D) 0688	12" CORR. GALV. STEEL PIPE	88.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	1306.000	LF
613(D) 0695	54" CORR. GALV. STEEL PIPE	42.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	150.000	LF
613(Q) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	50.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	61748.000	SY
619(C) 0924	SAWING PAVEMENT	1000.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	975.000	LF
623(E) 7114	THREE BEAM BRIDGE CONNECTION-TYPE A	8.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
653(C) 5946	OUTLET LATERAL HEADWALL	6.000	EA

SECTION 0007 - BRIDGE 'A' - STPY-160B(171)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	353.400	SY
504(F) 6190	42" F-SHAPED PARAPET	120.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	60.000	SY
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0008 - BRIDGE 'B' - STPY-160B(171)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	300.000	SY
504(F) 6190	42" F-SHAPED PARAPET	120.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	60.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110177

SECTION 0009 - TRAFFIC - STPY-160B(171)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	76.000	SF
851(C) 8324	2" SQUARE TUBE POST	181.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	97364.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	7650.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA

SECTION 0010 - CONSTRUCTION - STPY-160B(171)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110209

CALL ORDER: 500
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ROGERS

PROJECT(S) : PCN
 SSP-166C(130)SS 2089904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$72.61
 180 CALENDAR DAYS
 TIME 'B' BID - \$ 5000 / DAY
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-66: SOUTHBOUND OVER BIRD CREEK, AND ROAD UNDER 3.68 MILES
 NORTHEAST OF THE I-44 JCT.
 PROJECT LENGTH = 0.220 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	9943.000	CY
202(D) 0184	UNCLASSIFIED BORROW	6737.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2087.000	LF
221(F) 0100	TEMPORARY SILT DIKE	140.000	LF
230(A) 2806	SOLID SLAB SODDING	3185.000	SY
232(B) 2814	SEEDING METHOD B	0.660	AC
233(A) 2817	VEGETATIVE MULCHING	1.320	AC
241 2832	MOWING	1.320	AC
303(A) 2100	AGGREGATE BASE TYPE A	459.000	CY
307(A) 4200	FLY ASH	96.000	TON
307(D) 4230	LIME	30.000	TON
307(F) 4250	CEMENTITIOUS MODIFIED SUBGRADE	1007.000	SY
307(G) 4260	LIME PRETREATMENT	1030.000	SY
307(J) 4290	MODIFIED SUBGRADE	2941.000	SY
317 4270	CEMENT TREATED BASE	1852.000	SY
325 5271	SEPARATOR FABRIC	6261.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	503.000	TON
407(B) 0250	TACK COAT	182.000	GAL
408 5774	PRIME COAT	1278.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	645.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	113.000	TON
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	834.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	529.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	1146.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	349.000	CY
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	6313.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110209

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	835.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	1271.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	7.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	1612.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1325.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	5.000	EA
625(D) 1254	REMOVE AND RECONSTRUCT GUARDRAIL	775.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	2085.000	CY
501(F) 6352	GRANULAR BACKFILL	1080.000	CY
501(G) 6309	CLSM BACKFILL	170.000	CY
504(A) 1304	APPROACH SLAB	274.000	SY
504(B) 1305	SAW-CUT GROOVING	3259.000	SY
504(C) 6250	SEALED EXPANSION JOINT	123.000	LF
504(E) 6190	42" F-SHAPED PARAPET	1543.300	LF
506(A) 1322	STRUCTURAL STEEL	920000.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	40.000	EA
509(A) 1326	CLASS AA CONCRETE	823.500	CY
509(B) 1328	CLASS A CONCRETE	463.100	CY
510(A) 6334	RETAINING WALL	2100.000	SY
510(C) 6138	SLOPE WALL (5")	946.000	SY
511(A) 1332	REINFORCING STEEL	3374.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	260160.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	3274.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1065.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	3274.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1065.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2091.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	554.000	LF
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	250.000	LF
523(A) 6550	SEALER CRACK PREPARATION	123.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	684.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	84.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110209

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	32.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	21640.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	1200.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	600.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5700.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	24300.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	6300.000	SD
880(C) 8848	WING BARRICADES	1200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	8700.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	15000.000	SD
880(F) 8878	DRUMS	18000.000	SD
880(G) 8890	CHANNELIZER CONES	39000.000	SD
880(G) 8900	TUBE CHANNELIZERS	40.000	EA
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	600.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110228

CALL ORDER: 520
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: STEPHENS

PROJECT(S) : PCN
 BRO-169D(169)CI 2684704
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-277): OVER A TRIBUTARY OF LITTLE BEAVER
 CREEK 0.30 MILES SOUTH OF THE GRADY COUNTY LINE.
 PROJECT LENGTH = 0.283 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3000.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	500.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	10.000	CY
230(A) 2806	SOLID SLAB SODDING	19900.000	SY
233(A) 2817	VEGETATIVE MULCHING	8.200	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1371.000	TON
408 5774	PRIME COAT	990.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 4515	51" X 31" R.C.P.I.PE ARCH CLASS A-IV	32.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	98.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	6.000	EA
613(O) 4816	SP. END SECTION OF 51" X 31" RCP ARCH	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(F) 6352	GRANULAR BACKFILL	102.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	314.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	291.300	LF
506(A) 1322	STRUCTURAL STEEL	420.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	86.100	CY
509(B) 1328	CLASS A CONCRETE	80.200	CY
511(A) 1332	REINFORCING STEEL	33510.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	124.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	364.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	124.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110228****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(B) 6294	PILES, DRIVEN (HP 12X53)	364.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	2600.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	715.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	62.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110204

CALL ORDER: 540
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 IMY-NBIP(436) 2190104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$84.53
 240 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE PAINTING AND REHABILITATION
 I-244: AT MULTIPLE LOCATIONS IN THE CITY OF TULSA.

SECTION 0001 - NBI 18357, BRIDGE NO. 3

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6315	CLSM BACKFILL	24.000	CY
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.400	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	10.000	SY

SECTION 0002 - NBI 17608, BRIDGE NO. 53

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
521(A) 6210	PNEUMATICALLY PLACED MORTAR	14.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	3658.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	421.000	SY

SECTION 0003 - NBI 18277, BRIDGE NO. 51

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
521(A) 6210	PNEUMATICALLY PLACED MORTAR	15.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	15.000	SY

SECTION 0004 - NBI 18042, BRIDGE NO. 49W

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	527.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	59.000	SY

SECTION 0005 - NBI 18082, BRIDGE NO. 48

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	7.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	7.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110204

SECTION 0006 - NBI 18079, BRIDGE NO. 47

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	9.000	CY
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	6.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	6.000	SY

SECTION 0007 - NBI 18062, BRIDGE NO. 44

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0008 - NBI 18060, BRIDGE NO. 39

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	1.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	1.000	SY

SECTION 0009 - NBI 18059, BRIDGE NO. 37

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	2.000	CY
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	21.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	509.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	75.000	SY

SECTION 0010 - NBI 18020, BRIDGE NO. 36W

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	10.000	SY

SECTION 0011 - NBI 18021, BRIDGE NO. 35W

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	4.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	4.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110204

SECTION 0012 - NBI 18022, BRIDGE NO. 34W

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	7.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	7.000	SY

SECTION 0013 - NBI 18023, BRIDGE NO. 31

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	8.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	8.000	SY

SECTION 0014 - NBI 18024, BRIDGE NO. 29

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	2.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	2.000	SY

SECTION 0015 - NBI 18028, BRIDGE NO. 27

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(B) 1328	CLASS A CONCRETE	16.600	CY
511(A) 1332	REINFORCING STEEL	965.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	4.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	4.000	SY
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	6.000	EA

SECTION 0016 - NBI 18031, BRIDGE NO. 25

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	3.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	3.000	SY

SECTION 0017 - NBI 18075, BRIDGE NO. 23

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	3.000	CY
506(A) 1322	STRUCTURAL STEEL	500.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110204

SECTION 0017 - NBI 18075, BRIDGE NO. 23

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	3.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	3.000	SY

SECTION 0018 - NBI 18146, BRIDGE NO. 20

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(B) 1328	CLASS A CONCRETE	170.700	CY
511(A) 1332	REINFORCING STEEL	39497.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
520(C) 6060	EPOXY RESIN, ABOVE WATER	5.600	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	6.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	203.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	925.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1832.000	EA

SECTION 0019 - NBI 18058, BRIDGE NO. 18

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	5.000	SY

SECTION 0020 - NBI 18064, BRIDGE NO. 17

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	4.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	4.000	SY

SECTION 0021 - NBI 18351, BRIDGE NO. 4

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.600	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	3.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	1518.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	172.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110204

SECTION 0022 - NBI 17607, BRIDGE NO. 52

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(B) 1328	CLASS A CONCRETE	46.800	CY
511(A) 1332	REINFORCING STEEL	6711.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
520(C) 6060	EPOXY RESIN, ABOVE WATER	4.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	21.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	2715.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	467.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	732.000	EA

SECTION 0023 - NBI 18276, BRIDGE NO. 50

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
521(A) 6210	PNEUMATICALLY PLACED MORTAR	18.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	18.000	SY

SECTION 0024 - NBI 18042, BRIDGE NO. 49E

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	2.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	527.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	61.000	SY

SECTION 0025 - NBI 18067, BRIDGE NO. 46

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	70.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	8.000	SY

SECTION 0026 - NBI 18089, BRIDGE NO. 45

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	28.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	1337.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	177.000	SY

SECTION 0027 - NBI 18054, BRIDGE NO. 43

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110204

SECTION 0027 - NBI 18054, BRIDGE NO. 43

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	9.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	572.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	73.000	SY

SECTION 0028 - NBI 18127, BRIDGE NO. 41

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	5.000	SY

SECTION 0029 - NBI 18062, BRIDGE NO. 40

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	3.000	CY
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(B) 1328	CLASS A CONCRETE	9.200	CY
511(A) 1332	REINFORCING STEEL	2274.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	6.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	35.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	200.000	EA

SECTION 0030 - NBI 18068, BRIDGE NO. 38

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(B) 1328	CLASS A CONCRETE	11.200	CY
511(A) 1332	REINFORCING STEEL	3071.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	3.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	785.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	126.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	246.000	EA

SECTION 0031 - NBI 18020, BRIDGE NO. 36E

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	10.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110204

SECTION 0032 - NBI 18021, BRIDGE NO. 35E

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	6.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	6.000	SY

SECTION 0033 - NBI 18022, BRIDGE NO. 34E

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	10.000	SY

SECTION 0034 - NBI 18026, BRIDGE NO. 33

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	3.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	3.000	SY

SECTION 0035 - NBI 18025, BRIDGE NO. 32

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	2.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	2.000	SY

SECTION 0036 - NBI 18027, BRIDGE NO. 30

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	2.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	2.000	SY

SECTION 0037 - NBI 18029, BRIDGE NO. 28

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	5.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110204

SECTION 0038 - NBI 18032, BRIDGE NO. 26

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	5.000	SY

SECTION 0039 - NBI 18102, BRIDGE NO. 24

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	1.500	CY
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	3.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	531.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	62.000	SY

SECTION 0040 - NBI 18356, BRIDGE NO. 22

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	42.700	CY
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(B) 1328	CLASS A CONCRETE	4.900	CY
511(A) 1332	REINFORCING STEEL	570.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.100	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	8.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	2577.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	321.000	SY

SECTION 0041 - NBI 18353, BRIDGE NO. 21

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.700	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	6.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	6.000	SY

SECTION 0042 - NBI 18145, BRIDGE NO. 19

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(B) 1328	CLASS A CONCRETE	110.400	CY
511(A) 1332	REINFORCING STEEL	30138.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110204****SECTION 0042 - NBI 18145, BRIDGE NO. 19**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.900	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	38.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	811.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	849.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1022.000	EA

SECTION 0043 - NBI 18113, BRIDGE NO. 16

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
521(A) 6210	PNEUMATICALLY PLACED MORTAR	46.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	46.000	SY

SECTION 0044 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0045 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110152

CALL ORDER:	560	PROJECT(S) :	<u>PCN</u>
LETTING DATE:	March 17, 2011	SBR-172N(517)SB	2763404
LETTING TIME:	10:30 A.M.	DBE GOALS : 0.00	
COUNTIES:	TULSA	GUARANTY : 5% OF BID TOTAL	
		PLAN PRICE : \$19.51	
		45 CALENDAR DAYS	
		RES. ENG.: DIVISION 8 (TULSA)	

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-75: OVER NICKLE CREEK 1.9 MILES NORTH OF SH-117 IN THE
 CITY OF JENKS.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	591.000	LF
407(B) 0250	TACK COAT	333.000	GAL
408 5774	PRIME COAT	42.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	189.000	TON
412 5267	COLD MILLING PAVEMENT	889.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	197.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	591.000	LF
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	571.000	LF
627(B) 4410	CONCRETE LONGITUDINAL BARRIER END SEC. 1	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	69.000	CY
504(A) 1304	APPROACH SLAB	143.000	SY
504(B) 1305	SAW-CUT GROOVING	608.000	SY
504(C) 6250	SEALED EXPANSION JOINT	58.000	LF
504(E) 6190	42" F-SHAPED PARAPET	343.000	LF
506(A) 1322	STRUCTURAL STEEL	3700.000	LB
509(A) 1326	CLASS AA CONCRETE	205.700	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	30790.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	162.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	800.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	800.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	600.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	45.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	800.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110152****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110207

CALL ORDER: 580
 LETTING DATE: March 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 SAP-172A(511) 2792104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$75.86
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 SH-20: NEW ALIGNMENT FROM 22ND STREET, EXTEND EAST TO 14TH
 STREET IN THE CITY OF COLLINSVILLE.
 PROJECT LENGTH = 0.634 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	14730.500	CY
202(D) 0184	UNCLASSIFIED BORROW	3630.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	450.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	17.000	EA
230(A) 2806	SOLID SLAB SODDING	15676.600	SY
303(A) 2100	AGGREGATE BASE TYPE A	6871.600	CY
325 5271	SEPARATOR FABRIC	27486.200	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	572.000	TON
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	7798.500	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	3968.900	TON
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	39.500	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	4794.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	36.250	TON
609(B) 0384	COMBINED CURB & GUTTER(8" BARRIER)	6949.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	2294.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	1168.600	SY
611(A) 2658	MANHOLE (5' DIA.)	1.000	EA
611(A) 2659	MANHOLE (6' DIA.)	1.000	EA
611(A) 2661	MANHOLE (8' DIA.)	3.000	EA
611(C) 4215	REPLACEMENT OF MANHOLE FRAME & COVER	10.000	EA
611(G) 5112	INLET CI DES. 2 (STD)	1.000	EA
611(G) 5113	INLET CI DES. 2 (B)	1.000	EA
611(G) 5115	INLET CI DES. 2 (D)	4.000	EA
611(G) 5116	INLET CI DES. 2 (2C)	2.000	EA
611(G) 5117	INLET CI DES. 2 (2B)	2.000	EA
611(G) 5119	INLET CI DES. 2 (2D)	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110207

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(G) 5327	INLET GPI TYPE 1 (DES. 1)	3.000	EA
611(G) 5329	INLET GPI TYPE 1 (DES. 3)	1.000	EA
611(G) 5336	INLET GPI TYPE 2 (DES. 10)	1.000	EA
611(G) 5974	INLET W/SMALL JCT. BOX, CI, DES.2(D)	5.000	EA
611(G) 5980	INLET W/SMALL JCT. BOX, CI, DES.2(2D)	1.000	EA
611(G) 5992	INLET W/SMALL JCT. BOX, CI, DES.3(2D)	1.000	EA
611(I) 4488	RPLC INLT FRM&GRT(SSIF-FRM,CIG-GRT-VG-F)	38.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	2.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	1588.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	300.000	LF
613(A) 0493	30" R.C.PIPES CLASS III	353.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	312.000	LF
613(A) 0496	48" R.C.PIPES CLASS III	122.000	LF
613(O) 4373	SP. END SECTION OF 18" RCP ROUND	1.000	EA
613(O) 4379	SP. END SECTION OF 36" RCP ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	9668.000	SY
619(B) 6118	REMOVAL OF PAVING BRICK ROADWAY	2620.000	SY
619(C) 0924	SAWING PAVEMENT	613.000	LF
626(A) 1257	MONUMENTS	1.000	EA

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	2000.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	2000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3060.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6120.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3600.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	5580.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	14760.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	2520.000	SD
880(F) 8878	DRUMS	2520.000	SD
880(G) 8890	CHANNELIZER CONES	22320.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0003 - SIGNING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	197.290	SF
851(C) 8321	1 3/4" SQUARE TUBE POST	390.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	10106.800	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	7.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110207****SECTION 0004 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110229

CALL ORDER: 600	PROJECT(S) : PCN
LETTING DATE: March 17, 2011	MC-172N(529) 2847704
LETTING TIME: 10:30 A.M.	
COUNTIES: TULSA	DBE GOALS : 0.00
	GUARANTY : 5% OF BID TOTAL
	PLAN PRICE : \$19.51
	45 CALENDAR DAYS
	RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE REPAIR
 US-75/SH-51: US-75 OVER APACHE AVE. AND UNDER 36TH ST.,
 AND SH-51 UNDER 161ST STREET.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
521(A) 6210	PNEUMATICALLY PLACED MORTAR	18.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	225.800	SF

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
521(A) 6210	PNEUMATICALLY PLACED MORTAR	18.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	225.800	SF

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	3.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	112.000	LF
509 6386	SILICONE CONSTRUCTION JOINT	264.000	LF
521(A) 6210	PNEUMATICALLY PLACED MORTAR	8.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	131.900	SF

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	112.000	LF
509 6386	SILICONE CONSTRUCTION JOINT	264.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	2.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	447.100	SF

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	15.000	SF

SECTION 0006 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	25.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	275.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110229****SECTION 0006 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	360.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110208

CALL ORDER: 620
LETTING DATE: March 17, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: WAGONER

PROJECT(S) : PCN
STPY-173C(173) 2808104

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
30 CALENDAR DAYS
RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-51B: FROM 8TH STREET IN THE TOWN OF PORTER, EXTEND EAST
THEN SOUTH.
PROJECT LENGTH = 0.79 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407(B) 0250	TACK COAT	1300.000	GAL
411(E) 5990	SUPERPAVE, TYPE S6(PG 64-22 OK)	900.000	TON
412 5267	COLD MILLING PAVEMENT	6010.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	18200.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	430.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	10.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – March 17, 2011 AM

Date:	Order Taken by:	
Contractor's Id No.:	No. Of Proposal(s):	
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail	
Contractor's Name:		
Telephone No:		
Physical Address:		Please Return Completed Form to:
		Fax # 405-522-0972 or
		Email mjunsay@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	BECKHAM	040	STPY-105C(196)	28087(04)		\$50.00	No Charge	0
2	CARTER	060	MC-110C(231)	28095(04)		\$50.00	No Charge	0
3	CARTER	080	HSIPY-110B(237)TR	28386(04)		\$50.00	3.50 + 0.29	0
4	CLEVELAND	100	STPY-114C(296)RW	20997(16)		\$50.00	No Charge	0
5	CLEVELAND	120	STPG-114F(279)AG	27796(04)		\$50.00	3.00 + 0.25	0
6	ELLIS	140	BRF-123C(055)CI	24339(04)		\$50.00	14.00 + 1.17	5
7	ELLIS	160	STPY-123C(079)	28091(04)		\$50.00	No Charge	0
8	GRADY	180	MC-126N(191)	28408(04)		\$50.00	No Charge	0
9	JEFFERSON	200	STPY-134C(085)	28093(04)		\$50.00	No Charge	0
10	CANADIAN / KINGFISHER	240	STPY-137A(097)	28088(04)		\$50.00	No Charge	0
11	LEFLORE	260	STPY-140C(209)	28085(04)		\$50.00	No Charge	0
12	MCCURTAIN	280	HSIPY-145A(194)TR	28385(04)		\$50.00	3.50 + 0.29	0
13	MURRAY	300	MC-150C(089)	28090(04)		\$50.00	No Charge	0
14	MUSKOGEE	320	SBR-151A(229)SB	27994(04)		\$50.00	55.00 + 4.61	0
15	MCINTOSH / MUSKOGEE	340	STPY-151C(231) STPY-151C(232)	28078(04) 28079(04)		\$50.00	No Charge	0
16	NOWATA	360	STPY-153A(195)	28094(04)		\$50.00	No Charge	0
17	OKLAHOMA	370	SBR-155N(786)SB	24883(05)		\$50.00	9.00 + 0.75	0
18	OSAGE	380	STPY-157B(175)	28092(04)		\$50.00	No Charge	0
19	OTTAWA	440	STPY-158A(186)	28096(04)		\$50.00	No Charge	0
20	OSAGE / PAWNEE	460	MC-159B(109)	28494(04)		\$50.00	No Charge	0
21	PAYNE	480	STPY-160B(166) STPY-160B(171)	20331(06) 20331(08)		\$50.00	138.00 + 11.56	82
22	ROGERS	500	SSP-166C(130)SS	20899(04)		\$50.00	67.00 + 5.61	27
23	STEPHENS	520	BRO-169D(169)CI	26847(04)		\$50.00	10.00 + 0.84	7
24	TULSA	540	IMY-NBIP(436)	21901(04)		\$50.00	78.00 + 6.53	0
25	TULSA	560	SBR-172N(517)SB	27634(04)		\$50.00	18.00 + 1.51	0
26	TULSA	580	SAP-172A(511)	27921(04)		\$50.00	70.00 + 5.86	13
27	TULSA	600	MC-172N(529)	28477(04)		\$50.00	18.00 + 1.51	0
28	WAGONER	620	STPY-173C(173)	28081(04)		\$50.00	No Charge	0