

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO **DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.9a)** AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the April 14, 2011 10:30 A.M. Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on March 24, 2011.

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on April 01, 2011 concerning this April 14 Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Important:

Effective with January 2011 Bid Opening, all bids for projects requiring pre-qualification will be submitted via Bid Express. Exceptions to this new policy will be discussed with the Office Engineer on a case-by-case basis, and noted on the Short and Long Form Notices

Effective with the June 2009 Letting, any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:

Office Engineer Division at 405-522-0972

or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

*Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2009/plans.htm>*

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo/pcf2005.htm>

Reminder

Please be sure that bid bonds are stapled to the back of the proposal as instructed on the cover sheet of all proposals.

Do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mjunsay@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby.

The scheduled bid opening is 10:30 A.M., April 14, 2011 , for the work listed below. No proposal for construction or maintenance work of the Department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal..

Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation building, 200 N.E. 21st street, Oklahoma City, Oklahoma 73105. Cost of bidding documents is \$50.00 + tax for each bidding proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No Refunds will be made for Bidding Documents or Specification Books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete its execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, its recipients, sub-recipients, and contractors.

Description of work and location of Project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110230

CALL ORDER: 020
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ADAIR
 HASKELL
 CHEROKEE

PROJECT(S) : PCN
 BRFY-101C(097) 2310508
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$16.26
 20 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE WATER PROOF SEAL
 US-59/SH-31/SH-82: AT VARIOUS LOCATIONS IN DIVISION I.

SECTION 0001 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2592.000	SY
523(A) 6550	SEALER CRACK PREPARATION	150.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

SECTION 0002 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2592.000	SY
523(A) 6550	SEALER CRACK PREPARATION	150.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

SECTION 0003 - BRIDGE "C"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	792.000	SY
523(A) 6550	SEALER CRACK PREPARATION	193.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL

SECTION 0004 - BRIDGE "D"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	806.000	SY
523(A) 6550	SEALER CRACK PREPARATION	158.000	LF
523(B) 6560	SEALER RESIN	1.100	GAL

SECTION 0005 - BRIDGE "E"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1502.000	SY
523(A) 6550	SEALER CRACK PREPARATION	150.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

SECTION 0006 - BRIDGE "F"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1103.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110230****SECTION 0007 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	24.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	32.000	SD

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110232

CALL ORDER: 060
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CADDO

PROJECT(S) : PCN
 CIRB-108C(282)RB 2742404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$33.60
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (EW-131): FROM 3.2 MILES EAST OF THE SH-146 JCT,
 EXTEND EAST.
 PROJECT LENGTH = 1.717 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	227.000	CY
202(C) 0182	ROCK EXCAVATION	7760.000	CY
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	5100.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1870.000	LF
230(A) 2806	SOLID SLAB SODDING	71800.000	SY
233(A) 2817	VEGETATIVE MULCHING	29.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	5420.000	CY
311(B) 0152	PROCESS EXISTING BASE & SURFACE,METHOD B	9066.000	LF
325 5271	SEPARATOR FABRIC	35260.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	166.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2640.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2620.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	14.000	CY
509(B) 0321	CLASS A CONCRETE	49.500	CY
509(D) 0325	CLASS C CONCRETE	21.600	CY
511(A) 0332	REINFORCING STEEL	7228.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	4851.000	TON
611(G) 5334	INLET GPI TYPE 2 (DES. 8)	1.000	EA
613(A) 0492	24" R.C.PIPES CLASS III	80.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	122.000	LF
613(A) 0496	48" R.C.PIPES CLASS III	166.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	42.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	150.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	216.000	LF
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	90.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	60.000	LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	10.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110232

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(L) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	12.000	EA
613(L) 4522	35" X 24" PREFAB. CULVERT END SEC., ARCH	6.000	EA
613(L) 4530	42" X 29" PREFAB. CULVERT END SEC., ARCH	4.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(O) 4375	SP. END SECTION OF 24" RCP ROUND	1.000	EA
613(O) 4379	SP. END SECTION OF 36" RCP ROUND	4.000	EA
613(O) 4383	SP. END SECTION OF 48" RCP ROUND	2.000	EA
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA
619(C) 0924	SAWING PAVEMENT	66.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	725.000	LF
623(F) 4446	GUARDRAIL ANCHOR UNIT (TYPE A)	8.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	5.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	35.360	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	78.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	40969.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110233

CALL ORDER: 080
LETTING DATE: April 14, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: CADDO

PROJECT(S) : PCN
STPY-108B(296)TR 2848104
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$4.88
30 CALENDAR DAYS
RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION**SCHOOL ZONE**

US-281: FROM SH-37 IN THE CITY OF HINTON, EXTEND NORTH.

SECTION 0001 - SCHOOL ZONE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	300.000	LF
803(A) 8067	PULL BOX(SIZE III)	2.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8044	1/C NO.10 ELECT.COND.	600.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
836 8425	REGULATORY OR WARNING SIGN ASSEMBLY	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	61.000	SF
851(C) 8324	2" SQUARE TUBE POST	82.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	96.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110235

CALL ORDER: 120
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 STP-114B(142)AG 2214004
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$84.53
 205 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND TRAFFIC SIGNALS
 CITY STREET(LINDSEY STREET): FROM JENKINS AVE, EXTEND EAST
 IN THE CITY OF NORMAN.
 PROJECT LENGTH = 0.352 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	9433.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1039.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2187.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	24.000	EA
230(A) 2806	SOLID SLAB SODDING	5850.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
234(A) 2824	FERTILIZING (10-20-10)	0.450	TON
241 2832	MOWING	4.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	42.000	CY
307(B) 4210	CEMENT KILN DUST	867.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	13339.000	SY
325 5271	SEPARATOR FABRIC	540.000	SY
326(A) 0100	GEOTEXTILE REINFORCEMENT	110.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	200.000	TON
407(B) 0250	TACK COAT	277.000	GAL
408 5774	PRIME COAT	2001.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3114.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	292.000	TON
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	12255.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	2737.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	907.000	CY
504(F) 6006	HANDRAILING	67.700	LF
509(A) 0319	CLASS AA CONCRETE	249.500	CY
509(D) 0325	CLASS C CONCRETE	50.000	CY
510(E) 0100	DECORATIVE WALL	341.000	LF
511(A) 0332	REINFORCING STEEL	53419.000	LB
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	4567.000	LF
610(A) 0652	5" DECORATIVE CONCRETE SIDEWALK	3963.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110235

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(B) 0604	6" CONCRETE DRIVEWAY	554.000	SY
611(A) 2657	MANHOLE (4' DIA.)	4.000	EA
611(G) 5112	INLET CI DES. 2 (STD)	2.000	EA
611(G) 5120	INLET CI DES. 3 (STD)	14.000	EA
611(G) 5122	INLET CI DES. 3 (D)	2.000	EA
612(A) 0641	MANHOLES ADJUST TO GRADE	13.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	10.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	827.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	36.000	LF
613(A) 4496	28" X 18" R.C.PIPES ARCH CLASS A-III	233.000	LF
613(G) 1080	6" P.V.C. PIPE ROUND	415.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	1274.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	150.000	LF
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	33.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	264.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	171.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	330.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	10192.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	548.000	SY
619(B) 4791	REMOVAL OF CURB	401.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	1019.000	SY
619(C) 0924	SAWING PAVEMENT	833.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	4.000	EA
629(C) 4960	MAILBOX	4.000	EA
851(B) 3220	4"@10.79 GALV.STL.PIPES POST	13.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	800.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	40.000	CY
509(A) 1326	CLASS AA CONCRETE	136.200	CY
511(A) 1332	REINFORCING STEEL	19620.000	LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC SIGNAL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
616(I) 0100	8" STEEL CASING	208.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	155.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	165.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	60.000	LF
802(C) 8552	2" HIGH DENSITY PE PIPE - BORED	525.000	LF
802(C) 8557	2" HIGH DENSITY PE PIPE - TRENCHED	205.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110235

SECTION 0003 - TRAFFIC SIGNAL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
803(B) 8085	GROUND BOX (GB36)	2.000	EA
803(B) 8105	GROUND BOX (R48)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	8.600	CY
804(B) 2916	REINFORCING STEEL	1291.500	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
805(B) 8728	(PL)RESET OF PULL BOX	1.000	EA
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	1365.000	LF
818(A) 8710	(SP)FIBER OPTIC CABLE, 12 SMF	300.000	LF
818(A) 8733	(SP)FIBER OPTIC CABLE, 144 SMF	750.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	2.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	1.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	24.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	24.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	5.000	EA
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	6.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	6.000	EA
831 8274	1WAY4SEC.ADJ.SIG.HD.S-16	1.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	6.000	EA
833 3030	BACKPLATE	7.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1005.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	145.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	40.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	3.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	775.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	63.500	SF
887(F) 8370	(PL)SHIELD ISOLATION PEDESTAL	2.000	EA

SECTION 0004 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8310	2" GALV.STEEL ELECT.COND. EXPOSED	80.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	1715.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	3065.000	LF
803(A) 8065	PULL BOX(SIZE I)	12.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110235

SECTION 0004 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	17.060	CY
804(B) 2916	REINFORCING STEEL	1041.200	LB
806(C) 8270	30' MTG & HLMA (SPECIAL)	17.000	EA
807 8092	BREAKAWAY BASE (DES. B)	17.000	EA
809 8091	ENHANCEMENT LIGHTING (COMPLETE)	1.000	LSUM
809(A) 8090	ROADWAY LUMINAIRE	21.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	7280.000	LF
811 8042	1/C NO.8 ELECT.COND.	4325.000	LF
811 8046	1/C NO.12 ELECT.COND.	2250.000	LF

SECTION 0005 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	24.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	20.000	SF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	50.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	11765.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	7.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
858(A) 8935	PAVE.MARKERS CLASS C TYPE 1-B	18.000	EA
858(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	43.000	EA
858(A) 8950	PAVE.MARKERS CLASS C TYPE 2-D	72.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110236

CALL ORDER: 140
LETTING DATE: April 14, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: CLEVELAND

PROJECT(S) : PCN
STPG-114A(290)AG 2808004
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 06/15/2011
RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION

TRAFFIC SIGNALS

SH-9: AT MULTIPLE LOCATIONS IN THE CITY OF NORMAN.

SECTION 0001 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110237

CALL ORDER: 160
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 NHY-021N(051) 2029807
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$74.78
 210 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 SH-7: FROM 2.88 MILES WEST OF THE SH-65 JUNCTION, EXTEND
 EAST.
 PROJECT LENGTH = 2.882 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 1301	UNCLASSIFIED EXCAVATION	19937.000	CY
202(D) 0184	UNCLASSIFIED BORROW	76425.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1950.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	6.000	EA
221(F) 0100	TEMPORARY SILT DIKE	574.000	LF
221(G) 0153	TEMPORARY ROCK FILTER DAM TYPE 4	6.000	CY
230(A) 2806	SOLID SLAB SODDING	137193.000	SY
233(A) 2817	VEGETATIVE MULCHING	26.000	AC
241 2832	MOWING	52.000	AC
307(D) 4230	LIME	2708.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	84223.000	SY
317 4270	CEMENT TREATED BASE	83455.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	1001.000	TON
407(A) 4659	FOG SEAL	112.000	GAL
407(B) 0250	TACK COAT	75.000	GAL
408 5774	PRIME COAT	41868.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	84040.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	426.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	166.000	TON
412 5267	COLD MILLING PAVEMENT	6706.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	31339.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	46367.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	18247.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	23.000	CY
509(B) 0321	CLASS A CONCRETE	111.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	63.000	CY
509(D) 0325	CLASS C CONCRETE	494.000	CY
511(A) 0332	REINFORCING STEEL	19644.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110237

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A) 0297	TYPE I PLAIN RIPRAP	136.000	TON
611(G) 5391	INLET CDI RCB DES. 5	1.000	EA
611(G) 5396	INLET CDI RCB DES. 10	1.000	EA
611(G) 5397	INLET CDI RCB DES. 11	1.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
611(L) 0487	JUNCTION BOXES	602.000	CF
613(A) 0583	24" R.C.PE PIPE CLASS IV	96.000	LF
613(A) 4495	22" X 13" R.C.PE PIPE ARCH CLASS A-III	140.000	LF
613(A) 4498	43" X 26" R.C.PE PIPE ARCH CLASS A-III	40.000	LF
613(A) 4515	51" X 31" R.C.PE PIPE ARCH CLASS A-IV	42.000	LF
613(A) 4516	58" X 36" R.C.PE PIPE ARCH CLASS A-IV	62.000	LF
613(A) 4517	65" X 40" R.C.PE PIPE ARCH CLASS A-IV	42.000	LF
613(A) 4582	88" X 54" R.C.PE PIPE ARCH CLASS A-IV	62.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	174.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	64.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	1479.000	LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(L) 4531	43" X 26" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(L) 4540	51" X 31" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(L) 4569	88" X 54" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	28.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(O) 4825	SP. END SECTION OF 65" X 40" RCP ARCH	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	23897.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	29871.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	550.000	LF
619(C) 0924	SAWING PAVEMENT	49450.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA

SECTION 0002 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	0.720	CY
804(B) 2916	REINFORCING STEEL	130.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	803.400	SF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	35.050	LF
851(C) 8324	2" SQUARE TUBE POST	1378.000	LF
851(C) 8330	2 1/2" SQUARE TUBE POST	58.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	78080.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110237

SECTION 0002 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	10680.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	60.000	EA

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	63000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	2000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	63000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	420.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	420.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2050.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	16800.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	420.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7140.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	27300.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	23940.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	25620.000	SD
880(C) 8848	WING BARRICADES	840.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	78330.000	SD
880(F) 8878	DRUMS	21000.000	SD
880(G) 8884	TUBE CHANNELIZERS	32550.000	SD
880(G) 8890	CHANNELIZER CONES	63000.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	420.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100515

CALL ORDER: 180
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 SSP-116N(187)SS 2705404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$46.60
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 PAVEMENT REHABILITATION (P.C. CONCRETE)
 I-44: FROM 1.0 MILE SOUTH OF THE SH-7 EAST JUNCTION, EXTEND
 NORTH.
 PROJECT LENGTH = 2.547 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	1500.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	11.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1000.000	LF
230(A) 2806	SOLID SLAB SODDING	20338.000	SY
310(B) 0149	SUBGRADE, METHOD B	40599.000	SY
408 5774	PRIME COAT	96.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1347.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	77.000	TON
412 5267	COLD MILLING PAVEMENT	29920.000	SY
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	53017.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	40599.000	SY
414(E) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY)	8498.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	9444.000	CY
415 6300	CONCRETE JOINT SEALING	78662.000	LF
416 0100	DOWEL BAR RETROFIT	23889.000	EA
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	80174.000	SY
509(A) 0319	CLASS AA CONCRETE	92.000	CY
511(B) 4269	EPOXY COATED REINFORCING STEEL	13020.000	LB
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	8018.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	11680.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	528.000	LF
619(C) 0924	SAWING PAVEMENT	5013.000	LF
623 0100	(PL)GUARDRAIL CURBING	2.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	500.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA
853 9024	DELINEATORS(TYPE 1, CODE 1)	14.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100515

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	900.000	SY
509(A) 1326	CLASS AA CONCRETE	91.800	CY
509(D) 1331	CLASS C CONCRETE	10.000	CY
511(A) 1332	REINFORCING STEEL	12900.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	5280.000	LB
513(B) 6019	CLASS B BRIDGE DECK REPAIR	20.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	900.000	SY
509(A) 1326	CLASS AA CONCRETE	91.700	CY
509(D) 1331	CLASS C CONCRETE	10.000	CY
511(A) 1332	REINFORCING STEEL	12880.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	5280.000	LB
513(B) 6019	CLASS B BRIDGE DECK REPAIR	20.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA

SECTION 0004 - TRAFFIC SIGNING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	1197.780	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	2225.500	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	105.000	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	539.800	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	176.850	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	60.050	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	336.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	261.000	LF
851(B) 3220	4"@10.79 GALV.STL.PIPE POST	160.000	LF
851(C) 8324	2" SQUARE TUBE POST	908.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	55320.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	17160.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	3200.000	LF

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	15000.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1800.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1080.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1800.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 100515

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1440.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4680.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	2700.000	SD
880(F) 8878	DRUMS	2700.000	SD
880(G) 8890	CHANNELIZER CONES	10800.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0006 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1430.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1310.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2702.000	TON
509(A) 0319	CLASS AA CONCRETE	157.000	CY
509(D) 0325	CLASS C CONCRETE	147.000	CY
612(C) 0645	INLET ADJUST TO GRADE	9.000	EA
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	3994.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	13683.000	LF
628(C) 5110	END ANCHORS	10.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110238

CALL ORDER: 200
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOVE
 COMANCHE

PROJECT(S) : PCN
 STPY-116C(203)TR 2848204
 STPY-143C(103)TR 2848304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 45 CALENDAR DAYS
 RES. ENG.: JERRY HARWELL, DUNCAN

CONTRACT DESCRIPTION
 SCHOOL ZONE
 SH-281A: FROM THE SH-277 JUNCTION, EXTEND EAST.
 US-77: FROM 0.80 MILES SOUTH OF SH-32, EXTEND NORTH.

SECTION 0001 - SCHOOL ZONE - STPY-116C(203)TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	300.000	LF
803(A) 8067	PULL BOX(SIZE III)	2.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8044	1/C NO.10 ELECT.COND.	600.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
836 8425	REGULATORY OR WARNING SIGN ASSEMBLY	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	43.500	SF
851(C) 8324	2" SQUARE TUBE POST	54.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING - STPY-116C(203)TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION - STPY-116C(203)TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0004 - SCHOOL ZONE - STPY-143C(103)TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	300.000	LF
803(A) 8067	PULL BOX(SIZE III)	2.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8044	1/C NO.10 ELECT.COND.	600.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
836 8425	REGULATORY OR WARNING SIGN ASSEMBLY	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	61.500	SF
851(C) 8324	2" SQUARE TUBE POST	85.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110238****SECTION 0005 - STAKING - STPY-143C(103)TR**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - STPY-143C(103)TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110239

CALL ORDER: 220
LETTING DATE: April 14, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: COTTON

PROJECT(S) : PCN
STPY-117C(089)RW 2411408

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
180 CALENDAR DAYS
RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
RIGHT-OF-WAY CLEARANCE
SH-36: FROM THE I-44 JUNCTION, EXTEND NORTH.

SECTION 0001 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
619(G) 0094	RIGHT-OF-WAY CLEARANCE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110240

CALL ORDER: 240
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CUSTER
 ROGER MILLS
 HARMON
 WASHITA
 BECKHAM

PROJECT(S) : PCN
 BRFY-120C(139) 2437704
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$20.59
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE WATER PROOF SEAL
 SH-33/SH-30/SH-9/US-183/I-40/I-40BUS: AT VARIOUS LOCATIONS
 IN DIVISION V.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2624.000	SY
523(A) 6550	SEALER CRACK PREPARATION	170.000	LF
523(B) 6560	SEALER RESIN	1.900	GAL

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	642.000	SY
523(A) 6550	SEALER CRACK PREPARATION	80.000	LF
523(B) 6560	SEALER RESIN	0.900	GAL

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	642.000	SY
523(A) 6550	SEALER CRACK PREPARATION	105.000	LF
523(B) 6560	SEALER RESIN	1.200	GAL

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1056.000	SY
523(A) 6550	SEALER CRACK PREPARATION	450.000	LF
523(B) 6560	SEALER RESIN	5.000	GAL

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	564.000	SY
523(A) 6550	SEALER CRACK PREPARATION	50.000	LF
523(B) 6560	SEALER RESIN	0.600	GAL

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	522.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110240

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	SEALER CRACK PREPARATION	25.000	LF
523(B) 6560	SEALER RESIN	0.300	GAL

SECTION 0007 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	780.000	SY
523(A) 6550	SEALER CRACK PREPARATION	40.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

SECTION 0008 - BRIDGE 'H'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	776.000	SY
523(A) 6550	SEALER CRACK PREPARATION	350.000	LF
523(B) 6560	SEALER RESIN	3.900	GAL

SECTION 0009 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0010 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110242

CALL ORDER: 280
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: HASKELL

PROJECT(S) : PCN
 SSP-131B(064)SS 2310104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$53.10
 240 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-9: OVER SNAKE CREEK, 5.5 MILES EAST OF THE SH-2 JUNCTION.
 PROJECT LENGTH = 0.709 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	58133.000	CY
202(D) 0184	UNCLASSIFIED BORROW	5127.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3147.000	LF
221(F) 0100	TEMPORARY SILT DIKE	500.000	LF
229 4318	DITCH LINER PROTECTION	1635.000	LF
230(A) 2806	SOLID SLAB SODDING	57111.000	SY
232(B) 2814	SEEDING METHOD B	13.060	AC
233(A) 2817	VEGETATIVE MULCHING	13.060	AC
241 2832	MOWING	26.120	AC
303(A) 2100	AGGREGATE BASE TYPE A	4289.000	CY
307(A) 4200	FLY ASH	1081.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	20004.000	SY
325 5271	SEPARATOR FABRIC	20004.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3171.000	TON
407(B) 0250	TACK COAT	3719.000	GAL
408 5774	PRIME COAT	9221.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1631.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	6632.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1069.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1869.000	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	7103.000	LF
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	18.000	CY
509(A) 0319	CLASS AA CONCRETE	39.000	CY
509(D) 0325	CLASS C CONCRETE	294.000	CY
511(A) 0332	REINFORCING STEEL	4569.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	422.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	91.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	38.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	370.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110242

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 0692	36" CORR. GALV. STEEL PIPE	224.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	248.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	40.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	256.000	LF
613(I) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	86.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	16.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	19419.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	544.000	LF
619(C) 0924	SAWING PAVEMENT	957.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1138.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	4738.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	4.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	4.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	169.600	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	745.000	LF
504(A) 1304	APPROACH SLAB	205.200	SY
504(B) 1305	SAW-CUT GROOVING	931.400	SY
504(D) 6245	CONCRETE RAIL (TR4)	381.000	LF
506(A) 1322	STRUCTURAL STEEL	1160.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	20.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	20.000	EA
509(A) 1326	CLASS AA CONCRETE	200.000	CY
509(B) 1328	CLASS A CONCRETE	135.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	59230.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	352.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	352.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	737.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	130.000	LF
523(A) 6550	SEALER CRACK PREPARATION	186.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1000.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110242

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(C) 1355	TYPE I-A FILTER BLANKET	150.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	94.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	22.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	102.250	SF
851(C) 8324	2" SQUARE TUBE POST	167.000	LF
853 9039	DELINEATORS(TYPE 2, CODE 3)	2.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	28.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15200.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	8200.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	1620.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	5000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12240.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6480.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6240.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	7200.000	SD
880(C) 8848	WING BARRICADES	960.000	SD
880(D) 8854	VERTICAL PANELS	31200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	20640.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	36000.000	SD
880(F) 8878	DRUMS	4800.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 100556

CALL ORDER: 300
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: HASKELL

PROJECT(S) : PCN
 BRO-131D(088)CI 2533404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 100 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-434): OVER UNNAMED CREEK, 3.0 MILES WEST OF
 THE SH-2 JUNCTION.
 PROJECT LENGTH = 0.141 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	400.000	LF
227 0100	TEMPORARY SILT DIKE	300.000	LF
230(A) 2806	SOLID SLAB SODDING	3527.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.730	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	334.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	744.000	TON

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	279.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	80.600	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	23960.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	98.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	274.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	98.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	274.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1308.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	472.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 100556****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110257

CALL ORDER: 310
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LATIMER

PROJECT(S) : PCN
 ERSTP-139C(096)ER 0046416
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$32.51
 270 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND EROSION CONTROL
 SH-82: LANDSLIDE REPAIR FROM 4.8 MILES NORTH OF THE US-270
 JUNCTION, EXTEND NORTH.
 PROJECT LENGTH = 0.700 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	360000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	5750.000	LF
221(E) 2804	TEMPORARY SEDIMENT BASIN	3.000	EA
221(F) 0100	TEMPORARY SILT DIKE	500.000	LF
229 4318	DITCH LINER PROTECTION	3215.000	LF
230(A) 2806	SOLID SLAB SODDING	104908.000	SY
232(A) 2813	SEEDING METHOD A	12.000	AC
233(A) 2817	VEGETATIVE MULCHING	14.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	8495.000	CY
303(B) 2110	AGGREGATE BASE TYPE B	600.000	CY
325 5271	SEPARATOR FABRIC	25694.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	25694.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1258.000	TON
407(B) 0250	TACK COAT	2600.000	GAL
408 5774	PRIME COAT	9839.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	8605.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3500.000	TON
412 5267	COLD MILLING PAVEMENT	3066.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	7400.000	LF
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	32.000	CY
509(A) 0319	CLASS AA CONCRETE	75.300	CY
509(D) 0325	CLASS C CONCRETE	300.000	CY
511(A) 0332	REINFORCING STEEL	13827.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	21250.000	TON
602(C) 4155	FILTER FABRIC	10585.000	SY
613(B) 0692	36" CORR. GALV. STEEL PIPE	200.000	LF
613(G) 1081	12" P.V.C. PIPE ROUND	106.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	1315.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110257

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	415.000	LF
613(I) 1099	12" NON-PERF.PIPE UNDERDRAIN RND.	400.000	LF
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	358.000	CY
613(V) 1180	TRENCH EXCAVATION	955.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	43577.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	1740.000	LF
619(C) 0924	SAWING PAVEMENT	492.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	270.000	SD
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	25000.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5200.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	270.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7560.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1620.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5940.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4320.000	SD
880(C) 8848	WING BARRICADES	1080.000	SD
880(D) 8854	VERTICAL PANELS	29600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7560.000	SD
880(F) 8878	DRUMS	29160.000	SD
880(G) 8890	CHANNELIZER CONES	3600.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	540.000	SD

SECTION 0003 - SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	8.500	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	17000.000	LF

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110243

CALL ORDER: 320
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LEFLORE

PROJECT(S) : PCN
 BRO-140D(136)CO 2288604
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-131): OVER POSSUM CREEK, 9.5 MILES WEST OF
 THE SH-59 JUNCTION.
 PROJECT LENGTH = 0.340 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2593.000	CY
202(C) 0184	UNCLASSIFIED BORROW	13070.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	6.000	STA
223 2801	TEMPORARY SILT FENCE	1390.000	LF
227 0100	TEMPORARY SILT DIKE	126.000	LF
230(A) 2806	SOLID SLAB SODDING	7950.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.300	AC
325 5271	SEPARATOR FABRIC	4716.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1920.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(B) 0493	30" R.C.PIPES CLASS III	40.000	LF
613(D) 0689	18" CORR. GALV. STEEL PIPE	30.000	LF
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	396.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	265.000	LF
506(A) 1322	STRUCTURAL STEEL	1810.000	LB
509(A) 1326	CLASS AA CONCRETE	77.000	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	24676.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	394.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	394.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	855.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	214.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110243****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110244

CALL ORDER: 340
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LINCOLN
 PONTOTOC
 OKFUSKEE
 COAL

PROJECT(S) : PCN
 BRFY-141F(229) 2099504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$27.10
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 JOINT SEAL/REPAIR
 US-75/SH-1/SH-3/SH-66: AT MULTIPLE LOCATIONS IN
 DIVISION III.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(G) 6390	RAPID CURE JOINT SEALANT	58.000	LF
504(H) 6389	ELASTOMERIC MORTAR	31.400	CF
509 6386	SILICONE CONSTRUCTION JOINT	58.000	LF
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	1.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	4.000	EA
545 4835	(PL)REPLACE BRIDGE ITEM (TYPE C)	3.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	99.500	LF
504(H) 6389	ELASTOMERIC MORTAR	24.900	CF
509 6152	SPECIAL CONCRETE FINISH	73.000	SY
509 6386	SILICONE CONSTRUCTION JOINT	99.500	LF
509(D) 1331	CLASS C CONCRETE	38.000	CY
511(B) 4269	EPOXY COATED REINFORCING STEEL	1020.000	LB
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	468.000	SY

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	99.500	LF
504(H) 6389	ELASTOMERIC MORTAR	20.700	CF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	1057.000	SY
505(E) 1000	HYDRODEMOLITION	1057.000	SY
509 6386	SILICONE CONSTRUCTION JOINT	99.500	LF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	10.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.150	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110244

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	800.000	LB
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.200	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	25.000	SY

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	800.000	LB
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.200	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	25.000	SY

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
506(A) 1322	STRUCTURAL STEEL	200.000	LB
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	10.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	6.000	EA

SECTION 0007 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110245

CALL ORDER: 360 LETTING DATE: April 14, 2011 LETTING TIME: 10:30 A.M. COUNTIES: CLEVELAND LINCOLN POTTAWATOMIE JOHNSTON HUGHES	PROJECT(S) : PCN BRFY-141F(230) 2297309 DBE GOALS : 0.00 GUARANTY : 5% OF BID TOTAL PLAN PRICE : \$21.68 30 CALENDAR DAYS RES. ENG.: DIVISION 3 (ADA)
--	--

CONTRACT DESCRIPTION
 BRIDGE WATER PROOF SEAL
 US-77/US-177/SH-7/SH-7D/SH-18/SH-48/19TH STREET: AT MULTIPLE
 LOCATIONS IN DIVISION III.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2370.000	SY
523(A) 6550	SEALER CRACK PREPARATION	464.000	LF
523(B) 6560	SEALER RESIN	4.700	GAL

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1129.000	SY
523(A) 6550	SEALER CRACK PREPARATION	401.000	LF
523(B) 6560	SEALER RESIN	4.000	GAL

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1417.000	SY
523(A) 6550	SEALER CRACK PREPARATION	478.000	LF
523(B) 6560	SEALER RESIN	4.800	GAL

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1578.000	SY
523(A) 6550	SEALER CRACK PREPARATION	523.000	LF
523(B) 6560	SEALER RESIN	5.300	GAL

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1126.000	SY
523(A) 6550	SEALER CRACK PREPARATION	373.000	LF
523(B) 6560	SEALER RESIN	3.800	GAL

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	657.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110245

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	SEALER CRACK PREPARATION	271.000	LF
523(B) 6560	SEALER RESIN	2.800	GAL

SECTION 0007 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	553.000	SY
523(A) 6550	SEALER CRACK PREPARATION	222.000	LF
523(B) 6560	SEALER RESIN	2.300	GAL

SECTION 0008 - BRIDGE 'H'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	996.000	SY
523(A) 6550	SEALER CRACK PREPARATION	672.000	LF
523(B) 6560	SEALER RESIN	6.800	GAL

SECTION 0009 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0010 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110246

CALL ORDER: 380
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOGAN

PROJECT(S) : PCN
 SSR-142C(227)SR 2849804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 SH-0B: OLD SH-33 ON EACH SIDE OF LANGSTON.
 PROJECT LENGTH = 3.34 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	500.000	CY
202(H) 0185	EARTHWORK	1.000	LSUM
230(A) 2806	SOLID SLAB SODDING	1000.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	250.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3700.000	TON
412 5267	COLD MILLING PAVEMENT	47400.000	SY
611(G) 6000	INLET (SMD-TYPE 1)	1.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	8.000	LF
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	200.000	SY

SECTION 0002 - ROADWAY - ADD ALT 1

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	100.000	TON
412 5267	COLD MILLING PAVEMENT	900.000	SY
415 6300	CONCRETE JOINT SEALING	240.000	LF
426(D) 5098	POLYURETHANE INJECTION FOR PAVEMENT	8800.000	LB
504(G) 6390	RAPID CURE JOINT SEALANT	160.000	LF

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110259

CALL ORDER: 390
LETTING DATE: April 14, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: MCCLAIN

PROJECT(S) : PCN
STP-144A(166)TR 2851904
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$6.50
30 CALENDAR DAYS
RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION**SCHOOL ZONE**

US-77: FROM WASHINGTON STREET IN PURCELL, EXTEND SOUTH.

SECTION 0001 - SCHOOL ZONE

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	300.000	LF
803(A) 8067	PULL BOX(SIZE III)	2.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8044	1/C NO.10 ELECT.COND.	600.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
836 8425	REGULATORY OR WARNING SIGN ASSEMBLY	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	77.500	SF
851(C) 8324	2" SQUARE TUBE POST	110.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110173

CALL ORDER: 400
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCINTOSH

PROJECT(S) : PCN
 SEC1702-146C(088)HP 2400304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD(TEXANNA RD): FROM THE US-69 JUNCTION NEAR LAKE
 EUFAULA, EXTEND EAST.
 PROJECT LENGTH = 1.671 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	20155.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	120.000	LF
230(A) 2806	SOLID SLAB SODDING	37510.000	SY
233(A) 2817	VEGETATIVE MULCHING	7.750	AC
303(A) 2100	AGGREGATE BASE TYPE A	2474.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2253.000	TON
407(B) 0250	TACK COAT	730.000	GAL
408 5774	PRIME COAT	4599.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2213.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3632.000	TON
411(E) 5990	SUPERPAVE, TYPE S6(PG 64-22 OK)	599.000	TON
412 5267	COLD MILLING PAVEMENT	534.000	SY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	2.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
611(G) 6000	INLET (SMD-TYPE 1)	1.000	EA
611(L) 0487	JUNCTION BOXES	56.000	CF
613(A) 0493	30" R.C.PIPE CLASS III	50.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	88.000	LF
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	148.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	2434.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	164.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	8.000	LF
613(B) 0694	48" CORR. GALV. STEEL PIPE	20.000	LF
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	136.000	CY
613(V) 1180	TRENCH EXCAVATION	216.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C) 0924	SAWING PAVEMENT	6877.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110173

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	50.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	4.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	50.000	EA

SECTION 0002 - ROADWAY ADD ALT. 1

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
407(B) 0250	TACK COAT	374.000	GAL
408 5774	PRIME COAT	86.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	127.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	450.000	TON
411(E) 5990	SUPERPAVE, TYPE S6(PG 64-22 OK)	97.000	TON
412 5267	COLD MILLING PAVEMENT	445.000	SY
619(C) 0924	SAWING PAVEMENT	80.000	LF

SECTION 0003 - ROADWAY ADD ALT. 2

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303(A) 2100	AGGREGATE BASE TYPE A	7.000	CY
407(B) 0250	TACK COAT	2.000	GAL
408 5774	PRIME COAT	9.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	9.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5.000	TON
613(A) 0498	60" R.C.PIPE CLASS III	50.000	LF
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	77.000	CY
613(V) 1180	TRENCH EXCAVATION	115.000	CY
619(C) 0924	SAWING PAVEMENT	48.000	LF

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	35300.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0005 - TRAFFIC ADD ALT. 1

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3162.000	LF
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110011

CALL ORDER: 420
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAYES

PROJECT(S) : PCN
 BRO-NBIL(129)CO 2563904
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$23.84
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-433): OVER SALT CREEK, 1.50 MILES NORTH OF
 THE SH-20 JUNCTION.
 PROJECT LENGTH = 0.190 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2481.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2966.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1745.000	LF
221(F) 0100	TEMPORARY SILT DIKE	160.000	LF
229 4318	DITCH LINER PROTECTION	517.000	LF
230(A) 2806	SOLID SLAB SODDING	2960.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.810	AC
303(A) 2100	AGGREGATE BASE TYPE A	589.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	103.000	TON
407(B) 0250	TACK COAT	144.000	GAL
408 5774	PRIME COAT	847.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	487.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	372.000	TON
509(D) 0325	CLASS C CONCRETE	38.000	CY
611(G) 5705	INLET CDI RCP DES. 2	1.000	EA
613(A) 0492	24" R.C.PIPES CLASS III	56.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	15.000	CY
613(V) 1180	TRENCH EXCAVATION	24.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1925.000	SY
619(C) 0924	SAWING PAVEMENT	38.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(F) 6352	GRANULAR BACKFILL	18.000	CY
503(A) 6123	PRESTRESSED CONCRETE BEAMS	733.250	LF
504(A) 1304	APPROACH SLAB	102.000	SY
504(D) 6239	CONCRETE RAIL (TR3)	274.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110011

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(B) 1328	CLASS A CONCRETE	42.000	CY
511(A) 1332	REINFORCING STEEL	6984.000	LB
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	100.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1027.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	226.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	894.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	64.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4040.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110191

CALL ORDER: 440
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MURRAY

PROJECT(S) : PCN
 SSP-150B(079)SS 2624104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$65.03
 160 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 US-177: AT THE CHICKASAW TURNPIKE, 2.0 MILES NORTH OF SH-7.
 PROJECT LENGTH = 0.995 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	47657.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1796.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1036.000	LF
221(F) 0100	TEMPORARY SILT DIKE	455.000	LF
230(A) 2806	SOLID SLAB SODDING	72286.000	SY
233(A) 2817	VEGETATIVE MULCHING	15.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	4938.000	CY
307(D) 4230	LIME	610.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	28239.000	SY
317 4270	CEMENT TREATED BASE	16250.000	SY
325 5271	SEPARATOR FABRIC	25684.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3822.000	TON
407(B) 0250	TACK COAT	342.000	GAL
408 5774	PRIME COAT	5820.000	GAL
411(A) 5930	SUPERPAVE, TYPE S2(PG 64-22 OK)	588.000	TON
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	239.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	338.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	527.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	226.000	TON
412 5267	COLD MILLING PAVEMENT	489.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	5113.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	9233.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	3587.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	232.000	CY
509(A) 0319	CLASS AA CONCRETE	796.000	CY
509(B) 0321	CLASS A CONCRETE	93.000	CY
509(D) 0325	CLASS C CONCRETE	652.000	CY
511(A) 0332	REINFORCING STEEL	114452.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	922.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110191

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(C) 0538	TYPE I-A FILTER BLANKET	216.000	TON
611(A) 2658	MANHOLE (5' DIA.)	2.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	28.000	LF
613(A) 0497	54" R.C.PIPES CLASS III	212.000	LF
613(A) 4497	36" X 22" R.C.PIPES ARCH CLASS A-III	34.000	LF
613(A) 4498	43" X 26" R.C.PIPES ARCH CLASS A-III	226.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(I) 1097	8" NON-PERF.PIPES UNDERDRAIN RND.	50.000	LF
613(L) 4528	36" X 23" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(L) 4531	43" X 26" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(L) 5740	54" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	239.000	CY
613(V) 1180	TRENCH EXCAVATION	356.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3301.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	2465.000	SY
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	687.000	LF
619(C) 0924	SAWING PAVEMENT	4810.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA
624(A) 4281	FENCE-STYLE WWF	2947.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1291.000	LF

SECTION 0002 - SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	15.250	CY
804(B) 2916	REINFORCING STEEL	3694.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	1.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	314.850	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	921.240	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	30.000	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	44.000	LF
851(A) 3212	8"@40 GALV.STL.WD.FLANGE BM.POST	207.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	349.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	74.000	LF
851(C) 8324	2" SQUARE TUBE POST	11.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15178.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	2160.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	35.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	10.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110191

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	20525.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	5515.000	EA
880(A) 8812	ARROW DISPLAY(TYPE C)	75.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	970.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1360.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1340.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	680.000	SD
880(C) 8848	WING BARRICADES	1410.000	SD
880(D) 8854	VERTICAL PANELS	840.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2620.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	8310.000	SD
880(F) 8878	DRUMS	4560.000	SD
880(G) 8890	CHANNELIZER CONES	2910.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	45.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110247

CALL ORDER: 460
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: NOBLE

PROJECT(S) : PCN
 STPY-152B(105) 2031104
 DBE GOALS : 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$231.93
 360 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND BRIDGE
 US-64: FROM BOUNDARY STREET IN PERRY, EXTEND EAST.
 PROJECT LENGTH = 6.523 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	468404.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	66977.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	3.000	EA
225 2804	TEMPORARY SEDIMENT BASIN	11.000	EA
226 2805	TEMPORARY SEDIMENT REMOVAL	1630.000	CY
227 0100	TEMPORARY SILT DIKE	4468.000	LF
229 4318	DITCH LINER PROTECTION	2726.000	LF
230(A) 2806	SOLID SLAB SODDING	348050.000	SY
230(F) 2812	WATERING	20001.000	MGAL
232(A) 2813	SEEDING METHOD A	10.000	AC
233(A) 2817	VEGETATIVE MULCHING	10.000	AC
241 2832	MOWING	503.000	AC
327(A) 4200	(SP)FLY ASH	3821.000	TON
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	47172.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4685.000	TON
407 0250	TACK COAT	7592.000	GAL
408 5774	PRIME COAT	12661.000	GAL
411(S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	4644.000	TON
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	18925.000	TON
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	3155.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	3412.000	TON
417 4659	(PL)FOG SEAL	399.000	GAL
417 5267	COLD MILLING PAVEMENT	3984.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	588.000	CY
509(A) 0319	CLASS AA CONCRETE	225.000	CY
509(B) 0321	CLASS A CONCRETE	1525.000	CY
509(D) 0325	CLASS C CONCRETE	528.000	CY
511(A) 0332	REINFORCING STEEL	258664.000	LB
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1381.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110247

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A-2)1355	TYPE I-A FILTER BLANKET	379.000	TON
611(E) 5327	INLET GPI TYPE 1 (DES. 1)	2.000	EA
611(E) 6000	INLET (SMD-TYPE 1)	1.000	EA
613(B) 0492	24" R.C.PIPES CLASS III	263.000	LF
613(B) 0493	30" R.C.PIPES CLASS III	631.000	LF
613(B) 0494	36" R.C.PIPES CLASS III	84.000	LF
613(B) 4497	36" X 22" R.C.PIPES ARCH CLASS A-III	84.000	LF
613(CC) 7196	TYPE A6 CULVERT END TREATMENT	87.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT	10.000	EA
613(CC) 7198	TYPE C6 CULVERT END TREATMENT	12.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE	3475.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	1024.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	339.000	LF
613(D) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	257.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	123.000	LF
613(M) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(M) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(M) 4524	36" X 22" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(M) 5726	18" PREFAB. CULVERT END SEC., ROUND	10.000	EA
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	18.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	12.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	3253.000	LF
613(Q) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	1302.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	34841.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	4663.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	19702.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	7783.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	460.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	8.000	EA
619(B) 5918	REMOVAL OF EXISTING PIPE	1536.000	LF
619(C) 0924	SAWING PAVEMENT	520.000	LF
622(A) 4445	2" PIPE RAILING	550.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	425.000	LF
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
624(A) 4281	FENCE-STYLE WWF	160.000	LF
624(C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	22790.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	8.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	5.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110247

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
629(C) 4960	MAILBOX	26.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	13.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1820.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	235.000	CY
509(A) 1326	CLASS AA CONCRETE	532.100	CY
511(A) 1332	REINFORCING STEEL	78080.000	LB
619(B) 2515	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	2.000	EA
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1390.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	180.000	CY
509(A) 1326	CLASS AA CONCRETE	363.600	CY
511(A) 1332	REINFORCING STEEL	46990.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1415.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	170.000	CY
509(A) 1326	CLASS AA CONCRETE	376.200	CY
511(A) 1332	REINFORCING STEEL	51110.000	LB

SECTION 0005 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
627(O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	5210.000	LF
627(P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	1200.000	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	500.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	500.000	LF
856(G) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	410.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	500.000	LF
871 8705	(PL)CONST.ZONE IMPACT ATTEN.	3600.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3600.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3600.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4320.000	SD
880(C) 8842	BARRICADES(TYPE III)	10080.000	SD
880(C) 8848	WING BARRICADES	2160.000	SD
880(D) 8854	VERTICAL PANELS	38160.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	24480.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	45360.000	SD
880(F) 8878	DRUMS	7200.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110247

SECTION 0005 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	720.000	SD

SECTION 0006 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	3.900	CY
850(A) 8110	SHEET ALUMINUM SIGNS	382.370	SF
851(C) 8321	1 3/4" SQUARE TUBE POST	13.000	LF
851(C) 8324	2" SQUARE TUBE POST	551.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	262.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	56980.000	LF
880(C) 8850	PERMANENT BARRICADE UNIT	6.000	EA
880(G) 8887	TUBE CHANNELIZERS	40.000	EA
890(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM

SECTION 0007 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110195

CALL ORDER:	480	<u>PROJECT(S) :</u>	<u>PCN</u>
LETTING DATE:	April 14, 2011	BRF-152C(093)CI	2235204
LETTING TIME:	10:30 A.M.	DBE GOALS : 4.00	
COUNTIES:	NOBLE	GUARANTY : 5% OF BID TOTAL	
		PLAN PRICE : \$10.84	
		90 CALENDAR DAYS	
		RES. ENG.: DIVISION 4 (PERRY)	

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-312): OVER EAST WARREN CREEK, 0.60 MILES
 NORTH OF THE SH-164 JUNCTION.
 PROJECT LENGTH = 0.236 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	200.000	LF
227 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	8524.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.760	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	683.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	364.000	TON

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	114.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	283.170	LF
506(A) 1322	STRUCTURAL STEEL	2020.000	LB
509(A) 1326	CLASS AA CONCRETE	80.900	CY
509(B) 1328	CLASS A CONCRETE	63.800	CY
511(A) 1332	REINFORCING STEEL	25906.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	132.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	389.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	132.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	389.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1758.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	714.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110195****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110248

CALL ORDER: 500
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 STP-155A(691)AG 2611904
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$26.01
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 CITY STREET(RENO AVE): OVER CROOKED OAK CREEK, AT BRYANT AVE
 IN DEL CITY.
 PROJECT LENGTH = 0.026 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	100.000	LF
221(G) 0152	TEMPORARY ROCK FILTER DAM TYPE 3	60.000	CY
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	2.000	EA
230(A) 2806	SOLID SLAB SODDING	930.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.200	AC
307(H) 4270	LIME STABILIZED SUBGRADE	820.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	758.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	211.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	210.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	203.000	SY
611(A) 2657	MANHOLE (4' DIA.)	1.000	EA
611(G) 5122	INLET CI DES. 3 (D)	2.000	EA
611(G) 5125	INLET CI DES. 3 (2D)	1.000	EA
612(A) 0641	MANHOLES ADJUST TO GRADE	1.000	EA
613(B) 0691	30" CORR. GALV. STEEL PIPE	46.000	LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	37.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	756.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	163.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	2.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	710.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110248

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1490.000	CY
303(A) 2100	AGGREGATE BASE TYPE A	440.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	894.000	CY
504(D) 6245	CONCRETE RAIL (TR4)	109.500	LF
509(A) 1326	CLASS AA CONCRETE	915.000	CY
511(A) 1332	REINFORCING STEEL	152550.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	51.000	SY
602(C) 4205	FILTER FABRIC	1128.000	SY
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0005 - NON-PARTICIPATING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	150.000	LF
882(A) 8303	PORTABLE CHANGEABLE MESSAGE SIGN	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110016

CALL ORDER: 520
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OSAGE
 PAWNEE

PROJECT(S) : PCN
 CIRB-157C(083)RB 2348004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$72.61
 300 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY RD(E. STREET): OVER THE ARKANSAS RIVER, AT THE
 OSAGE/PAWNEE COUNTY LINE.
 PROJECT LENGTH = 2.065 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	23782.000	CY
202(D) 0184	UNCLASSIFIED BORROW	9793.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	11300.000	LF
221(F) 0100	TEMPORARY SILT DIKE	888.000	LF
229 4318	DITCH LINER PROTECTION	3844.000	LF
230(A) 2806	SOLID SLAB SODDING	50720.000	SY
233(A) 2817	VEGETATIVE MULCHING	10.700	AC
303(B) 2110	AGGREGATE BASE TYPE B	5722.000	CY
310(B) 0149	SUBGRADE, METHOD B	21168.000	SY
325 5271	SEPARATOR FABRIC	21580.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	962.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5795.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3910.000	TON
509(B) 0321	CLASS A CONCRETE	5.000	CY
509(D) 1331	CLASS C CONCRETE	242.000	CY
511(A) 0332	REINFORCING STEEL	350.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	2064.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	411.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	1627.000	SY
611(G) 6000	INLET (SMD-TYPE 1)	2.000	EA
611(H) 5196	ADDITIONAL DEPTH IN INLET	3.000	VF
613(A) 0492	24" R.C.PIPES CLASS III	267.000	LF
613(A) 0583	24" R.C.PIPES CLASS IV	128.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	681.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	646.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	7.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	26.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	24.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110016

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	153.000	CY
613(V) 1180	TRENCH EXCAVATION	235.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	7779.000	SY
619(C) 0924	SAWING PAVEMENT	131.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	440.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	110.000	CY
509(B) 1328	CLASS A CONCRETE	280.000	CY
511(A) 1332	REINFORCING STEEL	29340.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	1070.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	225.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	898.000	SY

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	240.000	CY
501(G) 6309	CLSM BACKFILL	148.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	5208.000	LF
504 6176	INSERTS	280.000	EA
504(A) 1304	APPROACH SLAB	142.000	SY
504(C) 6250	SEALED EXPANSION JOINT	212.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	2688.000	LF
506(A) 1322	STRUCTURAL STEEL	8820.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	40.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	32.000	EA
509(A) 1326	CLASS AA CONCRETE	1370.000	CY
509(B) 1328	CLASS A CONCRETE	392.000	CY
511(A) 1332	REINFORCING STEEL	285570.000	LB
511(B) 4269	EPOXY COATED REINFORCING STEEL	76030.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	179.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	693.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	179.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	693.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	456.000	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	752.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	5150.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	1260.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	4849.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	40.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110016

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	1083.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	71.000	SF
851(C) 8330	2 1/2" SQUARE TUBE POST	220.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	13.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	43464.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	65.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110119

CALL ORDER: 540
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OSAGE

PROJECT(S) : PCN
 SBR-157A(177)SB 2825904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$21.68
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-20: OVER QUAPAW CREEK, 3.8 MILES WEST OF THE TULSA COUNTY
 LINE.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	695.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	306.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	200.000	LF
619(B) 4780	REMOVAL OF GUARDRAIL	532.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	800.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	84.000	CY
504(A) 1304	APPROACH SLAB	248.000	SY
504(B) 1305	SAW-CUT GROOVING	1128.600	SY
504(C) 6250	SEALED EXPANSION JOINT	75.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	659.000	LF
506(A) 1322	STRUCTURAL STEEL	18749.000	LB
509(A) 1326	CLASS AA CONCRETE	222.000	CY
509(D) 1331	CLASS C CONCRETE	2.000	CY
511 6306	MECHANICAL SPLICES	526.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	65045.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	522.400	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	4.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.250	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	2.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	120.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15120.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110119****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4132.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2560.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	12564.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	480.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	5.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2790.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARR	1250.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1560.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	480.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2520.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	3840.000	SD
880(F) 8878	DRUMS	3840.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110258

CALL ORDER: 550
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PITTSBURG

PROJECT(S) : PCN
 SSP-161N(249)SS 1499808
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$20.59
 75 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 US-69: AT THE HEREFORD LANE INTERCHANGE IN THE CITY OF
 MCALESTER.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	5601.000	CY
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	185.000	CY
202(E) 0186	SELECT BORROW	1046.000	CY
202(F) 0110	EMBANKMENTS	4748.000	CY
202(K) 5300	(SP) RAMMED AGGREGATE PIERS (36" DIA.)	4930.000	LF
221(B) 2801	TEMPORARY BALE BARRIER	40.000	LF
221(C) 2801	TEMPORARY SILT FENCE	1050.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	3.000	EA
230(A) 2806	SOLID SLAB SODDING	4270.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.880	AC
303(A) 2100	AGGREGATE BASE TYPE A	309.000	CY
319(A) 5190	OPEN-GRADED BITUMINOUS BASE	1245.000	SY
325 5271	SEPARATOR FABRIC	3342.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	8370.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	158.000	TON
408 5774	PRIME COAT	402.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	63.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	453.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	671.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	252.000	CY
509(D) 0325	CLASS C CONCRETE	6.400	CY
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	318.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	506.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1124.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	279.000	SY
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	105.000	LF
619(C) 0924	SAWING PAVEMENT	100.000	LF
625(D) 1254	REMOVE AND RECONSTRUCT GUARDRAIL	425.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110258

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	50.000	CY
501(G) 6309	CLSM BACKFILL	290.000	CY
504(A) 1304	APPROACH SLAB	239.800	SY
504(B) 1305	SAW-CUT GROOVING	228.000	SY
504(D) 6245	CONCRETE RAIL (TR4)	102.400	LF
509 6386	SILICONE CONSTRUCTION JOINT	90.400	LF
510(C) 6135	SLOPE WALL (5")	48.000	SY
511 6306	MECHANICAL SPLICES	86.000	EA
514(H) 6355	SHEET PILING, FURNISHED	571.000	SY
514(I) 6360	SHEET PILING, DRIVEN	571.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	46.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	24.000	LF
619(B) 2515	REMOVAL OF BRIDGE ITEM (TYPE A)	2.000	EA
619(B) 2525	REMOVAL OF BRIDGE ITEM (TYPE B)	4.000	EA
619(B) 2535	REMOVAL OF BRIDGE ITEM (TYPE C)	2.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2280.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110249

CALL ORDER: 560
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LINCOLN
 PONTOTOC
 OKFUSKEE
 COAL

PROJECT(S) : PCN
 BRFY-NBIP(438) 2099404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE PAINTING
 US-75/SH-1/SH-3/SH-66: AT VARIOUS LOCATIONS IN
 DIVISION III.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0006 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110250

CALL ORDER:	580	PROJECT(S) :	<u>PCN</u>
LETTING DATE:	April 14, 2011	BHFY-164C(165)	2314408
LETTING TIME:	10:30 A.M.	DBE GOALS : 0.00	
COUNTIES:	ATOKA	GUARANTY : 5% OF BID TOTAL	
	LATIMER	PLAN PRICE : \$36.85	
	MCCURTAIN	35 CALENDAR DAYS	
	PITTSBURG	RES. ENG.: DIVISION 2 (ANTLERS)	
	PUSHMATAHA		
	CHOCTAW		
	LEFLORE		

CONTRACT DESCRIPTION
 BRIDGE WATER PROOF SEAL
 US-69/US-70/US-271/SH-1/SH-3/SH-37: AT MULTIPLE LOCATIONS IN
 DIVISION II.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1353.000	SY
523(A) 6550	SEALER CRACK PREPARATION	150.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2231.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	245.000	SY
523(A) 6550	SEALER CRACK PREPARATION	184.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	593.000	SY
523(A) 6550	SEALER CRACK PREPARATION	182.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1578.000	SY
523(A) 6550	SEALER CRACK PREPARATION	445.000	LF
523(B) 6560	SEALER RESIN	3.000	GAL

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110250

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1035.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

SECTION 0007 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	899.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

SECTION 0008 - BRIDGE 'H'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1035.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

SECTION 0009 - BRIDGE 'I'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	775.000	SY
523(A) 6550	SEALER CRACK PREPARATION	188.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL

SECTION 0010 - BRIDGE 'J'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	815.000	SY
523(A) 6550	SEALER CRACK PREPARATION	182.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL

SECTION 0011 - BRIDGE 'K'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	839.000	SY
523(A) 6550	SEALER CRACK PREPARATION	194.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL

SECTION 0012 - BRIDGE 'L'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1284.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

SECTION 0013 - BRIDGE 'M'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	4072.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

SECTION 0014 - BRIDGE 'N'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	4070.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110250****SECTION 0014 - BRIDGE 'N'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

SECTION 0015 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	32.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	64.000	SD

SECTION 0016 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110209

CALL ORDER: 590
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ROGERS

PROJECT(S) : PCN
 BRFY-166C(130)SS 2089904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$72.61
 180 CALENDAR DAYS
 TIME 'B' BID - \$ 5000 / DAY
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-66: SOUTHBOUND OVER BIRD CREEK, AND ROAD UNDER 3.68 MILES
 NORTHEAST OF THE I-44 JCT.
 PROJECT LENGTH = 0.220 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	9943.000	CY
202(D) 0184	UNCLASSIFIED BORROW	6737.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2087.000	LF
221(F) 0100	TEMPORARY SILT DIKE	140.000	LF
230(A) 2806	SOLID SLAB SODDING	3185.000	SY
232(B) 2814	SEEDING METHOD B	0.660	AC
233(A) 2817	VEGETATIVE MULCHING	0.660	AC
241 2832	MOWING	1.320	AC
303(A) 2100	AGGREGATE BASE TYPE A	459.000	CY
307(A) 4200	FLY ASH	96.000	TON
307(D) 4230	LIME	30.000	TON
307(F) 4250	CEMENTITIOUS MODIFIED SUBGRADE	1007.000	SY
307(G) 4260	LIME PRETREATMENT	1030.000	SY
307(J) 4290	MODIFIED SUBGRADE	2941.000	SY
317 4270	CEMENT TREATED BASE	1852.000	SY
325 5271	SEPARATOR FABRIC	6261.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	503.000	TON
407(B) 0250	TACK COAT	182.000	GAL
408 5774	PRIME COAT	1278.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	645.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	113.000	TON
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	834.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	529.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	1146.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	349.000	CY
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	6313.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110209

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	835.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	1271.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	7.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	1612.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1325.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	5.000	EA
625(D) 1254	REMOVE AND RECONSTRUCT GUARDRAIL	775.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
501(G) 6309	CLSM BACKFILL	170.000	CY
504(A) 1304	APPROACH SLAB	274.000	SY
504(B) 1305	SAW-CUT GROOVING	3259.000	SY
504(C) 6250	SEALED EXPANSION JOINT	123.000	LF
504(E) 6190	42" F-SHAPED PARAPET	1543.300	LF
506(A) 1322	STRUCTURAL STEEL	920000.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	40.000	EA
509(A) 1326	CLASS AA CONCRETE	823.500	CY
509(B) 1328	CLASS A CONCRETE	463.100	CY
510(A) 6334	RETAINING WALL	2100.000	SY
510(C) 6138	SLOPE WALL (5")	946.000	SY
511(A) 1332	REINFORCING STEEL	3374.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	260160.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	3274.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1065.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	3274.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1065.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2091.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	554.000	LF
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	250.000	LF
523(A) 6550	SEALER CRACK PREPARATION	123.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	184.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE - HISTORICAL MONUMENT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	34.000	EA
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	510.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110209

SECTION 0003 - BRIDGE - HISTORICAL MONUMENT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	84.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	32.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	21640.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	1200.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	600.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5700.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	24300.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	6300.000	SD
880(C) 8848	WING BARRICADES	1200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	8700.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	15000.000	SD
880(F) 8878	DRUMS	18000.000	SD
880(G) 8890	CHANNELIZER CONES	39000.000	SD
880(G) 8900	TUBE CHANNELIZERS	40.000	EA
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	600.000	SD

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0006 - STAKING - HISTORICAL MONUMENT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110252

CALL ORDER: 620
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CANADIAN
 COMANCHE
 GRADY
 STEPHENS
 CARTER

PROJECT(S) : PCN
 BRFY-169C(189) 2312508
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$26.01
 105 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 BRIDGE WATER PROOF SEAL
 I-35/I-44/US-70/US-81/SH-19/BOIS D'ARC AVE: AT MULTIPLE
 LOCATIONS IN DIVISION VII.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	7071.000	SY
523(A) 6550	SEALER CRACK PREPARATION	150.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1586.000	SY
523(A) 6550	SEALER CRACK PREPARATION	470.000	LF
523(B) 6560	SEALER RESIN	5.300	GAL

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1586.000	SY
523(A) 6550	SEALER CRACK PREPARATION	390.000	LF
523(B) 6560	SEALER RESIN	4.400	GAL

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	999.000	SY
523(A) 6550	SEALER CRACK PREPARATION	260.000	LF
523(B) 6560	SEALER RESIN	2.900	GAL

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1409.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	2.300	GAL

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2788.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110252

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	SEALER CRACK PREPARATION	355.000	LF
523(B) 6560	SEALER RESIN	4.000	GAL

SECTION 0007 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	967.000	SY
523(A) 6550	SEALER CRACK PREPARATION	160.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL

SECTION 0008 - BRIDGE 'H'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1275.000	SY
523(A) 6550	SEALER CRACK PREPARATION	160.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL

SECTION 0009 - BRIDGE 'I'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1374.000	SY
523(A) 6550	SEALER CRACK PREPARATION	160.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL

SECTION 0010 - BRIDGE 'J'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1376.000	SY
523(A) 6550	SEALER CRACK PREPARATION	160.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL

SECTION 0011 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	105.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	210.000	SD

SECTION 0012 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110253

CALL ORDER: 640
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: TILLMAN

PROJECT(S) : PCN
 STP-171C(132)CI 2655804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$29.26
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (EW-180/NS-223): ON EW-180 FROM US-183, EXTEND
 EAST, THEN SOUTH ON NS-223.
 PROJECT LENGTH = 4.247 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(G) 0185	EARTHWORK	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	1120.000	LF
230(A) 2806	SOLID SLAB SODDING	20000.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.800	AC
303 5912	AGGREGATE BASE	5303.000	TON
311(D) 0154	PROCESS EXISTING BASE & SURFACE,METHOD D	126.180	STA
327(E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	32776.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	449.000	TON
407 0250	TACK COAT	3850.000	GAL
411(S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	10228.000	TON
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	3830.000	TON
426(C) 5097	FLY ASH	1660.000	TON
509(B) 0321	CLASS A CONCRETE	10.000	CY
609(B) 1514	1'-8" COMB.CRB.& GUT.(8" BARRIER)	1650.000	LF
613(D) 0690	24" CORR. GALV. STEEL PIPE	743.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE	72.000	LF
613(D) 0692	36" CORR. GALV. STEEL PIPE	24.000	LF
613(D) 0694	48" CORR. GALV. STEEL PIPE	50.000	LF
613(M) 5730	24" PREFAB. CULVERT END SEC., ROUND	34.000	EA
613(M) 5732	30" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M) 5734	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 5738	48" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(B) 4726	REMOVAL OF CURB AND GUTTER	1650.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	11.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	166.680	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	336.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12600.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110253****SECTION 0002 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 0098	STAKING	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	(SP)SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110254

CALL ORDER: 660
 LETTING DATE: April 14, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CREEK
 TULSA

PROJECT(S) : PCN
 BRFY-172B(523) 2318508
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$41.18
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE WATER PROOF SEAL
 VARIOUS LOCATIONS IN CREEK AND TULSA COUNTIES.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	892.000	SY
523(A) 6550	SEALER CRACK PREPARATION	63.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2164.000	SY
523(A) 6550	SEALER CRACK PREPARATION	152.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1974.000	SY
523(A) 6550	SEALER CRACK PREPARATION	139.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

SECTION 0004 - BRIDGE STRUCTURE '3'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2151.000	SY
523(A) 6550	SEALER CRACK PREPARATION	151.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

SECTION 0005 - BRIDGE STRUCTURE '44'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2443.000	SY
523(A) 6550	SEALER CRACK PREPARATION	171.000	LF
523(B) 6560	SEALER RESIN	1.200	GAL

SECTION 0006 - BRIDGE STRUCTURE '47'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1032.000	SY
523(A) 6550	SEALER CRACK PREPARATION	73.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110254

SECTION 0007 - BRIDGE STRUCTURE '48'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1125.000	SY
523(A) 6550	SEALER CRACK PREPARATION	79.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

SECTION 0008 - BRIDGE STRUCTURE '49SB'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1637.000	SY
523(A) 6550	SEALER CRACK PREPARATION	115.000	LF
523(B) 6560	SEALER RESIN	0.800	GAL

SECTION 0009 - BRIDGE STRUCTURE '51'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1207.000	SY
523(A) 6550	SEALER CRACK PREPARATION	85.000	LF
523(B) 6560	SEALER RESIN	0.600	GAL

SECTION 0010 - BRIDGE STRUCTURE '53'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	6563.000	SY
523(A) 6550	SEALER CRACK PREPARATION	525.000	LF
523(B) 6560	SEALER RESIN	3.500	GAL

SECTION 0011 - BRIDGE STRUCTURE '17'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	447.000	SY
523(A) 6550	SEALER CRACK PREPARATION	92.000	LF
523(B) 6560	SEALER RESIN	0.600	GAL

SECTION 0012 - BRIDGE STRUCTURE '18'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	410.000	SY
523(A) 6550	SEALER CRACK PREPARATION	121.000	LF
523(B) 6560	SEALER RESIN	0.800	GAL

SECTION 0013 - BRIDGE STRUCTURE '20'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	8436.000	SY
523(A) 6550	SEALER CRACK PREPARATION	1606.000	LF
523(B) 6560	SEALER RESIN	10.700	GAL

SECTION 0014 - BRIDGE STRUCTURE '23'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1138.000	SY
523(A) 6550	SEALER CRACK PREPARATION	80.000	LF
523(B) 6560	SEALER RESIN	0.600	GAL

SECTION 0015 - BRIDGE STRUCTURE '25'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1422.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110254

SECTION 0015 - BRIDGE STRUCTURE '25'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	SEALER CRACK PREPARATION	10.600	LF
523(B) 6560	SEALER RESIN	1.000	GAL

SECTION 0016 - BRIDGE STRUCTURE '27'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	716.000	SY
523(A) 6550	SEALER CRACK PREPARATION	51.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL

SECTION 0017 - BRIDGE STRUCTURE '29'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	630.000	SY
523(A) 6550	SEALER CRACK PREPARATION	45.000	LF
523(B) 6560	SEALER RESIN	0.300	GAL

SECTION 0018 - BRIDGE STRUCTURE '31'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	973.000	SY
523(A) 6550	SEALER CRACK PREPARATION	69.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

SECTION 0019 - BRIDGE STRUCTURE '34WB'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	874.000	SY
523(A) 6550	SEALER CRACK PREPARATION	62.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL

SECTION 0020 - BRIDGE STRUCTURE '35WB'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	910.000	SY
523(A) 6550	SEALER CRACK PREPARATION	64.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL

SECTION 0021 - BRIDGE STRUCTURE '36WB'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1088.000	SY
523(A) 6550	SEALER CRACK PREPARATION	77.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

SECTION 0022 - BRIDGE STRUCTURE '37'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1325.000	SY
523(A) 6550	SEALER CRACK PREPARATION	93.000	LF
523(B) 6560	SEALER RESIN	0.600	GAL

SECTION 0023 - BRIDGE STRUCTURE '39'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	437.000	SY
523(A) 6550	SEALER CRACK PREPARATION	31.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110254****SECTION 0023 - BRIDGE STRUCTURE '39'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(B) 6560	SEALER RESIN	0.200	GAL

SECTION 0024 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

SECTION 0025 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – April 14, 2011 AM

Date:				Order Taken by:				
Contractor's Id No.:				No. Of Proposal(s):				
Person Ordering:				☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail				
Contractor's Name:								
Telephone No:								
Physical Address:						Please Return Completed Form to:		
						Fax # 405-522-0972 or		
						Email mjunsay@odot.org		
Specification Book Ordered:								
#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ADAIR / CHEROKEE / HASKELL	020	BRFY-101C(097)	23105(08)		\$50.00	15.00 + 1.26	0
2	CADD0	060	CIRB-108C(282)RB	27424(04)		\$50.00	31.00 + 2.60	18
3	CADD0	080	STPY-108B(296)TR	28481(04)		\$50.00	4.50 + 0.38	0
4	CLEVELAND	120	STP-114B(142)AG	22140(04)		\$50.00	78.00 + 6.53	15
5	CLEVELAND	140	STPG-114A(290)AG	28080(04)		\$50.00	No Charge	0
6	COMANCHE	160	NHY-021N(051)	20298(07)		\$50.00	69.00 + 5.78	60
7	COMANCHE	180	SSP-116N(187)SS	27054(04)		\$50.00	43.00 + 3.60	0
8	COMANCHE / LOVE	200	STPY-116C(203)TR STPY-143C(103)TR	28482(04) 28483(04)		\$50.00	9.00 + 0.75	0
9	COTTON	220	STPY-117C(089)RW	24114(08)		\$50.00	No Charge	0
10	BECKHAM / HARMON / ROGER MILLS / WASHITA / OTHERS	240	BRFY-120C(139)	24377(04)		\$50.00	19.00 + 1.59	0
11	HASKELL	280	SSP-131B(064)SS	23101(04)		\$50.00	49.00 + 4.10	14
12	HASKELL	300	BRO-131D(088)CI	25334(04)		\$50.00	8.00 + 0.67	3
13	LATIMER	310	ERSTP-139C(096)ER	00464(16)		\$50.00	30.00 + 2.51	20
14	LEFLORE	320	BRO-140D(136)CO	22886(04)		\$50.00	8.00 + 0.67	5
15	COAL / LINCOLN / OKFUSKEE / PONTOTOC / OTHERS	340	BRFY-141F(229)	20995(04)		\$50.00	25.00 + 2.10	0
16	CLEVELAND / HUGHES / JOHNSTON / LINCOLN / OTHERS	360	BRFY-141F(230)	22973(09)		\$50.00	20.00 + 1.68	0
17	LOGAN	380	SSR-142C(227)SR	28498(04)		\$50.00	No Charge	0
18	MCCLAIN	390	STP-144A(166)TR	28519(04)		\$50.00	6.00 + 0.50	0
19	MCINTOSH	400	SEC1702-146C(088)HP	24003(04)		\$50.00	17.00 + 1.42	21
20	MAYES	420	BRO-NBIL(129)CO	25639(04)		\$50.00	22.00 + 1.84	3
21	MURRAY	440	SSP-150B(079)SS	26241(04)		\$50.00	60.00 + 5.03	19
22	NOBLE	460	STPY-152B(105)	20311(04)		\$50.00	214.00 + 17.93	82
23	NOBLE	480	BRF-152C(093)CI	22352(04)		\$50.00	10.00 + 0.84	3
24	OKLAHOMA	500	STP-155A(691)AG	26119(04)		\$50.00	24.00 + 2.01	2

BID OPENING OF – April 14, 2011 AM

Date:	Order Taken by:	
Contractor's Id No.:	No. Of Proposal(s):	
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail	
Contractor's Name:		
Telephone No:		
Physical Address:		Please Return Completed Form to:
		Fax # 405-522-0972 or
		Email mjunsay@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
25	OSAGE / PAWNEE	520	CIRB-157C(083)RB	23480(04)		\$50.00	67.00 + 5.61	21
26	OSAGE	540	SBR-157A(177)SB	28259(04)		\$50.00	20.00 + 1.68	0
27	PITTSBURG	550	SSP-161N(249)SS	14998(08)		\$50.00	19.00 + 1.59	4
28	COAL / LINCOLN / OKFUSKEE / PONTOTOC / OTHERS	560	BRFY-NBIP(438)	20994(04)		\$50.00	16.00 + 1.34	0
29	ATOKA / CHOCTAW / LATIMER / LEFLORE / OTHERS	580	BH FY-164C(165)	23144(08)		\$50.00	34.00 + 2.85	0
30	ROGERS	590	BRFY-166C(130)SS	20899(04)		\$50.00	67.00 + 5.61	27
31	CARTER / COMANCHE / GRADY / STEPHENS / OTHERS	620	BRFY-169C(189)	23125(08)		\$50.00	24.00 + 2.01	0
32	TILLMAN	640	STP-171C(132)CI	26558(04)		\$50.00	27.00 + 2.26	0
33	CREEK / TULSA	660	BRFY-172B(523)	23185(08)		\$50.00	38.00 + 3.18	0