

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO **DOWNLOAD, AND INSTALL, THE NEWEST VERSION OF EXPEDITE BID (5.9a)** AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the July 21, 2011 10:30 A.M. Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on June 30, 2011.

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on July 08, 2011 concerning this July 21 Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Important:

Effective with January 2011 Bid Opening, all bids for projects requiring pre-qualification will be submitted via Bid Express. Exceptions to this new policy will be discussed with the Office Engineer on a case-by-case basis, and noted on the Short and Long Form Notices

Effective with the June 2009 Letting, any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:

Office Engineer Division at 405-522-0972

or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

*Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2011/plans.htm>*

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo>

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.

For written bids, do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mjunsay@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , July 21, 2011 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110320

CALL ORDER: 020
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: BRYAN

PROJECT(S) : PCN
 NHY-022N(195) 1884715
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$141.97
 330 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND SIGNALS
 US-70/DURANT BYPASS: FROM 2.60 MILES SOUTHEAST OF THE
 US-70 JCT, EXTEND EAST.
 PROJECT LENGTH = 1.906 MILES

SECTION 0001 - ROADWAY - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	39859.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3636.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	16.000	EA
221(F) 0100	TEMPORARY SILT DIKE	224.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	8.000	CY
230(A) 2806	SOLID SLAB SODDING	64870.000	SY
303(B) 2110	AGGREGATE BASE TYPE B	57406.000	CY
310(B) 0149	SUBGRADE, METHOD B	224008.000	SY
325 5271	SEPARATOR FABRIC	186940.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	16902.000	TON
407(B) 0250	TACK COAT	22609.000	GAL
408 5774	PRIME COAT	33861.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	19544.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	31439.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	12969.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3150.000	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	33909.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	2375.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	7302.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	2419.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	406.000	CY
509(A) 0319	CLASS AA CONCRETE	1001.000	CY
509(D) 0325	CLASS C CONCRETE	15.000	CY
511(A) 0332	REINFORCING STEEL	156133.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	330.000	TON
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	1152.000	LF
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	11484.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	157.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	733.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110320

SECTION 0001 - ROADWAY - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(G) 4142	BITUMINOUS DRIVEWAY	495.000	SY
611(A) 2657	MANHOLE (4' DIA.)	7.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	2.400	VF
611(G) 5113	INLET CI DES. 2 (B)	3.000	EA
611(G) 5114	INLET CI DES. 2 (C)	1.000	EA
611(G) 5115	INLET CI DES. 2 (D)	4.000	EA
611(G) 5117	INLET CI DES. 2 (2B)	4.000	EA
611(G) 5122	INLET CI DES. 3 (D)	2.000	EA
611(G) 5327	INLET GPI TYPE 1 (DES. 1)	1.000	EA
611(G) 6006	INLET (SMD-TYPE 2B)	1.000	EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	7.800	VF
611(H) 5330	ADD'L DEPTH IN INLET CI DES. 3	2.000	VF
611(H) 5374	ADD'L DEPTH IN INLET GPI TYPE 1	2.000	VF
613(A) 0491	18" R.C.PIPES CLASS III	1758.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	616.000	LF
613(A) 0493	30" R.C.PIPES CLASS III	314.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	60.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	54.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	10126.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	510.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	7.000	EA
613(L) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	234.000	CY
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	720.000	CY
613(V) 1180	TRENCH EXCAVATION	1974.000	CY
619(B) 0291	REMOVAL OF HEADWALL	6.000	EA
619(B) 4725	REMOVAL OF FENCE	4349.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	4247.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	26484.000	SY
619(C) 0924	SAWING PAVEMENT	120.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1625.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	5310.000	LF
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	35.000	EA

SECTION 0002 - TRAFFIC CONTROL - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	1795.000	EA
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2640.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4785.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3570.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110320

SECTION 0002 - TRAFFIC CONTROL - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2145.000	SD
880(C) 8848	WING BARRICADES	660.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7170.000	SD
880(F) 8878	DRUMS	16590.000	SD

SECTION 0003 - TRAFFIC SIGNING AND STRIPING - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	77.160	CY
804(B) 2916	REINFORCING STEEL	16164.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	926.450	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	4789.500	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	490.500	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	363.000	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	576.000	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	675.500	LF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	12.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	1184.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	150.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	101375.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	14830.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	9240.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	5300.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	305.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	57.000	EA
880(C) 8845	BARRICADES(TYPE III)	6.000	EA
880(E) 8863	WARNING LIGHTS(TYPE A)	12.000	EA

SECTION 0004 - TRAFFIC SIGNAL - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	200.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	315.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	520.000	LF
803(A) 8065	PULL BOX(SIZE I)	7.000	EA
803(A) 8066	PULL BOX(SIZE II)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	24.000	CY
804(B) 2916	REINFORCING STEEL	3644.600	LB
806(A) 8836	40' MHP 25' TS & 10' LMA(G.STL.)	2.000	EA
806(A) 8844	40' MHP 30' TS & 10' LMA(G.STL.)	3.000	EA
806(A) 8852	40' MHP 35' TS & 10' LMA(G.STL.)	2.000	EA
806(A) 8858	40' MHP 40' TS & 10' LMA(G.STL.)	2.000	EA
809(A) 8090	ROADWAY LUMINAIRE	9.000	EA
810(A) 3118	SERVICE POLE	3.000	EA
811 8040	1/C NO.6 ELECT.COND.	600.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110320

SECTION 0004 - TRAFFIC SIGNAL - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
811 8044	1/C NO.10 ELECT.COND.	3560.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	3.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	15.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	3.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	3.000	EA
833 3030	BACKPLATE	21.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	905.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	125.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	1330.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	15.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	9.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	1710.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	6.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	202.500	SF

SECTION 0005 - STAKING - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110321

CALL ORDER: 021
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: BRYAN

PROJECT(S) : PCN
 NHY-022N(207) 1884720
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$115.96
 240 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND SIGNALS
 US-70/DURANT BYPASS: FROM THE US-70 JUNCTION,
 EXTEND SOUTHEAST.
 PROJECT LENGTH = 2.596 MILES

SECTION 0001 - ROADWAY - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	36532.000	CY
221(C) 2801	TEMPORARY SILT FENCE	425.000	LF
221(F) 0100	TEMPORARY SILT DIKE	196.000	LF
230(A) 2806	SOLID SLAB SODDING	37445.000	SY
303(B) 2110	AGGREGATE BASE TYPE B	64257.000	CY
310(B) 0149	SUBGRADE, METHOD B	236800.000	SY
325 5271	SEPARATOR FABRIC	260818.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	20483.000	TON
407(B) 0250	TACK COAT	26342.000	GAL
408 5774	PRIME COAT	68491.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	21307.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	37993.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	14114.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5963.000	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	46195.000	LF
509(D) 0325	CLASS C CONCRETE	15.000	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8838.000	SY
619(C) 0924	SAWING PAVEMENT	8005.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3700.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	14.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	14.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	81.000	EA

SECTION 0002 - TRAFFIC CONTROL - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	3000.000	EA
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	1910.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1910.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	480.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1440.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2400.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110321

SECTION 0002 - TRAFFIC CONTROL - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	8640.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2400.000	SD
880(C) 8845	BARRICADES(TYPE III)	18.000	EA
880(C) 8848	WING BARRICADES	960.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	13440.000	SD
880(F) 8878	DRUMS	35040.000	SD

SECTION 0003 - TRAFFIC SIGNING AND STRIPING - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(D) 0325	CLASS C CONCRETE	27.320	CY
511(A) 0332	REINFORCING STEEL	1124.000	LB
804(A) 2915	STRUCTURAL CONCRETE	38.700	CY
804(B) 2916	REINFORCING STEEL	8344.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	740.190	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	1810.500	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	180.000	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	116.000	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	484.000	LF
851(B) 3215	1 1/2"@2.72 GALV.STL.PIPE POST	36.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	756.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	335.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	41208.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	5295.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	3033.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	1515.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	105.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	24.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	5.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5000.000	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	76.000	EA

SECTION 0004 - TRAFFIC SIGNAL - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	95.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	185.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	70.000	LF
803(A) 8065	PULL BOX(SIZE I)	2.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	8.700	CY
804(B) 2916	REINFORCING STEEL	1330.000	LB
806(A) 8852	40' MHP 35' TS & 10' LMA(G.STL.)	1.000	EA
806(A) 8858	40' MHP 40' TS & 10' LMA(G.STL.)	1.000	EA
806(A) 8866	40' MHP 45' TS & 10' LMA(G.STL.)	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110321

SECTION 0004 - TRAFFIC SIGNAL - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
809(A) 8090	ROADWAY LUMINAIRE	3.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	1100.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	4.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	3.000	EA
831 8262	1WAY3SEC.ADJ.SIG.HD.S-10	1.000	EA
833 3030	BACKPLATE	8.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	410.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	420.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	68.500	SF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0005 - STAKING - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110348

CALL ORDER: 022
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: BRYAN

PROJECT(S) : PCN
 NHY-022N(195) 1884715
 NHY-022N(207) 1884720

DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$257.93
 500 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION

GRADE, DRAIN, SURFACE, AND SIGNALS
 US-70/DURANT BYPASS: FROM THE US-70 JUNCTION,
 EXTEND SOUTHEAST TO THE SH-78 JUNCTION.
 PROJECT LENGTH = 4.502 MILES

SECTION 0001 - ROADWAY - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	39859.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3636.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	16.000	EA
221(F) 0100	TEMPORARY SILT DIKE	224.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	8.000	CY
230(A) 2806	SOLID SLAB SODDING	64870.000	SY
303(B) 2110	AGGREGATE BASE TYPE B	57406.000	CY
310(B) 0149	SUBGRADE, METHOD B	224008.000	SY
325 5271	SEPARATOR FABRIC	186940.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	16902.000	TON
407(B) 0250	TACK COAT	22609.000	GAL
408 5774	PRIME COAT	33861.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	19544.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	31439.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	12969.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3150.000	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	33909.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	2375.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	7302.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	2419.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	406.000	CY
509(A) 0319	CLASS AA CONCRETE	1001.000	CY
509(D) 0325	CLASS C CONCRETE	15.000	CY
511(A) 0332	REINFORCING STEEL	156133.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	330.000	TON
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	1152.000	LF
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	11484.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	157.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110348

SECTION 0001 - ROADWAY - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(C) 0609	6" CONCRETE DIVIDING STRIP	733.000	SY
610(G) 4142	BITUMINOUS DRIVEWAY	495.000	SY
611(A) 2657	MANHOLE (4' DIA.)	7.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	2.400	VF
611(G) 5113	INLET CI DES. 2 (B)	3.000	EA
611(G) 5114	INLET CI DES. 2 (C)	1.000	EA
611(G) 5115	INLET CI DES. 2 (D)	4.000	EA
611(G) 5117	INLET CI DES. 2 (2B)	4.000	EA
611(G) 5122	INLET CI DES. 3 (D)	2.000	EA
611(G) 5327	INLET GPI TYPE 1 (DES. 1)	1.000	EA
611(G) 6006	INLET (SMD-TYPE 2B)	1.000	EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	7.800	VF
611(H) 5330	ADD'L DEPTH IN INLET CI DES. 3	2.000	VF
611(H) 5374	ADD'L DEPTH IN INLET GPI TYPE 1	2.000	VF
613(A) 0491	18" R.C.PIPES CLASS III	1758.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	616.000	LF
613(A) 0493	30" R.C.PIPES CLASS III	314.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	60.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	54.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	10126.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	510.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	7.000	EA
613(L) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	234.000	CY
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	720.000	CY
613(V) 1180	TRENCH EXCAVATION	1974.000	CY
619(B) 0291	REMOVAL OF HEADWALL	6.000	EA
619(B) 4725	REMOVAL OF FENCE	4349.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	4247.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	26484.000	SY
619(C) 0924	SAWING PAVEMENT	120.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1625.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	5310.000	LF
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	35.000	EA

SECTION 0002 - TRAFFIC CONTROL - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	1795.000	EA
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2640.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4785.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110348

SECTION 0002 - TRAFFIC CONTROL - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3570.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2145.000	SD
880(C) 8848	WING BARRICADES	660.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7170.000	SD
880(F) 8878	DRUMS	16590.000	SD

SECTION 0003 - TRAFFIC SIGNING AND STRIPING - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	77.160	CY
804(B) 2916	REINFORCING STEEL	16164.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	926.450	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	4789.500	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	490.500	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	363.000	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	576.000	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	675.500	LF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	12.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	1184.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	150.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	101375.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	14830.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	9240.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	5300.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	305.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	57.000	EA
880(C) 8845	BARRICADES(TYPE III)	6.000	EA
880(E) 8863	WARNING LIGHTS(TYPE A)	12.000	EA

SECTION 0004 - TRAFFIC SIGNAL - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	200.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	315.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	520.000	LF
803(A) 8065	PULL BOX(SIZE I)	7.000	EA
803(A) 8066	PULL BOX(SIZE II)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	24.000	CY
804(B) 2916	REINFORCING STEEL	3644.600	LB
806(A) 8836	40' MHP 25' TS & 10' LMA(G.STL.)	2.000	EA
806(A) 8844	40' MHP 30' TS & 10' LMA(G.STL.)	3.000	EA
806(A) 8852	40' MHP 35' TS & 10' LMA(G.STL.)	2.000	EA
806(A) 8858	40' MHP 40' TS & 10' LMA(G.STL.)	2.000	EA
809(A) 8090	ROADWAY LUMINAIRE	9.000	EA
810(A) 3118	SERVICE POLE	3.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110348

SECTION 0004 - TRAFFIC SIGNAL - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
811 8040	1/C NO.6 ELECT.COND.	600.000	LF
811 8044	1/C NO.10 ELECT.COND.	3560.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	3.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	15.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	3.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	3.000	EA
833 3030	BACKPLATE	21.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	905.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	125.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	1330.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	15.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	9.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	1710.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	6.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	202.500	SF

SECTION 0005 - STAKING - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - NHY-022N(195)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION 0007 - ROADWAY - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	36532.000	CY
221(C) 2801	TEMPORARY SILT FENCE	425.000	LF
221(F) 0100	TEMPORARY SILT DIKE	196.000	LF
230(A) 2806	SOLID SLAB SODDING	37445.000	SY
303(B) 2110	AGGREGATE BASE TYPE B	64257.000	CY
310(B) 0149	SUBGRADE, METHOD B	236800.000	SY
325 5271	SEPARATOR FABRIC	260818.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	20483.000	TON
407(B) 0250	TACK COAT	26342.000	GAL
408 5774	PRIME COAT	68491.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	21307.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	37993.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	14114.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5963.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110348

SECTION 0007 - ROADWAY - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	46195.000	LF
509(D) 0325	CLASS C CONCRETE	15.000	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8838.000	SY
619(C) 0924	SAWING PAVEMENT	8005.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3700.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	14.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	14.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	81.000	EA

SECTION 0008 - TRAFFIC CONTROL - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	3000.000	EA
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	1910.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1910.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	480.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1440.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2400.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	8640.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2400.000	SD
880(C) 8845	BARRICADES(TYPE III)	18.000	EA
880(C) 8848	WING BARRICADES	960.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	13440.000	SD
880(F) 8878	DRUMS	35040.000	SD

SECTION 0009 - TRAFFIC SIGNING AND STRIPING - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(D) 0325	CLASS C CONCRETE	27.320	CY
511(A) 0332	REINFORCING STEEL	1124.000	LB
804(A) 2915	STRUCTURAL CONCRETE	38.700	CY
804(B) 2916	REINFORCING STEEL	8344.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	740.190	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	1810.500	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	180.000	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	116.000	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	484.000	LF
851(B) 3215	1 1/2"@2.72 GALV.STL.PIPE POST	36.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	756.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	335.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	41208.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	5295.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	3033.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	1515.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	105.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110348

SECTION 0009 - TRAFFIC SIGNING AND STRIPING - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	24.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	5.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5000.000	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	76.000	EA

SECTION 0010 - TRAFFIC SIGNAL - NHY-022N(207)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	95.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	185.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	70.000	LF
803(A) 8065	PULL BOX(SIZE I)	2.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	8.700	CY
804(B) 2916	REINFORCING STEEL	1330.000	LB
806(A) 8852	40' MHP 35' TS & 10' LMA(G.STL.)	1.000	EA
806(A) 8858	40' MHP 40' TS & 10' LMA(G.STL.)	1.000	EA
806(A) 8866	40' MHP 45' TS & 10' LMA(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	3.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	1100.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	4.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	3.000	EA
831 8262	1WAY3SEC.ADJ.SIG.HD.S-10	1.000	EA
833 3030	BACKPLATE	8.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	410.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	420.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	68.500	SF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110349

CALL ORDER: 060
LETTING DATE: July 21, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: CADDO

PROJECT(S) : PCN
STPY-108C(301)3P 2866804
DBE GOALS : 4.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
45 CALENDAR DAYS
RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
US-277: FROM THE SH-8 JUNCTION, EXTEND EAST.
PROJECT LENGTH = 3.75 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	400.000	LF
221(F) 0100	TEMPORARY SILT DIKE	160.000	LF
409(A) 4242	FABRIC REINFORCEMENT	53715.000	SY
409(B) 4268	BITUMINOUS BINDER	13429.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9300.000	TON
412 5267	COLD MILLING PAVEMENT	28290.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	29360.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3200.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	10.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	6.000	EA
629(C) 4960	MAILBOX	6.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	6.000	EA

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	64870.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110407

CALL ORDER:	070	<u>PROJECT(S) :</u>	<u>PCN</u>
LETTING DATE:	July 21, 2011	SAP-108D(303)	2874904
LETTING TIME:	10:30 A.M.	SAP-108D(304)	2875004
COUNTIES:	CADDO	SAP-108D(305)	2875104

DBE GOALS : 0.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE : \$0.00

COMPLETION DATE OF 10/31/2011

RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)

PARK ROADS: AT VARIOUS LOCATIONS AT FORT COBB STATE PARK.

PROJECT LENGTH = 3.10 MILES

SECTION 0001 - ROADWAY - SAP-108D(303)

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3410.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY - SAP-108D(304)

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2100.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - ROADWAY - SAP-108D(305)

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1900.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110350

CALL ORDER: 080
LETTING DATE: July 21, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: CIMARRON

PROJECT(S) : PCN
SSP-113C(080)SS 2701305
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2011
RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
RESURFACE (ASPHALT)
SH-171: FROM 10.5 MILES NORTH OF THE US-287 JUNCTION, EXTEND
NORTH.
PROJECT LENGTH = 7.43 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
407(B) 0250	TACK COAT	11600.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	20855.000	TON

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110368

CALL ORDER: 090
LETTING DATE: July 21, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: CLEVELAND

PROJECT(S) : PCN
IMG-0035-2(319)114TR 2868404
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$28.18
30 CALENDAR DAYS
RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
STRIPING AND PAVEMENT MARKING
I-35: FROM INDIAN HILLS ROAD IN MOORE, EXTEND NORTH.
PROJECT LENGTH = 4.21 MILES

SECTION 0001 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	108480.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	27880.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	4248.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	2435.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	100.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	119043.000	LF
858(A) 8959	PAVE.MARKERS CLASS C REPL.REFL.LENS	300.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110331

CALL ORDER: 100	PROJECT(S) : PCN
LETTING DATE: July 21, 2011	SBR-125C(197)SB 2817504
LETTING TIME: 10:30 A.M.	
COUNTIES: GARVIN	DBE GOALS : 0.00
	GUARANTY : 5% OF BID TOTAL
	PLAN PRICE : \$18.42
	120 CALENDAR DAYS
	RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-74: OVER ROCK CREEK, 7.76 MILES NORTH OF THE CARTER
 COUNTY LINE.
 PROJECT LENGTH = 0.112 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	832.000	LF
221(F) 0100	TEMPORARY SILT DIKE	40.000	LF
230(A) 2806	SOLID SLAB SODDING	820.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	340.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	69.000	TON
509(D) 0325	CLASS C CONCRETE	12.800	CY
619(B) 4780	REMOVAL OF GUARDRAIL	600.000	LF
619(C) 0924	SAWING PAVEMENT	832.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	25.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	168.000	SY
504(B) 1305	SAW-CUT GROOVING	617.200	SY
504(C) 6250	SEALED EXPANSION JOINT	36.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	355.000	LF
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	122.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	45900.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	269.200	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	31.000	SY
523(A) 6550	SEALER CRACK PREPARATION	172.500	LF
523(B) 6560	SEALER RESIN	2.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	500.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	134.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110331

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	240.000	SD
851(C) 8324	2" SQUARE TUBE POST	880.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2376.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	10727.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2586.000	LF
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	675.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	720.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	960.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2640.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	480.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1440.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	8760.000	SD
880(F) 8878	DRUMS	2160.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110351

CALL ORDER: 140
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRADY

PROJECT(S) : PCN
 STPY-126N(198)3P 2866904

DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 45 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 US-81: FROM THE SH-17 JUNCTION, EXTEND NORTH.
 PROJECT LENGTH = 3.90 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
409(A) 4242	FABRIC REINFORCEMENT	54619.000	SY
409(B) 4268	BITUMINOUS BINDER	13655.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	8100.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1930.000	TON
412 5267	COLD MILLING PAVEMENT	63650.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	36588.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	537.500	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	3.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	1.000	EA
623(J) 8572	CURVED APPROACH GUARDRAIL	1.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	46500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110353

CALL ORDER: 180
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: HUGHES

PROJECT(S) : PCN
 BRO-132D(141)CI 2723704
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER A TRIBUTARY OF LAKE HOLDENVILLE, 2.8 MILES
 SOUTH OF US-270/NS374.
 PROJECT LENGTH = 0.207 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2600.000	CY
202(D) 0184	UNCLASSIFIED BORROW	4330.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	700.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	8723.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.170	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1520.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	16.000	TON
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	102.000	LF
613(P) 4571	28" X 20" GALV. STEEL CULV. END SEC.ARCH	4.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F) 6352	GRANULAR BACKFILL	76.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	224.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	211.200	LF
506(A) 1322	STRUCTURAL STEEL	1430.000	LB
509(A) 1326	CLASS AA CONCRETE	60.100	CY
509(B) 1328	CLASS A CONCRETE	66.800	CY
511(A) 1332	REINFORCING STEEL	23290.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	95.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	195.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	95.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	195.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	368.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	119.700	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110353****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110334

CALL ORDER: 200
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: HUGHES

PROJECT(S) : PCN
 SBR-132B(155)SB 2817604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$24.93
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-75: OVER WEWOKA CREEK, 2.5 MILES SOUTH OF THE SH-9 JCT.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	1420.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1710.000	LF
230(A) 2806	SOLID SLAB SODDING	1776.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	503.000	CY
407(B) 0250	TACK COAT	307.000	GAL
408 5774	PRIME COAT	281.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	310.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	487.000	TON
412 5267	COLD MILLING PAVEMENT	2272.000	SY
509(D) 0325	CLASS C CONCRETE	5.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1516.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	4.000	EA
619(B) 4791	REMOVAL OF CURB	60.000	LF
619(C) 0924	SAWING PAVEMENT	1736.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	838.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	8.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	137.800	SY
504(B) 1305	SAW-CUT GROOVING	1420.400	SY
504(C) 6250	SEALED EXPANSION JOINT	64.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	886.600	LF
506(A) 1322	STRUCTURAL STEEL	6000.000	LB
509(A) 1326	CLASS AA CONCRETE	323.200	CY
509(B) 1328	CLASS A CONCRETE	3.200	CY
511 6306	MECHANICAL SPLICES	1396.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110334

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511(A) 1332	REINFORCING STEEL	450.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	88700.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
513(C) 6020	CLASS C BRIDGE DECK REPAIR	10.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	676.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	65.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	6.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	17.000	SY
523(A) 6550	SEALER CRACK PREPARATION	527.000	LF
523(B) 6560	SEALER RESIN	7.000	GAL
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	3.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	18.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	5.000	EA
540 4545	(PL)REPAIR BRIDGE ITEM (TYPE D)	2.000	EA
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	100.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	14500.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	220.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1419.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1419.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110082

CALL ORDER: 220
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: KINGFISHER

PROJECT(S) : PCN
 SBR-137N(072)SB 2488204
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$33.60
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-81: OVER THE CIMARRON RIVER, 6.8 MILES NORTH OF THE SH-33
 JUNCTION.
 PROJECT LENGTH = 0.282 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2000.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1000.000	CY
221(C) 2801	TEMPORARY SILT FENCE	10000.000	LF
232(A) 2813	SEEDING METHOD A	2.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	429.000	CY
407(B) 0250	TACK COAT	12.500	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1014.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	28.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	608.000	TON
412 5267	COLD MILLING PAVEMENT	167.000	SY
509(D) 0325	CLASS C CONCRETE	16.200	CY
613(A) 0400	12" R.C.PIPE CLASS III	150.000	LF
613(L) 5722	12" PREFAB. CULVERT END SEC., ROUND	4.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	265.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	512.500	LF
623(E) 7113	BEAM GUARDRAIL TRANSITION SECTION	4.000	EA
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	6.000	CY
504(A) 1304	APPROACH SLAB	214.400	SY
504(B) 1305	SAW-CUT GROOVING	3582.500	SY
504(C) 6250	SEALED EXPANSION JOINT	128.700	LF
504(D) 6245	CONCRETE RAIL (TR4)	2149.500	LF
504(G) 6390	RAPID CURE JOINT SEALANT	32.200	LF
506(A) 1322	STRUCTURAL STEEL	41790.000	LB
509(A) 1326	CLASS AA CONCRETE	929.200	CY
511(A) 1332	REINFORCING STEEL	12865.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	360346.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110082

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1639.200	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	6.000	SY
523(A) 6550	SEALER CRACK PREPARATION	418.200	LF
523(B) 6560	SEALER RESIN	4.200	GAL
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	82.700	SF
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	980.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	62.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	4.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9070.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	11200.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	17550.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3000.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	360.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7020.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4410.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3480.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2250.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6980.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	22200.000	SD
880(F) 8878	DRUMS	22200.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110408

CALL ORDER: 230
LETTING DATE: July 21, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: LATIMER

PROJECT(S) : PCN
SAP-139D(121) 2875204
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 10/31/2011
RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION

RESURFACE (ASPHALT)

PARK ROADS: AT VARIOUS LOCATIONS AT ROBBERS CAVE STATE PARK.

PROJECT LENGTH = 1.55 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2425.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110335

CALL ORDER: 240
LETTING DATE: July 21, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: LEFLORE

PROJECT(S) : PCN
FH-140C(213) 2856704
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
COMPLETION DATE OF 09/30/2011
RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION

CHIP SEAL
SH-1: FROM 2.5 MILES EAST OF THE US-259 JUNCTION, EXTEND
EAST TO THE ARKANSAS STATE LINE.
PROJECT LENGTH = 11.00 MILES

SECTION 0001 - ROADWAY

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
403(A) 4250	CHIP SEAL (SINGLE TREATMENT)	141973.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110354

CALL ORDER: 260
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LINCOLN

PROJECT(S) : PCN
 BRO-141D(202)CI 2606404
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-348): OVER CHUCKAHO CREEK, 0.6 MILES SOUTH
 OF SH-66.
 PROJECT LENGTH = 0.387 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	500.000	LF
230(A) 2806	SOLID SLAB SODDING	10905.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.250	AC
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	1149.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	84.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(F) 6352	GRANULAR BACKFILL	76.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	447.000	LF
504(C) 6250	SEALED EXPANSION JOINT	66.120	LF
504(D) 6239	CONCRETE RAIL (TR3)	368.200	LF
506(A) 1322	STRUCTURAL STEEL	960.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	9.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	9.000	EA
509(A) 1326	CLASS AA CONCRETE	120.100	CY
509(B) 1328	CLASS A CONCRETE	127.500	CY
511(A) 1332	REINFORCING STEEL	56020.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	214.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	516.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	214.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	516.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	178.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1565.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	626.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110354

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110355

CALL ORDER: 280
LETTING DATE: July 21, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: LOGAN

PROJECT(S) : PCN
STPG-142C(228)AG 2853704
STPG-142C(229)AG 2853804

DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$0.00
30 CALENDAR DAYS
RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION

STRIPING AND PAVEMENT MARKING

CITY STREETS (DOUGLAS BLVD/PINE ST/SIMMONS RD) : AT MULTIPLE

LOCATIONS IN LOGAN COUNTY.

PROJECT LENGTH = 9.000 MILES

SECTION 0001 - ROADWAY STPG-142C(228)AG

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	147840.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY STPG-142C(229)AG

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	42240.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110336

CALL ORDER: 300
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOVE

PROJECT(S) : PCN
 IMG-35-1(160)001TR 2799004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$20.59
 30 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION

TRAFFIC SIGNALS

I-35: AT THE MILE 1 INTERCHANGE IN THE CITY OF THACKERVILLE.

SECTION 0001 - TRAFFIC SIGNAL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	140.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	973.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	265.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	135.000	LF
803(A) 8065	PULL BOX(SIZE I)	7.000	EA
803(A) 8066	PULL BOX(SIZE II)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	24.000	CY
804(B) 2916	REINFORCING STEEL	3644.600	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	8.000	EA
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	3.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	2.000	EA
809(A) 8090	ROADWAY LUMINAIRE	9.000	EA
810(A) 3118	SERVICE POLE	3.000	EA
811 8040	1/C NO.6 ELECT.COND.	2208.000	LF
811 8044	1/C NO.10 ELECT.COND.	1222.000	LF
824(A) 8340	(SP)MASTER CONTROLLER	1.000	EA
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	3.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	19.000	EA
831 8262	1WAY3SEC.ADJ.SIG.HD.S-10	1.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	1.000	EA
833 3030	BACKPLATE	21.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1575.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	25.000	LF
834(A) 8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	145.000	LF
834(A) 8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	126.000	LF
834(C) 8359	UNDERGROUND COMMUNICATION CABLE	1150.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	77.500	SF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	94.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110336

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110337

CALL ORDER: 320
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAJOR

PROJECT(S) : PCN
 BRO-147D(145)CI 2583104
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$16.26
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-256): OVER EAGLE CHIEF CREEK, 3.5 MILES
 NORTH OF THE US-60 JUNCTION.
 PROJECT LENGTH = 0.321 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	300.000	LF
221(F) 0100	TEMPORARY SILT DIKE	500.000	LF
230(A) 2806	SOLID SLAB SODDING	10484.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.200	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1050.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	540.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	178.000	TON
601(H) 1390	TYPE IV GROUTED RIPRAP	1000.000	SY
613(B) 0690	24" CORR. GALV. STEEL PIPE	54.000	LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	94.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	135.600	CY
501(D) 6353	UNCLASSIFIED BACKFILL	209.200	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	315.000	LF
506(A) 1322	STRUCTURAL STEEL	306.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	80.600	CY
509(B) 1328	CLASS A CONCRETE	130.600	CY
511(A) 1332	REINFORCING STEEL	34726.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	180.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	560.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	180.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	560.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110337****SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(B) 1353	TYPE I-A PLAIN RIPRAP	1925.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	576.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110339

CALL ORDER: 340
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKFUSKEE

PROJECT(S) : PCN
 SBR-154N(161)SB 2756804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 I-40: OVER NS-375, 7.4 MILES EAST OF THE SEMINOLE COUNTY
 LINE.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
407(B) 0250	TACK COAT	1050.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	855.000	TON
412 5267	COLD MILLING PAVEMENT	6760.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	3200.000	LF
619(B) 4780	REMOVAL OF GUARDRAIL	80.000	LF
619(C) 0924	SAWING PAVEMENT	152.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	95.000	CY
501(G) 6309	CLSM BACKFILL	95.000	CY
504(A) 1304	APPROACH SLAB	195.000	SY
504(C) 6250	SEALED EXPANSION JOINT	88.000	LF
504(E) 6190	42" F-SHAPED PARAPET	304.000	LF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	461.000	SY
505(E) 1000	HYDRODEMOLITION	461.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	1800.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	149.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	4.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	40.000	SY
523(A) 6550	SEALER CRACK PREPARATION	88.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	5.000	SY
619(B) 6252	REMOVAL OF EXISTING PARAPET	218.000	LF

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	95.000	CY
501(G) 6309	CLSM BACKFILL	95.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110339

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	195.000	SY
504(C) 6250	SEALED EXPANSION JOINT	88.000	LF
504(E) 6190	42" F-SHAPED PARAPET	304.000	LF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	461.000	SY
505(E) 1000	HYDRODEMOLITION	461.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	1800.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	149.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	4.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	40.000	SY
523(A) 6550	SEALER CRACK PREPARATION	88.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	5.000	SY
619(B) 6252	REMOVAL OF EXISTING PARAPET	218.000	LF

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7108.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	240.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2474.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	2474.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110197

CALL ORDER: 360
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 OKCY-XTWN(004)TI 1742823
 ACOKCY-XTWN(073)TE 1742884
 SEC115-155N(826)SG 2287310

DBE GOALS : 6.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE : \$381.48

260 CALENDAR DAYS

TIME 'B' BID - \$ 25000 / DAY

TIME 'C' BID - \$ 10000 / DAY

RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION

SURFACING, BRIDGE FOUNDATION, AND SAFETY IMPROVEMENT (ITS)
 I-40: FROM JUST EAST OF WESTERN AVE, EXTEND EAST IN OKLAHOMA
 CITY.
 PROJECT LENGTH = 1.442 MILES

SECTION 0001 - ROADWAY - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0300	CONSTRUCTION MISCELLANEOUS	10479.000	LF
202(A) 0183	UNCLASSIFIED EXCAVATION	9371.000	CY
202(D) 0184	UNCLASSIFIED BORROW	5734.000	CY
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	1000.000	CY
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3525.000	LF
221(F) 0100	TEMPORARY SILT DIKE	2111.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	191.000	EA
230(A) 2806	SOLID SLAB SODDING	15453.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
234(A) 2824	FERTILIZING (10-20-10)	0.600	TON
241 2832	MOWING	5.600	AC
303(A) 2100	AGGREGATE BASE TYPE A	39119.000	CY
307(K) 4300	STABILIZED SUBGRADE	129760.000	SY
310(B) 0149	SUBGRADE, METHOD B	6354.000	SY
317 4270	CEMENT TREATED BASE	15516.000	SY
319(B) 5254	OPEN-GRADED PORTLAND CEMENT BASE	116848.000	SY
325 5271	SEPARATOR FABRIC	225624.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	94341.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
407(B) 0250	TACK COAT	1891.000	GAL
408 5774	PRIME COAT	4933.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	4388.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	936.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	47840.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110197

SECTION 0001 - ROADWAY - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	29513.000	SY
414(C) 4425	CONT.REINF.P.C.C. PAVT.(PLACEMENT)	107265.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	60159.000	CY
414(I) 5266	TYPE 3 TERMINAL JOINT	2.000	EA
414(J) 5263	TERMINAL JOINT SLEEPER SLAB	298.000	SY
504 6415	PARAPET ORNAMENT	8.000	EA
504(E) 6190	42" F-SHAPED PARAPET	10475.000	LF
509 6152	SPECIAL CONCRETE FINISH	163741.000	SY
509(A) 0319	CLASS AA CONCRETE	627.000	CY
509(B) 0325	CLASS A CONCRETE(LONG. BAR. DES. 1-A)	1275.000	CY
509(D) 0325	CLASS C CONCRETE	175.000	CY
510(E) 0100	DECORATIVE WALL	1238.000	LF
511(A) 0332	REINFORCING STEEL	151481.000	LB
511(B) 4269	EPOXY COATED REINFORCING STEEL	95810.000	LB
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	8379.000	LF
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	150.000	LF
610(C) 0608	4" CONCRETE DIVIDING STRIP	3433.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	25496.000	SY
612(A) 0641	MANHOLES ADJUST TO GRADE	58.000	EA
612(C) 0645	INLET ADJUST TO GRADE	96.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	80.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	150.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	19580.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	112.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	10.000	EA
613(Y) 0100	(PL)VIDEO INSPECTION OF CONDUIT	23641.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	300.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1673.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	375.000	SY
619(B) 4821	REMOVAL OF CONCRETE SLOPE PROTECTION	390.000	SY
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	585.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	100.000	LF
624(G) 5290	FENCE, GDF	3741.000	LF
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	2061.000	LF
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	9456.000	LF
871(A) 8325	(SP)IMPACT ATTENUATOR	3.000	EA
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	340.000	LF

SECTION 0002 - BR. 'M-X' - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	225.300	SY
504(E) 6190	42" F-SHAPED PARAPET	37.700	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110197

SECTION 0003 - BR. 'M-Y' - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	189.900	SY
504(E) 6190	42" F-SHAPED PARAPET	37.700	LF

SECTION 0004 - TRAFFIC SIGNALS - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8310	2" GALV.STEEL ELECT.COND. EXPOSED	450.000	LF
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	495.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	20.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	120.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	390.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	10.000	EA
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	6.400	CY
804(B) 2916	REINFORCING STEEL	974.400	LB
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8353	32'MH POLE,55'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8355	32'MH POLE,TWIN TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8885	40' MHP 65' TS & 15' LMA(G.STL)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	9.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8038	1/C NO.4 ELECT.COND.	2725.000	LF
811 8040	1/C NO.6 ELECT.COND.	3320.000	LF
811 8044	1/C NO.10 ELECT.COND.	630.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	2.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	18.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	4.000	EA
831 8262	1WAY3SEC.ADJ.SIG.HD.S-10	1.000	EA
833 3030	BACKPLATE	23.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1320.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	4275.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	15.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	10.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	5565.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	6.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	99.000	SF

SECTION 0005 - SIGNING AND STRIPING - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	168.000	LF
803(A) 8065	PULL BOX(SIZE I)	6.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110197

SECTION 0005 - SIGNING AND STRIPING - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	147.660	CY
804(B) 2916	REINFORCING STEEL	8704.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	308.540	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	299.500	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	2349.750	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	176.500	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	45.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	434.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	32.000	LF
852(C) 0130	OVHD.SN.STR., MONOTUBE TYPE A 100'	1.000	EA
852(C) 0140	OVHD.SN.STR., MONOTUBE TYPE A 110'	2.000	EA
852(D) 0335	OVHD.SN.STR., MONOTUBE TYPE B 105'	1.000	EA
852(E) 0500	OVHD.SN.STR., MONOTUBE TYPE C	2.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	44577.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	30396.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	3417.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	10271.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	319.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	41.000	EA

SECTION 0006 - LIGHTING - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	1270.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	970.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	13530.000	LF
803(A) 8065	PULL BOX(SIZE I)	91.000	EA
804(A) 2915	STRUCTURAL CONCRETE	113.500	CY
804(B) 2916	REINFORCING STEEL	14358.600	LB
806(D) 8989	40' MTG.HT.HL.PTP.(G.STL.)	72.000	EA
807 8092	BREAKAWAY BASE (DES. B)	5.000	EA
809(A) 8090	ROADWAY LUMINAIRE	111.000	EA
809(B) 8098	UNDERPASS LUMINAIRE	54.000	EA
810(A) 3118	SERVICE POLE	3.000	EA
811 8038	1/C NO.4 ELECT.COND.	33120.000	LF
811 8044	1/C NO.10 ELECT.COND.	2795.000	LF
811 8046	1/C NO.12 ELECT.COND.	13875.000	LF

SECTION 0007 - TRAFFIC CONTROL - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	475.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	50.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	115.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	270.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110197

SECTION 0007 - TRAFFIC CONTROL - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
803(A) 8065	PULL BOX(SIZE I)	4.000	EA
803(A) 8066	PULL BOX(SIZE II)	5.000	EA
804(A) 2915	STRUCTURAL CONCRETE	5.400	CY
804(B) 2916	REINFORCING STEEL	433.000	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	1.000	EA
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	10.000	EA
805(D) 8742	(PL)REMOVE & RESET TRAF.SIG.EQUIPMENT	1.000	LSUM
806(A) 8331	32'MH POLE 35'TS & 12'LMA(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	2.000	EA
811 8044	1/C NO.10 ELECT.COND.	2704.000	LF
828(A) 8142	VEHICLE LOOP DETECTOR	5.000	EA
828(B) 8136	LOOP DETECTOR WIRE	2615.000	LF
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	1.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	1.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	190.000	LF
834(A) 8211	15/C TRAFFIC SIGNAL ELECTRICAL CABLE	400.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1340.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	3.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	500.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	48.500	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	38.000	SF
851(C) 8324	2" SQUARE TUBE POST	140.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	77700.000	LF
854(B) 8803	TRAFFIC STRIPE(PAINT)(ARROW)	12.000	EA
854(B) 8806	TRAFFIC STRIPE(PAINT)(WORDS)	12.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	30870.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	1920.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1670.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	145.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	14.000	EA
856(B) 8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	9.000	EA
856(B) 8880	TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	12.000	EA
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	3000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	3000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5000.000	LF
871(A) 8325	(SP)IMPACT ATTENUATOR	2.000	EA
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	300.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	100.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	500.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	15920.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	600.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110197

SECTION 0007 - TRAFFIC CONTROL - OKCY-XTWN(004)TI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7300.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	17000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4500.000	SD
880(C) 8845	BARRICADES(TYPE III)	4.000	EA
880(C) 8848	WING BARRICADES	1200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2400.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	13000.000	SD
880(F) 8878	DRUMS	13000.000	SD
880(G) 8884	TUBE CHANNELIZERS	4000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1000.000	HOURL
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	4200.000	SD
882 8372	(SP)SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	1500.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	900.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	300.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	1800.000	SD

SECTION 0008 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0009 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION 0010 - ROADWAY - ACOKCY-XTWN(073)TE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	2080.000	CY
221(C) 2801	TEMPORARY SILT FENCE	780.000	LF
221(F) 0100	TEMPORARY SILT DIKE	32.000	LF
230(A) 2806	SOLID SLAB SODDING	311.000	SY
233(E) 2822	EXCELSIOR MAT	1200.000	SY
234(A) 2824	FERTILIZING (10-20-10)	0.310	TON
504 6430	RETAINING WALL PYLON	3.000	EA
510(A) 6333	RETAINING WALL	736.800	SY
514(A) 6011	PILES, FURNISHED (HP 12X53)	1295.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1295.000	LF
514(H) 6355	SHEET PILING, FURNISHED	77.000	SY
514(I) 6360	SHEET PILING, DRIVEN	77.000	SY
619(B) 6068	REMOVAL OF EXISTING RETAINING WALL	320.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110197

SECTION 0011 - BRIDGE - ACOKCY-XTWN(073)TE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	815.000	CY
506(A) 1322	STRUCTURAL STEEL	4210.000	LB
509(A) 1326	CLASS AA CONCRETE	581.300	CY
509(B) 1328	CLASS A CONCRETE	142.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	152050.000	LB
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	290.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	502.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	116.000	LF
517 6005	POST-TENSIONING	1.000	LSUM

SECTION 0012 - ITS - SEC115-155N(826)SG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	550.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1922.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	110.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1340.000	LF
803(A) 8066	PULL BOX(SIZE II)	5.000	EA
803(B) 8090	GROUND BOX (GB48)	1.000	EA
803(B) 8105	GROUND BOX (R48)	4.000	EA
804(A) 2915	STRUCTURAL CONCRETE	25.950	CY
804(B) 2916	REINFORCING STEEL	2486.500	LB
805(D) 8764	(PL)REMOVE & RESET/RELOCATE ITS EQUIP.	1.000	EA
810(A) 3118	SERVICE POLE	4.000	EA
811 8032	1/C NO.0 ELECT.COND.	4385.000	LF
815(A) 8615	(SP)CCTV CAMERA, WEB	27.000	EA
815(B) 8610	(SP)CCTV CAMERA, PAN-TILT-ZOOM	14.000	EA
816 8620	(SP)CCTV CAMERA POLE	6.000	EA
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	3100.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	6.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	96.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	96.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	3.000	EA
819 8780	(PL)FIBER OPTIC & COMMUNICATION EQUIP.	1.000	LSUM
819(B) 5550	(SP)INSTALLATION OF COMMUNICATION CABLE	600.000	LF
824(C) 6551	(SP)CABINET	4.000	EA
887(F) 8370	(PL)SHIELD ISOLATION PEDESTAL	5.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110341

CALL ORDER: 380
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S): PCN
 IMG-0035-3(298)129TR 2627304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$42.81
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-35: FROM 0.40 MILES NORTH OF THE US-62 JCT IN OKLAHOMA
 CITY, EXTEND NORTH.
 PROJECT LENGTH = 2.670 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303(A) 2100	AGGREGATE BASE TYPE A	926.000	CY
310(B) 0149	SUBGRADE, METHOD B	3283.000	SY
325 5271	SEPARATOR FABRIC	3830.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	3283.000	SY
407(B) 0250	TACK COAT	1018.000	GAL
408 5774	PRIME COAT	1079.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	342.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	700.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	225.000	TON
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	5.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	1231.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	615.000	LF
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	1.910	CY
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	46.000	CY
613(V) 1180	TRENCH EXCAVATION	1.910	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	476.000	SY
619(C) 0924	SAWING PAVEMENT	1080.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4200.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	615.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	4000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	60.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1475.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2790.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2160.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1980.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110341

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	720.000	SD
880(C) 8848	WING BARRICADES	540.000	SD
880(D) 8854	VERTICAL PANELS	1800.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3690.000	SD
880(F) 8878	DRUMS	2700.000	SD
880(G) 8890	CHANNELIZER CONES	42750.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	720.000	HOURL
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	1080.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	180.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	90.000	SD
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0003 - SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	554.500	SF
852(L) 8772	REPAIR OVHD.SN.STR.TYPE C-1 ALUM.	1.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2500.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	850.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	6.000	EA

SECTION 0004 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1393.000	CY
202(D) 0184	UNCLASSIFIED BORROW	500.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	11.000	EA
221(F) 0100	TEMPORARY SILT DIKE	910.000	LF
230(A) 2806	SOLID SLAB SODDING	57706.000	SY
241 2832	MOWING	28.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1687.000	TON
509(A) 0319	CLASS AA CONCRETE	146.000	CY
509(D) 0325	CLASS C CONCRETE	61.000	CY
511(A) 0332	REINFORCING STEEL	639.000	LB
612(C) 0645	INLET ADJUST TO GRADE	5.000	EA
619(C) 0924	SAWING PAVEMENT	100.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	13095.000	LF
628(C) 5110	END ANCHORS	8.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	90.000	EA

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110341

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110273

CALL ORDER: 400
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 SBR-155N(837)SB 2830804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$34.68
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 I-40: OVER I-44, 5.4 MILES EAST OF THE CANADIAN COUNTY LINE.
 PROJECT LENGTH = 0.173 MILES

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(G) 6390	RAPID CURE JOINT SEALANT	81.200	LF
505(B) 6070	REMOVING EXISTING OVERLAY	4086.400	SY
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	4256.400	SY
509(A) 1326	CLASS AA CONCRETE	20.100	CY
509(D) 1331	CLASS C CONCRETE	1.100	CY
511(A) 1332	REINFORCING STEEL	2680.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	960.000	LB
513(B) 6019	CLASS B BRIDGE DECK REPAIR	150.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	24.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	347.300	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	210.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	8.100	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	63.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	112.900	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	176.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	35.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	EA
540 4555	(PL)REPAIR BRIDGE ITEM (TYPE E)	26.000	EA
619(B) 2515	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
502(A) 6173	ENGINEERED FALSEWORK	1.000	LSUM
504(G) 6390	RAPID CURE JOINT SEALANT	81.200	LF
505(B) 6070	REMOVING EXISTING OVERLAY	3367.000	SY
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	3537.000	SY
506(A) 1322	STRUCTURAL STEEL	464.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110273

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 1326	CLASS AA CONCRETE	49.900	CY
509(D) 1331	CLASS C CONCRETE	4.100	CY
511(A) 1332	REINFORCING STEEL	6850.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	2085.000	LB
513(B) 6019	CLASS B BRIDGE DECK REPAIR	350.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	52.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	330.800	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	270.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	10.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	50.500	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	972.400	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	296.200	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	492.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	41.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	2.000	EA
540 4545	(PL)REPAIR BRIDGE ITEM (TYPE D)	2.000	EA
540 4555	(PL)REPAIR BRIDGE ITEM (TYPE E)	22.000	EA
619(B) 2515	REMOVAL OF BRIDGE ITEM (TYPE A)	2.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(A) 8812	ARROW DISPLAY(TYPE C)	480.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7050.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4170.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3600.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1890.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7380.000	SD
880(F) 8878	DRUMS	8820.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110356

CALL ORDER: 420
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 HSIPG-155F(865)IT 2851004

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$29.80
 COMPLETION DATE OF 03/25/2012
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (ITS)
 I-35/I-44: AT VARIOUS LOCATIONS IN THE OKLAHOMA CITY
 METRO AREA.

SECTION 0001 - TRAFFIC ITEMS - HSIPG-155F(865)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	125.000	LF
221(C) 2801	TEMPORARY SILT FENCE	688.500	LF
230(A) 2806	SOLID SLAB SODDING	877.500	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	80.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	91.000	TON
509(A) 0319	CLASS AA CONCRETE	7.500	CY
509(B) 0321	CLASS A CONCRETE	20.000	CY
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	75.000	LF
613(P) 7025	21" X 15" GALV. STEEL CULV. END SEC.ARCH	1.000	EA
619(B) 5190	REMOVAL OF CABLE BARRIER	483.000	LF
619(C) 0924	SAWING PAVEMENT	100.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	483.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	41.500	LF
628(C) 5110	END ANCHORS	1.000	EA
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	134.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	747.500	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	134.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	747.500	LF
803(A) 8066	PULL BOX(SIZE II)	4.000	EA
804(B) 2916	REINFORCING STEEL	750.000	LB
805(D) 8764	(PL)REMOVE & RESET/RELOCATE ITS EQUIP.	1.000	EA
810(A) 3118	SERVICE POLE	1.500	EA
811 8032	1/C NO.0 ELECT.COND.	5091.000	LF
819 8780	(PL)FIBER OPTIC & COMMUNICATION EQUIP.	1.000	LSUM
824(C) 6551	(SP)CABINET	1.000	EA
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	1377.000	LF
852(H) 8603	OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	17.000	LF
852A/B 9009	OVHD.SN.STR.TYPE D ALUM./G.STL.	0.500	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	100.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	210.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110356

SECTION 0001 - TRAFFIC ITEMS - HSIPG-155F(865)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(E) 8872	WARNING LIGHTS(TYPE C)	210.000	SD
880(F) 8878	DRUMS	210.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
887(A) 8540	(SP)LED DYNAMIC MESSAGE SN.FLD.EQUP(18")	3.000	EA
887(C) 8500	(SP)LED D.M.S. SYSTEM SUPPORT EQUIP.	1.000	LSUM
887(C) 8550	DYNAMIC MESSAGE SIGN LADDER	16.000	EA
887(D) 8350	(SP)LED D.M.S. SIGN SOFTWARE	1.000	LSUM

SECTION 0002 - TRAFFIC ITEMS - HSIPG-155F(865)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	125.000	LF
221(C) 2801	TEMPORARY SILT FENCE	688.500	LF
230(A) 2806	SOLID SLAB SODDING	877.500	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	80.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	91.000	TON
509(A) 0319	CLASS AA CONCRETE	7.500	CY
509(B) 0321	CLASS A CONCRETE	20.000	CY
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	75.000	LF
613(P) 7025	21" X 15" GALV. STEEL CULV. END SEC.ARCH	1.000	EA
619(B) 5190	REMOVAL OF CABLE BARRIER	483.000	LF
619(C) 0924	SAWING PAVEMENT	100.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	483.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	41.500	LF
628(C) 5110	END ANCHORS	1.000	EA
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	30.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	87.500	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	30.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	87.500	LF
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(B) 2916	REINFORCING STEEL	750.000	LB
810(A) 3118	SERVICE POLE	0.500	EA
811 8032	1/C NO.0 ELECT.COND.	3780.000	LF
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	1260.000	LF
852(H) 8603	OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	17.000	LF
852A/B 9009	OVHD.SN.STR.TYPE D ALUM./G.STL.	0.500	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	100.000	LF
887(A) 8540	(SP)LED DYNAMIC MESSAGE SN.FLD.EQUP(18")	3.000	EA

SECTION 0003 - CONSTRUCTION - HGIPG-155F(865)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110357

CALL ORDER: 421
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 HSIPG-172F(530)IT 2851104

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$30.89
 COMPLETION DATE OF 03/25/2012
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (ITS)
 I-44/US-75: AT VARIOUS LOCATIONS IN THE TULSA METRO AREA.

SECTION 0001 - TRAFFIC ITEMS - HSIPG-172F(530)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	225.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	204.500	TON
509(B) 0321	CLASS A CONCRETE	226.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	300.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	100.000	LF
619(C) 0924	SAWING PAVEMENT	500.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	184.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	199.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	184.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	199.000	LF
803(A) 8066	PULL BOX(SIZE II)	6.000	EA
804(B) 2916	REINFORCING STEEL	12820.000	LB
810(A) 3118	SERVICE POLE	2.500	EA
811 8032	1/C NO.0 ELECT.COND.	3404.000	LF
819 8780	(PL)FIBER OPTIC & COMMUNICATION EQUIP.	1.000	LSUM
824(C) 6551	(SP)CABINET	2.500	EA
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	692.000	LF
852(H) 8603	OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	85.000	LF
852A/B 9009	OVHD.SN.STR.TYPE D ALUM./G.STL.	2.500	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	400.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	710.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	710.000	SD
880(F) 8878	DRUMS	710.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
887(A) 8540	(SP)LED DYNAMIC MESSAGE SN.FLD.EQUP(18")	6.000	EA
887(C) 8500	(SP)LED D.M.S. SYSTEM SUPPORT EQUIP.	1.000	LSUM
887(D) 8350	(SP)LED D.M.S. SIGN SOFTWARE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110357

SECTION 0002 - TRAFFIC ITEMS - HSIPG-172F(530)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	150.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	184.500	TON
509(B) 0321	CLASS A CONCRETE	125.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	100.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	200.000	LF
619(C) 0924	SAWING PAVEMENT	150.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	91.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	172.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	91.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	172.000	LF
803(A) 8066	PULL BOX(SIZE II)	3.000	EA
804(B) 2916	REINFORCING STEEL	7945.000	LB
810(A) 3118	SERVICE POLE	1.500	EA
811 8032	1/C NO.0 ELECT.COND.	2578.000	LF
824(C) 6551	(SP)CABINET	1.500	EA
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	563.000	LF
852(H) 8603	OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	51.000	LF
852A/B 9009	OVHD.SN.STR.TYPE D ALUM./G.STL.	1.500	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	200.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	300.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	300.000	SD
880(F) 8878	DRUMS	300.000	SD
887(A) 8540	(SP)LED DYNAMIC MESSAGE SN.FLD.EQUP(18")	3.000	EA

SECTION 0003 - CONSTRUCTION - HSIPG-172F(530)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110358

CALL ORDER: 422
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA
 TULSA

PROJECT(S) :
 HSIPG-155F(865)IT 2851004
 HSIPG-172F(530)IT 2851104

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$60.69
 COMPLETION DATE OF 03/25/2012
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION

SAFETY IMPROVEMENT (ITS)

I-35/I-44: AT VARIOUS LOCATIONS IN OKLAHOMA CITY METRO AREA.

I-44/US-75: AT VARIOUS LOCATIONS IN THE TULSA METRO AREA.

SECTION 0001 - TRAFFIC ITEMS - HSIPG-155F(865)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	125.000	LF
221(C) 2801	TEMPORARY SILT FENCE	688.500	LF
230(A) 2806	SOLID SLAB SODDING	877.500	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	80.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	91.000	TON
509(A) 0319	CLASS AA CONCRETE	7.500	CY
509(B) 0321	CLASS A CONCRETE	20.000	CY
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	75.000	LF
613(P) 7025	21" X 15" GALV. STEEL CULV. END SEC.ARCH	1.000	EA
619(B) 5190	REMOVAL OF CABLE BARRIER	483.000	LF
619(C) 0924	SAWING PAVEMENT	100.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	483.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	41.500	LF
628(C) 5110	END ANCHORS	1.000	EA
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	134.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	747.500	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	134.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	747.500	LF
803(A) 8066	PULL BOX(SIZE II)	4.000	EA
804(B) 2916	REINFORCING STEEL	750.000	LB
805(D) 8764	(PL)REMOVE & RESET/RELOCATE ITS EQUIP.	1.000	EA
810(A) 3118	SERVICE POLE	1.500	EA
811 8032	1/C NO.0 ELECT.COND.	5091.000	LF
819 8780	(PL)FIBER OPTIC & COMMUNICATION EQUIP.	1.000	LSUM
824(C) 6551	(SP)CABINET	1.000	EA
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	1377.000	LF
852(H) 8603	OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	17.000	LF
852A/B 9009	OVHD.SN.STR.TYPE D ALUM./G.STL.	0.500	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	100.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110358

SECTION 0001 - TRAFFIC ITEMS - HSIPG-155F(865)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(A) 8812	ARROW DISPLAY(TYPE C)	210.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	210.000	SD
880(F) 8878	DRUMS	210.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
887(A) 8540	(SP)LED DYNAMIC MESSAGE SN.FLD.EQUP(18")	3.000	EA
887(C) 8500	(SP)LED D.M.S. SYSTEM SUPPORT EQUIP.	1.000	LSUM
887(C) 8550	DYNAMIC MESSAGE SIGN LADDER	16.000	EA
887(D) 8350	(SP)LED D.M.S. SIGN SOFTWARE	1.000	LSUM

SECTION 0002 - TRAFFIC ITEMS - HSIPG-155F(865)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	125.000	LF
221(C) 2801	TEMPORARY SILT FENCE	688.500	LF
230(A) 2806	SOLID SLAB SODDING	877.500	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	80.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	91.000	TON
509(A) 0319	CLASS AA CONCRETE	7.500	CY
509(B) 0321	CLASS A CONCRETE	20.000	CY
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	75.000	LF
613(P) 7025	21" X 15" GALV. STEEL CULV. END SEC.ARCH	1.000	EA
619(B) 5190	REMOVAL OF CABLE BARRIER	483.000	LF
619(C) 0924	SAWING PAVEMENT	100.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	483.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	41.500	LF
628(C) 5110	END ANCHORS	1.000	EA
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	30.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	87.500	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	30.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	87.500	LF
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(B) 2916	REINFORCING STEEL	750.000	LB
810(A) 3118	SERVICE POLE	0.500	EA
811 8032	1/C NO.0 ELECT.COND.	3780.000	LF
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	1260.000	LF
852(H) 8603	OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	17.000	LF
852A/B 9009	OVHD.SN.STR.TYPE D ALUM./G.STL.	0.500	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	100.000	LF
887(A) 8540	(SP)LED DYNAMIC MESSAGE SN.FLD.EQUP(18")	3.000	EA

SECTION 0003 - CONSTRUCTION - HGIPG-155F(865)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110358

SECTION 0004 - TRAFFIC ITEMS - HSIPG-172F(530)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	225.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	204.500	TON
509(B) 0321	CLASS A CONCRETE	226.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	300.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	100.000	LF
619(C) 0924	SAWING PAVEMENT	500.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	184.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	199.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	184.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	199.000	LF
803(A) 8066	PULL BOX(SIZE II)	6.000	EA
804(B) 2916	REINFORCING STEEL	12820.000	LB
810(A) 3118	SERVICE POLE	2.500	EA
811 8032	1/C NO.0 ELECT.COND.	3404.000	LF
819 8780	(PL)FIBER OPTIC & COMMUNICATION EQUIP.	1.000	LSUM
824(C) 6551	(SP)CABINET	2.500	EA
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	692.000	LF
852(H) 8603	OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	85.000	LF
852A/B 9009	OVHD.SN.STR.TYPE D ALUM./G.STL.	2.500	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	400.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	710.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	710.000	SD
880(F) 8878	DRUMS	710.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
887(A) 8540	(SP)LED DYNAMIC MESSAGE SN.FLD.EQUP(18")	6.000	EA
887(C) 8500	(SP)LED D.M.S. SYSTEM SUPPORT EQUIP.	1.000	LSUM
887(D) 8350	(SP)LED D.M.S. SIGN SOFTWARE	1.000	LSUM

SECTION 0005 - TRAFFIC ITEMS - HSIPG-172F(530)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	150.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	184.500	TON
509(B) 0321	CLASS A CONCRETE	125.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	100.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	200.000	LF
619(C) 0924	SAWING PAVEMENT	150.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	91.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	172.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	91.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	172.000	LF
803(A) 8066	PULL BOX(SIZE II)	3.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110358****SECTION 0005 - TRAFFIC ITEMS - HSIPG-172F(530)IT**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(B) 2916	REINFORCING STEEL	7945.000	LB
810(A) 3118	SERVICE POLE	1.500	EA
811 8032	1/C NO.0 ELECT.COND.	2578.000	LF
824(C) 6551	(SP)CABINET	1.500	EA
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	563.000	LF
852(H) 8603	OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	51.000	LF
852A/B 9009	OVHD.SN.STR.TYPE D ALUM./G.STL.	1.500	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	200.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	300.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	300.000	SD
880(F) 8878	DRUMS	300.000	SD
887(A) 8540	(SP)LED DYNAMIC MESSAGE SN.FLD.EQUP(18")	3.000	EA

SECTION 0006 - CONSTRUCTION - HSIPG-172F(530)IT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110342

CALL ORDER: 440
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PAWNEE

PROJECT(S) : PCN
 BRO-159D(084)CO 2472104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-057): OVER UNNAMED CREEK, 2.3 MILES WEST OF
 SH-99.
 PROJECT LENGTH = 0.047 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	325.020	LF
221(F) 0100	TEMPORARY SILT DIKE	20.000	LF
230(A) 2806	SOLID SLAB SODDING	2900.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.200	AC
310(A) 0147	SUBGRADE, METHOD A	624.440	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	132.000	TON
853 9030	DELINEATORS(TYPE 1, CODE 3)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	960.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	110.000	CY
509(B) 1328	CLASS A CONCRETE	265.400	CY
511(A) 1332	REINFORCING STEEL	43910.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	230.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110359

CALL ORDER: 460
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PITTSBURG

PROJECT(S) : PCN
 BRFY-161B(141) 2174604
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$65.03
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-270: OVER COAL CREEK, 13.2 MILES EAST OF THE HUGHES
 COUNTY LINE.
 PROJECT LENGTH = 0.616 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	22083.000	CY
202(D) 0184	UNCLASSIFIED BORROW	25360.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1010.000	LF
221(F) 0100	TEMPORARY SILT DIKE	182.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	7.000	CY
229 4318	DITCH LINER PROTECTION	400.000	LF
230(A) 2806	SOLID SLAB SODDING	55745.000	SY
233(A) 2817	VEGETATIVE MULCHING	11.220	AC
234(A) 2824	FERTILIZING (10-20-10)	5.430	TON
241 2832	MOWING	11.220	AC
303(B) 2110	AGGREGATE BASE TYPE B	4971.000	CY
325 5280	MOISTURE BARRIER MEMBRANE	18817.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2099.000	TON
407(B) 0250	TACK COAT	2732.000	GAL
408 5774	PRIME COAT	7497.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1293.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	4203.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1249.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	862.000	TON
509(D) 0325	CLASS C CONCRETE	371.000	CY
511(A) 0332	REINFORCING STEEL	20938.000	LB
602(A) 4154	GABIONS	300.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	670.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	885.000	LF
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	70.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	8.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	266.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110359

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(V) 1180	TRENCH EXCAVATION	84.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	16117.000	SY
619(C) 0924	SAWING PAVEMENT	2340.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	975.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2825.000	LF
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C) 4960	MAILBOX	5.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	5.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	210.000	CY
501(G) 6309	CLSM BACKFILL	238.200	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1196.000	LF
504(A) 1304	APPROACH SLAB	329.600	SY
504(B) 1305	SAW-CUT GROOVING	1754.200	SY
504(C) 6250	SEALED EXPANSION JOINT	48.690	LF
504(D) 6245	CONCRETE RAIL (TR4)	748.300	LF
506(A) 1322	STRUCTURAL STEEL	1510.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	346.400	CY
509(B) 1328	CLASS A CONCRETE	216.600	CY
511(A) 1332	REINFORCING STEEL	560.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	141710.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	228.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	964.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	228.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	964.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1261.000	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	210.000	LF
523(A) 6550	SEALER CRACK PREPARATION	192.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	480.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	85.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	100.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	36.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110359

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	5500.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	3040.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1500.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	720.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	360.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3200.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1000.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	30600.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	9180.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3240.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3420.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1800.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3600.000	SD
880(F) 8878	DRUMS	16200.000	SD
880(G) 8890	CHANNELIZER CONES	3600.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0004 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	24.500	SF
851(C) 8324	2" SQUARE TUBE POST	52.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12020.000	LF

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110360

CALL ORDER: 480
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PONTOTOC

PROJECT(S) : PCN
 BRO-162D(154)CI 2349604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-156): OVER WEST DAYS CREEK, 2.8 MILES SOUTH
 AND 1.2 MILES WEST OF THE SH-19/NS348 JUNCTION.
 PROJECT LENGTH = 0.188 MILES

SECTION 0001 - ROADWAY - BRO-162D(154)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	280.000	LF
230(A) 2806	SOLID SLAB SODDING	6563.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.360	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	650.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 0492	24" R.C.PIPES CLASS III	40.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	80.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA

SECTION 0002 - BRIDGE 'A' - BRO-162D(154)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	214.000	LF
506(A) 1322	STRUCTURAL STEEL	1800.000	LB
509(A) 1326	CLASS AA CONCRETE	58.500	CY
509(B) 1328	CLASS A CONCRETE	58.400	CY
511(A) 1332	REINFORCING STEEL	21310.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	566.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	566.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	890.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	200.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110360

SECTION 0002 - BRIDGE 'A' - BRO-162D(154)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING - BRO-162D(154)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION - BRO-162D(154)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110361

CALL ORDER: 481
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PONTOTOC

PROJECT(S) : PCN
 BRF-162C(202)CI 2726504
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-165): OVER BLUE RIVER CREEK, 3.2 MILES EAST
 OF THE SH-1 JUNCTION.
 PROJECT LENGTH = 0.227 MILES

SECTION 0001 - ROADWAY - BRF-162C(202)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2230.000	LF
221(F) 0100	TEMPORARY SILT DIKE	240.000	LF
230(A) 2806	SOLID SLAB SODDING	19637.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.860	AC
303(C) 2130	AGGREGATE BASE TYPE C	752.960	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	109.640	TON
407(B) 0250	TACK COAT	187.810	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	564.330	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	369.590	TON
509(B) 0321	CLASS A CONCRETE	14.200	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	1902.000	LB
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	114.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	4.000	EA
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4440.000	LF

SECTION 0002 - BRIDGE - BRF-162C(202)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	140.000	CY
501(F) 6352	GRANULAR BACKFILL	88.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	239.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	233.300	LF
506(A) 1322	STRUCTURAL STEEL	1460.000	LB
509(A) 1326	CLASS AA CONCRETE	65.900	CY
509(B) 1328	CLASS A CONCRETE	75.200	CY
511(A) 1332	REINFORCING STEEL	28220.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	108.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	230.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110361****SECTION 0002 - BRIDGE - BRF-162C(202)CI**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(B) 6292	PILES, DRIVEN (HP 10X42)	108.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	230.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	714.040	TON
601(C) 1355	TYPE I-A FILTER BLANKET	145.530	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING - BRF-162C(202)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION - BRF-162C(202)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110363

CALL ORDER: 482
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PONTOTOC

PROJECT(S) : PCN
 BRO-162D(154)CI 2349604
 BRF-162C(202)CI 2726504
 DBE GOALS : 2.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$16.26
 200 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY RD: EW-156 OVER WEST DAYS CR 2.8 MI S AND 1.2 MI W OF
 SH-19/NS-348. EW-165 OVER BLUE RIVER CR 3.2 MI E OF SH-1.
 PROJECT LENGTH = 0.415 MILES

SECTION 0001 - ROADWAY - BRO-162D(154)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	280.000	LF
230(A) 2806	SOLID SLAB SODDING	6563.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.360	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	650.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 0492	24" R.C.PIPES CLASS III	40.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	80.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA

SECTION 0002 - BRIDGE 'A' - BRO-162D(154)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	214.000	LF
506(A) 1322	STRUCTURAL STEEL	1800.000	LB
509(A) 1326	CLASS AA CONCRETE	58.500	CY
509(B) 1328	CLASS A CONCRETE	58.400	CY
511(A) 1332	REINFORCING STEEL	21310.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	566.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	566.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	890.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	200.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110363

SECTION 0002 - BRIDGE 'A' - BRO-162D(154)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - MOBILIZATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0005 - ROADWAY - BRF-162C(202)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2230.000	LF
221(F) 0100	TEMPORARY SILT DIKE	240.000	LF
230(A) 2806	SOLID SLAB SODDING	19637.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.860	AC
303(C) 2130	AGGREGATE BASE TYPE C	752.960	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	109.640	TON
407(B) 0250	TACK COAT	187.810	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	564.330	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	369.590	TON
509(B) 0321	CLASS A CONCRETE	14.200	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	1902.000	LB
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	114.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	4.000	EA
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4440.000	LF

SECTION 0006 - BRIDGE - BRF-162C(202)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	140.000	CY
501(F) 6352	GRANULAR BACKFILL	88.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	239.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	233.300	LF
506(A) 1322	STRUCTURAL STEEL	1460.000	LB
509(A) 1326	CLASS AA CONCRETE	65.900	CY
509(B) 1328	CLASS A CONCRETE	75.200	CY
511(A) 1332	REINFORCING STEEL	28220.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	108.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110363

SECTION 0006 - BRIDGE - BRF-162C(202)CI

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(A) 6011	PILES, FURNISHED (HP 12X53)	230.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	108.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	230.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	714.040	TON
601(C) 1355	TYPE I-A FILTER BLANKET	145.530	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110362

CALL ORDER: 500
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: POTTAWATOMIE

PROJECT(S) : PCN
 STPY-163B(357)SG 2804104
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 150 CALENDAR DAYS
 TIME 'B' BID - \$ 1000 / DAY
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 INTERSECTION MODIFICATION
 SH-9: AT MALONE ROAD AND AT ROCK CREEK ROAD, IN THE CITY OF
 TECUMSEH.
 PROJECT LENGTH = 0.72 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	13263.000	CY
202(C) 0182	ROCK EXCAVATION	4726.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	660.000	LF
230(A) 2806	SOLID SLAB SODDING	6700.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	3768.000	CY
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	13960.000	SY
407(B) 0250	TACK COAT	1788.000	GAL
408 5774	PRIME COAT	660.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	10896.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1639.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	4937.000	TON
412 5267	COLD MILLING PAVEMENT	1956.000	SY
426(C) 5097	FLY ASH	638.000	TON
613(C) 4557	28" X 20" MILL PRECOATED CGSP	180.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	4.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2500.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	5400.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	400.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	26.000	CY
509(A) 1326	CLASS AA CONCRETE	48.000	CY
511(A) 1332	REINFORCING STEEL	4600.000	LB
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110362****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	14180.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	10.000	EA
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	1300.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110343

CALL ORDER: 520
 LETTING DATE: July 21, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: POTTAWATOMIE

PROJECT(S): PCN
 HSIPIG-40-5(418)186TR 2846404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (GUARDRAIL)
 I-40: FROM THE SH-18 JUNCTION, EXTEND EAST.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	1500.000	CY
230(A) 2806	SOLID SLAB SODDING	9290.000	SY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2682.000	TON
611(G) 5705	INLET CDI RCP DES. 2	1.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	10.000	LF
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	3.300	CY
613(V) 1180	TRENCH EXCAVATION	18.800	CY
619(B) 4780	REMOVAL OF GUARDRAIL	27860.000	LF
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	12.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	24493.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	37.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	42.000	EA
623(H) 0940	GUARDRAIL BLOCKOUT REPLACEMENT	2918.000	LF
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	17.000	EA
853 9060	BARRIER DELINEATORS(TYPE 1, CODE 1)	24.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	2613.000	EA
870(B) 8012	REPLACEMENT IMPACT ATTENUATION	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 1381	CONCRETE PARAPET	600.000	LF
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	90.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	400.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1200.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1800.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1080.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3600.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110343

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	540.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1080.000	SD
880(F) 8878	DRUMS	1800.000	SD
880(G) 8890	CHANNELIZER CONES	25380.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110347

CALL ORDER: 560
LETTING DATE: July 21, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: TULSA

PROJECT(S) : PCN
SAP-172A(532) 2859804
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$6.50
10 CALENDAR DAYS
RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
BRIDGE REHABILITATION
I-244: OVER US-169, IN THE CITY OF TULSA.
PROJECT LENGTH = 0.008 MILES

SECTION 0001 - BRIDGE 'A'

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM

SECTION 0002 - TRAFFIC

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	5.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	15.000	SD

SECTION 0003 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110158

CALL ORDER:	580	<u>PROJECT(S) :</u>	<u>PCN</u>
LETTING DATE:	July 21, 2011	SBR-176C(182)SB	2775304
LETTING TIME:	10:30 A.M.	SBR-176C(183)SB	2775404
COUNTIES:	WOODS	SBR-176C(184)SB	2775504

DBE GOALS : 0.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE : \$41.19

90 CALENDAR DAYS

RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
BRIDGE REHABILITATION
SH-14: OVER EAGLE CHIEF CREEK, 5.0 MILES SOUTH OF THE US-64
JUNCTION.

SECTION 0001 - ROADWAY -SBR-176C(182)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	337.500	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A' - SBR-176C(182)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	38.000	CY
504(A) 1304	APPROACH SLAB	136.400	SY
504(B) 1305	SAW-CUT GROOVING	640.000	SY
504(C) 6250	SEALED EXPANSION JOINT	63.340	LF
504(D) 6245	CONCRETE RAIL (TR4)	402.300	LF
506(A) 1322	STRUCTURAL STEEL	6660.000	LB
509(A) 1326	CLASS AA CONCRETE	126.500	CY
509(D) 1331	CLASS C CONCRETE	8.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	26780.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	328.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	150.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	15.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	100.000	SY
523(A) 6550	SEALER CRACK PREPARATION	30.670	LF
523(B) 6560	SEALER RESIN	1.000	GAL
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	10.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC - SBR-176C(182)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	28.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110158

SECTION 0004 - STAKING - SBR-176C(182)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION - SBR-176C(182)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0006 - ROADWAY - SBR-176C(183)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	850.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0007 - BRIDGE 'B' - SBR-176C(183)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	39.000	CY
504(A) 1304	APPROACH SLAB	136.400	SY
504(B) 1305	SAW-CUT GROOVING	513.000	SY
504(C) 6250	SEALED EXPANSION JOINT	63.340	LF
504(D) 6245	CONCRETE RAIL (TR4)	322.400	LF
506(A) 1322	STRUCTURAL STEEL	4690.000	LB
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	1.000	EA
509(A) 1326	CLASS AA CONCRETE	95.700	CY
509(D) 1331	CLASS C CONCRETE	8.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	20180.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	258.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0008 - TRAFFIC - SBR-176C(183)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	28.000	SD

SECTION 0009 - ROADWAY - SBR-176C(184)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	675.000	LF
623(F) 4446	GUARDRAIL ANCHOR UNIT (TYPE A)	1.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	1.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	3.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	3.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110158

SECTION 0010 - BRIDGE 'C' - SBR-176C(184)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	39.000	CY
504(A) 1304	APPROACH SLAB	117.500	SY
504(B) 1305	SAW-CUT GROOVING	496.000	SY
504(C) 6250	SEALED EXPANSION JOINT	63.340	LF
504(D) 6245	CONCRETE RAIL (TR4)	297.400	LF
506(A) 1322	STRUCTURAL STEEL	4520.000	LB
509(A) 1326	CLASS AA CONCRETE	95.700	CY
509(D) 1331	CLASS C CONCRETE	6.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	20180.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	245.300	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0011 - TRAFFIC - SBR-176C(184)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	28.000	SD



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – July 21, 2011 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to: Fax : 405-522-0972 or Email: mjunsay@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	BRYAN	020	NHY-022N(195)	18847(15)		\$50.00	131.00 + 10.97	90
2	BRYAN	021	NHY-022N(207)	18847(20)		\$50.00	107.00 + 8.96	125
3	BRYAN	022	NHY-022N(195) NHY-022N(207)	18847(15)C 18847(20)C		\$50.00	238.00 + 19.93	215
4	CADD0	060	STPY-108C(301)3P	28668(04)		\$50.00	No Charge	0
5	CADD0	070	SAP-108D(303) SAP-108D(304) SAP-108D(305)	28749(04) 28750(04) 28751(04)		\$50.00	No Charge	0
6	CIMARRON	080	SSP-113C(080)SS	27013(05)		\$50.00	No Charge	0
7	CLEVELAND	090	IMG-0035-2(319)114TR	28684(04)		\$50.00	26.00 + 2.18	0
8	GARVIN	100	SBR-125C(197)SB	28175(04)		\$50.00	17.00 + 1.42	0
9	GRADY	140	STPY-126N(198)3P	28669(04)		\$50.00	No Charge	0
11	HUGHES	180	BRO-132D(141)CI	27237(04)		\$50.00	7.00 + 0.59	3
12	HUGHES	200	SBR-132B(155)SB	28176(04)		\$50.00	23.00 + 1.93	0
13	KINGFISHER	220	SBR-137N(072)SB	24882(04)		\$50.00	31.00 + 2.60	0
14	LATIMER	230	SAP-139D(121)	28752(04)		\$50.00	No Charge	0
15	LEFLORE	240	FH-140C(213)	28567(04)		\$50.00	No Charge	0
16	LINCOLN	260	BRO-141D(202)CI	26064(04)		\$50.00	12.00 + 1.01	4
17	LOGAN	280	STPG-142C(228)AG STPG-142C(229)AG	28537(04) 28538(04)		\$50.00	No Charge	0
18	LOVE	300	IMG-35-1(160)001TR	27990(04)		\$50.00	19.00 + 1.59	0
19	MAJOR	320	BRO-147D(145)CI	25831(04)		\$50.00	15.00 + 1.26	7
20	OKFUSKEE	340	SBR-154N(161)SB	27568(04)		\$50.00	17.00 + 1.42	0
21	OKLAHOMA	360	OKCY-XTWN(004)TI ACOKCY-XTWN(073)TE SEC115-155N(826)SG	17428(23) 17428(84) 22873(10)		\$50.00	352.00 + 29.48	0
22	OKLAHOMA	380	IMG-0035-3(298)129TR	26273(04)		\$50.00	39.50 + 3.31	0
23	OKLAHOMA	400	SBR-155N(837)SB	28308(04)		\$50.00	32.00 + 2.68	0
24	OKLAHOMA	420	HSIPG-155F(865)IT	28510(04)		\$50.00	27.50 + 2.30	0
25	TULSA	421	HSIPG-172F(530)IT	28511(04)		\$50.00	28.50 + 2.39	0

BID OPENING OF – July 21, 2011 AM

Date:	Order Taken by:	
Contractor's Id No.:	No. Of Proposal(s):	
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail	
Contractor's Name:		
Telephone No:		
Physical Address:		Please Return Completed Form to:
		Fax : 405-522-0972 or
		Email: mjunsay@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
26	OKLAHOMA / TULSA	422	HSIPG-155F(865)IT HSIPG-172F(530)IT	28510(04)C 28511(04)C		\$50.00	56.00 + 4.69	0
27	PAWNEE	440	BRO-159D(084)CO	24721(04)		\$50.00	8.00 + 0.67	2
28	PITTSBURG	460	BRFY-161B(141)	21746(04)		\$50.00	60.00 + 5.03	13
29	PONTOTOC	480	BRO-162D(154)CI	23496(04)		\$50.00	8.00 + 0.67	2
30	PONTOTOC	481	BRF-162C(202)CI	27265(04)		\$50.00	7.00 + 0.59	5
31	PONTOTOC	482	BRO-162D(154)CI BRF-162C(202)CI	23496(04)C 27265(04)C		\$50.00	15.00 + 1.26	7
32	POTTAWATOMIE	500	STPY-163B(357)SG	28041(04)		\$50.00	No Charge	0
33	POTTAWATOMIE	520	HSIPIG-40-5(418)186TR	28464(04)		\$50.00	10.00 + 0.84	0
34	TULSA	560	SAP-172A(532)	28598(04)		\$50.00	6.00 + 0.50	0
35	WOODS	580	SBR-176C(182)SB SBR-176C(183)SB SBR-176C(184)SB	27753(04) 27754(04) 27755(04)		\$50.00	38.00 + 3.19	0