

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.9a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the September 15, 2011 10:30 A.M. Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on August 25, 2011.

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on September 02, 2011 concerning this September 15 Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972
or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2011/plans.htm>

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is new cover sheet that is required with these DBE confirmations, it is located at this web site below.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:

<http://www.okladot.state.ok.us/regserv/dbeinfo>

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bids.

Do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mjunsay@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , September 15, 2011 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110183

CALL ORDER: 005
LETTING DATE: September 15, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: ALFALFA

PROJECT(S) : PCN
BRFY-NBIP(387) 2093704
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$5.42
30 CALENDAR DAYS
RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION

BRIDGE PAINTING
SH-45: OVER EAGLE CREEK, 1.2 MILES EAST OF THE WOODS COUNTY
LINE.

SECTION 0001 - BRIDGE 'A'

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - TRAFFIC

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD

SECTION 0003 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110435

CALL ORDER: 010
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: BLAINE

PROJECT(S) : PCN
 SSP-010N(032)SS 2023708
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$109.46
 240 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND BRIDGE
 US-270: FROM 5.2 MILES SOUTH OF THE SH-33 JUNCTION, EXTEND
 NORTH.
 PROJECT LENGTH = 2.121 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	28511.000	CY
202(D) 0184	UNCLASSIFIED BORROW	120966.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2242.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	6.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE	938.000	LF
230(A) 2806	SOLID SLAB SODDING	127325.000	SY
232(B) 2814	SEEDING METHOD B	27.000	AC
233(A) 2817	VEGETATIVE MULCHING	27.000	AC
241 2832	MOWING	54.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1310.000	TON
408 5774	PRIME COAT	13000.000	GAL
509(D) 0325	CLASS C CONCRETE	122.000	CY
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	192.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	200.000	LF
613(A) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	268.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	150.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	100.000	LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	128.000	LF
613(B) 4531	49" X 33" CORR. GALV. STEEL PIPE ARCH	256.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	1.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	4.000	EA
613(M) 7193	TYPE CC4 CULVERT END TREATMENT	6.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	8.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	3.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110435

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	4601.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	CY
501(G) 6309	CLSM BACKFILL	264.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	528.670	LF
504(A) 1304	APPROACH SLAB	259.800	SY
504(B) 1305	SAW-CUT GROOVING	806.400	SY
504(D) 6245	CONCRETE RAIL (TR4)	382.000	LF
506(A) 1322	STRUCTURAL STEEL	580.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	217.000	CY
509(B) 1328	CLASS A CONCRETE	69.200	CY
509(D) 1331	CLASS C CONCRETE	8.100	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	51950.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1320.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1320.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	688.000	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	2210.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	465.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	86.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	410.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	102.000	CY
509(A) 1326	CLASS AA CONCRETE	230.600	CY
511(A) 1332	REINFORCING STEEL	33810.000	LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0004 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	420.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	150.000	CY
509(A) 1326	CLASS AA CONCRETE	324.400	CY
511(A) 1332	REINFORCING STEEL	57030.000	LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0005 - TRAFFIC TEMPORARY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3360.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	960.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2640.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110435

SECTION 0005 - TRAFFIC TEMPORARY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	960.000	SD
880(C) 8845	BARRICADES(TYPE III)	29.000	EA
880(C) 8848	WING BARRICADES	960.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	13920.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	10560.000	SD
880(F) 8878	DRUMS	20880.000	SD

SECTION 0006 - TRAFFIC PERMANENT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	15.540	SF
851(C) 8324	2" SQUARE TUBE POST	42.000	LF

SECTION 0007 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110413

CALL ORDER: 020
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: BRYAN

PROJECT(S) : PCN
 BRFY-022N(154)SS 2173204
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$60.69
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-70: OVER CADDO CREEK, 10.5 MILES EAST OF THE US-69B JCT.
 PROJECT LENGTH = 0.725 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	46226.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3405.000	LF
221(F) 0100	TEMPORARY SILT DIKE	238.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	14.000	CY
230(A) 2806	SOLID SLAB SODDING	53024.000	SY
230(F) 2812	WATERING	2121.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	19.150	AC
234(A) 2824	FERTILIZING (10-20-10)	5.300	TON
241 2832	MOWING	19.150	AC
303(A) 2100	AGGREGATE BASE TYPE A	6627.000	CY
326(B) 0100	GEOGRID REINFORCEMENT	2000.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3849.000	TON
407(B) 0250	TACK COAT	3906.000	GAL
408 5774	PRIME COAT	10055.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	22872.000	SY
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	1592.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	7094.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	1062.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1915.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	45.000	CY
509(A) 0319	CLASS AA CONCRETE	177.000	CY
509(D) 0325	CLASS C CONCRETE	356.000	CY
511(A) 0332	REINFORCING STEEL	25686.000	LB
613(B) 0689	18" CORR. GALV. STEEL PIPE	398.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	524.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	375.000	LF
613(I) 1097	8" NON-PERF. PIPE UNDERDRAIN RND.	125.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	4.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	12.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110413

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	113.000	CY
613(V) 1180	TRENCH EXCAVATION	150.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	21069.000	SY
619(C) 0924	SAWING PAVEMENT	4140.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	963.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	5870.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	3.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	5.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	4.000	EA
853 9033	DELINEATORS(TYPE 2, CODE 1)	27.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	196.000	CY
501(G) 6309	CLSM BACKFILL	298.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1395.000	LF
504(A) 1304	APPROACH SLAB	313.400	SY
504(B) 1305	SAW-CUT GROOVING	1519.000	SY
504(C) 6250	SEALED EXPANSION JOINT	47.000	LF
504(E) 6190	42" F-SHAPED PARAPET	683.400	LF
506(A) 1322	STRUCTURAL STEEL	1560.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	20.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	10.000	EA
509(A) 1326	CLASS AA CONCRETE	353.400	CY
509(B) 1328	CLASS A CONCRETE	199.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	96820.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	98.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	445.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	98.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	445.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1380.000	SY
516(A) 6089	DRILLED SHAFTS 18" DIAMETER	18.000	LF
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	80.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	282.000	LF
523(A) 6550	SEALER CRACK PREPARATION	141.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1350.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110413

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(C) 1355	TYPE I-A FILTER BLANKET	205.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	94.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	42.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	24800.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	1000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	800.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1800.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2100.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	5100.000	SD
880(C) 8848	WING BARRICADES	600.000	SD
880(D) 8854	VERTICAL PANELS	10500.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	11700.000	SD
880(F) 8878	DRUMS	10200.000	SD
880(G) 8890	CHANNELIZER CONES	25800.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	300.000	SD

SECTION 0004 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	45.360	SF
851(C) 8324	2" SQUARE TUBE POST	109.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15760.000	LF

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110460

CALL ORDER: 030
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CHEROKEE

PROJECT(S) : PCN
 HSIP-111A(136)TR 2876004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 TRAFFIC SIGNALS
 SH-51: AT THE INTERSECTION OF W. 4TH STREET IN THE CITY OF
 TAHLEQUAH.

SECTION 0001 - TRAFFIC SIGNAL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	55.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	290.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	40.000	LF
803(A) 8065	PULL BOX(SIZE I)	4.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	11.500	CY
804(B) 2916	REINFORCING STEEL	1767.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8314	32'MH POLE 50'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	4.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	1285.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	9.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	2.000	EA
833 3030	BACKPLATE	10.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	670.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	640.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	2.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	4.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	820.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	94.750	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	51.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6290.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	30.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	180.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110460****SECTION 0001 - TRAFFIC SIGNAL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110464

CALL ORDER: 050
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 BRO-114D(202)CO 2461104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$6.50
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-132): OVER SPRING CREEK, 4.5 MILES WEST OF
 THE POTTAWATOMIE COUNTY LINE.
 PROJECT LENGTH = 0.014 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	655.000	CY
221(C) 2801	TEMPORARY SILT FENCE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	1167.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.500	AC
303(A) 2100	AGGREGATE BASE TYPE A	45.000	CY
407(B) 0250	TACK COAT	10.000	GAL
408 5774	PRIME COAT	95.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	42.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	21.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	77.000	TON
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1290.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	157.000	CY
509(B) 1328	CLASS A CONCRETE	153.100	CY
511(A) 1332	REINFORCING STEEL	20110.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	89.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110416

CALL ORDER: 060
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 HSIPY-114A(242)TR 2647404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$44.43
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION

INTERSECTION MODIFICATION AND TRAFFIC SIGNALS
 CITY STREETS: AT THE INTERSECTION OF CLASSEN BOULEVARD AND
 IMHOFF ROAD IN THE CITY OF NORMAN.
 PROJECT LENGTH = 0.503 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	977.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1017.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	4658.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	7.000	EA
221(F) 0100	TEMPORARY SILT DIKE	60.000	LF
230(A) 2806	SOLID SLAB SODDING	4646.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.960	AC
241 2832	MOWING	1.920	AC
303(A) 2100	AGGREGATE BASE TYPE A	1174.400	CY
307(K) 4300	STABILIZED SUBGRADE	1973.940	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	50.000	TON
408 5774	PRIME COAT	1430.790	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	408.340	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	408.340	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	3189.180	TON
412 5267	COLD MILLING PAVEMENT	9626.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	2791.870	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	724.370	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	1.110	CY
509(D) 0325	CLASS C CONCRETE	13.000	CY
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	453.600	LF
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	3352.020	LF
610(A) 0602	4" CONCRETE SIDEWALK	951.120	SY
610(A) 0604	5" CONCRETE SIDEWALK	1484.440	SY
610(B) 0604	6" CONCRETE DRIVEWAY	1127.290	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	164.000	SF
611(A) 2657	MANHOLE (4' DIA.)	1.000	EA
611(A) 2658	MANHOLE (5' DIA.)	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110416

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	1.020	VF
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	4.000	VF
611(G) 5115	INLET CI DES. 2 (D)	3.000	EA
611(G) 5117	INLET CI DES. 2 (2B)	2.000	EA
611(G) 5121	INLET CI DES. 3 (B)	1.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	10.060	VF
611(H) 5330	ADD'L DEPTH IN INLET CI DES. 3	1.320	VF
611(L) 0487	JUNCTION BOXES	100.720	CF
612(A) 0641	MANHOLES ADJUST TO GRADE	7.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	5.000	EA
612(F) 0648	METER BOXES ADJUST TO GRADE	5.000	EA
612(G) 0650	FIRE HYDRANT RESET	5.000	EA
612(H) 0651	VALVE RESET	5.000	EA
612(I) 0652	WATER METER RESET	5.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	71.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	66.000	LF
613(A) 0496	48" R.C.PIPES CLASS III	33.000	LF
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	122.700	CY
613(V) 1180	TRENCH EXCAVATION	261.680	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	3710.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	143.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1342.000	SY
619(B) 4791	REMOVAL OF CURB	644.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	304.000	SY
629(E) 5048	REMOVE AND RESET MAILBOX	10.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	3250.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1300.000	EA
880(A) 8812	ARROW DISPLAY(TYPE C)	270.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	9450.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4050.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4320.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	540.000	SD
880(C) 8848	WING BARRICADES	1620.000	SD
880(D) 8854	VERTICAL PANELS	540.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5670.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	21060.000	SD
880(F) 8878	DRUMS	21060.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	100.000	HR

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110416

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
882(A) 8303	PORTABLE CHANGEABLE MESSAGE SIGN	2.000	EA

SECTION 0003 - TRAFFIC SIGNALS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	110.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	715.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	500.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	6968.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	290.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	215.000	LF
803(A) 8065	PULL BOX(SIZE I)	5.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
803(A) 8067	PULL BOX(SIZE III)	6.000	EA
803(B) 8100	GROUND BOX (R36)	16.000	EA
803(B) 8105	GROUND BOX (R48)	2.000	EA
804(A) 2915	STRUCTURAL CONCRETE	12.600	CY
804(B) 2916	REINFORCING STEEL	1859.700	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	26.000	EA
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	2.000	EA
806(B) 8896	12' MTG.HT.TS PED.POLE(G.STL.)	2.000	EA
809(A) 8090	ROADWAY LUMINAIRE	4.000	EA
811 8040	1/C NO.6 ELECT.COND.	100.000	LF
811 8044	1/C NO.10 ELECT.COND.	850.000	LF
818(A) 8710	(SP)FIBER OPTIC CABLE, 12 SMF	7610.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	5.000	EA
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	6.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000	EA
831 8274	1WAY4SEC.ADJ.SIG.HD.S-16	2.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	6.000	EA
833 3030	BACKPLATE	10.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1860.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	310.000	LF
834(A) 8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	250.000	LF
834(A) 8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	150.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	810.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	4.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	920.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	127.850	SF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110416****SECTION 0003 - TRAFFIC SIGNALS**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	78.000	SF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	24.000	LF
851(C) 8324	2" SQUARE TUBE POST	278.500	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9665.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	1850.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	280.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	476.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	26.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	7000.000	LF
887(F) 8370	(PL)SHIELD ISOLATION PEDESTAL	17.000	EA

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110418

CALL ORDER: 080
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: COAL

PROJECT(S) : PCN
 BRFY-115C(026) 2096704
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$81.28
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-48: OVER CLEAR BOGGY CREEK, 9.0 MILES NORTH OF THE
 JOHNSTON COUNTY LINE.
 PROJECT LENGTH = 0.775 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	10287.000	CY
202(D) 0184	UNCLASSIFIED BORROW	80913.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1678.000	LF
221(F) 0100	TEMPORARY SILT DIKE	224.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	3.000	CY
229 4318	DITCH LINER PROTECTION	1156.000	LF
230(A) 2806	SOLID SLAB SODDING	60819.000	SY
233(A) 2817	VEGETATIVE MULCHING	15.990	AC
234(A) 2824	FERTILIZING (10-20-10)	8.000	TON
241 2832	MOWING	17.870	AC
303(A) 2100	AGGREGATE BASE TYPE A	4012.000	CY
307(D) 4230	LIME	396.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	27202.000	SY
325 5271	SEPARATOR FABRIC	19748.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1975.000	TON
407(B) 0250	TACK COAT	3391.000	GAL
408 5774	PRIME COAT	8450.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1582.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5598.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1056.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1453.000	TON
509(D) 0325	CLASS C CONCRETE	329.800	CY
613(A) 0491	18" R.C.P.I.PE CLASS III	104.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	277.000	LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	146.000	LF
613(B) 0696	60" CORR. GALV. STEEL PIPE	100.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	84.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	262.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110418

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	88.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	29.000	CY
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	79.000	CY
613(V) 1180	TRENCH EXCAVATION	109.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	15322.000	SY
619(C) 0924	SAWING PAVEMENT	2488.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1483.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	7.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	5672.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	36.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
501(G) 6309	CLSM BACKFILL	225.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	357.330	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	398.670	LF
504(A) 1304	APPROACH SLAB	375.800	SY
504(B) 1305	SAW-CUT GROOVING	1142.000	SY
504(C) 6250	SEALED EXPANSION JOINT	47.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	553.700	LF
506(A) 1322	STRUCTURAL STEEL	5860.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	228.500	CY
509(B) 1328	CLASS A CONCRETE	216.200	CY
509(D) 1331	CLASS C CONCRETE	9.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	103540.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	254.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1117.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	254.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1117.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1262.000	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	300.000	LF
523(A) 6550	SEALER CRACK PREPARATION	48.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110418

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(B) 1353	TYPE I-A PLAIN RIPRAP	1500.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	315.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	96.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	42.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	200.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	957.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	1292.000	SY
504(D) 6245	CONCRETE RAIL (TR4)	577.000	LF
506(A) 1322	STRUCTURAL STEEL	4910.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	320.200	CY
509(B) 1328	CLASS A CONCRETE	121.600	CY
509(D) 1331	CLASS C CONCRETE	10.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	90380.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	765.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	765.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1088.000	SY
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	168.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1910.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	390.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	20.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7920.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	12060.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2160.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	10080.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(D) 8854	VERTICAL PANELS	7020.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110418****SECTION 0004 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(E) 8860	WARNING LIGHTS(TYPE A)	22320.000	SD
880(F) 8878	DRUMS	7560.000	SD
880(G) 8890	CHANNELIZER CONES	3240.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0005 - SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	27.000	SF
851(C) 8324	2" SQUARE TUBE POST	18.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15970.000	LF

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110419

CALL ORDER: 090
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 BRFY-116C(111) 2171504
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$35.76
 210 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-17: OVER COTTONWOOD CREEK, 0.2 MILES WEST OF GRADY COUNTY
 LINE.
 PROJECT LENGTH = 0.198 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	17115.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1072.000	LF
221(F) 0100	TEMPORARY SILT DIKE	112.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	12.600	CY
229 4318	DITCH LINER PROTECTION	800.000	LF
230(A) 2806	SOLID SLAB SODDING	22475.000	SY
232(B) 2814	SEEDING METHOD B	4.700	AC
233(A) 2817	VEGETATIVE MULCHING	4.700	AC
241 2832	MOWING	9.400	AC
303(A) 2100	AGGREGATE BASE TYPE A	1274.000	CY
307(A) 4200	FLY ASH	252.700	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	4681.000	SY
325 5271	SEPARATOR FABRIC	4189.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	425.500	TON
407(B) 0250	TACK COAT	645.000	GAL
408 5774	PRIME COAT	2587.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2301.300	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1043.100	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	1638.000	LF
509(D) 0325	CLASS C CONCRETE	164.000	CY
613(A) 4499	51" X 31" R.C.PIPES ARCH CLASS A-III	84.000	LF
613(B) 0698	72" CORR. GALV. STEEL PIPE	128.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	250.000	LF
613(I) 1097	8" NON-PERF.PIPES UNDERDRAIN RND.	100.000	LF
613(L) 4540	51" X 31" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(M) 7198	TYPE C6 CULVERT END TREATMENT	1.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110419

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	2411.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	7449.000	SY
619(B) 5918	REMOVAL OF EXISTING PIPE	222.000	LF
619(C) 0924	SAWING PAVEMENT	731.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	732.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1663.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(G) 6309	CLSM BACKFILL	164.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	398.000	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	339.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	1046.800	SY
504(D) 6245	CONCRETE RAIL (TR4)	467.000	LF
506(A) 1322	STRUCTURAL STEEL	1050.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	249.700	CY
509(B) 1328	CLASS A CONCRETE	126.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	72600.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	854.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	854.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	882.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	260.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1000.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	210.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	73.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7352.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	6060.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1340.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110419****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2200.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2100.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2520.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3360.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2100.000	SD
880(C) 8848	WING BARRICADES	840.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4200.000	SD
880(F) 8878	DRUMS	3360.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110465

CALL ORDER: 100
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: COTTON

PROJECT(S) : PCN
 BRO-117D(087)CI 2748604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$6.50
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-157): OVER BIRD CREEK, 1.7 MILES SOUTH OF
 THE US-70 JUNCTION.
 PROJECT LENGTH = 0.134 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1400.000	LF
221(F) 0100	TEMPORARY SILT DIKE	420.000	LF
230(A) 2806	SOLID SLAB SODDING	4280.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.800	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	745.000	TON
408 5774	PRIME COAT	460.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	126.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	6.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	500.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
509(B) 1328	CLASS A CONCRETE	211.640	CY
511(A) 1332	REINFORCING STEEL	28259.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	715.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	225.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110421

CALL ORDER: 120
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CRAIG

PROJECT(S) : PCN
 BRFY-018N(050) 2422004
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$70.44
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-60: OVER BIG CABIN CREEK, 3.7 MILES EAST OF THE SH-66
 JUNCTION.
 PROJECT LENGTH = 0.207 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1639.000	CY
202(D) 0184	UNCLASSIFIED BORROW	18049.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1601.000	LF
221(F) 0100	TEMPORARY SILT DIKE	56.000	LF
230(A) 2806	SOLID SLAB SODDING	12214.000	SY
241 2832	MOWING	13.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	1544.000	CY
307(D) 4230	LIME	137.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	7568.000	SY
325 5271	SEPARATOR FABRIC	9205.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	809.000	TON
407(B) 0250	TACK COAT	1405.000	GAL
408 5774	PRIME COAT	2789.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	760.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1838.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	870.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	538.000	TON
412 5267	COLD MILLING PAVEMENT	3372.000	SY
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0688	12" CORR. GALV. STEEL PIPE	200.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8318.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	849.000	LF
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	160.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1228.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	30.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110421

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	285.000	CY
501(G) 6309	CLSM BACKFILL	285.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1179.000	LF
504(A) 1304	APPROACH SLAB	429.200	SY
504(B) 1305	SAW-CUT GROOVING	1690.000	SY
504(C) 6250	SEALED EXPANSION JOINT	56.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	800.600	LF
506(A) 1322	STRUCTURAL STEEL	1700.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	494.600	CY
509(B) 1328	CLASS A CONCRETE	286.900	CY
511(A) 1332	REINFORCING STEEL	420.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	162670.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	156.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	631.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	156.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	631.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1497.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	136.000	LF
523(A) 6550	SEALER CRACK PREPARATION	55.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	972.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	213.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	108.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	285.000	CY
501(G) 6309	CLSM BACKFILL	285.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1179.000	LF
504(A) 1304	APPROACH SLAB	429.200	SY
504(B) 1305	SAW-CUT GROOVING	1690.000	SY
504(C) 6250	SEALED EXPANSION JOINT	56.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	800.600	LF
506(A) 1322	STRUCTURAL STEEL	1700.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	494.600	CY
509(B) 1328	CLASS A CONCRETE	287.000	CY
511(A) 1332	REINFORCING STEEL	420.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110421

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511(B) 6010	EPOXY COATED REINFORCING STEEL	162790.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	158.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	653.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	158.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	653.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1497.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	122.000	LF
523(A) 6550	SEALER CRACK PREPARATION	55.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1373.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	301.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	108.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TEMPORARY TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	14100.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	2000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	11100.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	360.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5220.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3330.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3870.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1800.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3600.000	SD
880(F) 8878	DRUMS	16740.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	540.000	SD

SECTION 0005 - PERMANENT TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	7140.000	LF

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110466

CALL ORDER: 130
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CUSTER

PROJECT(S) : PCN
 BRO-120D(153)CI 2467004
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-89): OVER DEER CREEK, 3.2 MILES WEST OF THE
 SH-33 JUNCTION.
 PROJECT LENGTH = 0.199 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	800.000	LF
230(A) 2806	SOLID SLAB SODDING	7500.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.550	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	534.000	TON
509(D) 0325	CLASS C CONCRETE	15.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	112.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	313.340	LF
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	236.670	LF
504(C) 6250	SEALED EXPANSION JOINT	29.420	LF
504(D) 6239	CONCRETE RAIL (TR3)	337.000	LF
506(A) 1322	STRUCTURAL STEEL	489.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	12.000	EA
509(A) 1326	CLASS AA CONCRETE	106.000	CY
509(B) 1328	CLASS A CONCRETE	86.200	CY
511(A) 1332	REINFORCING STEEL	36324.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	700.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	700.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	152.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	2300.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	800.000	TON
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110466****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110330

CALL ORDER: 150
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: DELAWARE

PROJECT(S) : PCN
 STPY-121A(143) 1501514
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$83.45
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 US-59: FROM 1.0 MILE NORTH OF THE SH-10 EAST JUNCTION,
 EXTEND NORTH.
 PROJECT LENGTH = 4.270 KILOMETERS

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	230.000	M3
202(C) M0184	UNCLASSIFIED BORROW	588.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	860.000	M
227 M0100	TEMPORARY SILT DIKE	206.000	M
230(A) M2806	SOLID SLAB SODDING	3101.000	M2
403(A) M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	10.000	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	200.000	T
407 M0250	TACK COAT	598.000	L
408 M5774	PRIME COAT	1391.000	L
411(S3)M594	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	359.000	T
411(S4)M596	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	145.000	T
414(B) M0288	150MM H.E.S. CONCRETE PAVEMENT	94.000	M2
509(B) M0321	CLASS A CONCRETE	160.000	M3
509(C) M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	3.000	M3
511(A) M0332	REINFORCING STEEL	10.000	KG
601(A) M0297	TYPE I PLAIN RIPRAP	2.000	T
609(B) M1525	800MM COMB.CRB.& GUT.(150MM BAR.)	16.000	M
610(A) M0602	100MM CONCRETE SIDEWALK	612.000	M2

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110330

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(B) M0399	150MM CONCRETE DRIVEWAY (H.E.S.)	219.000	M2
610(I) M4610	(PL)TACTILE WARNING DEVICE-NEW	12.000	M2
611(E) M6000	INLET (SMD-TYPE 1)	21.000	EA
611(F) M5196	ADDITIONAL DEPTH IN INLET	2.000	VM
611(J) M0487	JUNCTION BOXES	2.000	M3
613(B) M0405	450MM R.C.PIPES CLASS III	665.000	M
613(M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(S) M1180	TRENCH EXCAVATION	665.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	433.000	M3
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	240.000	M2
619(B) M4766	REMOVAL OF CONCRETE DRIVEWAY	260.000	M2
619(B) M4792	REMOVAL OF SIDEWALK	291.000	M2
619(B) M6363	(PL)REMOVAL OF EXISTING RIPRAP	1.000	LSUM
619(C) M0924	SAWING PAVEMENT	626.000	M

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(B) M8306	PORTABLE CHANGEABLE MESSAGE SIGN	68.000	SD

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642 M0098	STAKING	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
640 M1426	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110425

CALL ORDER: 160
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARVIN

PROJECT(S) : PCN
 BRFY-025C(274) 1044404
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$66.11
 300 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-74: OVER RUSH CREEK AND LIGHTNING CREEK, 8.0 MILES NORTH
 OF THE SH-29 JUNCTION.
 PROJECT LENGTH = 0.852 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION (R-4)	28284.000	CY
202(D) 0184	UNCLASSIFIED BORROW (R-4)	32622.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL (R-5)(R-7)	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE (2)	950.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER (2)	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE (2)	336.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1 (2)	9.000	CY
230(A) 2806	SOLID SLAB SODDING (3)	98239.000	SY
233(A) 2817	VEGETATIVE MULCHING (R-11)	20.300	AC
241 2832	MOWING	20.300	AC
303(B) 2110	AGGREGATE BASE TYPE B	4787.000	CY
307(A) 4200	FLY ASH (R-20)	1359.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	23561.000	SY
325 5271	SEPARATOR FABRIC	23561.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E (1)(R-25)	1936.000	TON
407(B) 0250	TACK COAT (4)	3414.000	GAL
408 5774	PRIME COAT (R-28)	9482.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK) (R-32)	7521.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK) (R-32)	2896.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	25.000	CY
509(A) 0319	CLASS AA CONCRETE	64.000	CY
509(D) 0325	CLASS C CONCRETE (R-41)	421.000	CY
511(A) 0332	REINFORCING STEEL	8730.000	LB
611(G) 5394	INLET CDI RCB DES. 8	1.000	EA
611(G) 5707	INLET CDI RCP DES. 4	1.000	EA
611(G) 5709	INLET CDI RCP DES. 6	1.000	EA
611(H) 5792	ADD'L DEPTH IN INLET CDI RCP DES. 4	18.000	VF
611(H) 5794	ADD'L DEPTH IN INLET CDI RCP DES. 6	3.000	VF
613(A) 0496	48" R.C.PIPE CLASS III	100.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110425

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(A) 0585	36" R.C.PIPES CLASS IV	108.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	930.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	303.000	LF
613(I) 1097	8" NON-PERF.PIPES UNDERDRAIN RND.	100.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	16.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	6.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	176.000	CY
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	91.000	CY
613(V) 1180	TRENCH EXCAVATION (R-47)	963.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS (R-48)(R-49)	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT (R-49)(R-50)	13430.000	SY
619(C) 0924	SAWING PAVEMENT	2718.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	750.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE) (R-52)(R-53)	4816.000	LF
853 9024	DELINEATORS(TYPE 1, CODE 1)	22.000	EA

SECTION 0002 - BRIDGE A

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	7950.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	702.000	CY
509(A) 1326	CLASS AA CONCRETE	1512.300	CY
511(A) 1332	REINFORCING STEEL	300250.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE B

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - BRIDGE C

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	200.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	957.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	1291.200	SY
504(D) 6245	CONCRETE RAIL (TR4)	577.000	LF
506(A) 1322	STRUCTURAL STEEL	4910.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	320.200	CY
509(B) 1328	CLASS A CONCRETE	167.500	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110425

SECTION 0004 - BRIDGE C

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(D) 1331	CLASS C CONCRETE	11.500	CY
511(A) 1332	REINFORCING STEEL	990.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	96070.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1368.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1368.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1104.000	SY
516(A) 6097	DRILLED SHAFTS 66" DIAMETER	292.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	2520.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	550.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	20.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0005 - BRIDGE D

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0006 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	16000.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	30400.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	750.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	3000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	600.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	600.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2400.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	3000.000	SD
880(C) 8848	WING BARRICADES	1200.000	SD
880(D) 8854	VERTICAL PANELS	10500.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	10800.000	SD
880(F) 8878	DRUMS	22500.000	SD
880(G) 8890	CHANNELIZER CONES	15000.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	600.000	SD

SECTION 0007 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110425

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110467

CALL ORDER: 170
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARVIN

PROJECT(S) : PCN
 BRO-125D(173)CI 2681104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-318): OVER A TRIBUTARY OF RUSH CREEK, 4.0
 MILES SOUTH OF THE SH-19 JUNCTION.
 PROJECT LENGTH = 0.167 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1520.000	LF
221(F) 0100	TEMPORARY SILT DIKE	32.000	LF
230(A) 2806	SOLID SLAB SODDING	5663.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.340	AC
307(B) 4210	CEMENT KILN DUST	134.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	3085.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	371.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	244.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1790.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	141.000	CY
509(A) 1326	CLASS AA CONCRETE	302.000	CY
511(A) 1332	REINFORCING STEEL	49150.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110332

CALL ORDER: 180
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRADY

PROJECT(S) : PCN
 SSP-126C(184)SS 2800104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 30 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 INTERSECTION MODIFICATION
 SH-4: FROM 2.0 MILES NORTH OF THE SH-37 JUNCTION, EXTEND
 NORTH.
 PROJECT LENGTH = 0.08 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	507.000	LF
230(A) 2806	SOLID SLAB SODDING	373.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	227.000	CY
325 5271	SEPARATOR FABRIC	819.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	96.000	TON
408 5774	PRIME COAT	168.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	74.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	259.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	78.000	TON
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	457.000	SY
619(C) 0924	SAWING PAVEMENT	456.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	781.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	16.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110379

CALL ORDER: 183
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRANT

PROJECT(S) : PCN
 BRO-127D(146)CI 2558604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.17
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-12): OVER DEER CREEK, 3.0 MILES WEST OF THE
 KAY COUNTY LINE.
 PROJECT LENGTH =0.113 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	550.000	LF
230(A) 2806	SOLID SLAB SODDING	6805.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.410	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	465.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	70.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	10.360	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	24.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	430.010	LF
504(D) 6239	CONCRETE RAIL (TR3)	277.000	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	20.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	83.400	CY
509(B) 1328	CLASS A CONCRETE	81.880	CY
511(A) 1332	REINFORCING STEEL	31207.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	468.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	468.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	90.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1143.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	343.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	102.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110379

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 6030	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110472

CALL ORDER: 185
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: GREER

PROJECT(S) : PCN
 BRO-128D(080)CI 2671804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$6.50
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-151): OVER UNNAMED CREEK, 2.0 MILES WEST OF
 THE US-283 JUNCTION.
 PROJECT LENGTH = 0.133 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	400.000	LF
230(A) 2806	SOLID SLAB SODDING	4500.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.930	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	377.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	162.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1008.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	800.000	CY
509(B) 1328	CLASS A CONCRETE	264.360	CY
511(A) 1332	REINFORCING STEEL	52432.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	100.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110242

CALL ORDER: 190
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: HASKELL

PROJECT(S) : PCN
 BRFY-131B(064) 2310104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$53.10
 240 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-9: OVER SNAKE CREEK, 5.5 MILES EAST OF THE SH-2 JUNCTION.
 PROJECT LENGTH = 0.709 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	58133.000	CY
202(D) 0184	UNCLASSIFIED BORROW	5127.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3147.000	LF
221(F) 0100	TEMPORARY SILT DIKE	500.000	LF
229 4318	DITCH LINER PROTECTION	1635.000	LF
230(A) 2806	SOLID SLAB SODDING	57111.000	SY
232(B) 2814	SEEDING METHOD B	13.060	AC
233(A) 2817	VEGETATIVE MULCHING	13.060	AC
241 2832	MOWING	26.120	AC
303(A) 2100	AGGREGATE BASE TYPE A	4289.000	CY
307(A) 4200	FLY ASH	1081.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	20004.000	SY
325 5271	SEPARATOR FABRIC	20004.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3171.000	TON
407(B) 0250	TACK COAT	3719.000	GAL
408 5774	PRIME COAT	9221.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1631.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	6632.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1069.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1869.000	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	7103.000	LF
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	18.000	CY
509(A) 0319	CLASS AA CONCRETE	39.000	CY
509(D) 0325	CLASS C CONCRETE	294.000	CY
511(A) 0332	REINFORCING STEEL	4569.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	422.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	91.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	38.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	370.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110242

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 0692	36" CORR. GALV. STEEL PIPE	224.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	248.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	40.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	256.000	LF
613(I) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	86.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	16.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	19419.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	544.000	LF
619(C) 0924	SAWING PAVEMENT	957.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1138.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	4738.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	4.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	4.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	169.600	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	745.000	LF
504(A) 1304	APPROACH SLAB	205.200	SY
504(B) 1305	SAW-CUT GROOVING	931.400	SY
504(D) 6245	CONCRETE RAIL (TR4)	381.000	LF
506(A) 1322	STRUCTURAL STEEL	1160.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	20.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	20.000	EA
509(A) 1326	CLASS AA CONCRETE	200.000	CY
509(B) 1328	CLASS A CONCRETE	135.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	59230.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	352.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	352.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	737.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	130.000	LF
523(A) 6550	SEALER CRACK PREPARATION	186.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1000.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110242

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(C) 1355	TYPE I-A FILTER BLANKET	150.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	94.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	22.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	102.250	SF
851(C) 8324	2" SQUARE TUBE POST	167.000	LF
853 9039	DELINEATORS(TYPE 2, CODE 3)	2.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	28.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15200.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	8200.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	1620.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	5000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12240.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6480.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6240.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	7200.000	SD
880(C) 8848	WING BARRICADES	960.000	SD
880(D) 8854	VERTICAL PANELS	31200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	20640.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	36000.000	SD
880(F) 8878	DRUMS	4800.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110426

CALL ORDER: 200
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEMINOLE
 MCCLAIN
 POTTAWATOMIE
 JOHNSTON
 OKFUSKEE

PROJECT(S) : PCN
 BRFY-NBIP(448)3B 2860604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$22.76
 75 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION

BRIDGE PAINTING
 US-75/SH-3E/SH-7/SH-22/COUNTY RD: AT VARIOUS LOCATIONS IN
 DIVISION III.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	424.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	489.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110426****SECTION 0007 - BRIDGE 'G'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0008 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	75.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	150.000	SD

SECTION 0009 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110427

CALL ORDER: 210
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEMINOLE
 MCCLAIN
 POTTAWATOMIE
 JOHNSTON
 OKFUSKEE

PROJECT(S) : PCN
 BRFY-135F(136)3B 2860605
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$24.93
 75 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION

JOINT SEAL/REPAIR

US-75/SH-3E/SH-7/SH-22/COUNTY RD: AT VARIOUS LOCATIONS IN
 DIVISION III.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
412 5267	COLD MILLING PAVEMENT	354.000	SY
504(E) 1381	CONCRETE PARAPET	166.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	50.000	LF
504(H) 6389	ELASTOMERIC MORTAR	8.100	CF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	30.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	221.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	75.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509 6386	SILICONE CONSTRUCTION JOINT	216.000	LF

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
412 5267	COLD MILLING PAVEMENT	425.000	SY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(G) 6390	RAPID CURE JOINT SEALANT	50.000	LF
504(H) 6389	ELASTOMERIC MORTAR	8.100	CF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	316.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	16.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110427

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	10.000	EA
545 4835	(PL)REPLACE BRIDGE ITEM (TYPE C)	10.000	EA

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	350.000	LF
504(H) 6389	ELASTOMERIC MORTAR	57.100	CF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	100.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	30.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	70.000	SY

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	30.000	TON
412 5267	COLD MILLING PAVEMENT	48.000	SY
504(G) 6390	RAPID CURE JOINT SEALANT	60.000	LF
504(H) 6389	ELASTOMERIC MORTAR	9.300	CF
509 6386	SILICONE CONSTRUCTION JOINT	270.000	LF
509(D) 0325	CLASS C CONCRETE	7.900	CY
510(C) 6135	SLOPE WALL (5")	116.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	37.000	SY

SECTION 0006 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	75.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	150.000	SD

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110431

CALL ORDER: 250
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LINCOLN

PROJECT(S) : PCN
 BRFY-141C(049) 1722617
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$34.68
 75 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-66: OVER CHUCKAHO CREEK, 3.8 MILES EAST OF THE SH-18
 JUNCTION.
 PROJECT LENGTH = 0.136 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	10186.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	933.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	9.000	CY
229 4318	DITCH LINER PROTECTION	171.000	LF
230(A) 2806	SOLID SLAB SODDING	9456.000	SY
232(B) 2814	SEEDING METHOD B	3.850	AC
233(A) 2817	VEGETATIVE MULCHING	3.850	AC
241 2832	MOWING	3.850	AC
307(A) 4200	FLY ASH	97.000	TON
307(D) 4230	LIME	11.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	1787.000	SY
307(G) 4260	LIME PRETREATMENT	590.000	SY
317 4270	CEMENT TREATED BASE	1503.000	SY
325 5271	SEPARATOR FABRIC	1787.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	237.000	TON
407(B) 0250	TACK COAT	9.000	GAL
408 5774	PRIME COAT	394.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	25.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	10.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	640.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	534.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	261.000	CY
509(D) 0325	CLASS C CONCRETE	32.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	44.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	150.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110431

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	45.000	CY
613(V) 1180	TRENCH EXCAVATION	60.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1174.000	SY
619(C) 0924	SAWING PAVEMENT	1088.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1686.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	3660.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	261.000	CY
509(A) 1326	CLASS AA CONCRETE	726.200	CY
511(A) 1332	REINFORCING STEEL	124220.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2520.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	630.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	975.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	600.000	SD
880(C) 8848	WING BARRICADES	300.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2175.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	150.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110433

CALL ORDER: 280
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOVE

PROJECT(S) : PCN
 BRFY-143C(075)SS 2312304
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$72.61
 180 CALENDAR DAYS
 TIME 'B' BID - \$ 2500 / DAY
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-77: OVER HICKORY CREEK AND SOUTH BRANCH OF HICKORY CREEK,
 6.7 MILES NORTH OF THE SH-32 JUNCTION.
 PROJECT LENGTH = 0.312 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	7758.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3026.000	LF
221(F) 0100	TEMPORARY SILT DIKE	672.000	LF
230(A) 2806	SOLID SLAB SODDING	23605.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.880	AC
241 2832	MOWING	9.750	AC
303(A) 2100	AGGREGATE BASE TYPE A	1901.000	CY
307(A) 4200	FLY ASH	382.000	TON
307(D) 4230	LIME	22.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	7041.000	SY
325 5271	SEPARATOR FABRIC	7041.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1350.000	TON
408 5774	PRIME COAT	2612.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	1503.000	SY
409(B) 4268	BITUMINOUS BINDER	376.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	485.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1677.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	480.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	510.000	TON
412 5267	COLD MILLING PAVEMENT	2312.000	SY
613(B) 0689	18" CORR. GALV. STEEL PIPE	142.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	4889.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	430.000	LF
619(C) 0924	SAWING PAVEMENT	1120.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1487.500	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110433

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(G) 8571	GUARDRAIL END TREATMENT (GET)	8.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3635.000	LF
624(D) 4470	GATE, GALVANIZED STEEL	3.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(G) 6309	CLSM BACKFILL	122.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	457.000	LF
504(A) 1304	APPROACH SLAB	187.400	SY
504(B) 1305	SAW-CUT GROOVING	701.000	SY
504(D) 6245	CONCRETE RAIL (TR4)	311.000	LF
506(A) 1322	STRUCTURAL STEEL	1050.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	161.600	CY
509(B) 1328	CLASS A CONCRETE	95.200	CY
509(D) 1331	CLASS C CONCRETE	9.500	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	50130.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	430.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	430.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	549.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	180.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	2170.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	425.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	86.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
501(G) 6309	CLSM BACKFILL	218.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1333.330	LF
504(A) 1304	APPROACH SLAB	346.200	SY
504(B) 1305	SAW-CUT GROOVING	1828.000	SY
504(C) 6250	SEALED EXPANSION JOINT	45.620	LF
504(D) 6245	CONCRETE RAIL (TR4)	822.600	LF
506(A) 1322	STRUCTURAL STEEL	1960.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110433

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	24.000	EA
509(A) 1326	CLASS AA CONCRETE	388.200	CY
509(B) 1328	CLASS A CONCRETE	252.900	CY
509(D) 1331	CLASS C CONCRETE	8.800	CY
511(A) 1332	REINFORCING STEEL	990.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	139110.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	224.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1156.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	224.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1156.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1566.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	274.000	LF
523(A) 6550	SEALER CRACK PREPARATION	90.000	LF
523(B) 6560	SEALER RESIN	1.900	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	3200.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	630.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	90.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	72.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	74.000	SF
851(C) 8324	2" SQUARE TUBE POST	117.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4880.000	LF

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	20000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	3000.000	SD
880(C) 8848	WING BARRICADES	1440.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5040.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	1080.000	SD

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110433

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110434

CALL ORDER: 290
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOVE

PROJECT(S) : PCN
 BRFY-143C(078) 2312404
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$36.85
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-32: OVER COFFEE POT CREEK, 1.5 MILES WEST OF THE SH-76
 JUNCTION.
 PROJECT LENGTH = 0.151 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	13062.000	CY
202(D) 0184	UNCLASSIFIED BORROW	15964.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	893.000	LF
221(F) 0100	TEMPORARY SILT DIKE	180.000	LF
230(A) 2806	SOLID SLAB SODDING	22087.000	SY
232(B) 2814	SEEDING METHOD B	5.000	AC
233(A) 2817	VEGETATIVE MULCHING	5.000	AC
241 2832	MOWING	10.000	AC
307(A) 4200	FLY ASH	445.000	TON
307(D) 4230	LIME	39.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	8604.000	SY
307(G) 4260	LIME PRETREATMENT	2151.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	20.000	TON
407(B) 0250	TACK COAT	838.000	GAL
408 5774	PRIME COAT	1880.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2277.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	983.000	TON
613(B) 0690	24" CORR. GALV. STEEL PIPE	28.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	40.000	LF
613(B) 5747	120" CORR. GALV. STEEL PIPE	272.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF
613(I) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	50.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	4.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6512.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	554.000	LF
619(C) 0924	SAWING PAVEMENT	387.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110434

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	400.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	6.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2482.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(G) 6309	CLSM BACKFILL	164.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	717.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	1024.500	SY
504(D) 6245	CONCRETE RAIL (TR4)	457.000	LF
506(A) 1322	STRUCTURAL STEEL	1050.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	242.200	CY
509(B) 1328	CLASS A CONCRETE	133.000	CY
509(D) 1331	CLASS C CONCRETE	25.000	CY
511(A) 1332	REINFORCING STEEL	680.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	74450.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	826.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	826.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	828.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	258.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	2182.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	455.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	108.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	6000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	500.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	800.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4860.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110434

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3420.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3240.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2160.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(D) 8854	VERTICAL PANELS	9900.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6480.000	SD
880(F) 8878	DRUMS	6300.000	SD
880(G) 8890	CHANNELIZER CONES	3600.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0004 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	65.000	SF
851(C) 8324	2" SQUARE TUBE POST	123.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6640.000	LF

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110436

CALL ORDER: 300
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCCLAIN

PROJECT(S) : PCN
 IMG-0035-2(312)086TR 2810304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$21.68
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-35: FROM THE SH-59 OVERPASS, EXTEND NORTH.

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2790.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2160.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1980.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	540.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2880.000	SD
880(F) 8878	DRUMS	900.000	SD
880(G) 8890	CHANNELIZER CONES	45000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1200.000	CY
202(D) 0184	UNCLASSIFIED BORROW	525.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	952.000	LF
230(A) 2806	SOLID SLAB SODDING	29538.000	SY
241 2832	MOWING	76.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	617.000	CY
509(A) 0319	CLASS AA CONCRETE	132.000	CY
509(D) 0325	CLASS C CONCRETE	2544.000	CY
612(C) 0645	INLET ADJUST TO GRADE	1.000	EA
613(B) 0690	24" CORR. GALV. STEEL PIPE	40.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	12792.000	LF
619(C) 0924	SAWING PAVEMENT	100.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	13315.000	LF
628(C) 5110	END ANCHORS	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110436

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	38.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110471

CALL ORDER: 310
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: WOODWARD
 MAJOR
 BEAVER

PROJECT(S) : PCN
 STPG-147B(171) 2700504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.17
 30 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (RUMBLE STRIP AND LIGHTING)
 US-83/US-183/US-281/US-412/SH-23/SH-34: AT VARIOUS LOCATIONS
 IN DIVISION VI.

SECTION 0001 - TRAFFIC SAFETY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	7.000	EAGP
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	316800.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	350.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	2000.000	LF
803(A) 8065	PULL BOX(SIZE I)	4.000	EA
804(A) 2915	STRUCTURAL CONCRETE	38.400	CY
804(B) 2916	REINFORCING STEEL	2782.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	20.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	14.000	EA
806(D) 8989	40' MTG.HT.HL.PTP.(G.STL.)	10.000	EA
807 8092	BREAKAWAY BASE (DES. B)	10.000	EA
809(A) 8090	ROADWAY LUMINAIRE	10.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	4400.000	LF
811 8046	1/C NO.12 ELECT.COND.	1400.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	416.820	SF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	1627.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	120.000	LF
856(B) 8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	9.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110440

CALL ORDER: 330
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAYES

PROJECT(S) : PCN
 STP-149D(124)CI 2541704
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$32.51
 240 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 CHIMNEY ROCK ROAD (EW-50): FROM THE SH-28 JUNCTION, EXTEND
 EAST.
 PROJECT LENGTH = 2.03 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	22135.000	CY
202(C) 0182	ROCK EXCAVATION	16085.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	400.000	LF
221(C) 2801	TEMPORARY SILT FENCE	7699.000	LF
221(F) 0100	TEMPORARY SILT DIKE	828.000	LF
230(A) 2806	SOLID SLAB SODDING	52135.000	SY
233(A) 2817	VEGETATIVE MULCHING	11.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	9330.000	CY
325 5271	SEPARATOR FABRIC	45026.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	6950.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2808.000	TON
407(B) 0250	TACK COAT	4722.000	GAL
408 5774	PRIME COAT	16448.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	13138.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4414.000	TON
412 5267	COLD MILLING PAVEMENT	27855.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	600.000	CY
501(G) 6309	CLSM BACKFILL	4.000	CY
509(A) 0319	CLASS AA CONCRETE	221.000	CY
509(D) 0325	CLASS C CONCRETE	316.000	CY
511(A) 0332	REINFORCING STEEL	33080.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	398.000	TON
609(B) 0383	COMBINED CURB & GUTTER(6" BARRIER)	3000.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	59.000	SY
611(A) 2659	MANHOLE (6' DIA.)	1.000	EA
611(G) 5112	INLET CI DES. 2 (STD)	2.000	EA
611(G) 5120	INLET CI DES. 3 (STD)	2.000	EA
611(G) 5970	INLET W/SMALL JCT. BOX, CI, DES.2	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110440

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(G) 6006	INLET (SMD-TYPE 2B)	2.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	310.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	84.000	LF
613(A) 0493	30" R.C.PIPES CLASS III	92.000	LF
613(A) 0495	42" R.C.PIPES CLASS III	50.000	LF
613(A) 4500	58" X 36" R.C.PIPES ARCH CLASS A-III	48.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	750.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	250.000	LF
613(L) 4546	58" X 36" PREFAB. CULVERT END SEC., ARCH	4.000	EA
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	7.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(L) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5736	42" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C) 0924	SAWING PAVEMENT	415.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1600.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	17.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	97.000	SF
851(C) 8330	2 1/2" SQUARE TUBE POST	154.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	175.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	39856.000	LF
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	100.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	200.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110441

CALL ORDER: 340
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: NOWATA

PROJECT(S) : PCN
 BRFY-153N(147) 2312904
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$78.03
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-169: OVER CALIFORNIA CREEK, 3.5 MILES NORTH OF THE US-60
 JUNCTION.
 PROJECT LENGTH = 0.275 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4503.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2881.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2399.000	LF
221(F) 0100	TEMPORARY SILT DIKE	63.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	1.000	EA
230(A) 2806	SOLID SLAB SODDING	15553.000	SY
232(B) 2814	SEEDING METHOD B	12.300	AC
233(A) 2817	VEGETATIVE MULCHING	12.300	AC
241 2832	MOWING	24.600	AC
303(A) 2100	AGGREGATE BASE TYPE A	2176.000	CY
307(D) 4230	LIME	304.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	16830.000	SY
325 5271	SEPARATOR FABRIC	14801.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2298.000	TON
407(B) 0250	TACK COAT	174.000	GAL
408 5774	PRIME COAT	5346.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	485.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1314.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	6144.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	6559.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	3036.000	CY
613(A) 4495	22" X 13" R.C.PIPES ARCH CLASS A-III	660.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	188.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	63.000	LF
613(O) 4800	SP. END SECTION OF 22" X 13" RCP ARCH	2.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	2165.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110441

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	27.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	10095.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	2552.000	LF
619(C) 0924	SAWING PAVEMENT	3016.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	2875.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	6.000	EA
624(C) 4457	FENCE-STYLE SWF (3 BARBED WIRE)	403.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	122.000	CY
501(G) 6309	CLSM BACKFILL	162.000	CY
504(A) 1304	APPROACH SLAB	273.400	SY
504(B) 1305	SAW-CUT GROOVING	1351.000	SY
504(C) 6250	SEALED EXPANSION JOINT	84.000	LF
504(E) 6190	42" F-SHAPED PARAPET	639.400	LF
506(A) 1322	STRUCTURAL STEEL	59490.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	1.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	289.000	CY
509(B) 1328	CLASS A CONCRETE	54.100	CY
509(D) 1331	CLASS C CONCRETE	32.500	CY
511(A) 1332	REINFORCING STEEL	380.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	106450.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
514(A) 6010	PILES, FURNISHED (HP 10X42)	208.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	208.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	691.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	41.000	LF
523(A) 6550	SEALER CRACK PREPARATION	164.000	LF
523(B) 6560	SEALER RESIN	1.810	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	82.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	122.000	CY
501(G) 6309	CLSM BACKFILL	162.000	CY
504(A) 1304	APPROACH SLAB	273.400	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110441

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(B) 1305	SAW-CUT GROOVING	1351.000	SY
504(C) 6250	SEALED EXPANSION JOINT	84.000	LF
504(E) 6190	42" F-SHAPED PARAPET	639.400	LF
506(A) 1322	STRUCTURAL STEEL	59490.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	1.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	289.000	CY
509(B) 1328	CLASS A CONCRETE	54.100	CY
509(D) 1331	CLASS C CONCRETE	32.500	CY
510(D) 6341	MSE RETAINING WALL	72.000	SY
511(A) 1332	REINFORCING STEEL	410.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	106560.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
514(A) 6010	PILES, FURNISHED (HP 10X42)	208.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	208.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	691.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	40.000	LF
523(A) 6550	SEALER CRACK PREPARATION	164.000	LF
523(B) 6560	SEALER RESIN	1.810	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	82.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	16000.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7200.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	120.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1000.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1000.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	9600.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110441

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110469

CALL ORDER: 350
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 BRO-155D(638)CI 2501104
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SORGHUM MILL ROAD (EW-90): OVER CHISHOLM CREEK, AT WESTERN
 AVE IN EDMOND.
 PROJECT LENGTH = 0.112 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2264.000	CY
202(D) 0184	UNCLASSIFIED BORROW	93.000	CY
221(C) 2801	TEMPORARY SILT FENCE	915.000	LF
221(F) 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	2690.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.200	AC
307(K) 4300	STABILIZED SUBGRADE	1479.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	65.000	TON
407(B) 0250	TACK COAT	75.000	GAL
408 5774	PRIME COAT	340.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	334.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	165.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1265.000	SY
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	2.000	EA
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	2370.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
501(F) 6352	GRANULAR BACKFILL	80.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	516.010	LF
504(B) 1305	SAW-CUT GROOVING	433.400	SY
504(C) 6250	SEALED EXPANSION JOINT	35.170	LF
504(D) 6239	CONCRETE RAIL (TR3)	316.000	LF
506(A) 1322	STRUCTURAL STEEL	1110.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	128.500	CY
509(B) 1328	CLASS A CONCRETE	135.800	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110469

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511(A) 1332	REINFORCING STEEL	50350.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	228.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	541.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	228.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	541.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	181.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	935.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	264.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	112.500	LF
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110255

CALL ORDER: 360
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 IMG-0240-1(355)011TR 2801404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$20.59
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-240: FROM DOUGLAS BLVD, EXTEND EAST.
 PROJECT LENGTH = 4.531 MILES

SECTION 0001 - TRAFFIC CONTROL - IMG-0240-1(355)011TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3720.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2880.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2640.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1800.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4920.000	SD
880(F) 8878	DRUMS	3600.000	SD
880(G) 8890	CHANNELIZER CONES	57000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	960.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

SECTION 0002 - CABLE BARRIER - IMG-0240-1(355)011TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2227.000	CY
202(D) 0184	UNCLASSIFIED BORROW	17162.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	16.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1190.000	LF
230(A) 2806	SOLID SLAB SODDING	173493.000	SY
241 2832	MOWING	77.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	2379.000	CY
509(A) 0319	CLASS AA CONCRETE	234.000	CY
509(D) 0325	CLASS C CONCRETE	50.000	CY
612(C) 0645	INLET ADJUST TO GRADE	16.000	EA
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	23541.000	LF
628(C) 5110	END ANCHORS	6.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110255

SECTION 0003 - STAKING - IMG-0240-1(355)011TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION - IMG-0240-1(355)011TR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110497

CALL ORDER: 385
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 SAP-155N(926) 2895004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 30 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE REPAIR
 I-35: OVER HARRISON CREEK, 2.5 MILES NORTH OF THE I-44 JCT.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(B) 1305	SAW-CUT GROOVING	26.000	SY
509(A) 1326	CLASS AA CONCRETE	8.500	CY
510(C) 6137	SLOPE WALL (4")	9.500	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	800.000	LB
521(A) 6210	PNEUMATICALLY PLACED MORTAR	8.000	SY
602(A) 4200	GABIONS	17.000	CY
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	25.000	LF
623(F) 6028	GUARDRAIL ANCHOR UNIT	1.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	30.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	750.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110463

CALL ORDER: 390
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKMULGEE

PROJECT(S) : PCN
 STP-156C(102)UR 2202604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 CITY STREET (4TH STREET): OVER COAL CREEK, 0.2 MILES SOUTH
 OF I-40, IN THE CITY OF HENRYETTA.
 PROJECT LENGTH = 0.041 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	50.000	LF
230(A) 2806	SOLID SLAB SODDING	1450.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.600	AC
303(A) 2100	AGGREGATE BASE TYPE A	113.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	47.000	TON
408 5774	PRIME COAT	244.000	GAL
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	500.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	85.000	CY
509(D) 0325	CLASS C CONCRETE	22.200	CY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	258.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	4655.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	589.000	CY
504(E) 1380	CONCRETE RAIL (TR1)	129.000	LF
509(A) 1326	CLASS AA CONCRETE	568.500	CY
511(A) 1332	REINFORCING STEEL	107270.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110463

SECTION 0005 - WATERLINE - NON-PARTICIPATING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
616(A) 5120	4" DUCTILE IRON PIPE	255.000	LF
616(D) 1060	4" GATE VALVE	2.000	EA
616(N) 0092	SERVICE CONNECTION (LONG)	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110199

CALL ORDER: 400
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OTTAWA

PROJECT(S) : PCN
 BRFY-NBIP(434) 2708504
 BRFY-NBIP(435) 2709404

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 45 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION

BRIDGE PAINTING
 US-60: OVER NEOSHO RIVER JUST WEST OF THE SH-137 JCT, AND
 OVER SPRING RIVER JUST EAST OF THE SH-137 JCT.
 PROJECT LENGTH = 0.218 MILES

SECTION 0001 - BRIDGE 'A' - BRFY-NBIP(434)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
506(A) 1322	STRUCTURAL STEEL	3600.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	140.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	140.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	140.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	25.000	EA
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	3.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	14.000	EA
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0002 - TRAFFIC CONTROL - BRFY-NBIP(434)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	25.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	50.000	SD

SECTION 0003 - BRIDGE 'A' - BRFY-NBIP(435)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
506(A) 1322	STRUCTURAL STEEL	3200.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	140.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	60.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	60.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110199****SECTION 0003 - BRIDGE 'A' - BRFY-NBIP(435)**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	21.000	EA
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM

SECTION 0004 - TRAFFIC CONTROL - BRFY-NBIP(435)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	20.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	40.000	SD

SECTION 0005 - CONSTRUCTION - BRFY-NBIP(435)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110462

CALL ORDER: 420
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LINCOLN
 POTTAWATOMIE

PROJECT(S) : PCN
 STPY-063C(372) 0585910
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$107.29
 325 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 WIDEN AND RESURFACE
 SH-18: FROM 3.8 MILES SOUTH OF SH-62 IN MEEKER,
 EXTEND NORTH.
 PROJECT LENGTH = 3.843 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	95688.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1500.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1180.000	LF
221(F) 0100	TEMPORARY SILT DIKE	2142.000	LF
230(A) 2806	SOLID SLAB SODDING	141723.000	SY
232(B) 2814	SEEDING METHOD B	29.280	AC
233(A) 2817	VEGETATIVE MULCHING	29.280	AC
241 2832	MOWING	58.560	AC
307(A) 4200	FLY ASH	2009.000	TON
307(D) 4230	LIME	151.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	69756.000	SY
307(G) 4260	LIME PRETREATMENT	19729.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1569.000	TON
407(A) 4659	FOG SEAL	435.000	GAL
407(B) 0250	TACK COAT	21471.000	GAL
408 5774	PRIME COAT	17958.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	14492.000	SY
409(B) 4268	BITUMINOUS BINDER	2899.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	10876.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	30309.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	7251.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5653.000	TON
412 5267	COLD MILLING PAVEMENT	43474.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	251.000	CY
509(A) 0319	CLASS AA CONCRETE	772.000	CY
509(B) 0321	CLASS A CONCRETE	6.000	CY
509(D) 0325	CLASS C CONCRETE	1332.000	CY
511(A) 0332	REINFORCING STEEL	122057.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110462

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(B) 0536	TYPE I-A PLAIN RIPRAP	64.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	14.000	TON
609(B) 1523	2'-8" COMB.CRB.& GUT.(4" MNTBLE)	700.000	LF
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	7976.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	1075.000	SY
611(A) 2657	MANHOLE (4' DIA.)	5.000	EA
611(A) 2658	MANHOLE (5' DIA.)	3.000	EA
611(A) 2659	MANHOLE (6' DIA.)	2.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	11.000	VF
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)	4.000	VF
611(B) 2682	ADD'L.DEPTH IN MANHOLE (6' DIA.)	4.000	VF
611(G) 5113	INLET CI DES. 2 (B)	2.000	EA
611(G) 5121	INLET CI DES. 3 (B)	4.000	EA
611(G) 5125	INLET CI DES. 3 (2D)	1.000	EA
611(G) 5387	INLET CDI RCB DES. 1	1.000	EA
611(G) 5972	INLET W/SMALL JCT. BOX, CI, DES.2(B)	5.000	EA
611(G) 5984	INLET W/SMALL JCT. BOX, CI, DES.3(B)	3.000	EA
611(G) 5986	INLET W/SMALL JCT. BOX, CI, DES.3(D)	2.000	EA
611(G) 5988	INLET W/SMALL JCT. BOX, CI, DES.3(2B)	3.000	EA
611(G) 6000	INLET (SMD-TYPE 1)	15.000	EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	3.000	VF
611(H) 5330	ADD'L DEPTH IN INLET CI DES. 3	3.000	VF
611(H) 5972	ADD'L DEPTH IN INLET W/SJB, CI, DES. 2(B)	7.000	VF
611(H) 5984	ADD'L DEPTH IN INLET W/SJB, CI, DES. 3(B)	4.000	VF
611(H) 5986	ADD'L DEPTH IN INLET W/SJB, CI, DES. 3(D)	6.000	VF
611(H) 5988	ADD'L DEPTH IN INLET W/SJB, CI, DES.3(2B)	7.000	VF
613(A) 0491	18" R.C.PEPIPE CLASS III	1935.000	LF
613(A) 0492	24" R.C.PEPIPE CLASS III	1086.000	LF
613(A) 0493	30" R.C.PEPIPE CLASS III	537.000	LF
613(A) 0494	36" R.C.PEPIPE CLASS III	154.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	2092.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	685.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	44.000	LF
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	124.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	1442.000	LF
613(I) 1096	6" NON-PERF.PEPIPE UNDERDRAIN RND.	481.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	72.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	28.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	4.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	996.000	CY
613(V) 1180	TRENCH EXCAVATION	3352.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110462

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	5318.000	SY
619(C) 0924	SAWING PAVEMENT	36696.000	LF
624(A) 4281	FENCE-STYLE WWF	3814.000	LF
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	2166.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	9442.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	17.000	EA
629(C) 4960	MAILBOX	17.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	17.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	174000.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	35000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	5000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	730.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	41975.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	51100.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	43800.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	32850.000	SD
880(C) 8848	WING BARRICADES	2920.000	SD
880(D) 8854	VERTICAL PANELS	164250.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	98550.000	SD
880(F) 8878	DRUMS	18250.000	SD
880(G) 8890	CHANNELIZER CONES	102200.000	SD
880(I) 8902	FLAGGER	360.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	730.000	SD

SECTION 0003 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	40.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	314.530	SF
851(C) 8324	2" SQUARE TUBE POST	802.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	57000.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	180.000	LF

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110462

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110447

CALL ORDER: 430
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PUSHMATAHA

PROJECT(S) : PCN
 BRFY-164B(146)SS 2623304
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$47.69
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-271: OVER HARDY CREEK, 1.0 MILE NORTH OF THE SH-144 JCT.
 PROJECT LENGTH = 0.164 MILES

SECTION 0001 - ROADWAY ITEMS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3627.000	CY
202(C) 0182	ROCK EXCAVATION	6270.000	CY
202(D) 0184	UNCLASSIFIED BORROW	8983.000	CY
202(G) 0189	PRESPLITTING OF ROCK	400.000	F DR
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1511.000	LF
221(F) 0100	TEMPORARY SILT DIKE	175.000	LF
230(A) 2806	SOLID SLAB SODDING	23987.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.960	AC
303(A) 2100	AGGREGATE BASE TYPE A	1639.000	CY
325 5271	SEPARATOR FABRIC	7819.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	451.000	TON
408 5774	PRIME COAT	2538.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	970.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	742.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	9.000	CY
509(A) 0319	CLASS AA CONCRETE	29.200	CY
509(D) 0325	CLASS C CONCRETE	35.000	CY
511(A) 0332	REINFORCING STEEL	4090.000	LB
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	88.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	70.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	24.000	CY
613(V) 1180	TRENCH EXCAVATION	31.000	CY
619(B) 4725	REMOVAL OF FENCE	278.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6354.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1109.000	LF
619(C) 0924	SAWING PAVEMENT	600.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	487.500	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110447

SECTION 0001 - ROADWAY ITEMS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	284.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	5269.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	363.700	CY
501(G) 6309	CLSM BACKFILL	48.500	CY
504(D) 6245	CONCRETE RAIL (TR4)	190.120	LF
509(A) 1326	CLASS AA CONCRETE	858.200	CY
511(A) 1332	REINFORCING STEEL	180192.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	2792.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	117.700	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	562.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	94.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	137.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC ITEMS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
851(C) 8324	2" SQUARE TUBE POST	38.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	10.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	5623.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5600.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5623.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	140.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2404.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1080.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2300.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1580.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	280.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1680.000	SD
880(F) 8878	DRUMS	5750.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110447

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110448

CALL ORDER: 440
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEMINOLE

PROJECT(S) : PCN
 BRFY-067C(245) 1231304
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$37.93
 120 CALENDAR DAYS
 TIME 'B' BID - \$ 2000 / DAY
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-270B: OVER UNNAMED CREEK, 0.6 MILES WEST OF THE SH-56
 JUNCTION.
 PROJECT LENGTH = 0.159 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1191.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1737.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	420.000	LF
221(F) 0100	TEMPORARY SILT DIKE	56.000	LF
230(A) 2806	SOLID SLAB SODDING	20972.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.330	AC
234(A) 2824	FERTILIZING (10-20-10)	2.100	TON
241 2832	MOWING	4.330	AC
303(B) 2110	AGGREGATE BASE TYPE B	805.000	CY
307(J) 4290	MODIFIED SUBGRADE	3932.000	SY
325 5271	SEPARATOR FABRIC	4064.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	358.000	TON
407(B) 0250	TACK COAT	533.000	GAL
408 5774	PRIME COAT	1505.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1183.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	448.000	TON
509(D) 0325	CLASS C CONCRETE	5.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3086.000	SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	350.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	350.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	15.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	87.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110448

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	128.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	770.000	LF
504(A) 1304	APPROACH SLAB	205.200	SY
504(B) 1305	SAW-CUT GROOVING	955.900	SY
504(D) 6245	CONCRETE RAIL (TR4)	391.000	LF
506(A) 1322	STRUCTURAL STEEL	1200.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	20.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	20.000	EA
509(A) 1326	CLASS AA CONCRETE	222.900	CY
509(B) 1328	CLASS A CONCRETE	117.400	CY
509(D) 1331	CLASS C CONCRETE	6.300	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	64260.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	987.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	987.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	715.000	SY
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	300.000	LF
523(A) 6550	SEALER CRACK PREPARATION	180.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1170.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	230.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	91.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	3400.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	9840.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	720.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1680.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	720.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4320.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110344

CALL ORDER: 450
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEMINOLE

PROJECT(S) : PCN
 HSIPG-167C(187)TR 2846304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (GUARDRAIL)
 SH-99A: FROM THE POTTAWATOMIE COUNTY LINE, EXTEND EAST.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	3423.750	LF
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	705.000	TON
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	5.000	CY
511(A) 0332	REINFORCING STEEL	150.000	LB
619(B) 4780	REMOVAL OF GUARDRAIL	689.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	4787.500	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	37.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	12.000	EA
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	46.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	171.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 1381	CONCRETE PARAPET	600.600	LF
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	900.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	45000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	360.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7920.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1440.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1440.000	SD
880(F) 8878	DRUMS	2250.000	SD
880(G) 8890	CHANNELIZER CONES	1800.000	SD
880(I) 8902	FLAGGER	180.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0004 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	144.000	SF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110344****SECTION 0004 - TRAFFIC SIGNING AND STRIPING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
851(C) 8324	2" SQUARE TUBE POST	264.000	LF

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110449

CALL ORDER: 460
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEQUOYAH

PROJECT(S) : PCN
 SBR-168C(210)SB 2799304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$47.69
 120 CALENDAR DAYS
 TIME 'B' BID - \$ 4500 / DAY
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-10: OVER THE ILLINOIS RIVER AND DEEP BRANCH CREEK, 1.9
 AND 2.2 MILES EAST OF THE MUSKOGEE COUNTY LINE.

SECTION 0001 - ROADWAY - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303(A) 2100	AGGREGATE BASE TYPE A	82.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	64.000	TON
412 5267	COLD MILLING PAVEMENT	188.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	1468.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	368.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1468.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	700.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	550.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - ROADWAY - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303(A) 2100	AGGREGATE BASE TYPE A	52.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	48.000	TON
412 5267	COLD MILLING PAVEMENT	294.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	1468.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	368.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1468.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	700.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	550.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0003 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	14.000	CY
504(A) 1304	APPROACH SLAB	215.600	SY
504(B) 1305	SAW-CUT GROOVING	1953.700	SY
504(C) 6250	SEALED EXPANSION JOINT	66.800	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110449

SECTION 0003 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(D) 6245	CONCRETE RAIL (TR4)	1165.800	LF
506(A) 1322	STRUCTURAL STEEL	10271.000	LB
509(A) 1326	CLASS AA CONCRETE	436.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	119693.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	990.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	12.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.400	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	2.200	SY
523(A) 6550	SEALER CRACK PREPARATION	194.100	LF
523(B) 6560	SEALER RESIN	1.800	GAL
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	5.000	EA
601(A) 1351	TYPE I PLAIN RIPRAP	40.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0004 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	12.000	CY
504(A) 1304	APPROACH SLAB	215.600	SY
504(B) 1305	SAW-CUT GROOVING	1010.200	SY
504(C) 6250	SEALED EXPANSION JOINT	100.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	603.200	LF
506(A) 1322	STRUCTURAL STEEL	3227.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	1.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	7.000	EA
509(A) 1326	CLASS AA CONCRETE	199.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	48281.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	488.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	14.400	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	2.000	SY
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	7.000	EA
601(A) 1351	TYPE I PLAIN RIPRAP	40.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0005 - TRAFFIC CONTROL - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	38.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	38.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110449

SECTION 0005 - TRAFFIC CONTROL - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	10920.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	720.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	600.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	300.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1800.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0006 - TRAFFIC CONTROL - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	38.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	38.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	10920.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	720.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	600.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	300.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1800.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0007 - TRAFFIC SIGNING & STRIPING - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4092.000	LF

SECTION 0008 - TRAFFIC SIGNING & STRIPING - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2168.000	LF

SECTION 0009 - STAKING - BRIDGES "A" & "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0010 - CONSTRUCTION - BRIDGES "A" & "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110345

CALL ORDER: 470
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: SEQUOYAH

PROJECT(S) : PCN
 IMG-0040-6(371)322TR 2809904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$20.60
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-40: FROM MILE MARKER 322, EXTEND EAST TO MILE MARKER 325.

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1860.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1440.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1320.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	360.000	SD
880(C) 8848	WING BARRICADES	240.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1920.000	SD
880(F) 8878	DRUMS	600.000	SD
880(G) 8890	CHANNELIZER CONES	30000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	150.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1403.000	CY
202(D) 0184	UNCLASSIFIED BORROW	603.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	7.000	EA
221(F) 0100	TEMPORARY SILT DIKE	966.000	LF
230(A) 2806	SOLID SLAB SODDING	72412.000	SY
241 2832	MOWING	37.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3259.000	TON
509(A) 0319	CLASS AA CONCRETE	160.000	CY
509(D) 0325	CLASS C CONCRETE	12.000	CY
612(C) 0645	INLET ADJUST TO GRADE	7.000	EA
619(C) 0924	SAWING PAVEMENT	50.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	16100.000	LF
628(C) 5110	END ANCHORS	4.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	38.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110345****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110451

CALL ORDER: 480
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 BRFY-172N(272) 2192304
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$68.28
 250 CALENDAR DAYS
 TIME 'B' BID - \$ 2500 / DAY
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-75: OVER MIDDLE DUCK CREEK, 0.9 MILES NORTH OF THE
 OKMULGEE COUNTY LINE.
 PROJECT LENGTH = 0.107 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1651.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1788.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1409.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	8.000	EA
221(F) 0100	TEMPORARY SILT DIKE	80.000	LF
230(A) 2806	SOLID SLAB SODDING	8840.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
241 2832	MOWING	2.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	344.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1295.000	TON
407(B) 0250	TACK COAT	755.000	GAL
408 5774	PRIME COAT	441.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2471.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	251.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	682.000	TON
412 5267	COLD MILLING PAVEMENT	1927.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	1358.000	LF
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	1520.000	LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4477.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	1937.000	SY
619(C) 0924	SAWING PAVEMENT	5297.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1125.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	352.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110451

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	128.000	CY
504(A) 1304	APPROACH SLAB	178.600	SY
504(B) 1305	SAW-CUT GROOVING	804.400	SY
504(D) 6245	CONCRETE RAIL (TR4)	461.000	LF
506(A) 1322	STRUCTURAL STEEL	149500.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	219.000	CY
509(B) 1328	CLASS A CONCRETE	112.600	CY
509(D) 1331	CLASS C CONCRETE	12.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	66450.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	339.500	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	339.500	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	614.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	116.000	LF
523(A) 6550	SEALER CRACK PREPARATION	155.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	964.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	218.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	70.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	128.000	CY
504(A) 1304	APPROACH SLAB	178.600	SY
504(B) 1305	SAW-CUT GROOVING	804.400	SY
504(D) 6245	CONCRETE RAIL (TR4)	461.000	LF
506(A) 1322	STRUCTURAL STEEL	149500.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	219.000	CY
509(B) 1328	CLASS A CONCRETE	112.600	CY
509(D) 1331	CLASS C CONCRETE	7.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	66450.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	339.500	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	339.500	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	614.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110451

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	116.000	LF
523(A) 6550	SEALER CRACK PREPARATION	155.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	964.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	218.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	70.000	LF

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	1500.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	20547.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	500.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	540.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	3000.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3000.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	6890.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	13600.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12610.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	11300.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	70.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	10000.000	SD
880(C) 8848	WING BARRICADES	400.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	16800.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	26910.000	SD
880(F) 8878	DRUMS	22100.000	SD
880(G) 8890	CHANNELIZER CONES	5200.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	400.000	SD

SECTION 0005 - SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2690.000	LF
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

CALL ORDER: 500
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) :	PCN
IMY-244-2(500)014	2630009
IMY-244-2(499)011	2714604

DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$405.33
 420 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND PAVEMENT REHABILITATION
 I-244: FROM 73RD STREET, EXTEND EAST TO THE I-44 INTERCHANGE
 IN THE CITY OF TULSA.
 PROJECT LENGTH = 4.333 MILES

SECTION 0001 - ROADWAY - IMY-244-2(500)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	28000.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2000.000	CY
221(C) 2801	TEMPORARY SILT FENCE	41900.000	LF
221(F) 0100	TEMPORARY SILT DIKE	30.000	LF
230(A) 2806	SOLID SLAB SODDING	14000.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	17247.000	CY
307(D) 4230	LIME	2240.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	103474.000	SY
317 4270	CEMENT TREATED BASE	103474.000	SY
325 5271	SEPARATOR FABRIC	125074.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4000.000	TON
408 5774	PRIME COAT	37253.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	500.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1152.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	30204.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	63508.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	18027.000	CY
504(E) 1381	CONCRETE PARAPET	842.000	LF
504(E) 6190	42" F-SHAPED PARAPET	4660.000	LF
509(B) 0321	CLASS A CONCRETE	50.000	CY
509(D) 0325	CLASS C CONCRETE	139.000	CY
511(A) 0332	REINFORCING STEEL	139129.000	LB
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	1500.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	4000.000	SY
613(A) 0491	18" R.C.PIPE CLASS III	500.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	500.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	500.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	500.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

SECTION 0001 - ROADWAY - IMY-244-2(500)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	1500.000	LF
613(I) 1097	8" NON-PERF.PIPES UNDERDRAIN RND.	500.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	41892.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	4240.000	LF
613(Q) 5946	OUTLET LATERAL HEADWALL	212.000	EA
613(Y) 0100	(PL)VIDEO INSPECTION OF CONDUIT	5000.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	33940.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	58855.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	4632.000	LF
619(C) 0924	SAWING PAVEMENT	21000.000	LF
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	400.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	1.000	EA

SECTION 0002 - BRIDGE 73 - IMY-244-2(500)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	229.200	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	313.800	SY
504(B) 1305	SAW-CUT GROOVING	1403.000	SY
504(C) 6250	SEALED EXPANSION JOINT	127.500	LF
504(E) 1381	CONCRETE PARAPET	378.300	LF
504(E) 6190	42" F-SHAPED PARAPET	387.100	LF
506(A) 1322	STRUCTURAL STEEL	5030.000	LB
509(A) 1326	CLASS AA CONCRETE	243.300	CY
509(B) 1328	CLASS A CONCRETE	24.400	CY
510(C) 6134	SLOPE WALL (4")	35.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	77110.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
513(D) 6025	ANODE	360.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	721.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.600	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	60.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	849.900	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	60.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
545 4805	(PL)REPLACE BRIDGE ITEMS	4.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC SIGNING & STRIPING - IMY-244-2(500)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	140.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

SECTION 0003 - TRAFFIC SIGNING & STRIPING - IMY-244-2(500)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	12.580	CY
804(B) 2916	REINFORCING STEEL	2072.000	LB
805(A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	484.870	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	694.500	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	757.750	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	105.000	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	188.750	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	52.130	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	32.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	114.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STL.PIPE POST	88.000	LF
851(C) 8324	2" SQUARE TUBE POST	660.500	LF
852(D) 0305	OVHD.SN.STR., MONOTUBE TYPE B 75'	2.000	EA
852(D) 0325	OVHD.SN.STR., MONOTUBE TYPE B 95'	2.000	EA
852(E) 0500	OVHD.SN.STR., MONOTUBE TYPE C	1.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	62040.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	19608.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	2480.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	1308.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	32.000	LF

SECTION 0004 - TRAFFIC LIGHTING - IMY-244-2(500)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	441.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	360.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	23938.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
803(A) 8065	PULL BOX(SIZE I)	8.000	EA
804(A) 2915	STRUCTURAL CONCRETE	62.640	CY
804(B) 2916	REINFORCING STEEL	3607.200	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	92.000	EA
806(D) 8997	38' MTG.HT.HL.PTP.(G.STL.)	108.000	EA
807 8092	BREAKAWAY BASE (DES. B)	108.000	EA
809(A) 8090	ROADWAY LUMINAIRE	108.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8038	1/C NO.4 ELECT.COND.	69852.000	LF
811 8046	1/C NO.12 ELECT.COND.	10260.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

SECTION 0005 - CABLE BARRIER - IMY-244-2(500)014

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1000.000	TON
509(A) 0319	CLASS AA CONCRETE	100.000	CY
619(B) 5190	REMOVAL OF CABLE BARRIER	7002.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	7002.000	LF
628(C) 5110	END ANCHORS	2.000	EA

SECTION 0006 - ROADWAY - IMY-244-2(499) 011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	42000.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2000.000	CY
221(C) 2801	TEMPORARY SILT FENCE	44500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	30.000	LF
230(A) 2806	SOLID SLAB SODDING	15000.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	28764.000	CY
307(D) 4230	LIME	3730.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	172575.000	SY
317 4270	CEMENT TREATED BASE	172575.000	SY
325 5271	SEPARATOR FABRIC	196375.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	7000.000	TON
408 5774	PRIME COAT	62130.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	500.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1345.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	47401.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	153567.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	42795.000	CY
504(E) 6190	42" F-SHAPED PARAPET	20415.000	LF
509(B) 0321	CLASS A CONCRETE	50.000	CY
509(D) 0325	CLASS C CONCRETE	594.000	CY
511(A) 0332	REINFORCING STEEL	611292.000	LB
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	4000.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	5000.000	SY
613(A) 0491	18" R.C.PIPES CLASS III	500.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	500.000	LF
613(A) 0493	30" R.C.PIPES CLASS III	500.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	500.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	1500.000	LF
613(I) 1097	8" NON-PERF.PIPES UNDERDRAIN RND.	500.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	43580.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	4280.000	LF
613(Q) 5946	OUTLET LATERAL HEADWALL	214.000	EA
613(Y) 0100	(PL)VIDEO INSPECTION OF CONDUIT	5000.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	47972.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

SECTION 0006 - ROADWAY - IMY-244-2(499) 011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	148637.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	21137.000	LF
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	450.000	LF
619(C) 0924	SAWING PAVEMENT	22500.000	LF
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	2501.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	3.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	6.000	EA
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	3434.000	LF
627(B) 4410	CONCRETE LONGITUDINAL BARRIER END SEC.	2.000	EA

SECTION 0007 - BRIDGE NO. 64 - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 6190	42" F-SHAPED PARAPET	35.000	LF
511(B) 6010	EPOXY COATED REINFORCING STEEL	300.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	154.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	150.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
811 8036	1/C NO.2 ELECT.COND.	150.000	LF
811 8046	1/C NO.12 ELECT.COND.	150.000	LF

SECTION 0008 - BRIDGE NO. 65 - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	687.800	SY
504(B) 1305	SAW-CUT GROOVING	1528.000	SY
504(C) 6250	SEALED EXPANSION JOINT	159.700	LF
504(E) 6190	42" F-SHAPED PARAPET	416.600	LF
509(A) 1326	CLASS AA CONCRETE	247.500	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	77790.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	299.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	160.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
811 8036	1/C NO.2 ELECT.COND.	160.000	LF
811 8046	1/C NO.12 ELECT.COND.	160.000	LF

SECTION 0009 - BRIDGE NO. 66 - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 6190	42" F-SHAPED PARAPET	70.000	LF
511(B) 6010	EPOXY COATED REINFORCING STEEL	600.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	308.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

SECTION 0009 - BRIDGE NO. 66 - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	180.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
811 8036	1/C NO.2 ELECT.COND.	180.000	LF
811 8046	1/C NO.12 ELECT.COND.	180.000	LF

SECTION 0010 - BRIDGE NO. 67 -IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	433.400	SY
504(B) 1305	SAW-CUT GROOVING	1279.000	SY
504(C) 6250	SEALED EXPANSION JOINT	124.130	LF
504(E) 6190	42" F-SHAPED PARAPET	425.600	LF
509(A) 1326	CLASS AA CONCRETE	245.200	CY
511 6306	MECHANICAL SPLICES	700.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	74000.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	298.000	SY
523(A) 6550	SEALER CRACK PREPARATION	345.100	LF
523(B) 6560	SEALER RESIN	4.000	GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	170.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
811 8036	1/C NO.2 ELECT.COND.	170.000	LF
811 8046	1/C NO.12 ELECT.COND.	170.000	LF

SECTION 0011 - BRIDGE NO. 68 - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	486.500	SY
504(B) 1305	SAW-CUT GROOVING	1921.000	SY
504(C) 6250	SEALED EXPANSION JOINT	151.850	LF
504(E) 6190	42" F-SHAPED PARAPET	533.300	LF
509(A) 1326	CLASS AA CONCRETE	405.600	CY
511 6306	MECHANICAL SPLICES	1390.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	138200.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	402.000	SY
523(A) 6550	SEALER CRACK PREPARATION	313.000	LF
523(B) 6560	SEALER RESIN	4.000	GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

SECTION 0011 - BRIDGE NO. 68 - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	230.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
811 8036	1/C NO.2 ELECT.COND.	230.000	LF
811 8046	1/C NO.12 ELECT.COND.	230.000	LF

SECTION 0012 - BRIDGE NO. 69 - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	289.200	SY
504(B) 1305	SAW-CUT GROOVING	1501.800	SY
504(C) 6250	SEALED EXPANSION JOINT	124.000	LF
504(E) 6190	42" F-SHAPED PARAPET	500.000	LF
509(A) 1326	CLASS AA CONCRETE	341.700	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	121940.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	394.000	SY
523(A) 6550	SEALER CRACK PREPARATION	256.000	LF
523(B) 6560	SEALER RESIN	4.000	GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	230.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
811 8036	1/C NO.2 ELECT.COND.	230.000	LF
811 8046	1/C NO.12 ELECT.COND.	230.000	LF

SECTION 0013 - BRIDGE NO. 70 - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 6190	42" F-SHAPED PARAPET	52.500	LF
511(B) 6010	EPOXY COATED REINFORCING STEEL	450.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	231.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	220.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
811 8036	1/C NO.2 ELECT.COND.	220.000	LF
811 8046	1/C NO.12 ELECT.COND.	220.000	LF

SECTION 0014 - BRIDGE NO. 71- IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	474.400	SY
504(B) 1305	SAW-CUT GROOVING	1532.500	SY
504(C) 6250	SEALED EXPANSION JOINT	117.740	LF
504(E) 6190	42" F-SHAPED PARAPET	532.600	LF
509(A) 1326	CLASS AA CONCRETE	297.400	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

SECTION 0014 - BRIDGE NO. 71- IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511(B) 6010	EPOXY COATED REINFORCING STEEL	102240.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	421.000	SY
523(A) 6550	SEALER CRACK PREPARATION	243.500	LF
523(B) 6560	SEALER RESIN	4.000	GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	220.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
811 8036	1/C NO.2 ELECT.COND.	220.000	LF
811 8046	1/C NO.12 ELECT.COND.	220.000	LF

SECTION 0015 - BRIDGE NO. 72 - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	50.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	230.100	SY
504(B) 1305	SAW-CUT GROOVING	579.200	SY
504(E) 1381	CONCRETE PARAPET	167.800	LF
504(E) 6190	42" F-SHAPED PARAPET	184.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	83.700	LF
505(E) 1000	HYDRODEMOLITION	557.200	SY
509(A) 1326	CLASS AA CONCRETE	77.500	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	12600.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	165.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	140.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
811 8036	1/C NO.2 ELECT.COND.	140.000	LF
811 8046	1/C NO.12 ELECT.COND.	140.000	LF

SECTION 0016 - TRAFFIC CONTROL - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	190185.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	109300.000	LF
871(A) 8325	(SP)IMPACT ATTENUATOR	21.000	EA
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	6660.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	2.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	43835.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	35915.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	2226.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	109490.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	12535.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

SECTION 0016 - TRAFFIC CONTROL - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	20075.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	7895.000	SD
880(C) 8848	WING BARRICADES	3280.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	21160.000	SD
880(F) 8878	DRUMS	243215.000	SD
880(G) 8890	CHANNELIZER CONES	12000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	5400.000	HOURL
880(M) 8340	(SP)TEMPORARY ROADWAY LIGHTING ASSEMBLY	108600.000	LMDY
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	12000.000	SD
882 8372	(SP)SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	6000.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	1200.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	600.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	4530.000	SD

SECTION 0017 - SIGNING & STRIPING - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	392.000	LF
804(A) 2915	STRUCTURAL CONCRETE	9.650	CY
804(B) 2916	REINFORCING STEEL	1488.000	LB
805(A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	487.180	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	596.500	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	4227.250	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	393.980	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	52.250	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	36.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	38.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STL.PIPE POST	44.000	LF
851(C) 8324	2" SQUARE TUBE POST	701.500	LF
852(D) 0315	OVHD.SN.STR., MONOTUBE TYPE B 85'	1.000	EA
852(D) 0320	OVHD.SN.STR., MONOTUBE TYPE B 90'	1.000	EA
852(D) 0335	OVHD.SN.STR., MONOTUBE TYPE B 105'	2.000	EA
852(D) 0340	OVHD.SN.STR., MONOTUBE TYPE B 110'	1.000	EA
852(E) 0500	OVHD.SN.STR., MONOTUBE TYPE C	4.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	89352.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	21984.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	13840.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	1800.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	48.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	5.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110453

SECTION 0018 - HIGHWAY LIGHTING - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	1000.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	985.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	36621.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
803(A) 8065	PULL BOX(SIZE I)	29.000	EA
804(A) 2915	STRUCTURAL CONCRETE	67.280	CY
804(B) 2916	REINFORCING STEEL	3826.600	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	94.000	EA
806(D) 8997	38' MTG.HT.HL.PTP.(G.STL.)	116.000	EA
807 8092	BREAKAWAY BASE (DES. B)	116.000	EA
809(A) 8090	ROADWAY LUMINAIRE	131.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8038	1/C NO.4 ELECT.COND.	75943.000	LF
811 8046	1/C NO.12 ELECT.COND.	12445.000	LF

SECTION 0019 - STAKING - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0020 - CONSTRUCTION - IMY-244-2(499)011

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110454

CALL ORDER: 510
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 BRFY-NBIP(447)3B 2859304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$20.59
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE PAINTING
 I-244/US-64/US-75/UNION AVE: AT VARIOUS LOCATIONS IN
 DIVISION VIII.

SECTION 0001 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE "C"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE "D"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - BRIDGE "E"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0006 - BRIDGE "F"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	500.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110454****SECTION 0007 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	100.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110455

CALL ORDER: 520
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 BRFY-172A(531)3B 2859305
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$36.85
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 JOINT SEAL/REPAIR
 I-244/US-64/US-75/UNION AVE: AT VARIOUS LOCATIONS IN
 DIVISION VIII.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	145.000	LF
504(H) 6389	ELASTOMERIC MORTAR	47.700	CF
509 6386	SILICONE CONSTRUCTION JOINT	145.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	50.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	814.000	SY
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	1.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	145.000	LF
504(H) 6389	ELASTOMERIC MORTAR	47.700	CF
509 6386	SILICONE CONSTRUCTION JOINT	145.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	50.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	814.000	SY

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	77.400	LF
504(H) 6389	ELASTOMERIC MORTAR	16.000	CF
509 6386	SILICONE CONSTRUCTION JOINT	154.400	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	898.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110455

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
535 6410	MASTIC ASPHALT JOINT MATERIAL	26.000	CF
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	3.000	EA

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(G) 6390	RAPID CURE JOINT SEALANT	83.000	LF
504(H) 6389	ELASTOMERIC MORTAR	27.100	CF
509 6386	SILICONE CONSTRUCTION JOINT	239.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	772.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	1.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	1.000	EA

SECTION 0005 - BRIDGE 'E'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	83.000	LF
504(H) 6389	ELASTOMERIC MORTAR	27.100	CF
509 6386	SILICONE CONSTRUCTION JOINT	239.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	772.000	SY

SECTION 0006 - BRIDGE 'F'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	98.000	LF
504(H) 6389	ELASTOMERIC MORTAR	23.400	CF
509 6386	SILICONE CONSTRUCTION JOINT	49.000	LF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	50.000	SY
523(A) 6550	SEALER CRACK PREPARATION	105.000	LF
523(B) 6560	SEALER RESIN	1.100	GAL
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	588.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110455

SECTION 0007 - BRIDGE 'G'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	108.500	LF
504(H) 6389	ELASTOMERIC MORTAR	40.700	CF
509 6386	SILICONE CONSTRUCTION JOINT	108.500	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	942.000	SY

SECTION 0008 - BRIDGE 'H'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	108.500	LF
504(H) 6389	ELASTOMERIC MORTAR	36.200	CF
509 6386	SILICONE CONSTRUCTION JOINT	108.500	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	3.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	942.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA

SECTION 0009 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0010 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110184

CALL ORDER: 525
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: WOODWARD

PROJECT(S): PCN
 BRFY-177C(120) 2093705
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 30 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION

JOINT SEAL/REPAIR
 SH-50: OVER SAND CREEK, 0.80 MILES NORTH OF US-283, AND OVER
 THE CANADIAN RIVER OVERFLOW, 5.3 MILES NORTH OF US-283.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(C) 6250	SEALED EXPANSION JOINT	56.000	LF
509 6386	SILICONE CONSTRUCTION JOINT	25.000	LF
513(C) 6020	CLASS C BRIDGE DECK REPAIR	107.000	SY

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509 6386	SILICONE CONSTRUCTION JOINT	198.000	LF

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	60.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	240.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	60.000	SD
880(C) 8848	WING BARRICADES	60.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	600.000	SD
880(F) 8878	DRUMS	600.000	SD
880(G) 8890	CHANNELIZER CONES	1050.000	SD
880(I) 8902	FLAGGER	60.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110500

CALL ORDER: 550
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: DEWEY
 NOBLE
 CANADIAN
 MAJOR

PROJECT(S) : PCN
 BTOP-109E(191) 2812813
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$39.02
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (ITS, COMMUNICATION HUTS)
 I-35/I-40/US-60/US-280/US-412: AT VARIOUS LOCATIONS
 IN DIVISION IV, V, AND VI.

SECTION 0001 - SAFETY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	52.200	TON
509(B) 0321	CLASS A CONCRETE	5.260	CY
641 1399	MOBILIZATION	1.000	LSUM
802(C) 8553	3" HIGH DENSITY PE PIPE - BORED	55.000	LF
802(C) 8558	3" HIGH DENSITY PE PIPE - TRENCHED	1390.000	LF
803(A) 8066	PULL BOX(SIZE II)	6.000	EA
803(B) 8105	GROUND BOX (R48)	8.000	EA
804(B) 2916	REINFORCING STEEL	92.320	LB
810(A) 3118	SERVICE POLE	4.000	EA
811 8032	1/C NO.0 ELECT.COND.	6402.000	LF
817(A) 5525	(SP)COMMUNICATION HUT TYPE D	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
887(F) 8370	(PL)SHIELD ISOLATION PEDESTAL	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110501

CALL ORDER: 551
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ATOKA
 COMANCHE
 CARTER
 JEFFERSON

PROJECT(S) : PCN
 BTOP-116E(211) 2812815
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$37.93
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (ITS, COMMUNICATION HUTS)
 I-35/I-44/US-69/US-70/US-75/US-81: AT VARIOUS LOCATIONS IN
 DIVISION II AND VII.

SECTION 0001 - SAFETY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	80.600	TON
509(B) 0321	CLASS A CONCRETE	3.760	CY
641 1399	MOBILIZATION	1.000	LSUM
802(C) 8553	3" HIGH DENSITY PE PIPE - BORED	185.000	LF
802(C) 8558	3" HIGH DENSITY PE PIPE - TRENCHED	518.000	LF
803(A) 8066	PULL BOX(SIZE II)	5.000	EA
803(B) 8105	GROUND BOX (R48)	8.000	EA
804(B) 2916	REINFORCING STEEL	92.320	LB
810(A) 3118	SERVICE POLE	4.000	EA
811 8032	1/C NO.0 ELECT.COND.	3115.000	LF
817(A) 5525	(SP)COMMUNICATION HUT TYPE D	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
887(F) 8370	(PL)SHIELD ISOLATION PEDESTAL	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110502

CALL ORDER: 552
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: GREER
 CUSTER
 BECKHAM

PROJECT(S) : PCN
 BTOP-120E(201) 2812814
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$39.02
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENT (ITS, COMMUNICATION HUTS)
 I-40/SH-6/SH-9: AT VARIOUS LOCATIONS IN DIVISION V.

SECTION 0001 - SAFETY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	68.400	TON
509(B) 0321	CLASS A CONCRETE	3.760	CY
619(B) 4725	REMOVAL OF FENCE	48.000	LF
624(E) 4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	100.000	LF
624(F) 5950	GATES-STYLE CLF (6'HIGH X 4'LONG)	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
802(C) 8553	3" HIGH DENSITY PE PIPE - BORED	116.000	LF
802(C) 8558	3" HIGH DENSITY PE PIPE - TRENCHED	450.000	LF
803(A) 8066	PULL BOX(SIZE II)	4.000	EA
803(B) 8105	GROUND BOX (R48)	8.000	EA
804(B) 2916	REINFORCING STEEL	92.320	LB
810(A) 3118	SERVICE POLE	4.000	EA
811 8032	1/C NO.0 ELECT.COND.	2525.000	LF
817(A) 5525	(SP)COMMUNICATION HUT TYPE D	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
887(F) 8370	(PL)SHIELD ISOLATION PEDESTAL	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110503

CALL ORDER: 553
 LETTING DATE: September 15, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MUSKOGEE
 SEMINOLE
 OKMULGEE
 SEQUOYAH

PROJECT(S) : PCN
 BTOP-167E(194) 2812816
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$36.85
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION

SAFETY IMPROVEMENT (ITS, COMMUNICATION HUTS)
 I-40/US-58/SH-99/INDIAN NATION TURNPIKE: AT VARIOUS
 LOCATIONS IN DIVISION I AND III.

SECTION 0001 - SAFETY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	40.250	TON
509(B) 0321	CLASS A CONCRETE	3.760	CY
619(B) 4725	REMOVAL OF FENCE	12.000	LF
624(E) 4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	110.000	LF
624(F) 5952	GATES-STYLE CLF (6'HIGH X 6'LONG)	2.000	EA
641 1399	MOBILIZATION	1.000	LSUM
802(C) 8553	3" HIGH DENSITY PE PIPE - BORED	100.000	LF
802(C) 8558	3" HIGH DENSITY PE PIPE - TRENCHED	1018.000	LF
803(A) 8066	PULL BOX(SIZE II)	5.000	EA
803(B) 8105	GROUND BOX (R48)	8.000	EA
804(B) 2916	REINFORCING STEEL	92.320	LB
810(A) 3118	SERVICE POLE	4.000	EA
811 8032	1/C NO.0 ELECT.COND.	4260.000	LF
817(A) 5525	(SP)COMMUNICATION HUT TYPE D	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
887(F) 8370	(PL)SHIELD ISOLATION PEDESTAL	4.000	EA



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – September 15, 2011 AM

Date:	Order Taken by:	
Contractor's Id No.:	No. Of Proposal(s):	
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail	
Contractor's Name:		
Telephone No:		
Physical Address:		Please Return Completed Form to:
		Fax : 405-522-0972 or
		Email: mjunsay@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ALFALFA	005	BRFY-NBIP(387)	20937(04)		\$50.00	5.00 + 0.42	0
2	BLAINE	010	SSP-010N(032)SS	20237(08)		\$50.00	101.00 + 8.46	31
3	BRYAN	020	BRFY-022N(154)SS	21732(04)		\$50.00	56.00 + 4.69	25
4	CHEROKEE	030	HSIP-111A(136)TR	28760(04)		\$50.00	7.00 + 0.59	0
5	CLEVELAND	050	BRO-114D(202)CO	24611(04)		\$50.00	6.00 + 0.50	1
6	CLEVELAND	060	HSIPY-114A(242)TR	26474(04)		\$50.00	41.00 + 3.43	14
7	COAL	080	BRFY-115C(026)	20967(04)		\$50.00	75.00 + 6.28	18
8	COMANCHE	090	BRFY-116C(111)	21715(04)		\$50.00	33.00 + 2.76	7
9	COTTON	100	BRO-117D(087)CI	27486(04)		\$50.00	6.00 + 0.50	2
10	CRAIG	120	BRFY-018N(050)	24220(04)		\$50.00	65.00 + 5.44	19
11	CUSTER	130	BRO-120D(153)CI	24670(04)		\$50.00	17.00 + 1.42	4
12	DELAWARE	150	STPY-121A(143)	15015(14)		\$50.00	77.00 + 6.45	0
13	GARVIN	160	BRFY-025C(274)	10444(04)		\$50.00	61.00 + 5.11	36
14	GARVIN	170	BRO-125D(173)CI	26811(04)		\$50.00	9.00 + 0.75	3
15	GRADY	180	SSP-126C(184)SS	28001(04)		\$50.00	9.00 + 0.75	2
16	GRANT	183	BRO-127D(146)CI	25586(04)		\$50.00	14.00 + 1.17	16
17	GREER	185	BRO-128D(080)CI	26718(04)		\$50.00	6.00 + 0.50	3
18	HASKELL	190	BRFY-131B(064)	23101(04)		\$50.00	49.00 + 4.10	14
19	JOHNSTON / MCCLAIN/ OKFUSKEE / POTTAWATOMIE / SEMINOLE	200	BRFY-NBIP(448)3B	28606(04)		\$50.00	21.00 + 1.76	0
20	JOHNSTON / MCCLAIN/ OKFUSKEE / POTTAWATOMIE / SEMINOLE	210	BRFY-135F(136)3B	28606(05)		\$50.00	23.00 + 1.93	0
21	LINCOLN	250	BRFY-141C(049)	17226(17)		\$50.00	32.00 + 2.68	5
22	LOVE	280	BRFY-143C(075)SS	23123(04)		\$50.00	67.00 + 5.61	14
23	LOVE	290	BRFY-143C(078)	23124(04)		\$50.00	34.00 + 2.85	11
24	MCCLAIN	300	IMG-0035-2(312)086TR	28103(04)		\$50.00	20.00 + 1.68	0

BID OPENING OF – September 15, 2011 AM

Date:				Order Taken by:				
Contractor's Id No.:				No. Of Proposal(s):				
Person Ordering:				☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail				
Contractor's Name:								
Telephone No:								
Physical Address:						Please Return Completed Form to:		
						Fax : 405-522-0972 or		
						Email: mjunsay@odot.org		
Specification Book Ordered:								
#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
25	BEAVER / MAJOR / WOODWARD	310	STPG-147B(171)	27005(04)		\$50.00	14.00 + 1.17	0
26	MAYES	330	STP-149D(124)CI	25417(04)		\$50.00	30.00 + 2.51	29
27	NOWATA	340	BRFY-153N(147)	23129(04)		\$50.00	72.00 + 6.03	24
28	OKLAHOMA	350	BRO-155D(638)CI	25011(04)		\$50.00	11.00 + 0.92	2
29	OKLAHOMA	360	IMG-0240-1(355)011TR	28014(04)		\$50.00	19.00 + 1.59	0
30	OKLAHOMA	385	SAP-155N(926)	28950(04)		\$50.00	7.00 + 0.59	0
31	OKMULGEE	390	STP-156C(102)UR	22026(04)		\$50.00	11.00 + 0.92	1
32	OTTAWA	400	BRFY-NBIP(434) BRFY-NBIP(435)	27085(04) 27094(04)		\$50.00	16.00 + 1.34	0
33	LINCOLN / POTTAWATOMIE	420	STPY-063C(372)	05859(10)		\$50.00	99.00 + 8.29	114
34	PUSHMATAHA	430	BRFY-164B(146)SS	26233(04)		\$50.00	44.00 + 3.69	21
35	SEMINOLE	440	BRFY-067C(245)	12313(04)		\$50.00	35.00 + 2.93	3
36	SEMINOLE	450	HSIPG-167C(187)TR	28463(04)		\$50.00	11.00 + 0.92	0
37	SEQUOYAH	460	SBR-168C(210)SB	27993(04)		\$50.00	44.00 + 3.69	0
38	SEQUOYAH	470	IMG-0040-6(371)322TR	28099(04)		\$50.00	19.00 + 1.60	20
39	TULSA	480	BRFY-172N(272)	21923(04)		\$50.00	63.00 + 5.28	18
40	TULSA	500	IMY-244-2(499)011 IMY-244-2(500)014	27146(04) 26300(09)		\$50.00	374.00 + 31.33	0
41	TULSA	510	BRFY-NBIP(447)3B	28593(04)		\$50.00	19.00 + 1.59	0
42	TULSA	520	BRFY-172A(531)3B	28593(05)		\$50.00	34.00 + 2.85	0
43	WOODWARD	525	BRFY-177C(120)	20937(05)		\$50.00	8.00 + 0.67	0
44	CANADIAN / DEWEY / MAJOR / NOBLE	550	BTOP-109E(191)	28128(13)		\$50.00	36.00 + 3.02	0
45	ATOKA / CARTER / COMANCHE / JEFFERSON	551	BTOP-116E(211)	28128(15)		\$50.00	35.00 + 2.93	0
46	BECKHAM / CUSTER / GREER	552	BTOP-120E(201)	28128(14)		\$50.00	36.00 + 3.02	0
47	MUSKOGEE / OKMULGEE / SEMINOLE / SEQUOYAH	553	BTOP-167E(194)	28128(16)		\$50.00	34.00 + 2.85	0