

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.9a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the [October 20, 2011](#) 10:30 A.M. Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [September 29, 2011](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [October 07, 2011](#) concerning this [October 20th](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Effective with the June 2009 Letting, any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972
or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2011/plans.htm>

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)99, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is new cover sheet that is required with these DBE confirmations, it is located at this web site below.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo>

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bids.

For written bids DO NOT disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mjunsay@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , October 20, 2011 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal.

Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110477

CALL ORDER: 040
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ALFALFA

PROJECT(S) : PCN
 BRFY-102C(093) 2327204
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$48.77
 200 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-8: OVER DRIFTWOOD CREEK 3.5 MI NORTH OF THE US-64/SH-11
 JCT.
 PROJECT LENGTH = 0.851 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	8618.000	CY
202(D) 0184	UNCLASSIFIED BORROW	57497.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	1830.000	LF
221(C) 2801	TEMPORARY SILT FENCE	1011.000	LF
221(F) 0100	TEMPORARY SILT DIKE	273.000	LF
230(A) 2806	SOLID SLAB SODDING	85373.000	SY
232(A) 2813	SEEDING METHOD A	15.570	AC
233(A) 2817	VEGETATIVE MULCHING	15.570	AC
241 2832	MOWING	31.140	AC
307(A) 4200	FLY ASH	764.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	15159.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	269.000	TON
407(B) 0250	TACK COAT	3887.000	GAL
408 5774	PRIME COAT	2890.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	1512.000	SY
409(B) 4268	BITUMINOUS BINDER	378.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	7822.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2572.000	TON
412 5267	COLD MILLING PAVEMENT	1238.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	62.000	CY
509(A) 0319	CLASS AA CONCRETE	184.000	CY
511(A) 0332	REINFORCING STEEL	26210.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	15.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	629.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	320.000	LF
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	106.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	14.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110477

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	14632.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1897.000	LF
619(C) 0924	SAWING PAVEMENT	3300.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1275.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1304.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	5630.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(G) 6309	CLSM BACKFILL	206.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1995.000	LF
504(A) 1304	APPROACH SLAB	281.200	SY
504(B) 1305	SAW-CUT GROOVING	2496.000	SY
504(C) 6250	SEALED EXPANSION JOINT	86.400	LF
504(D) 6245	CONCRETE RAIL (TR4)	1123.400	LF
506(A) 1322	STRUCTURAL STEEL	2250.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	24.000	EA
509(A) 1326	CLASS AA CONCRETE	580.600	CY
509(B) 1328	CLASS A CONCRETE	251.200	CY
509(D) 1331	CLASS C CONCRETE	7.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	158180.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	224.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	736.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	224.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	736.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2223.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	468.000	LF
523(A) 6550	SEALER CRACK PREPARATION	81.600	LF
523(B) 6560	SEALER RESIN	1.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1520.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	310.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	64.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110477

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0005 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0006 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	500.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	4000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	410.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	820.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2460.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4100.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1230.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4100.000	SD
880(F) 8878	DRUMS	7175.000	SD

SECTION 0007 - TRAFFIC SIGNING & STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	15.000	SF
851(C) 8324	2" SQUARE TUBE POST	10.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12817.000	LF

SECTION 0008 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0009 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110411

CALL ORDER: 060
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ALFALFA

PROJECT(S) : PCN
 BRO-102D(136)CI 2591004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-030): OVER EAGLE CHIEF CREEK 1.0 MI NORTH
 OF SH-45 AND 5.7 MI WEST OF SH-8, WEST OF CARMEN.
 PROJECT LENGTH = 0.274 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	1100.000	LF
230(A) 2806	SOLID SLAB SODDING	14446.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.980	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	629.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0692	36" CORR. GALV. STEEL PIPE	166.000	LF
613(B) 0693	42" CORR. GALV. STEEL PIPE	148.000	LF
613(M) 7189	TYPE D4 CULVERT END TREATMENT	4.000	EA
613(M) 7194	TYPE DD4 CULVERT END TREATMENT	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	114.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1128.500	LF
504(C) 6250	SEALED EXPANSION JOINT	33.970	LF
504(D) 6239	CONCRETE RAIL (TR3)	643.160	LF
506(A) 1322	STRUCTURAL STEEL	530.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	12.000	EA
509(A) 1326	CLASS AA CONCRETE	215.800	CY
509(B) 1328	CLASS A CONCRETE	95.800	CY
511(A) 1332	REINFORCING STEEL	61459.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	979.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	979.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	218.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	2386.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	720.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110411

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110412

CALL ORDER: 080
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: BEAVER

PROJECT(S) : PCN
 BRF-104C(069)CI 2698104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-133): OVER SOUTH FORK OF CLEAR CREEK 0.9 MI
 SOUTH OF SH-3, 6.0 MI WEST OF ELMWOOD.
 PROJECT LENGTH = 0.264 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	160.000	LF
230(A) 2806	SOLID SLAB SODDING	4500.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.300	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	810.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F) 6352	GRANULAR BACKFILL	66.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	402.000	LF
504(C) 6250	SEALED EXPANSION JOINT	50.400	LF
504(D) 6239	CONCRETE RAIL (TR3)	326.000	LF
506(A) 1322	STRUCTURAL STEEL	3500.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	9.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	9.000	EA
509(A) 1326	CLASS AA CONCRETE	129.500	CY
509(B) 1328	CLASS A CONCRETE	61.200	CY
511(A) 1332	REINFORCING STEEL	37380.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	184.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	988.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	184.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	988.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	385.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	80.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	40.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110412

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110499

CALL ORDER: 090
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: BECKHAM

PROJECT(S) : PCN
 HSIP-105C(205)TR 2896004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$6.50
 30 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION

SCHOOL ZONE
 I-40B: FLASHING BEACONS FROM 2ND STREET TO WADE STREET IN
 THE CITY OF SAYRE.

SECTION 0001 - SCHOOL ZONE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	300.000	LF
803(A) 8067	PULL BOX(SIZE III)	2.000	EA
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8044	1/C NO.10 ELECT.COND.	600.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831 8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
836 8425	REGULATORY OR WARNING SIGN ASSEMBLY	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	91.340	SF
851(C) 8324	2" SQUARE TUBE POST	140.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	96.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	96.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110189

CALL ORDER: 100
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CANADIAN

PROJECT(S) : PCN
 SBR-109N(181)SB 2831304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$23.84
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 I-40: OVER MAYBERRY ROAD 5.0 MI WEST OF US-270.
 PROJECT LENGTH = 0.075 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2000.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1000.000	CY
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
232(A) 2813	SEEDING METHOD A	1.000	AC
407(A) 4659	FOG SEAL	33.760	GAL
407(B) 0250	TACK COAT	126.680	GAL
408 5774	PRIME COAT	197.580	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	357.220	TON
412 5267	COLD MILLING PAVEMENT	2709.730	SY
509(D) 0325	CLASS C CONCRETE	5.600	CY
619(B) 4780	REMOVAL OF GUARDRAIL	1480.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1562.500	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	182.200	SY
504(B) 1305	SAW-CUT GROOVING	829.000	SY
504(C) 6250	SEALED EXPANSION JOINT	82.000	LF
504(E) 6190	42" F-SHAPED PARAPET	392.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	82.000	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(A) 1326	CLASS AA CONCRETE	193.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	53572.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	311.700	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110189

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	SEALER CRACK PREPARATION	41.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	48.000	EA
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	182.200	SY
504(B) 1305	SAW-CUT GROOVING	829.000	SY
504(C) 6250	SEALED EXPANSION JOINT	82.000	LF
504(E) 6190	42" F-SHAPED PARAPET	392.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	82.000	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(A) 1326	CLASS AA CONCRETE	193.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	53572.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	311.700	SY
523(A) 6550	SEALER CRACK PREPARATION	41.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	48.000	EA
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	1797.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	150.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1170.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	3510.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	150.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	750.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1350.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2400.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1500.000	SD
880(F) 8878	DRUMS	6000.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110189****SECTION 0005 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110324

CALL ORDER: 120
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 STPY-014B(377)MS 1439204
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$88.87
 210 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 CITY STREET (60TH AVE): FROM JUST NORTH OF THE TECUMSEH RD
 EXTEND NORTH, IN THE CITY OF NORMAN.
 PROJECT LENGTH = 2.127 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	73893.000	CY
202(D) 0184	UNCLASSIFIED BORROW	100.000	CY
205(A) 4230	TYPE A-SALVAGED TOPSOIL	17040.000	CY
221(C) 2801	TEMPORARY SILT FENCE	26533.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	7.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	279.000	LF
230(A) 2806	SOLID SLAB SODDING	121964.000	SY
232(A) 2813	SEEDING METHOD A	3.000	AC
233(A) 2817	VEGETATIVE MULCHING	26.000	AC
241 2832	MOWING	52.000	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	2.000	EA
307(A) 4200	FLY ASH	686.000	TON
307(D) 4230	LIME	1121.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	21172.000	SY
307(I) 4280	LIME MODIFIED SUBGRADE	84923.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	673.000	TON
407(B) 0250	TACK COAT	14533.000	GAL
408 5774	PRIME COAT	22959.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	11909.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	23195.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	8134.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2589.000	TON
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	5946.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	1487.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	1921.000	CY
509(A) 0319	CLASS AA CONCRETE	1586.000	CY
511(A) 0332	REINFORCING STEEL	240020.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	25.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110324

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
602(C) 4155	FILTER FABRIC	20.000	SY
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	1843.000	LF
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	1932.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	729.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	80.000	SF
611(A) 2657	MANHOLE (4' DIA.)	3.000	EA
611(G) 5113	INLET CI DES. 2 (B)	7.000	EA
613(A) 0582	18" R.C.PIPES CLASS IV	328.000	LF
613(A) 0585	36" R.C.PIPES CLASS IV	838.000	LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	280.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(L) 5734	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 7194	TYPE DD4 CULVERT END TREATMENT	8.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	32466.000	SY
619(C) 0924	SAWING PAVEMENT	200.000	LF
622(A) 4746	PIPE RAILING	43.000	LF
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	13174.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	650.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	480.000	CY
509(A) 1326	CLASS AA CONCRETE	657.000	CY
511(A) 1332	REINFORCING STEEL	119900.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	350.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	250.000	SY

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	145.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	235.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	70.000	LF
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	11.200	CY
804(B) 2916	REINFORCING STEEL	1705.400	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110324

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	1685.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	4.000	EA
833 3030	BACKPLATE	12.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	570.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	675.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	4.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	895.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	4.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	117.340	SF

SECTION 0004 - TRAFFIC - SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	1.200	CY
804(B) 2916	REINFORCING STEEL	72.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	5.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	65.920	SF
851(B) 3215	1 1/2"@2.72 GALV.STL.PIPE POST	36.000	LF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	69.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	37.000	LF
855(A) 8827	TRAFFIC STRIPE(PLASTIC)(TAPE)(4" WIDE)	49022.000	LF
855(B) 8830	TRAFFIC STRIPE(PLASTIC)(TAPE)(ARROWS)	5.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	2996.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	198.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	444.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	15.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5000.000	LF
858(A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	44.000	EA
858(A) 8950	PAVE.MARKERS CLASS C TYPE 2-D	30.000	EA

SECTION 0005 - TRAFFIC - CONSTRUCTION TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110324

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0008 - FORCE MAIN RELOCATION - NON PARTICIPATING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(U) 0600	BORE & JACK 42" CASING	120.000	LF
615(A) 6130	16" POLYVINYL CHLORIDE (PVC) PIPE	40.000	LF
616(A) 5160	30" DUCTILE IRON PIPE	235.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	45.000	LF
619(B) 7210	REMOVAL OF GATE VALVE AND BOX	2.000	EA
619(B) 8660	PLUGGING ABANDONED SEWER	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110202

CALL ORDER: 140
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 CIRB-114C(210)RB 2482904
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$89.95
 360 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (EW-129): ETOWAH RD FROM 48TH AVE SW EXTEND
 EAST.
 PROJECT LENGTH = 5.983 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	115000.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	9630.000	LF
221(F) 0100	TEMPORARY SILT DIKE	8505.000	LF
230(A) 2806	SOLID SLAB SODDING	277734.000	SY
233(A) 2817	VEGETATIVE MULCHING	57.400	AC
303(A) 2100	AGGREGATE BASE TYPE A	1720.000	CY
307(K) 4300	STABILIZED SUBGRADE	110854.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1305.000	TON
407(B) 0250	TACK COAT	8300.000	GAL
408 5774	PRIME COAT	27600.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	23950.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	13195.000	TON
412 5267	COLD MILLING PAVEMENT	184104.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	500.000	CY
509(A) 0319	CLASS AA CONCRETE	497.600	CY
509(D) 0325	CLASS C CONCRETE	1072.100	CY
511(A) 0332	REINFORCING STEEL	70770.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	472.000	TON
610(B) 0604	6" CONCRETE DRIVEWAY	1051.400	SY
611(G) 5329	INLET GPI TYPE 1 (DES. 3)	1.000	EA
613(A) 0493	30" R.C.PIPES CLASS III	260.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	244.000	LF
613(A) 0495	42" R.C.PIPES CLASS III	146.000	LF
613(A) 0496	48" R.C.PIPES CLASS III	294.000	LF
613(A) 0497	54" R.C.PIPES CLASS III	200.000	LF
613(A) 4495	22" X 13" R.C.PIPES ARCH CLASS A-III	522.000	LF
613(A) 4496	28" X 18" R.C.PIPES ARCH CLASS A-III	228.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110202

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(A) 4497	36" X 22" R.C.PIPES ARCH CLASS A-III	160.000	LF
613(A) 4499	51" X 31" R.C.PIPES ARCH CLASS A-III	70.000	LF
613(A) 4509	43" X 68" R.C.PIPES ELL. CLASS HE-III	176.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	2304.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	1378.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	114.000	LF
613(L) 5732	30" PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(L) 5734	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5736	42" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5738	48" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5740	54" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	106.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	55.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	9.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	8.000	EA
613(M) 7190	TYPE E4 CULVERT END TREATMENT	5.000	EA
613(M) 7191	TYPE AA4 CULVERT END TREATMENT	2.000	EA
613(M) 7192	TYPE BB4 CULVERT END TREATMENT	2.000	EA
613(M) 7195	TYPE EE4 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4000.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	916.000	SY
629(A) 4958	MAILBOX INSTALLATION-SINGLE	54.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	5.000	EA
629(C) 4960	MAILBOX	67.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	82.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	292.000	SF
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	125210.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY (WATERLINE)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(E) 6354	SELECT BACKFILL	2650.000	CY
613(R) 1185	STANDARD BEDDING MATERIAL, CLASS A	385.000	CY
616(B) 5218	2" POLYVINYL CHLORIDE (PVC) PIPE	129.000	LF
616(B) 5229	12" POLYVINYL CHLORIDE (PVC) PIPE	8175.000	LF
616(D) 1100	12" GATE VALVE	13.000	EA
616(F) 5211	METER INSTALLATION 2"	9.000	EA
616(G) 1192	FIRE HYDRANTS	9.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110202****SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110478

CALL ORDER: 160
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 BRFY-116C(095) 2095504
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$47.69
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 SH-65: OVER WHISKEY CREEK, 2.4 MI SOUTH OF SH-17.
 PROJECT LENGTH = 0.570 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	18634.000	CY
202(D) 0184	UNCLASSIFIED BORROW (R-4)	29414.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL (R-5) (R-15)	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE (2)	875.000	LF
221(F) 0100	TEMPORARY SILT DIKE (2)	294.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1 (2)	4.000	CY
230(A) 2806	SOLID SLAB SODDING (R-7) (R-8)	39082.000	SY
233(A) 2817	VEGETATIVE MULCHING (R-11)	16.000	AC
241 2832	MOWING (R-16)	12.000	AC
307(A) 4200	FLY ASH (1)	1060.000	TON
307(D) 4230	LIME (R-20)	57.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	21018.000	SY
307(G) 4260	LIME PRETREATMENT	1512.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A (R-25)	187.000	TON
407(B) 0250	TACK COAT	14964.000	GAL
408 5774	PRIME COAT (R-28)	2561.000	GAL
411(A) 5930	SUPERPAVE, TYPE S2(PG 64-22 OK) (R-32)	3409.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK) (R-32)	3416.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK) (R-32)	2200.000	TON
509(A) 0319	CLASS AA CONCRETE	42.000	CY
511(A) 0332	REINFORCING STEEL	6398.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	12.000	TON
611(G) 5327	INLET GPI TYPE 1 (DES. 1)	1.000	EA
611(G) 5393	INLET CDI RCB DES. 7	1.000	EA
611(G) 6004	INLET (SMD-TYPE 2A)	1.000	EA
611(H) 5196	ADDITIONAL DEPTH IN INLET	2.000	VF
613(A) 0492	24" R.C.PIPES CLASS III (5)	94.000	LF
613(A) 4498	43" X 26" R.C.PIPES ARCH CLASS A-III (5)	82.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE (R-46)	60.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE (R-46)	182.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110478

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 0691	30" CORR. GALV. STEEL PIPE	208.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	8.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS (R-48) (3)	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL (R-49) (R-50) (R-48)	1.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT (R-49) (R-50)	8651.000	SY
619(C) 0924	SAWING PAVEMENT	5797.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	300.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE) (R-52) (R-53)	6770.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION (R-48)	2.000	EA
853 9033	DELINEATORS(TYPE 2, CODE 1)	14.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(G) 6309	CLSM BACKFILL	164.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	677.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	980.100	SY
504(D) 6245	CONCRETE RAIL (TR4)	437.000	LF
506(A) 1322	STRUCTURAL STEEL	1050.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	231.400	CY
509(B) 1328	CLASS A CONCRETE	126.400	CY
509(D) 1331	CLASS C CONCRETE	25.000	CY
511(A) 1332	REINFORCING STEEL	680.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	72230.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	707.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	707.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	784.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	186.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	3000.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	650.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110478

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9925.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	15600.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5400.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1800.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6300.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4500.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(D) 8854	VERTICAL PANELS	3600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	15300.000	SD
880(F) 8878	DRUMS	5400.000	SD
880(G) 8890	CHANNELIZER CONES	5400.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110479

CALL ORDER: 180
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 SSP-116C(114)SS 2171604
 SSP-116C(195)SS 2171607

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$106.21
 200 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE AND BRIDGE
 SH-115: FROM 1.0 MI NORTH OF MEERS EXTEND SOUTH.
 PROJECT LENGTH = 1.283 MILES

SECTION 0001 - ROADWAY - SSP-116C(114)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6535.000	CY
202(D) 0184	UNCLASSIFIED BORROW	5933.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	588.000	LF
230(A) 2806	SOLID SLAB SODDING	15973.000	SY
241 2832	MOWING	8.000	AC
307(K) 4300	STABILIZED SUBGRADE	18201.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	75.000	TON
407(B) 0250	TACK COAT	2864.000	GAL
408 5774	PRIME COAT	4296.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	8774.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	7610.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2267.000	TON
412 5267	COLD MILLING PAVEMENT	487.000	SY
509(D) 0325	CLASS C CONCRETE	225.000	CY
602(A) 4154	GABIONS	52.000	CY
611(G) 5950	INLET W/SMALL JCT. BOX, CI, DES.1	1.000	EA
611(H) 5320	ADD'L DEPTH IN INLET CI DES. 1	2.000	VF
613(A) 0400	12" R.C.PIPE CLASS III	165.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	75.000	LF
613(A) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	123.000	LF
613(A) 4498	43" X 26" R.C.PIPE ARCH CLASS A-III	99.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	46.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	3.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	3.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110479

SECTION 0001 - ROADWAY - SSP-116C(114)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(M) 7198	TYPE C6 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	14068.000	SY
619(C) 0924	SAWING PAVEMENT	39.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1639.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA

SECTION 0002 - BRIDGE 'A' - SSP-116C(114)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2300.000	CY
202(C) 0182	ROCK EXCAVATION	100.000	CY
303(A) 2100	AGGREGATE BASE TYPE A	131.000	CY
501(E) 6354	SELECT BACKFILL	1300.000	CY
508 6359	PRECAST ARCH CULVERT	40.000	LF
509(A) 1326	CLASS AA CONCRETE	114.400	CY
510(A) 6334	RETAINING WALL	444.000	SY
511(A) 1332	REINFORCING STEEL	10750.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC - SSP-116C(114)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	20.000	SD
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	1000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	40.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12150.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1800.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6300.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4500.000	SD
880(C) 8848	WING BARRICADES	900.000	SD
880(D) 8854	VERTICAL PANELS	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	15000.000	SD
880(F) 8878	DRUMS	1200.000	SD
880(G) 8890	CHANNELIZER CONES	1200.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	450.000	SD

SECTION 0004 - TRAFFIC SIGNING & STRIPING - SSP-116C(114)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	0.460	CY
804(B) 2916	REINFORCING STEEL	64.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110479

SECTION 0004 - TRAFFIC SIGNING & STRIPING - SSP-116C(114)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	168.430	SF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	30.000	LF
851(C) 8324	2" SQUARE TUBE POST	311.500	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	11560.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	375.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA

SECTION 0005 - STAKING - SSP-116C(114)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - SSP-116C(114)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0007 - ROADWAY - SSP-116C(195)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2833.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	56.000	LF
230(A) 2806	SOLID SLAB SODDING	3599.000	SY
241 2832	MOWING	2.000	AC
307(K) 4300	STABILIZED SUBGRADE	3112.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	25.000	TON
407(B) 0250	TACK COAT	366.000	GAL
408 5774	PRIME COAT	778.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	1497.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1303.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	543.000	TON
509(D) 0325	CLASS C CONCRETE	15.000	CY
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	872.000	LF
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA

SECTION 0008 - TRAFFIC CONTROL - SSP-116C(195)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	75.000	SD
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	5700.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	500.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1500.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110479****SECTION 0008 - TRAFFIC CONTROL - SSP-116C(195)SS**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1350.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	900.000	SD
880(C) 8848	WING BARRICADES	300.000	SD
880(D) 8854	VERTICAL PANELS	1875.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2475.000	SD
880(F) 8878	DRUMS	2250.000	SD
880(G) 8890	CHANNELIZER CONES	1875.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	150.000	SD

SECTION 0009 - TRAFFIC SIGNING & STRIPING - SSP-116C(195)SS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	3.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	33.860	SF
851(C) 8324	2" SQUARE TUBE POST	71.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4000.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110266

CALL ORDER: 200
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CRAIG

PROJECT(S) : PCN
 STP-118C(074)UR 2391004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 CITY STREET: EXCELSIOR AVENUE FROM US-60 TO 4TH STREET IN
 VINITA.
 PROJECT LENGTH = 0.372 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6200.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1500.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	100.000	LF
221(F) 0100	TEMPORARY SILT DIKE	320.000	LF
230(A) 2806	SOLID SLAB SODDING	2613.000	SY
232(B) 2814	SEEDING METHOD B	1.100	AC
233(A) 2817	VEGETATIVE MULCHING	1.100	AC
303(A) 2100	AGGREGATE BASE TYPE A	928.000	CY
307(K) 4300	STABILIZED SUBGRADE	7931.000	SY
325 5271	SEPARATOR FABRIC	9497.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	346.000	TON
407(B) 0250	TACK COAT	303.000	GAL
408 5774	PRIME COAT	908.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	696.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1393.000	TON
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	1205.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	268.000	CY
509(B) 0321	CLASS A CONCRETE	137.000	CY
509(D) 0325	CLASS C CONCRETE	100.000	CY
511(A) 0332	REINFORCING STEEL	7110.000	LB
601(G) 1362	TYPE III LAID UP RIPRAP	160.000	SY
601(I) 6312	FILTER FABRIC (RIPRAP)	208.000	SY
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	200.000	LF
613(A) 4503	14" X 23" R.C.PEPIPE ELL. CLASS HE-III	793.000	LF
613(A) 4520	19" X 30" R.C.PEPIPE ELL. CLASS HE-IV	241.000	LF
613(M) 7191	TYPE AA4 CULVERT END TREATMENT	2.000	EA
613(O) 5099	SP. END SECTION OF 14" X 23" RCP ELL.	38.000	EA
613(O) 5157	SP. END SECTION OF 19" X 30" RCP ELL.	10.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110266

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	317.000	CY
613(V) 1180	TRENCH EXCAVATION	357.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4588.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	91.000	SY
619(B) 5918	REMOVAL OF EXISTING PIPE	440.000	LF
619(C) 0924	SAWING PAVEMENT	189.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	9.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	72.110	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	128.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7982.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110420

CALL ORDER: 205
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CRAIG

PROJECT(S) : PCN
 STPY-118C(096)SS 2418304
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$126.80
 200 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 WIDEN AND RESURFACE
 SH-66: FROM 1.25 MILES EAST OF THE ROGERS COUNTY LINE,
 EXTEND NORTHEAST.
 PROJECT LENGTH = 5.621 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	43245.000	CY
202(D) 0184	UNCLASSIFIED BORROW	19838.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	18500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	1218.000	LF
229 4318	DITCH LINER PROTECTION	12300.000	LF
230(A) 2806	SOLID SLAB SODDING	115898.000	SY
232(A) 2813	SEEDING METHOD A	24.000	AC
233(A) 2817	VEGETATIVE MULCHING	24.000	AC
241 2832	MOWING	48.000	AC
307(A) 4200	FLY ASH	4567.000	TON
307(D) 4230	LIME	488.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	84553.000	SY
307(G) 4260	LIME PRETREATMENT	34826.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1362.000	TON
407(B) 0250	TACK COAT	31104.000	GAL
408 5774	PRIME COAT	20651.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	93495.000	SY
409(B) 4268	BITUMINOUS BINDER	18700.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	15915.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	32463.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	9861.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7934.000	TON
412 5267	COLD MILLING PAVEMENT	79426.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	1362.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	227.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	160.000	CY
509(A) 0319	CLASS AA CONCRETE	262.000	CY
509(D) 0325	CLASS C CONCRETE	960.000	CY
511(A) 0332	REINFORCING STEEL	32166.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110420

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(A) 0297	TYPE I PLAIN RIPRAP	348.000	TON
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	3501.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	144.000	SY
611(G) 5100	INLET CI DES. 1 (STD)	2.000	EA
611(G) 5111	INLET CI DES. 1 (2C)	1.000	EA
613(A) 0492	24" R.C.PEPIPE CLASS III	58.000	LF
613(A) 0494	36" R.C.PEPIPE CLASS III	60.000	LF
613(A) 4410	28 1/2" X 18" R.C.PEPIPE ARCH CLASS A-III	868.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	136.000	LF
613(L) 4584	28 1/2" X 18" PREFAB. CULV END SEC. ARCH	48.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(L) 5734	36" PREFAB. CULVERT END SEC., ROUND	36.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	98.000	CY
613(V) 1180	TRENCH EXCAVATION	138.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	32.000	EA
619(C) 0924	SAWING PAVEMENT	68877.000	LF
624(A) 4281	FENCE-STYLE WWF	405.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	16880.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	9.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	3.000	EA
629(C) 4960	MAILBOX	15.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	15.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	20000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	5000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	20000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	410.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2460.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1230.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4100.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1230.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5125.000	SD
880(F) 8878	DRUMS	10455.000	SD
880(G) 8890	CHANNELIZER CONES	28085.000	SD
880(I) 8902	FLAGGER	410.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	410.000	SD

SECTION 0003 - SIGNING & STRIPIING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	6.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110420****SECTION 0003 - SIGNING & STRIPIING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	205.300	SF
851(C) 8324	2" SQUARE TUBE POST	442.500	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	89805.000	LF

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110481

CALL ORDER: 220
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: DEWEY

PROJECT(S) : PCN
 BRO-122D(069)CI 2665304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 50 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER WEST SEILING CREEK 1.4 MI EAST OF US-183
 AND 0.5 NORTH OF SH-51 AT SEILING.
 PROJECT LENGTH = 0.123 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
230(A) 2806	SOLID SLAB SODDING	6113.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.260	AC
303(A) 2100	AGGREGATE BASE TYPE A	263.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	369.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	84.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	10.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	24.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1475.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	144.000	CY
509(B) 1328	CLASS A CONCRETE	283.440	CY
511(A) 1332	REINFORCING STEEL	54610.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	167.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110482

CALL ORDER: 240
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: GRANT

PROJECT(S) : PCN
 BRFY-127B(152)SS 2642004
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$68.28
 300 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 US-60: OVER THE SALT FORK OF THE ARKANSAS RIVER, 1.0 MILE
 EAST OF US-81.
 PROJECT LENGTH = 0.568 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4973.000	CY
202(D) 0184	UNCLASSIFIED BORROW	18630.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE	130.000	LF
230(A) 2806	SOLID SLAB SODDING	26180.000	SY
233(A) 2817	VEGETATIVE MULCHING	8.500	AC
241 2832	MOWING	17.000	AC
307(A) 4200	FLY ASH	428.000	TON
307(K) 4300	STABILIZED SUBGRADE	7839.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	488.000	TON
407(B) 0250	TACK COAT	1251.000	GAL
408 5774	PRIME COAT	1751.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	734.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2685.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	172.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	474.000	TON
412 5267	COLD MILLING PAVEMENT	20.000	SY
501(F) 6352	GRANULAR BACKFILL	11.000	CY
504(D) 6245	CONCRETE RAIL (TR4)	489.000	LF
509(A) 0319	CLASS AA CONCRETE	707.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	7.000	CY
509(D) 0325	CLASS C CONCRETE	15.000	CY
510(C) 6135	SLOPE WALL (5")	1931.000	SY
511(A) 0332	REINFORCING STEEL	31927.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	10.500	TON
601(C) 0538	TYPE I-A FILTER BLANKET	2.500	TON
610(B) 5016	8" CONCRETE DRIVEWAY	230.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110482

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
611(A) 2657	MANHOLE (4' DIA.)	2.000	EA
611(G) 6000	INLET (SMD-TYPE 1)	2.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	397.000	LF
613(A) 4410	28 1/2" X 18" R.C.PIPE ARCH CLASS A-III	101.000	LF
613(A) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	77.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	43.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	3.000	EA
616(D) 0775	2" BLOW OFF VALVE	1.000	EA
616(D) 1050	2" GATE VALVE	2.000	EA
616(D) 1080	8" GATE VALVE	4.000	EA
616(D) 8015	8" X 8" TAPPING SLEEVE	2.000	EA
616(F) 5204	METER INSTALLATION 5/8"	2.000	EA
616(G) 1195	FIRE HYDRANT AND ASSEMBLY	1.000	LSUM
616(K) 0175	8" SOLID SLEEVE	3.000	EA
616(L) 0300	2" FLANGE ADAPTER	2.000	EA
616(O) 1000	2" COMPRESSION FITTING	2.000	EA
616(P) 0100	4" HDPE PIPE	158.000	LF
616(P) 0300	8" HDPE PIPE	2315.000	LF
616(P) 0500	12" HDPE PIPE	1035.000	LF
616(Q) 0225	4" 22 1/2 DEGREE BEND	2.000	EA
616(Q) 0475	8" 90 DEGREE BEND	3.000	EA
616(R) 0560	8" X 4" REDUCER	1.000	EA
616(S) 0200	4" PLUG	1.000	EA
616(T) 0225	4" X 2" TEE	2.000	EA
616(T) 0500	8" X 1" TEE	1.000	EA
616(T) 0560	8" X 8" TEE	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	7709.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	198.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1058.000	LF
619(C) 0924	SAWING PAVEMENT	1965.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	263.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	704.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
802(C) 8550	HDPE CONDUIT BORED	929.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110482

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	204.000	CY
501(G) 6309	CLSM BACKFILL	208.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	5182.670	LF
504(A) 1304	APPROACH SLAB	281.200	SY
504(B) 1305	SAW-CUT GROOVING	6051.200	SY
504(C) 6250	SEALED EXPANSION JOINT	216.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	2723.400	LF
506(A) 1322	STRUCTURAL STEEL	5850.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	40.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	64.000	EA
509(A) 1326	CLASS AA CONCRETE	1504.800	CY
509(B) 1328	CLASS A CONCRETE	551.400	CY
509(D) 1331	CLASS C CONCRETE	10.000	CY
511(A) 1332	REINFORCING STEEL	2910.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	413560.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	132.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	410.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	132.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	410.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	5563.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	1110.000	LF
523(A) 6550	SEALER CRACK PREPARATION	285.600	LF
523(B) 6560	SEALER RESIN	3.500	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1314.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	313.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	86.000	SF
851(C) 8324	2" SQUARE TUBE POST	189.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	32.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12800.000	LF

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	2834.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2834.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	110.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	2834.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	550.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110482

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2400.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4500.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4500.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	5700.000	SD
880(D) 8854	VERTICAL PANELS	20700.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	51900.000	SD
880(F) 8878	DRUMS	19800.000	SD
880(I) 8902	FLAGGER	60.000	SD

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110203

CALL ORDER: 260
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: JEFFERSON

PROJECT(S) : PCN
 CIRB-134C(065)RB 2497104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$49.85
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (NS-278): FROM US-70 EXTEND SOUTH.
 PROJECT LENGTH = 5.027 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	17039.000	CY
221(C) 2801	TEMPORARY SILT FENCE	47496.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	34.000	EA
221(F) 0100	TEMPORARY SILT DIKE	336.000	LF
230(A) 2806	SOLID SLAB SODDING	42858.000	SY
232(B) 2814	SEEDING METHOD B	8.850	AC
233(A) 2817	VEGETATIVE MULCHING	8.850	AC
307(A) 4200	FLY ASH	3316.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	76691.000	SY
408 5774	PRIME COAT	18572.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	15827.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7716.000	TON
509(A) 0319	CLASS AA CONCRETE	138.000	CY
509(D) 0325	CLASS C CONCRETE	20.000	CY
511(A) 0332	REINFORCING STEEL	19883.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	9.000	TON
613(A) 0492	24" R.C.PIPE CLASS III	84.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	32.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	64.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	30.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	450.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	56.000	LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	30.000	EA
613(L) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	4.000	EA
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(L) 5732	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	76669.000	SY
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	107.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110203

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3350.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	7.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	63.230	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	144.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	53094.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110483

CALL ORDER: 280
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: KAY

PROJECT(S) : PCN
 BRIY-0035-4(239)232 2706304
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$65.03
 240 CALENDAR DAYS
 TIME 'B' BID - \$ 4500 / DAY
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 I-35: OVER US-177.
 PROJECT LENGTH = 0.359 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1436.000	CY
202(D) 0184	UNCLASSIFIED BORROW	9513.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3400.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE	160.000	LF
230(A) 2806	SOLID SLAB SODDING	15751.000	SY
241 2832	MOWING	6.500	AC
303(A) 2100	AGGREGATE BASE TYPE A	5480.000	CY
325 5271	SEPARATOR FABRIC	18262.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	18262.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3267.000	TON
407(B) 0250	TACK COAT	3233.000	GAL
408 5774	PRIME COAT	7151.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	1706.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5937.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	1129.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	506.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	100.000	TON
414(E) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY)	25.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	5.500	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 0492	24" R.C.PIPE CLASS III	170.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1827.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	12053.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1423.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110483

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1000.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	230.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	636.000	LF
504(A) 1304	APPROACH SLAB	437.400	SY
504(B) 1305	SAW-CUT GROOVING	1084.000	SY
504(E) 6190	42" F-SHAPED PARAPET	513.000	LF
506(A) 1322	STRUCTURAL STEEL	1040.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	213.700	CY
509(B) 1328	CLASS A CONCRETE	142.800	CY
510(C) 6138	SLOPE WALL (5")	929.000	SY
511(A) 1332	REINFORCING STEEL	860.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	73640.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	408.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	408.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	814.000	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	132.000	LF
523(A) 6550	SEALER CRACK PREPARATION	152.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	246.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	110.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	230.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	636.000	LF
504(A) 1304	APPROACH SLAB	437.400	SY
504(B) 1305	SAW-CUT GROOVING	1084.000	SY
504(E) 6190	42" F-SHAPED PARAPET	513.000	LF
506(A) 1322	STRUCTURAL STEEL	1040.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110483

SECTION 0003 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 1326	CLASS AA CONCRETE	213.700	CY
509(B) 1328	CLASS A CONCRETE	142.800	CY
510(C) 6138	SLOPE WALL (5")	941.000	SY
511(A) 1332	REINFORCING STEEL	860.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	73640.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	408.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	408.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	814.000	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	132.000	LF
523(A) 6550	SEALER CRACK PREPARATION	152.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	246.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	110.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TEMPORARY TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	9800.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	6080.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	3800.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	4150.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	4000.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	67200.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	9270.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6528.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7228.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	3648.000	SD
880(C) 8848	WING BARRICADES	960.000	SD
880(D) 8854	VERTICAL PANELS	3480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7296.000	SD
880(F) 8878	DRUMS	27240.000	SD
880(G) 8890	CHANNELIZER CONES	2640.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1920.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	536.000	SD

SECTION 0005 - PERMANENT TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	6690.000	LF
619(B) 5190	REMOVAL OF CABLE BARRIER	6055.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	6055.000	LF
628(C) 5110	END ANCHORS	4.000	EA
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	36.000	SF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110483

SECTION 0005 - PERMANENT TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
851(C) 8324	2" SQUARE TUBE POST	43.000	LF
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	24.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	15200.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	2040.000	LF

SECTION 0006 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110452

CALL ORDER: 300
LETTING DATE: October 20, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: KAY

PROJECT(S) : PCN
BRFY-NBIP(442)3B 2858704
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$5.42
30 CALENDAR DAYS
RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
BRIDGE PAINTING
US-77: OVER CHILOCCO CREEK 2.0 MILES SOUTH OF THE KANSAS
STATE LINE.

SECTION 0001 - BRIDGE 'A'

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - TRAFFIC

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0003 - CONSTRUCTION

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110484

CALL ORDER: 340
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: KIOWA

PROJECT(S) : PCN
 BRO-NBIL(174)CI 2697204
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$14.09
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-225): OVER EAST OTTER CREEK 3.5 MI NORTH OF
 US-62 AND 1.0 MI WEST OF US-183.
 PROJECT LENGTH = 0.246 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	4206.000	CY
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	900.000	LF
230(A) 2806	SOLID SLAB SODDING	10900.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.260	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	635.000	TON
509(B) 1328	CLASS A CONCRETE	16.730	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 1332	REINFORCING STEEL	672.000	LB
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	250.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	114.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	396.170	LF
504(D) 6239	CONCRETE RAIL (TR3)	273.160	LF
506(A) 1322	STRUCTURAL STEEL	395.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	77.200	CY
509(B) 1328	CLASS A CONCRETE	63.800	CY
511(A) 1332	REINFORCING STEEL	26893.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1120.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1120.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	456.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	110.000	TON
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110484****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110206

CALL ORDER: 360
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LEFLORE

PROJECT(S) : PCN
 CIRB-140D(188)RB 2690304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-157): OVER BUZZARD CREEK 2.7 MI EAST OF THE
 US-271/SH-63 JCT.
 PROJECT LENGTH = 0.072 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	3600.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	300.000	CY
408 5774	PRIME COAT	550.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	200.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	150.000	TON
601(B) 0536	TYPE I-A PLAIN RIPRAP	550.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	600.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1536.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	105.910	CY
504(D) 6239	CONCRETE RAIL (TR3)	193.000	LF
509(A) 1326	CLASS AA CONCRETE	350.670	CY
511(A) 1332	REINFORCING STEEL	64109.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110153

CALL ORDER: 380
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LINCOLN

PROJECT(S) : PCN
 CIRB-141C(191)RB 2508704
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 SURFACING
 COUNTY ROAD (EW-87): LAKE RD FROM US-177 EXTEND EAST.
 PROJECT LENGTH = 5.938 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	3600.000	LF
221(C) 2801	TEMPORARY SILT FENCE	1500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	500.000	LF
230(A) 2806	SOLID SLAB SODDING	19528.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.450	AC
311(B) 0152	PROCESS EXISTING BASE & SURFACE,METHOD B	20963.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	12540.000	TON
407(B) 0250	TACK COAT	4780.000	GAL
408 5774	PRIME COAT	7687.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	15922.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9511.000	TON
613(B) 0690	24" CORR. GALV. STEEL PIPE	108.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	3750.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	2550.000	LF
623(F) 4446	GUARDRAIL ANCHOR UNIT (TYPE A)	8.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	12.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	110.330	SF
851(C) 8324	2" SQUARE TUBE POST	270.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	101950.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110153

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110461

CALL ORDER: 390
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOGAN

PROJECT(S) : PCN
 IMY-0035-4(215)151 2421704

DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$144.14
 240 CALENDAR DAYS
 TIME 'B' BID - \$ 2000 / DAY
 TIME 'C' BID - \$ 4000 / DAY
 TIME 'D' BID - \$ 4000 / DAY
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 I-35: OVER SEWARD ROAD 5.0 MILES NORTH OF THE OKLAHOMA
 COUNTY LINE.
 PROJECT LENGTH = 0.709 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	85082.000	CY
202(D) 0184	UNCLASSIFIED BORROW	107672.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	20010.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	6.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	5.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1048.000	LF
230(A) 2806	SOLID SLAB SODDING	147411.000	SY
230(F) 2812	WATERING	5896.000	KGAL
232(A) 2813	SEEDING METHOD A	3.800	AC
241 2832	MOWING	50.000	AC
307(A) 4200	FLY ASH	2893.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	53556.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	492.000	TON
407(B) 0250	TACK COAT	10964.000	GAL
408 5774	PRIME COAT	11895.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	16204.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3006.000	TON
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	2000.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	5450.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	17046.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	5312.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	144.000	CY
509(A) 0319	CLASS AA CONCRETE	502.000	CY
509(D) 1331	CLASS C CONCRETE	815.000	CY
511(A) 0332	REINFORCING STEEL	107985.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110461

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(B) 0536	TYPE I-A PLAIN RIPRAP	735.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	189.000	TON
610(B) 0604	6" CONCRETE DRIVEWAY	986.000	SY
611(G) 5334	INLET GPI TYPE 2 (DES. 8)	1.000	EA
611(G) 5336	INLET GPI TYPE 2 (DES. 10)	1.000	EA
611(H) 5196	ADDITIONAL DEPTH IN INLET	2.210	VF
613(A) 0492	24" R.C.PIPES CLASS III	104.000	LF
613(A) 0597	36" R.C.PIPES CLASS V	192.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	635.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	70.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	100.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	100.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	20.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	2158.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	10679.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	26410.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	814.000	SY
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	506.000	LF
619(C) 0924	SAWING PAVEMENT	1580.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1350.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	7.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	3.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(A) 4281	FENCE-STYLE WWF	2381.000	LF
624(C) 4457	FENCE-STYLE SWF (3 BARBED WIRE)	126.000	LF
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	2943.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2121.000	LF
624(E) 4289	FENCE-STYLE CLF (4'HIGH, CLASS B)	270.000	LF
624(F) 5847	GATES-STYLE CLF (4'HIGH X 12'LONG)	2.000	EA
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	241.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	4.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	5.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
501(C) 1308	SUBSTRUCTURE EXCAVATION ROCK	48.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110461

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	255.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1355.000	LF
504(A) 1304	APPROACH SLAB	374.400	SY
504(B) 1305	SAW-CUT GROOVING	2016.000	SY
504(C) 6250	SEALED EXPANSION JOINT	55.800	LF
504(D) 6245	CONCRETE RAIL (TR4)	672.000	LF
506(A) 1322	STRUCTURAL STEEL	9280.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	30.000	EA
509(A) 1326	CLASS AA CONCRETE	423.100	CY
509(B) 1328	CLASS A CONCRETE	329.500	CY
510(C) 6138	SLOPE WALL (5")	1175.000	SY
511(A) 1332	REINFORCING STEEL	2120.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	133590.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1464.000	SY
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	169.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	132.000	LF
523(A) 6550	SEALER CRACK PREPARATION	109.500	LF
523(B) 6560	SEALER RESIN	2.000	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	248.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	59.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - RAMP B BOX

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	730.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	130.000	CY
509(A) 1326	CLASS AA CONCRETE	303.400	CY
511(A) 1332	REINFORCING STEEL	52150.000	LB
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	13050.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	4500.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	8500.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	6000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	450.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	360.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1633.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1200.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	360.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12600.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110461

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	14100.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	12000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	14700.000	SD
880(C) 8848	WING BARRICADES	2400.000	SD
880(D) 8854	VERTICAL PANELS	13500.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	37800.000	SD
880(F) 8878	DRUMS	43500.000	SD
880(G) 8890	CHANNELIZER CONES	34500.000	SD
880(I) 8902	FLAGGER	300.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	1200.000	SD

SECTION 0005 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(D) 0325	CLASS C CONCRETE	15.300	CY
804(A) 2915	STRUCTURAL CONCRETE	15.870	CY
804(B) 2916	REINFORCING STEEL	1206.000	LB
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	262.140	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	32.500	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	30.050	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	68.000	LF
851(C) 8324	2" SQUARE TUBE POST	247.000	LF
851(C) 8330	2 1/2" SQUARE TUBE POST	124.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	6.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	29510.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1125.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	3785.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	92.000	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	38.000	EA

SECTION 0006 - TRAFFIC (CABLE BARRIER)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
303(A) 2100	AGGREGATE BASE TYPE A	15.000	CY
509(A) 0319	CLASS AA CONCRETE	3.000	CY
619(B) 5190	REMOVAL OF CABLE BARRIER	200.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	100.000	LF
628(C) 5110	END ANCHORS	1.000	EA

SECTION 0007 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110461

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
640(A) 1398	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110527

CALL ORDER: 398
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LOVE

PROJECT(S) : PCN
 BRIY-0035-1(151)015 2716605
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$99.71
 140 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 I-35: OVER SH-32.
 PROJECT LENGTH = 0.065 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	42143.000	CY
202(D) 0184	UNCLASSIFIED BORROW	500.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	6771.000	LF
221(F) 0100	TEMPORARY SILT DIKE	320.000	LF
230(A) 2806	SOLID SLAB SODDING	29406.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.000	AC
241 2832	MOWING	18.300	AC
303(A) 2100	AGGREGATE BASE TYPE A	3473.000	CY
307(B) 4210	CEMENT KILN DUST	652.000	TON
307(D) 4230	LIME	165.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	14992.000	SY
307(G) 4260	LIME PRETREATMENT	14992.000	SY
325 5271	SEPARATOR FABRIC	15451.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1478.000	TON
407(B) 0250	TACK COAT	114.000	GAL
408 5774	PRIME COAT	3370.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2655.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1468.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	496.000	TON
412 5267	COLD MILLING PAVEMENT	12943.000	SY
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	4616.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	3544.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	6670.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	3381.000	CY
509(D) 0325	CLASS C CONCRETE	50.000	CY
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	440.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	505.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(N) 7501	TYPE B4 SLOPED CONCRETE END SECTION	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110527

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	440.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	7474.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2753.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	6615.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	3219.000	LF
619(B) 5150	REMOVAL OF BRICK CHATTER MEDIAN	200.000	SY
619(C) 0924	SAWING PAVEMENT	1570.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1649.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	7.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	7.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(F) 6352	GRANULAR BACKFILL	47.000	CY
501(G) 6309	CLSM BACKFILL	134.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	1023.300	LF
504(A) 1304	APPROACH SLAB	182.200	SY
504(B) 1305	SAW-CUT GROOVING	1040.700	SY
504(E) 6190	42" F-SHAPED PARAPET	493.000	LF
506(A) 1322	STRUCTURAL STEEL	1520.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	30.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	30.000	EA
509(A) 1326	CLASS AA CONCRETE	400.400	CY
509(B) 1328	CLASS A CONCRETE	161.800	CY
510(C) 6138	SLOPE WALL (5")	574.000	SY
511(A) 1332	REINFORCING STEEL	1260.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	97720.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	378.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	378.000	LF
514(K) 6260	(PL)PILOT HOLES	291.100	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1018.000	SY
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	108.000	LF
523(A) 6550	SEALER CRACK PREPARATION	246.000	LF
523(B) 6560	SEALER RESIN	5.000	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	180.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	52.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110527

SECTION 0003 - BRIDGE "B"

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(F) 6352	GRANULAR BACKFILL	47.000	CY
501(G) 6309	CLSM BACKFILL	134.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	1023.300	LF
504(A) 1304	APPROACH SLAB	182.200	SY
504(B) 1305	SAW-CUT GROOVING	1040.700	SY
504(E) 6190	42" F-SHAPED PARAPET	493.000	LF
506(A) 1322	STRUCTURAL STEEL	1520.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	30.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	30.000	EA
509(A) 1326	CLASS AA CONCRETE	400.400	CY
509(B) 1328	CLASS A CONCRETE	161.800	CY
510(C) 6138	SLOPE WALL (5")	574.000	SY
511(A) 1332	REINFORCING STEEL	1260.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	97490.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	336.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	336.000	LF
514(K) 6260	(PL)PILOT HOLES	253.400	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1018.000	SY
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	114.000	LF
523(A) 6550	SEALER CRACK PREPARATION	246.000	LF
523(B) 6560	SEALER RESIN	5.000	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	180.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	52.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC OPERATIONS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	15200.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1000.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	1000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	11480.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2240.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3360.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2240.000	SD
880(C) 8848	WING BARRICADES	560.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7280.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	14700.000	SD
880(F) 8878	DRUMS	14700.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110527

SECTION 0005 - TRAFFIC SIGNING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(D) 0325	CLASS C CONCRETE	11.000	CY
511(A) 0332	REINFORCING STEEL	4260.000	LB
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	15.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9070.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	5600.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	1494.000	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	30.000	EA

SECTION 0006 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	16040.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	35000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	2000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	12000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	420.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	4225.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	4225.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	25060.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	280.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	15400.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5600.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	10500.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	10500.000	SD
880(C) 8848	WING BARRICADES	560.000	SD
880(D) 8854	VERTICAL PANELS	6300.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	21000.000	SD
880(F) 8878	DRUMS	9100.000	SD
880(G) 8890	CHANNELIZER CONES	1500.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	hour
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	1680.000	SD

SECTION 0007 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0008 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110251

CALL ORDER: 400
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCCLAIN

PROJECT(S) : PCN
 BRO-144D(095)CO 2252604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$14.09
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-146): OVER FINN CREEK 0.9 MI EAST OF SH-24
 AND 1.0 MI SOUTH OF SH-59.
 PROJECT LENGTH = 0.264 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	8329.000	CY
202(D) 0184	UNCLASSIFIED BORROW	3035.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	100.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	9056.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.870	AC
307(B) 4210	CEMENT KILN DUST	184.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	3370.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	71.000	TON
408 5774	PRIME COAT	511.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	742.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	351.500	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	730.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	50.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	50.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2580.000	SY
619(C) 0924	SAWING PAVEMENT	46.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	5600.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	828.510	LF
504(C) 6250	SEALED EXPANSION JOINT	33.550	LF
504(E) 1380	CONCRETE RAIL (TR1)	485.200	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110251

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	4910.000	LB
509(A) 1326	CLASS AA CONCRETE	159.700	CY
509(B) 1328	CLASS A CONCRETE	96.200	CY
511(A) 1332	REINFORCING STEEL	46820.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	196.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	449.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	196.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	449.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	178.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	2060.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	660.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110486

CALL ORDER: 420
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCINTOSH

PROJECT(S) : PCN
 BRF-146C(073)CI 2222304
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$5.42
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER TRIB. TO MILL CREEK 1.0 MI NORTH AND 8.0
 MI EAST OF HANNA.
 PROJECT LENGTH = 0.188 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	8000.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	100.000	CY
325 5271	SEPARATOR FABRIC	300.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	300.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	635.000	TON
509(D) 0325	CLASS C CONCRETE	25.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	30.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	40.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	300.000	LF
613(I) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	100.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	17.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	28.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	195.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	74.000	CY
509(B) 1328	CLASS A CONCRETE	184.700	CY
511(A) 1332	REINFORCING STEEL	20480.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	180.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	250.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110486

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110338

CALL ORDER: 425
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAYES

PROJECT(S) : PCN
 BRFY-149C(079) 2191004
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$69.36
 330 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-28: OVER BIG CABIN CREEK, 7.5 MILES EAST OF THE US-69
 JUNCTION.
 PROJECT LENGTH = 1.117 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	24945.000	CY
202(D) 0184	UNCLASSIFIED BORROW	144518.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	4400.000	LF
221(C) 2801	TEMPORARY SILT FENCE	3500.000	LF
221(E) 2804	TEMPORARY SEDIMENT BASIN	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	676.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	25.000	CY
229 4318	DITCH LINER PROTECTION	100.000	LF
230(A) 2806	SOLID SLAB SODDING	73000.000	SY
232(A) 2813	SEEDING METHOD A	6.300	AC
233(A) 2817	VEGETATIVE MULCHING	41.800	AC
241 2832	MOWING	60.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	9616.000	CY
307(J) 4290	MODIFIED SUBGRADE	31524.000	SY
325 5271	SEPARATOR FABRIC	38892.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	4250.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4000.000	TON
407(B) 0250	TACK COAT	3450.000	GAL
408 5774	PRIME COAT	12076.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	5194.600	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	7315.400	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	3566.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	969.000	TON
412 5267	COLD MILLING PAVEMENT	2934.000	SY
509(D) 0325	CLASS C CONCRETE	43.200	CY
601(A) 0297	TYPE I PLAIN RIPRAP	1400.000	TON
601(B) 0536	TYPE I-A PLAIN RIPRAP	5116.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	673.500	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110338

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 0689	18" CORR. GALV. STEEL PIPE	176.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	330.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	130.000	LF
613(B) 5717	15" CORR. GALV. STEEL PIPE	95.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	1000.000	LF
613(I) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	250.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	10.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	4.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	22740.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	500.000	LF
619(C) 0924	SAWING PAVEMENT	2652.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1125.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	5620.000	LF
624(D) 4470	GATE, GALVANIZED STEEL	1.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	260.000	CY
501(G) 6309	CLSM BACKFILL	300.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	2693.000	LF
504(A) 1304	APPROACH SLAB	307.800	SY
504(B) 1305	SAW-CUT GROOVING	2991.700	SY
504(C) 6250	SEALED EXPANSION JOINT	91.500	LF
504(D) 6245	CONCRETE RAIL (TR4)	1203.300	LF
506(A) 1322	STRUCTURAL STEEL	5500.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	20.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	20.000	EA
509(A) 1326	CLASS AA CONCRETE	760.000	CY
509(B) 1328	CLASS A CONCRETE	306.300	CY
509(D) 1331	CLASS C CONCRETE	16.700	CY
511(A) 1332	REINFORCING STEEL	1410.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	197850.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	860.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	860.000	LF
514(K) 6260	(PL)PILOT HOLES	272.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2465.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110338

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	228.000	LF
523(A) 6550	SEALER CRACK PREPARATION	44.800	LF
523(B) 6560	SEALER RESIN	0.500	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	4512.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	943.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	92.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	73.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	25000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	5000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	5200.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	3000.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3175.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	4850.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	660.000	SD

SECTION 0004 - SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	25.000	SF
851(C) 8324	2" SQUARE TUBE POST	54.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	25000.000	LF

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0007 - NON-PARTICIPATING ITEMS

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6176	INSERTS	56.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110498

CALL ORDER: 430
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MURRAY

PROJECT(S) : PCN
 SBR-150C(053)SB 2096504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$18.42
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-77: OVER TURKEY/GARNER CREEK 0.3 MI SOUTH OF GARVIN C/L.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	400.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	200.000	TON
412 5267	COLD MILLING PAVEMENT	600.000	SY
509(D) 0325	CLASS C CONCRETE	8.000	CY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	150.000	LF
623(F) 4446	GUARDRAIL ANCHOR UNIT (TYPE A)	3.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	3.000	EA
871(A) 8325	(SP)IMPACT ATTENUATOR	1.000	EA

SECTION 0002 - BRIDGE REHABILITATION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	283.400	SY
504(B) 1305	SAW-CUT GROOVING	845.000	SY
504(C) 6250	SEALED EXPANSION JOINT	95.900	LF
504(D) 6245	CONCRETE RAIL (TR4)	474.800	LF
506(A) 1322	STRUCTURAL STEEL	3530.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	15.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	15.000	EA
509(A) 1326	CLASS AA CONCRETE	145.900	CY
511 6306	MECHANICAL SPLICES	532.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	35700.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
513(C) 6020	CLASS C BRIDGE DECK REPAIR	5.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	368.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	16.400	SY
523(A) 6550	SEALER CRACK PREPARATION	162.800	LF
523(B) 6560	SEALER RESIN	2.000	GAL
535 6280	REMOVE AND RE-ERECT STEEL BEAMS	15.000	EA
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	4.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110498****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1908.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	90.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	740.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	660.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110191

CALL ORDER: 440
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MURRAY

PROJECT(S) : PCN
 SSP-150B(079)SS 2624104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$65.03
 160 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 US-177: AT THE CHICKASAW TURNPIKE, 2.0 MILES NORTH OF SH-7.
 PROJECT LENGTH = 0.995 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	47657.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1796.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1036.000	LF
221(F) 0100	TEMPORARY SILT DIKE	455.000	LF
230(A) 2806	SOLID SLAB SODDING	72286.000	SY
233(A) 2817	VEGETATIVE MULCHING	15.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	4938.000	CY
307(D) 4230	LIME	610.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	28239.000	SY
317 4270	CEMENT TREATED BASE	16250.000	SY
325 5271	SEPARATOR FABRIC	25684.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3822.000	TON
407(B) 0250	TACK COAT	342.000	GAL
408 5774	PRIME COAT	5820.000	GAL
411(A) 5930	SUPERPAVE, TYPE S2(PG 64-22 OK)	588.000	TON
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	239.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	451.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	527.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	263.000	TON
412 5267	COLD MILLING PAVEMENT	489.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	5113.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	9233.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	3587.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	232.000	CY
509(A) 0319	CLASS AA CONCRETE	796.000	CY
509(B) 0321	CLASS A CONCRETE	93.000	CY
509(D) 0325	CLASS C CONCRETE	652.000	CY
511(A) 0332	REINFORCING STEEL	114452.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	922.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110191

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(C) 0538	TYPE I-A FILTER BLANKET	216.000	TON
611(A) 2658	MANHOLE (5' DIA.)	2.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	36.000	LF
613(A) 0497	54" R.C.PIPES CLASS III	212.000	LF
613(A) 4497	36" X 22" R.C.PIPES ARCH CLASS A-III	76.000	LF
613(A) 4498	43" X 26" R.C.PIPES ARCH CLASS A-III	226.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(I) 1097	8" NON-PERF.PIPES UNDERDRAIN RND.	50.000	LF
613(L) 4528	36" X 23" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(L) 4531	43" X 26" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(L) 5740	54" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	239.000	CY
613(V) 1180	TRENCH EXCAVATION	356.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3301.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	2465.000	SY
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	687.000	LF
619(C) 0924	SAWING PAVEMENT	4810.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA
624(A) 4281	FENCE-STYLE WWF	2947.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1291.000	LF
624(D) 4470	GATE, GALVANIZED STEEL	3.000	EA

SECTION 0002 - SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	16.680	CY
804(B) 2916	REINFORCING STEEL	3870.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	379.730	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	921.240	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	30.000	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	44.000	LF
851(A) 3212	8"@40 GALV.STL.WD.FLANGE BM.POST	207.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	435.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	88.000	LF
851(C) 8324	2" SQUARE TUBE POST	11.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15178.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	2160.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	35.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110191

SECTION 0002 - SIGNING AND STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	10.000	EA

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	20525.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	5515.000	EA
880(A) 8812	ARROW DISPLAY(TYPE C)	75.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	970.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1360.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1340.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	800.000	SD
880(C) 8848	WING BARRICADES	1410.000	SD
880(D) 8854	VERTICAL PANELS	840.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2620.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	8910.000	SD
880(F) 8878	DRUMS	5160.000	SD
880(G) 8890	CHANNELIZER CONES	2910.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	45.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110489

CALL ORDER: 460
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: NOBLE

PROJECT(S) : PCN
 IMG-0035-4(231)190TR 2618104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$30.35
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 SAFETY IMPROVEMENTS (CABLE BARRIER)
 I-35: FROM MILEPOST 190 TO MILEPOST 198.
 PROJECT LENGTH = 7.043 MILES

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3720.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2880.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2640.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1800.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4920.000	SD
880(F) 8878	DRUMS	2400.000	SD
880(G) 8890	CHANNELIZER CONES	54000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	120.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	4090.000	CY
202(D) 0184	UNCLASSIFIED BORROW	705.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	18.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1582.000	LF
230(A) 2806	SOLID SLAB SODDING	142207.000	SY
241 2832	MOWING	75.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	7701.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	140.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	56.000	TON
509(A) 0319	CLASS AA CONCRETE	360.000	CY
509(D) 0325	CLASS C CONCRETE	208.000	CY
612(C) 0645	INLET ADJUST TO GRADE	15.000	EA
613(B) 0690	24" CORR. GALV. STEEL PIPE	150.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	7.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110489

SECTION 0002 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(N) 7522	TYPE C6 SLOPED CONCRETE END SECTION	1.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	4.000	CY
619(C) 0924	SAWING PAVEMENT	500.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	36626.000	LF
628(C) 5110	END ANCHORS	8.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110490

CALL ORDER:	480	PROJECT(S) :	<u>PCN</u>
LETTING DATE:	October 20, 2011	IMY-0035-4(244)186	2790904
LETTING TIME:	10:30 A.M.	SBR-152N(191)SB	2831004
COUNTIES:	NOBLE	DBE GOALS : 6.00	
		GUARANTY : 5% OF BID TOTAL	
		PLAN PRICE : \$163.65	
		300 CALENDAR DAYS	
		TIME 'B' BID - \$ 5000 / DAY	
		RES. ENG.: DIVISION 4 (PERRY)	

CONTRACT DESCRIPTION

BRIDGE, APPROACHES, AND CABLE BARRIER
 I-35: OVER US-64 (FIR STREET) 1.0 MILE NORTH OF US-77
 IN PERRY, AND OVER BNSF RAILROAD.
 PROJECT LENGTH = 0.740 MILES

SECTION 0001 - ROADWAY - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	7226.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1716.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	5127.000	LF
221(F) 0100	TEMPORARY SILT DIKE	84.000	LF
230(A) 2806	SOLID SLAB SODDING	16666.000	SY
232(A) 2813	SEEDING METHOD A	3.450	AC
233(A) 2817	VEGETATIVE MULCHING	3.450	AC
241 2832	MOWING	7.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	2894.000	CY
310(B) 0149	SUBGRADE, METHOD B	19019.000	SY
325 5271	SEPARATOR FABRIC	8021.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	9148.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2621.000	TON
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	810.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	8377.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	2667.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1804.000	TON
412 5267	COLD MILLING PAVEMENT	20098.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	3760.000	LF
501(F) 6352	GRANULAR BACKFILL	266.000	CY
509(D) 0325	CLASS C CONCRETE	34.620	CY
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	396.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	797.000	SY
611(G) 6000	INLET (SMD-TYPE 1)	2.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	759.000	LF
613(A) 4507	34" X 53" R.C.PIPE ELL. CLASS HE-III	233.000	LF
613(A) 4509	43" X 68" R.C.PIPE ELL. CLASS HE-III	226.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110490

SECTION 0001 - ROADWAY - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(B) 0689	18" CORR. GALV. STEEL PIPE	84.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(O) 4373	SP. END SECTION OF 18" RCP ROUND	1.000	EA
613(O) 5101	SP. END SECTION OF 43" X 68" RCP ELL.	2.000	EA
613(O) 5155	SP. END SECTION OF 34" X 53" RCP ELL.	2.000	EA
613(P) 0760	18" GALV. STEEL CULVERT END SEC. RND.	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	396.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8876.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1708.000	LF
619(C) 0924	SAWING PAVEMENT	152.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1050.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8680	GUARDRAIL BRIDGE CONNECTION-TYPE B	4.000	EA
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	5.000	EA

SECTION 0002 - BRIDGE "A" - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(F) 6352	GRANULAR BACKFILL	66.000	CY
501(G) 6309	CLSM BACKFILL	80.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	1068.300	LF
504(A) 1304	APPROACH SLAB	364.400	SY
504(B) 1305	SAW-CUT GROOVING	1247.700	SY
504(E) 6190	42" F-SHAPED PARAPET	591.000	LF
506(A) 1322	STRUCTURAL STEEL	1500.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	30.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	30.000	EA
509(A) 1326	CLASS AA CONCRETE	311.800	CY
509(B) 1328	CLASS A CONCRETE	162.900	CY
510(C) 6138	SLOPE WALL (5")	2220.000	SY
511(A) 1332	REINFORCING STEEL	1260.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	87560.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	396.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	396.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1091.000	SY
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	258.000	LF
523(A) 6550	SEALER CRACK PREPARATION	246.000	LF
523(B) 6560	SEALER RESIN	5.000	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	631.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	72.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110490

SECTION 0003 - BRIDGE "B" - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(F) 6352	GRANULAR BACKFILL	66.000	CY
501(G) 6309	CLSM BACKFILL	80.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	1068.300	LF
504(A) 1304	APPROACH SLAB	364.400	SY
504(B) 1305	SAW-CUT GROOVING	1247.700	SY
504(E) 6190	42" F-SHAPED PARAPET	591.000	LF
506(A) 1322	STRUCTURAL STEEL	1500.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	30.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	30.000	EA
509(A) 1326	CLASS AA CONCRETE	311.800	CY
509(B) 1328	CLASS A CONCRETE	162.900	CY
510(C) 6138	SLOPE WALL (5")	2714.000	SY
511(A) 1332	REINFORCING STEEL	1260.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	87450.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	438.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	438.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1091.000	SY
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	258.000	LF
523(A) 6550	SEALER CRACK PREPARATION	246.000	LF
523(B) 6560	SEALER RESIN	5.000	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	666.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	72.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC CONTROL - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	41211.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	5115.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	15000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	420.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	4400.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	5275.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	56700.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	780.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8100.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	13740.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	14805.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	8805.000	SD
880(C) 8848	WING BARRICADES	1380.000	SD
880(D) 8854	VERTICAL PANELS	735.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	17520.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110490

SECTION 0004 - TRAFFIC CONTROL - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(F) 8878	DRUMS	103635.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1500.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	1140.000	SD

SECTION 0005 - CABLE BARRIER - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	125.000	TON
509(A) 0319	CLASS AA CONCRETE	24.540	CY
619(B) 5190	REMOVAL OF CABLE BARRIER	2135.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	3002.000	LF
628(C) 5110	END ANCHORS	9.000	EA

SECTION 0006 - SIGNING AND STRIPING - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	52.000	SF
851(C) 8324	2" SQUARE TUBE POST	94.000	LF
853 9024	DELINEATORS(TYPE 1, CODE 1)	21.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	21040.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	2931.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1754.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	917.000	LF
880(G) 8900	TUBE CHANNELIZERS	50.000	EA

SECTION 0007 - STAKING - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0008 - CONSTRUCTION - IMY-35-4(244)186

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0009 - ROADWAY - SBR-152N(191)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
407(A) 4659	FOG SEAL	26.000	GAL
407(B) 0250	TACK COAT	95.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	213.000	TON
412 5267	COLD MILLING PAVEMENT	1267.000	SY
509(D) 0325	CLASS C CONCRETE	14.100	CY
619(B) 4780	REMOVAL OF GUARDRAIL	900.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	325.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	3.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA
624(E) 4294	FENCE-STYLE CLF (8'HIGH, CLASS A)	538.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110490

SECTION 0010 - BRIDGE 'A' - SBR-152N(191)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	219.000	SY
504(B) 1305	SAW-CUT GROOVING	764.300	SY
504(C) 6250	SEALED EXPANSION JOINT	84.000	LF
504(E) 6190	42" F-SHAPED PARAPET	362.200	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(A) 1326	CLASS AA CONCRETE	137.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	41777.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	276.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	55.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.100	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	1.000	SY
523(A) 6550	SEALER CRACK PREPARATION	84.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0011 - BRIDGE 'B' -SBR-152N(191)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(A) 1304	APPROACH SLAB	219.000	SY
504(B) 1305	SAW-CUT GROOVING	764.300	SY
504(C) 6250	SEALED EXPANSION JOINT	84.000	LF
504(E) 6190	42" F-SHAPED PARAPET	362.200	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(A) 1326	CLASS AA CONCRETE	137.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	41777.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	276.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	95.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.700	GAL
523(A) 6550	SEALER CRACK PREPARATION	84.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0012 - STAKING - SBR-152N(191)SB

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110492

CALL ORDER: 500
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKMULGEE
 OKFUSKEE

PROJECT(S) :
 IMY-0040-6(370)233
 IMY-0040-5(386)207
 BRFY-NBIP(422)

PCN
 2090805
 2100704
 2703404

DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$86.70
 620 CALENDAR DAYS
 TIME 'B' BID - \$ 15000 / DAY
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 PAVEMENT REHABILITATION AND BRIDGE PAINTING
 I-40: FROM US-75 EXTEND EAST.
 PROJECT LENGTH = 6.347 MILES

SECTION 0001 - ROADWAY IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	18000.000	CY
202(D) 0184	UNCLASSIFIED BORROW	17000.000	CY
221(C) 2801	TEMPORARY SILT FENCE	2500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	650.000	LF
229 4318	DITCH LINER PROTECTION	860.000	LF
230(A) 2806	SOLID SLAB SODDING	183261.000	SY
232(B) 2814	SEEDING METHOD B	40.420	AC
233(A) 2817	VEGETATIVE MULCHING	40.420	AC
241 2832	MOWING	138.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	52534.000	CY
307(K) 4300	STABILIZED SUBGRADE	283187.000	SY
317 4270	CEMENT TREATED BASE	238229.000	SY
325 5271	SEPARATOR FABRIC	258351.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	38973.000	TON
408 5774	PRIME COAT	102989.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	769.000	TON
412 5267	COLD MILLING PAVEMENT	14662.000	SY
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	91183.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	100122.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	131709.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	66095.000	CY
504(E) 1381	CONCRETE PARAPET	32.000	LF
509(D) 0325	CLASS C CONCRETE	250.000	CY
611(G) 5336	INLET GPI TYPE 2 (DES. 10)	1.000	EA
611(G) 5337	INLET GPI TYPE 2 (DES. 11)	1.000	EA
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	375.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110492

SECTION 0001 - ROADWAY IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	235.000	LF
613(A) 4498	43" X 26" R.C.PIPE ARCH CLASS A-III	200.000	LF
613(A) 4500	58" X 36" R.C.PIPE ARCH CLASS A-III	141.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	2780.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	2400.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	1600.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	10.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	8.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	143532.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	70920.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	5640.000	LF
619(C) 0924	SAWING PAVEMENT	5352.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	4500.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	6.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	14.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA
624(A) 4281	FENCE-STYLE WWF	46540.000	LF

SECTION 0002 - BRIDGE 'A' IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	45.000	CY
501(G) 6309	CLSM BACKFILL	32.200	CY
504(A) 1304	APPROACH SLAB	192.000	SY
504(B) 1305	SAW-CUT GROOVING	597.500	SY
504(E) 1381	CONCRETE PARAPET	78.000	LF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	429.000	SY
505(E) 1000	HYDRODEMOLITION	429.000	SY
509(D) 1331	CLASS C CONCRETE	1.000	CY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	32.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	20.000	LF

SECTION 0003 - BRIDGE 'B' IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	45.000	CY
501(G) 6309	CLSM BACKFILL	32.200	CY
504(A) 1304	APPROACH SLAB	192.000	SY
504(B) 1305	SAW-CUT GROOVING	597.500	SY
504(E) 1381	CONCRETE PARAPET	78.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110492

SECTION 0003 - BRIDGE 'B' IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	429.000	SY
505(E) 1000	HYDRODEMOLITION	429.000	SY
509(D) 1331	CLASS C CONCRETE	1.000	CY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	32.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	20.000	LF

SECTION 0004 - BRIDGE 'C' IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 1381	CONCRETE PARAPET	20.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	9.000	SY
619(B) 6252	REMOVAL OF EXISTING PARAPET	271.000	LF

SECTION 0005 - BRIDGE 'D' IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(E) 1381	CONCRETE PARAPET	20.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	9.000	SY
619(B) 6252	REMOVAL OF EXISTING PARAPET	271.000	LF

SECTION 0006 - TRAFFIC CONTROL IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	327500.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	14560.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	164500.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	1680.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	1120.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	36400.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	36400.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	45500.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	1120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	66080.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	35840.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	28560.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	23520.000	SD
880(C) 8848	WING BARRICADES	2240.000	SD
880(D) 8854	VERTICAL PANELS	182000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	57120.000	SD
880(F) 8878	DRUMS	145600.000	SD
880(G) 8890	CHANNELIZER CONES	190400.000	SD
880(I) 8902	FLAGGER	30.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1300.000	HOURL
882(A) 8303	PORTABLE CHANGEABLE MESSAGE SIGN	4.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110492

SECTION 0007 - STRIPING & SIGNING IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	4.000	CY
804(B) 2916	REINFORCING STEEL	676.000	LB
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	182.360	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	528.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	179.500	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	42.000	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	45.500	LF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	99.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	42.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	32.000	LF
851(C) 8324	2" SQUARE TUBE POST	601.000	LF
851(C) 8330	2 1/2" SQUARE TUBE POST	30.000	LF
853 9024	DELINEATORS(TYPE 1, CODE 1)	86.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	76540.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	23712.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1000.000	LF

SECTION 0008 - CABLE BARRIER IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	142.000	CY
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	14861.000	LF
628(C) 5110	END ANCHORS	2.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	90.000	EA

SECTION 0009 - STAKING IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0010 - CONSTRUCTION IMY-0040-6(370)233

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION 0011 - ROADWAY IMY-0040-5(386)207

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	28585.000	CY
202(D) 0184	UNCLASSIFIED BORROW	14000.000	CY
221(C) 2801	TEMPORARY SILT FENCE	3000.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	5.000	EA
221(F) 0100	TEMPORARY SILT DIKE	182.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110492

SECTION 0011 - ROADWAY IMY-0040-5(386)207

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
230(A) 2806	SOLID SLAB SODDING	72286.000	SY
241 2832	MOWING	14.940	AC
303(B) 2110	AGGREGATE BASE TYPE B	25724.000	CY
307(A) 4200	FLY ASH	7616.000	TON
307(D) 4230	LIME	1068.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	138674.000	SY
307(G) 4260	LIME PRETREATMENT	74138.000	SY
325 5271	SEPARATOR FABRIC	123563.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	13632.000	TON
408 5774	PRIME COAT	46590.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2917.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	11645.000	TON
412 5267	COLD MILLING PAVEMENT	9415.000	SY
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	41365.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	52769.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	61193.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	36374.000	CY
504(A) 1304	APPROACH SLAB	182.000	SY
504(E) 1381	CONCRETE PARAPET	77.700	LF
613(A) 0492	24" R.C.PIPE CLASS III	40.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	750.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	250.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	225.000	CY
613(V) 1180	TRENCH EXCAVATION	300.000	CY
619(B) 2505	REMOVAL OF BRIDGE ITEMS	2.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	15112.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	89436.000	SY
619(C) 0924	SAWING PAVEMENT	6000.000	LF
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	6.000	EA
625(D) 1254	REMOVE AND RECONSTRUCT GUARDRAIL	2931.000	LF
805(D) 8762	(PL)REMOVE & RESET G.E.T. G/ R END SECT.	9.000	EA
853 9024	DELINEATORS(TYPE 1, CODE 1)	73.000	EA

SECTION 0012 - TRAFFIC SIGNING AND STRIPING IMY-0040-5(386)207

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	42366.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	13152.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1600.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	600.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110492****SECTION 0013 - CABLE BARRIER IMY-0040-5(386)207**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	103.000	CY
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	10545.000	LF
628(C) 5110	END ANCHORS	2.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA

SECTION 0014 - BRIDGE 'A' BRFY-NBIP(422)

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
507(C) 6282	ELASTOMERIC BEARING PADS	28.000	EA
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	439.167	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110491

CALL ORDER: 520
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 STP-155C(651)AG 2404105
 STP-155C(852)AG 2838704

DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$242.76
 325 CALENDAR DAYS
 TIME 'B' BID NON-PARTICIPATING - \$ 5000 / DAY
 RES. ENG.: TOM HUBBARD, EDMOND

CONTRACT DESCRIPTION

GRADE, DRAIN, AND SURFACE
 CITY STREETS: KELLY AVE FROM N OF 192ND ST EXT N, AND COVELL
 RD FROM E OF SANTA FE EXT E, IN THE CITY OF EDMOND.
 PROJECT LENGTH = 2.628 MILES

SECTION 0001 - ROADWAY - STP-155C(651)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6007.000	CY
202(D) 0184	UNCLASSIFIED BORROW	9822.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2705.000	LF
221(F) 0100	TEMPORARY SILT DIKE	60.000	LF
221(G) 0153	TEMPORARY ROCK FILTER DAM TYPE 4	6.700	CY
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	112.000	EA
230(A) 2806	SOLID SLAB SODDING	9984.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.000	AC
241 2832	MOWING	4.200	AC
307(K) 4300	STABILIZED SUBGRADE	27902.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	300.000	TON
407(B) 0250	TACK COAT	1025.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5884.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	387.000	TON
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	25428.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	7123.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	20.000	CY
509(B) 0321	CLASS A CONCRETE	158.000	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	25853.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	101.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	34.000	TON
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	14970.000	LF
609(B) 1514	1'-8" COMB.CRB.& GUT.(8" BARRIER)	1203.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	7827.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	629.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110491

SECTION 0001 - ROADWAY - STP-155C(651)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(B) 5016	8" CONCRETE DRIVEWAY	1407.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	34.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	440.000	SF
611(A) 2657	MANHOLE (4' DIA.)	11.000	EA
611(A) 2658	MANHOLE (5' DIA.)	2.000	EA
611(G) 5120	INLET CI DES. 3 (STD)	10.000	EA
611(G) 5121	INLET CI DES. 3 (B)	2.000	EA
611(G) 5122	INLET CI DES. 3 (D)	3.000	EA
611(G) 5123	INLET CI DES. 3 (2B)	2.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
611(L) 0487	JUNCTION BOXES	183.000	CF
612(A) 0641	MANHOLES ADJUST TO GRADE	8.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	1.000	EA
612(G) 0650	FIRE HYDRANT RESET	1.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	1437.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	825.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	124.000	LF
613(A) 0498	60" R.C.PIPES CLASS III	29.000	LF
613(L) 5742	60" PREFAB. CULVERT END SEC., ROUND	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	2719.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	18034.000	SY
619(B) 4792	REMOVAL OF SIDEWALK	1810.000	SY
622(A) 4746	PIPE RAILING	202.000	LF
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	102.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	9.000	EA

SECTION 0002 - TRAFFIC SIGNING & STRIPING - STP-155C(651)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	151.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	475.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	14014.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	183.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	509.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	19.000	EA
856(B) 8880	TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	9.000	EA

SECTION 0003 - TRAFFIC SIGNAL - STP-155C(651)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	80.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	305.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	60.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110491

SECTION 0003 - TRAFFIC SIGNAL - STP-155C(651)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	9.500	CY
804(B) 2916	REINFORCING STEEL	1417.000	LB
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8314	32'MH POLE 50'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8353	32'MH POLE,55'TS & 10'LMA(G.STL.)	1.000	EA
806(B) 8896	12' MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	3.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8044	1/C NO.10 ELECT.COND.	1410.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	6.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	7.000	EA
831 8274	1WAY4SEC.ADJ.SIG.HD.S-16	2.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	6.000	EA
833 3030	BACKPLATE	9.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1080.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	290.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	505.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	30.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	2.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	790.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	1.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	35.500	SF

SECTION 0004 - TRAFFIC LIGHTING - STP-155C(651)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(C) 8552	2" HIGH DENSITY PE PIPE - BORED	264.000	LF
802(C) 8553	3" HIGH DENSITY PE PIPE - BORED	170.000	LF
802(C) 8557	2" HIGH DENSITY PE PIPE - TRENCHED	6070.000	LF
802(C) 8558	3" HIGH DENSITY PE PIPE - TRENCHED	4946.000	LF
803(A) 8065	PULL BOX(SIZE I)	19.000	EA
803(A) 8066	PULL BOX(SIZE II)	10.000	EA
804(A) 2915	STRUCTURAL CONCRETE	22.000	CY
804(B) 2916	REINFORCING STEEL	1270.000	LB
809 8090	ENHANCEMENT LIGHTING (COMPLETE)	38.000	EA
809 8091	ENHANCEMENT LIGHTING (COMPLETE)	1.000	LSUM
809(A) 8090	ROADWAY LUMINAIRE	56.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8040	1/C NO.6 ELECT.COND.	13160.000	LF
811 8046	1/C NO.12 ELECT.COND.	5600.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110491

SECTION 0004 - TRAFFIC LIGHTING - STP-155C(651)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	5380.000	LF

SECTION 0005 - STREETSCAPE - STP-155C(651)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	840.000	CY
202(E) 0186	SELECT BORROW	1974.000	CY
230(A) 2806	SOLID SLAB SODDING	2725.000	SY
231(A) 4567	TREES	65.000	EA
231(B) 4568	SHRUBS	333.000	EA
231(C) 4569	VINES/GRND COVERS	463.000	EA
231(E) 4625	(PL) LANDSCAPING	1.000	LSUM
610(C) 0610	8" CONCRETE DIVIDING STRIP	25.000	SY
610(C) 5824	DECORATIVE MEDIAN CONCRETE	413.000	SY
616 5010	(PL) IRRIGATION SYSTEM	1.000	LSUM
616(C) 0871	1 1/2" COPPER WATER SERVICE PIPE	30.000	LF
616(F) 5208	METER INSTALLATION 1"	3.000	EA
616(N) 0090	SERVICE CONNECTION (SHORT)	3.000	EA
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	492.000	LF

SECTION 0006 - ROADWAY - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	67010.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	21336.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	104.000	EA
221(F) 0100	TEMPORARY SILT DIKE	307.000	LF
221(G) 0152	TEMPORARY ROCK FILTER DAM TYPE 3	21.000	CY
221(G) 0153	TEMPORARY ROCK FILTER DAM TYPE 4	26.000	CY
229 4318	DITCH LINER PROTECTION	195.000	LF
230(A) 2806	SOLID SLAB SODDING	64302.000	SY
233(A) 2817	VEGETATIVE MULCHING	13.000	AC
241 2832	MOWING	26.000	AC
307(K) 4300	STABILIZED SUBGRADE	92040.000	SY
325 5271	SEPARATOR FABRIC	3277.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3314.000	TON
407(B) 0250	TACK COAT	3052.000	GAL
411(A) 5930	SUPERPAVE, TYPE S2(PG 64-22 OK)	724.000	TON
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	599.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	21780.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	302.000	TON
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	80945.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	22485.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110491

SECTION 0006 - ROADWAY - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	63.000	CY
509(A) 0319	CLASS AA CONCRETE	199.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	55.000	CY
509(D) 0325	CLASS C CONCRETE	21.000	CY
510(A) 6333	RETAINING WALL	48.000	SY
511(A) 0332	REINFORCING STEEL	28699.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	142.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	38.000	TON
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	35996.000	LF
609(B) 1514	1'-8" COMB.CRB.& GUT.(8" BARRIER)	411.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	20122.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	3107.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	8581.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	1454.000	SF
611(A) 2657	MANHOLE (4' DIA.)	18.000	EA
611(A) 2658	MANHOLE (5' DIA.)	12.000	EA
611(A) 2659	MANHOLE (6' DIA.)	2.000	EA
611(G) 5112	INLET CI DES. 2 (STD)	13.000	EA
611(G) 5113	INLET CI DES. 2 (B)	17.000	EA
611(G) 5114	INLET CI DES. 2 (C)	5.000	EA
611(G) 5115	INLET CI DES. 2 (D)	13.000	EA
611(G) 5117	INLET CI DES. 2 (2B)	4.000	EA
611(G) 5120	INLET CI DES. 3 (STD)	8.000	EA
611(G) 5121	INLET CI DES. 3 (B)	10.000	EA
611(G) 5122	INLET CI DES. 3 (D)	11.000	EA
611(G) 5123	INLET CI DES. 3 (2B)	1.000	EA
611(G) 5125	INLET CI DES. 3 (2D)	3.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	5.000	EA
611(G) 6006	INLET (SMD-TYPE 2B)	4.000	EA
611(L) 0487	JUNCTION BOXES	2157.000	CF
613(A) 0491	18" R.C.PIPES CLASS III	3324.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	4104.000	LF
613(A) 0493	30" R.C.PIPES CLASS III	1698.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	1594.000	LF
613(A) 0495	42" R.C.PIPES CLASS III	1362.000	LF
613(A) 4499	51" X 31" R.C.PIPES ARCH CLASS A-III	476.000	LF
613(A) 4500	58" X 36" R.C.PIPES ARCH CLASS A-III	422.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	66.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	66.000	LF
613(B) 0694	48" CORR. GALV. STEEL PIPE	50.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	175.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	720.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110491

SECTION 0006 - ROADWAY - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	240.000	LF
613(L) 4546	58" X 36" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	220.000	CY
616 5010	(PL) IRRIGATION SYSTEM	1.000	LSUM
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	4216.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	65069.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	3223.000	SY
619(B) 4792	REMOVAL OF SIDEWALK	1870.000	SY
619(C) 0924	SAWING PAVEMENT	1800.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
624(E) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	237.000	LF
624(F) 5960	GATES-STYLE CLF (6'HIGH X 12'LONG)	2.000	EA
624(F) 5962	GATES-STYLE CLF (6'HIGH X 14'LONG)	2.000	EA
624(F) 5964	GATES-STYLE CLF (6'HIGH X 16'LONG)	2.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	7.000	EA

SECTION 0007 - TRAFFIC CONTROL - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0008 - SIGNING & STRIPING - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	419.750	SF
851(C) 8324	2" SQUARE TUBE POST	704.000	LF
851(C) 8330	2 1/2" SQUARE TUBE POST	117.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	33892.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	817.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	1151.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	2453.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	122.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2500.000	LF
880(C) 8845	BARRICADES(TYPE III)	2.000	EA

SECTION 0009 - TRAFFIC SIGNALS - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	515.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	1035.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	240.000	LF
802(C) 8553	3" HIGH DENSITY PE PIPE - BORED	2030.000	LF
802(C) 8558	3" HIGH DENSITY PE PIPE - TRENCHED	8210.000	LF
803(A) 8065	PULL BOX(SIZE I)	9.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110491

SECTION 0009 - TRAFFIC SIGNALS - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
803(A) 8066	PULL BOX(SIZE II)	48.000	EA
804(A) 2915	STRUCTURAL CONCRETE	35.100	CY
804(B) 2916	REINFORCING STEEL	5104.000	LB
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	4.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8353	32'MH POLE,55'TS & 10'LMA(G.STL.)	5.000	EA
806(A) 8724	POLE & 20' TS MST.ARM(G.STL.)	1.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	6.000	EA
806(B) 8896	12' MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	10.000	EA
810(A) 3118	SERVICE POLE	3.000	EA
811 8040	1/C NO.6 ELECT.COND.	600.000	LF
811 8044	1/C NO.10 ELECT.COND.	5240.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	3.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	20.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	20.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	8.000	EA
831 8274	1WAY4SEC.ADJ.SIG.HD.S-16	3.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	7.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	20.000	EA
833 3030	BACKPLATE	38.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	6545.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	925.000	LF
834(A) 8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	440.000	LF
834(A) 8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	940.000	LF
834(A) 8211	15/C TRAFFIC SIGNAL ELECTRICAL CABLE	980.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	100.000	LF
834(C) 8358	(SP)UNDERGROUND COMMUNICATION CABLE	9050.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	11.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	3075.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	3.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	293.500	SF
880(N) 0100	(SP) TEMP. TRAFF. SIGNAL SPAN WIRE EQUIP	1.000	LSUM

SECTION 0010 - LIGHTING - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	1630.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	9810.000	LF
803(A) 8065	PULL BOX(SIZE I)	12.000	EA
804(A) 2915	STRUCTURAL CONCRETE	48.720	CY
804(B) 2916	REINFORCING STEEL	2805.600	LB
806(C) 8270	30' MTG & HLMA (SPECIAL)	84.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110491****SECTION 0010 - LIGHTING - STP-155C(852)AG**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
807 8092	BREAKAWAY BASE (DES. B)	84.000	EA
809(A) 8090	ROADWAY LUMINAIRE	140.000	EA
810(A) 3118	SERVICE POLE	3.000	EA
811 8038	1/C NO.4 ELECT.COND.	24100.000	LF
811 8046	1/C NO.12 ELECT.COND.	12600.000	LF

SECTION 0011 - STAKING - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0012 - CONSTRUCTION - STP-155C(852)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110480

CALL ORDER: 560
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 BRFY-NBIP(443)3B 2858804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.17
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE PAINTING
 I-240/SH-152: VARIOUS LOCATIONS IN DIVISION 4.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110496

CALL ORDER: 580
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 BRFY-155A(877)3B 2858805
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$16.26
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 JOINT SEAL/REPAIR
 I-240/SH-152: VARIOUS LOCATIONS IN DIVISION 4.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	127.000	LF
509 6386	SILICONE CONSTRUCTION JOINT	377.000	LF

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	144.000	LF
509 6386	SILICONE CONSTRUCTION JOINT	344.000	LF

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	69.000	LF
509 6386	SILICONE CONSTRUCTION JOINT	216.000	LF

SECTION 0004 - BRIDGE 'D'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	74.000	LF
509 6386	SILICONE CONSTRUCTION JOINT	264.000	LF

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110493

CALL ORDER: 600
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PUSHMATAHA

PROJECT(S) : PCN
 CIRB-164C(051)RB 2039504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$24.93
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER CLOUDY CREEK 0.7 MI NORTH AND 0.4 MI EAST
 OF CLOUDY.
 PROJECT LENGTH = 0.284 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1379.000	CY
202(D) 0184	UNCLASSIFIED BORROW	14279.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	800.000	LF
221(C) 2801	TEMPORARY SILT FENCE	3000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	384.000	LF
230(A) 2806	SOLID SLAB SODDING	8716.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.800	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1056.000	TON
509(D) 0325	CLASS C CONCRETE	50.400	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	52.000	LF
613(P) 4571	28" X 20" GALV. STEEL CULV. END SEC.ARCH	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2663.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	17.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	34.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	85.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	96.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1267.330	LF
504(C) 6250	SEALED EXPANSION JOINT	58.840	LF
504(E) 1380	CONCRETE RAIL (TR1)	705.000	LF
506(A) 1322	STRUCTURAL STEEL	660.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	249.600	CY
509(B) 1328	CLASS A CONCRETE	137.900	CY
511(A) 1332	REINFORCING STEEL	76300.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	384.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110493****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(B) 6292	PILES, DRIVEN (HP 10X42)	384.000	LF
514(K) 6260	(PL)PILOT HOLES	91.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	107.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1095.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	295.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110528

CALL ORDER: 610
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ROGER MILLS

PROJECT(S) : PCN
 BRFY-165C(059) 2170204
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$45.52
 210 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 SH-33: OVER NINE MILE CREEK 11.4 MILES EAST OF US-283.
 PROJECT LENGTH = 0.258 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	21283.000	CY
202(D) 0184	UNCLASSIFIED BORROW	27078.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	710.000	LF
221(F) 0100	TEMPORARY SILT DIKE	75.000	LF
230(A) 2806	SOLID SLAB SODDING	22000.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.550	AC
307(A) 4200	FLY ASH	770.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	14130.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	50.000	TON
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	725.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2002.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	470.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	767.000	TON
509(D) 0325	CLASS C CONCRETE	25.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	38.000	LF
613(B) 0694	48" CORR. GALV. STEEL PIPE	92.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	2679.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8955.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1030.000	LF
619(C) 0924	SAWING PAVEMENT	50.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2600.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2268.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	683.000	CY
509(A) 1326	CLASS AA CONCRETE	1391.350	CY
511(A) 1332	REINFORCING STEEL	289310.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110528

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5200.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4900.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	500.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	1000.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	1800.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1200.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2940.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	980.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	840.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	280.000	SD
880(C) 8848	WING BARRICADES	560.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1120.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	2940.000	SD
880(F) 8878	DRUMS	2940.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110456

CALL ORDER: 620
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: WOODS

PROJECT(S) : PCN
 BRO-176D(088)CI 2304604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-021): OVER LITTLE EAGLE CHIEF CREEK 0.8 MI
 EAST OF US-281 AND 6.0 MI SOUTH OF US-64.
 PROJECT LENGTH = 0.198 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	350.000	LF
221(F) 0100	TEMPORARY SILT DIKE	425.000	LF
230(A) 2806	SOLID SLAB SODDING	7800.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.740	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	556.000	TON
509(D) 0325	CLASS C CONCRETE	66.500	CY

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	162.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.170	LF
504(D) 6239	CONCRETE RAIL (TR3)	231.160	LF
506(A) 1322	STRUCTURAL STEEL	555.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	58.500	CY
509(B) 1328	CLASS A CONCRETE	94.400	CY
511(A) 1332	REINFORCING STEEL	23924.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	112.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	280.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	112.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	280.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1639.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	492.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110456

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110322

CALL ORDER: 640
 LETTING DATE: October 20, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: WOODS

PROJECT(S) : PCN
 BRF-176C(121)CI 2419604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-237): OVER UNNAMED CREEK, 7.0 MI WEST AND
 6.5 MI SOUTH OF THE US-64/US-281 JUNCTION.
 PROJECT LENGTH = 0.180 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1700.000	LF
230(A) 2806	SOLID SLAB SODDING	5681.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.170	AC
303(A) 2100	AGGREGATE BASE TYPE A	420.000	CY
407(B) 0250	TACK COAT	127.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	568.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	104.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	118.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.670	LF
504(B) 1305	SAW-CUT GROOVING	22.300	SY
504(D) 6239	CONCRETE RAIL (TR3)	231.000	LF
506(A) 1322	STRUCTURAL STEEL	375.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	58.300	CY
509(B) 1328	CLASS A CONCRETE	77.400	CY
511(A) 1332	REINFORCING STEEL	23757.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	80.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	200.000	LF
514(K) 6260	(PL)PILOT HOLES	225.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	768.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	208.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110322

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110458

CALL ORDER: 660
LETTING DATE: October 20, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: WOODWARD
MAJOR

PROJECT(S) : PCN
BRFY-NBIP(445)3B 2859104
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$9.75
60 CALENDAR DAYS
RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
BRIDGE PAINTING
SH-8/SH-34: VARIOUS LOCATIONS IN DIVISION 6.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110459

CALL ORDER: 680
LETTING DATE: October 20, 2011
LETTING TIME: 10:30 A.M.
COUNTIES: WOODS
WOODWARD

PROJECT(S) : PCN
BRFY-177B(119)3B 2859105
DBE GOALS : 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE : \$8.67
30 CALENDAR DAYS
RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
JOINT SEAL/REPAIR
SH-14/SH-34: VARIOUS LOCATIONS IN DIVISION 6.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509 6386	SILICONE CONSTRUCTION JOINT	182.000	LF

SECTION 0002 - BRIDGE 'B'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	65.000	LF
509 6386	SILICONE CONSTRUCTION JOINT	97.000	LF

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – October 20, 2011 AM

Date:	Order Taken by:	
Contractor's Id No.:	No. Of Proposal(s):	
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail	
Contractor's Name:		
Telephone No:		
Physical Address:		Please Return Completed Form to:
		Fax : 405-522-0972 or
		Email: mjunsay@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ALFALFA	040	BRFY-102C(093)	23272(04)		\$50.00	45.00 + 3.77	23
2	ALFALFA	060	BRO-102D(136)CI	25910(04)		\$50.00	17.00 + 1.42	6
3	BEAVER	080	BRF-104C(069)CI	26981(04)		\$50.00	10.00 + 0.84	2
4	BECKHAM	090	HSIP-105C(205)TR	28960(04)		\$50.00	6.00 + 0.50	0
5	CANADIAN	100	SBR-109N(181)SB	28313(04)		\$50.00	22.00 + 1.84	0
6	CLEVELAND	120	STPY-014B(377)MS	14392(04)		\$50.00	82.00 + 6.87	36
7	CLEVELAND	140	CIRB-114C(210)RB	24829(04)		\$50.00	83.00 + 6.95	44
8	COMANCHE	160	BRFY-116C(095)	20955(04)		\$50.00	44.00 + 3.69	26
9	COMANCHE	180	SSP-116C(114)SS SSP-116C(195)SS	21716(04) 21716(07)		\$50.00	98.00 + 8.21	35
10	CRAIG	200	STP-118C(074)UR	23910(04)		\$50.00	16.00 + 1.34	15
11	CRAIG	205	STPY-118C(096)SS	24183(04)		\$50.00	117.00 + 9.80	128
12	DEWEY	220	BRO-122D(069)CI	26653(04)		\$50.00	7.00 + 0.59	3
13	GRANT	240	BRFY-127B(152)SS	26420(04)		\$50.00	63.00 + 5.28	28
14	JEFFERSON	260	CIRB-134C(065)RB	24971(04)		\$50.00	46.00 + 3.85	32
15	KAY	280	BRIY-0035-4(239)232	27063(04)		\$50.00	60.00 + 5.03	6
16	KAY	300	BRFY-NBIP(442)3B	28587(04)		\$50.00	5.00 + 0.42	0
17	KIOWA	340	BRO-NBIL(174)CI	26972(04)		\$50.00	13.00 + 1.09	5
18	LEFLORE	360	CIRB-140D(188)RB	26903(04)		\$50.00	10.00 + 0.84	3
19	LINCOLN	380	CIRB-141C(191)RB	25087(04)		\$50.00	8.00 + 0.67	5
20	LOGAN	390	IMY-0035-4(215)151	24217(04)		\$50.00	133.00 + 11.14	39
21	LOVE	398	BRIY-0035-1(151)015	27166(05)		\$50.00	92.00 + 7.71	24
22	MCCLAIN	400	BRO-144D(095)CO	22526(04)		\$50.00	13.00 + 1.09	3
23	MCINTOSH	420	BRF-146C(073)CI	22223(04)		\$50.00	5.00 + 0.42	4
24	MAYES	425	BRFY-149C(079)	21910(04)		\$50.00	64.00 + 5.36	25
25	MURRAY	430	SBR-150C(053)SB	20965(04)		\$50.00	17.00 + 1.42	0
26	MURRAY	440	SSP-150B(079)SS	26241(04)		\$50.00	60.00 + 5.03	19
27	NOBLE	460	IMG-0035-4(231)190TR	26181(04)		\$50.00	28.00 + 2.35	40

BID OPENING OF – October 20, 2011 AM

Date:	Order Taken by:	
Contractor's Id No.:	No. Of Proposal(s):	
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail	
Contractor's Name:		
Telephone No:		
Physical Address:		Please Return Completed Form to:
		Fax : 405-522-0972 or
		Email: mjunsay@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
28	NOBLE	480	IMY-0035-4(244)186 SBR-152N(191)SB	27909(04) 28310(04)		\$50.00	151.00 + 12.65	48
29	OKFUSKEE / OKMULGEE	500	IMY-0040-6(370)233 IMY-0040-5(386)207 BRFY-NBIP(422)	20908(05) 21007(04) 27034(04)		\$50.00	80.00 + 6.70	7
30	OKLAHOMA	520	STP-155C(651)AG STP-155C(852)AG	24041(05) 28387(04)		\$50.00	224.00 + 18.76	65
31	OKLAHOMA	560	BRFY-NBIP(443)3B	28588(04)		\$50.00	14.00 + 1.17	0
32	OKLAHOMA	580	BRFY-155A(877)3B	28588(05)		\$50.00	15.00 + 1.26	0
33	PUSHMATAHA	600	CIRB-164C(051)RB	20395(04)		\$50.00	23.00 + 1.93	9
34	ROGER MILLS	610	BRFY-165C(059)	21702(04)		\$50.00	42.00 + 3.52	12
35	WOODS	620	BRO-176D(088)CI	23046(04)		\$50.00	11.00 + 0.92	5
36	WOODS	640	BRF-176C(121)CI	24196(04)		\$50.00	12.00 + 1.01	6
37	MAJOR / WOODWARD	660	BRFY-NBIP(445)3B	28591(04)		\$50.00	9.00 + 0.75	0
38	WOODS / WOODWARD	680	BRFY-177B(119)3B	28591(05)		\$50.00	8.00 + 0.67	0