

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.9a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the [November 17, 2011 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [October 27, 2011](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [November 04, 2011](#) concerning this [November 17th](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972
or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

*Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2011/plans.htm>*

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)09, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is new cover sheet that is required with these DBE confirmations, it is located at this web site below. **Please ensure that the DBE commitment provided in the proposal matches the written confirmation.**

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo>

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.

For written bids, do not disassemble the bidding proposal in any way.

Note:

Only written, emailed, faxed and in-person orders will be accepted.

The **Order Form** included in this Short Form Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

mjunsay@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is **10:30 A.M. , November 17, 2011** for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110476

CALL ORDER: 010
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ADAIR

PROJECT(S) : PCN
 BRF-101C(081)CI 2564004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (D0630): OVER ROCK BRANCH CREEK 6.0 MI EAST OF
 SH-10 AND 1.2 MI SOUTH OF THE DELAWARE CL.
 PROJECT LENGTH = 0.237 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	220.000	LF
230(A) 2806	SOLID SLAB SODDING	10150.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.200	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	678.200	TON
509(D) 0325	CLASS C CONCRETE	50.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	320.000	TON
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	32.000	LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	17.000	SF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F) 6352	GRANULAR BACKFILL	76.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	194.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	191.200	LF
506(A) 1322	STRUCTURAL STEEL	290.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	53.000	CY
509(B) 1328	CLASS A CONCRETE	66.800	CY
511(A) 1332	REINFORCING STEEL	22750.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	60.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	126.000	LF
514(K) 6260	(PL)PILOT HOLES	186.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	216.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	65.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110476****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT**

CONTRACT ID: 110505

CALL ORDER: 020
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: ATOKA

PROJECT(S) : PCN
 SBR-103N(137)SB 2819404

DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$43.55
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 US-69: OVER NORTH BOGGY RIVER, 5.87 MILES NORTH OF
 THE SH-7 JUNCTION.
 PROJECT LENGTH = 0.207 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1416.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2887.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1451.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
230(A) 2806	SOLID SLAB SODDING	2796.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	292.000	CY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	317.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	261.000	TON
412 5267	COLD MILLING PAVEMENT	1112.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	334.000	LF
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	334.000	LF
414(D) 0220	BONDED CONCRETE OVERLAY	1112.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	195.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	186.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	656.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	750.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	750.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	120.000	CY
504(A) 1304	APPROACH SLAB	182.200	SY
504(B) 1305	SAW-CUT GROOVING	1909.300	SY
504(C) 6250	SEALED EXPANSION JOINT	78.000	LF
504(E) 6190	42" F-SHAPED PARAPET	905.000	LF
506(A) 1322	STRUCTURAL STEEL	167580.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110505

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	2.000	EA
509(A) 1326	CLASS AA CONCRETE	441.000	CY
509(B) 1328	CLASS A CONCRETE	107.400	CY
509(D) 1331	CLASS C CONCRETE	5.800	CY
511(A) 1332	REINFORCING STEEL	1080.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	133260.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
514(A) 6010	PILES, FURNISHED (HP 10X42)	112.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	36.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	112.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	36.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	876.000	SY
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	19.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	86.000	LF
523(A) 6550	SEALER CRACK PREPARATION	164.000	LF
523(B) 6560	SEALER RESIN	4.500	GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	6500.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	1732.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	9744.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	2150.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	2500.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3250.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2880.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1980.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2160.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	8280.000	SD
880(F) 8878	DRUMS	8640.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110506

CALL ORDER: 040
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: BECKHAM

PROJECT(S) : PCN
 SBR-105C(198)SB 2813204
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$23.84
 75 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-34: OVER INDIAN CREEK, 0.70 MILES NORTH OF THE SH-152
 JUNCTION.
 PROJECT LENGTH = 0.112 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	500.000	TON
412 5267	COLD MILLING PAVEMENT	2000.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	838.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	513.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	3.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	1785.000	CY
501(F) 6352	GRANULAR BACKFILL	460.000	CY
501(G) 6309	CLSM BACKFILL	20.000	CY
504(A) 1304	APPROACH SLAB	214.400	SY
504(B) 1305	SAW-CUT GROOVING	645.000	SY
504(C) 6250	SEALED EXPANSION JOINT	31.800	LF
504(D) 6245	CONCRETE RAIL (TR4)	387.000	LF
506(A) 1322	STRUCTURAL STEEL	80350.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	20.000	EA
509 6152	SPECIAL CONCRETE FINISH	110.000	SY
509(A) 1326	CLASS AA CONCRETE	112.600	CY
509(B) 1328	CLASS A CONCRETE	192.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	54200.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	1944.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1944.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	462.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	40.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	4.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
523(A) 6550	SEALER CRACK PREPARATION	30.800	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110506****SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(B) 6560	SEALER RESIN	1.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	779.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	124.000	TON
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
619(B) 2530	REMOVAL OF BRIDGE ITEM (TYPE C)	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	15.000	SF
851(C) 8324	2" SQUARE TUBE POST	26.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2374.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110507

CALL ORDER: 060
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: BLAINE

PROJECT(S) : PCN
 BRFY-017N(203)SS 2408704
 DBE GOALS : 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$59.61
 220 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 US-270: OVER THE NORTH CANADIAN RIVER, 10.2 MILES EAST OF
 THE DEWEY COUNTY LINE.
 PROJECT LENGTH = 0.255 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(E) 0186	SELECT BORROW	16267.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	700.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	126.000	LF
230(A) 2806	SOLID SLAB SODDING	10361.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.490	AC
241 2832	MOWING	17.010	AC
310(B) 0149	SUBGRADE, METHOD B	2081.000	SY
407(B) 0250	TACK COAT	1159.000	GAL
408 5774	PRIME COAT	907.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	399.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2070.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	347.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	837.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	236.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	58.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	20.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2532.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	924.000	LF
619(C) 0924	SAWING PAVEMENT	341.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1313.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	2.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	34.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110507

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	240.000	CY
501(G) 6309	CLSM BACKFILL	208.600	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	2152.000	LF
504(A) 1304	APPROACH SLAB	267.800	SY
504(B) 1305	SAW-CUT GROOVING	2540.500	SY
504(C) 6250	SEALED EXPANSION JOINT	123.500	LF
504(D) 6245	CONCRETE RAIL (TR4)	1203.400	LF
506(A) 1322	STRUCTURAL STEEL	2670.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	24.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	24.000	EA
509(A) 1326	CLASS AA CONCRETE	589.600	CY
509(B) 1328	CLASS A CONCRETE	270.300	CY
509(D) 1331	CLASS C CONCRETE	25.000	CY
511(A) 1332	REINFORCING STEEL	1370.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	170460.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	142.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	441.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	142.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	441.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2382.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	314.000	LF
523(A) 6550	SEALER CRACK PREPARATION	77.500	LF
523(B) 6560	SEALER RESIN	1.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1450.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	320.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	86.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	18.000	SF
851(C) 8324	2" SQUARE TUBE POST	30.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	6300.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	18000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1500.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	18000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	220.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	4350.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	18040.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	440.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12100.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110507****SECTION 0003 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6600.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	5500.000	SD
880(C) 8848	WING BARRICADES	880.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	9460.000	SD
880(F) 8878	DRUMS	17600.000	SD
880(G) 8890	CHANNELIZER CONES	4200.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	440.000	SD

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110508

CALL ORDER: 080
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CADDO

PROJECT(S) : PCN
 IMY-0040-4(430)102 2648804
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$46.60
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 I-40: FROM MILE MARKER 102.2 EXTEND EAST 2.06 MILES.
 PROJECT LENGTH = 2.058 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	5000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1450.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	7.000	EA
221(F) 0100	TEMPORARY SILT DIKE	546.000	LF
230(A) 2806	SOLID SLAB SODDING	75481.000	SY
233(A) 2817	VEGETATIVE MULCHING	19.430	AC
241 2832	MOWING	38.860	AC
307(A) 4200	FLY ASH	216.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	3986.000	SY
406 4257	OPEN GRADED FRICTION SURFACE COURSE	2218.000	TON
407(B) 0250	TACK COAT	32859.000	GAL
408 5774	PRIME COAT	1641.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	719.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	9846.000	TON
411(B) 5950	(SP) SUPERPAVE, TYPE S3(PG 76-28 E)	17765.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	1997.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3354.000	TON
411(D) 5980	(SP) SUPERPAVE, TYPE S5(PG 76-28 E)	5730.000	TON
411(J) 6410	(SP) RICH INTERMEDIATE LAYER	4869.000	TON
412 5267	COLD MILLING PAVEMENT	91764.000	SY
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	650.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2134.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	4970.000	LF
619(C) 0924	SAWING PAVEMENT	1352.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	4650.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	10.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	10.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	112.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110508

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	49000.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	103000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	20600.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	20000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	12500.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	12500.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	11520.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5040.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5760.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2560.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1680.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(D) 8854	VERTICAL PANELS	26160.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5280.000	SD
880(F) 8878	DRUMS	7200.000	SD
880(G) 8890	CHANNELIZER CONES	8700.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	350.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

SECTION 0003 - TRAFFIC STRIPING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
853 9024	DELINEATORS(TYPE 1, CODE 1)	40.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	43472.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	7200.000	LF

SECTION 0004 - CABLE BARRIER

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	773.000	TON
509(A) 0319	CLASS AA CONCRETE	49.000	CY
509(D) 0325	CLASS C CONCRETE	135.000	CY
619(B) 5190	REMOVAL OF CABLE BARRIER	1190.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	1190.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	560.000	LF
628(C) 5110	END ANCHORS	8.000	EA

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110509

CALL ORDER: 100
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CANADIAN

PROJECT(S) : PCN
 STP-109C(159)CI 2664604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$19.51
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (NS-274): FROM THE KINGFISHER COUNTY LINE,
 EXTEND SOUTH.
 PROJECT LENGTH = 1.006 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
209 0120	MACHINE GRADING	5186.300	LF
221(C) 2801	TEMPORARY SILT FENCE	2418.000	LF
221(F) 0100	TEMPORARY SILT DIKE	760.000	LF
233(A) 2817	VEGETATIVE MULCHING	6.100	AC
307(A) 4200	FLY ASH	6042.800	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	18227.500	SY
311(B) 0152	PROCESS EXISTING BASE & SURFACE,METHOD B	5310.100	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	975.400	TON
407(B) 0250	TACK COAT	750.000	GAL
408 5774	PRIME COAT	4089.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1687.600	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3788.600	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	835.800	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	231.000	CY
504(E) 1381	CONCRETE PARAPET	46.000	LF
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 1351	TYPE I PLAIN RIPRAP	130.000	TON
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	55.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	3.000	EA
629(C) 4960	MAILBOX	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	10.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	29.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12837.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ROADWAY - ADD ALTERNATE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110509

SECTION 0002 - ROADWAY - ADD ALTERNATE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
209 0120	MACHINE GRADING	5290.400	LF
221(C) 2801	TEMPORARY SILT FENCE	2632.000	LF
221(F) 0100	TEMPORARY SILT DIKE	760.000	LF
233(A) 2817	VEGETATIVE MULCHING	6.100	AC
307(A) 4200	FLY ASH	6418.400	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	17730.400	SY
311(B) 0152	PROCESS EXISTING BASE & SURFACE,METHOD B	5290.400	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	718.000	TON
407(B) 0250	TACK COAT	710.000	GAL
408 5774	PRIME COAT	3903.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1610.500	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3295.800	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 1351	TYPE I PLAIN RIPRAP	100.000	TON
613(B) 0692	36" CORR. GALV. STEEL PIPE	56.000	LF
613(M) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	10.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	29.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	14336.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110510

CALL ORDER: 120
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 STP-114D(176)AG 2376604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 50 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-132): OVER BUCKHEAD CREEK, 5.2 MILES EAST
 OF THE US-77 JUNCTION IN SLAUGHTERVILLE.
 PROJECT LENGTH = 0.089 MILES

SECTION 0001 - ROADWAY - STP-114D(176)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	210.000	CY
202(D) 0184	UNCLASSIFIED BORROW	445.000	CY
221(C) 2801	TEMPORARY SILT FENCE	855.000	LF
221(F) 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	1360.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.600	AC
307(K) 4300	STABILIZED SUBGRADE	1425.000	SY
407(B) 0250	TACK COAT	60.000	GAL
408 5774	PRIME COAT	185.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	268.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	131.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

SECTION 0002 - BRIDGE 'A' - STP-114D(176)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2675.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	210.000	CY
509(B) 1328	CLASS A CONCRETE	237.000	CY
511(A) 1332	REINFORCING STEEL	31900.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	96.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING - STP-114D(176)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION - STP-114D(176)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110511

CALL ORDER: 121
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 STP-114C(201)AG 2461004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$7.59
 50 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-141): OVER A TRIBUTARY OF NORTH CANADIAN
 RIVER, 3.0 MILES EAST OF THE MCCLAIN COUNTY LINE.
 PROJECT LENGTH = 0.019 MILES

SECTION 0001 - ROADWAY - STP-114C(201)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	1374.000	CY
221(C) 2801	TEMPORARY SILT FENCE	250.000	LF
230(A) 2806	SOLID SLAB SODDING	1125.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.500	AC
303(A) 2100	AGGREGATE BASE TYPE A	64.000	CY
407(B) 0250	TACK COAT	14.000	GAL
408 5774	PRIME COAT	138.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	60.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	30.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

SECTION 0002 - BRIDGE 'A' - STP-114C(201)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2760.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	308.000	CY
509(B) 1328	CLASS A CONCRETE	255.400	CY
511(A) 1332	REINFORCING STEEL	48140.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	120.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING - STP-114C(201)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION - STP-114C(201)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110512

CALL ORDER: 122
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: CLEVELAND

PROJECT(S) : PCN
 STP-114D(176)AG 2376604
 STP-114C(201)AG 2461004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$15.18
 80 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-132/EW-141): OVER BUCKHEAD CR, 5.2 MI E OF
 US-77. OVER N CANADIAN RIVER TRIB, 3.0 MI E OF MCCLAIN CL.
 PROJECT LENGTH = 0.108 MILES

SECTION 0001 - ROADWAY - STP-114D(176)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	210.000	CY
202(D) 0184	UNCLASSIFIED BORROW	445.000	CY
221(C) 2801	TEMPORARY SILT FENCE	855.000	LF
221(F) 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	1360.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.600	AC
307(K) 4300	STABILIZED SUBGRADE	1425.000	SY
407(B) 0250	TACK COAT	60.000	GAL
408 5774	PRIME COAT	185.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	268.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	131.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

SECTION 0002 - BRIDGE 'A' - STP-114D(176)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2675.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	210.000	CY
509(B) 1328	CLASS A CONCRETE	237.000	CY
511(A) 1332	REINFORCING STEEL	31900.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	96.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING - STP-114D(176)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION - STP-114D(176)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110512

SECTION 0005 - ROADWAY - STP-114C(201)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	1374.000	CY
221(C) 2801	TEMPORARY SILT FENCE	250.000	LF
230(A) 2806	SOLID SLAB SODDING	1125.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.500	AC
303(A) 2100	AGGREGATE BASE TYPE A	64.000	CY
407(B) 0250	TACK COAT	14.000	GAL
408 5774	PRIME COAT	138.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	60.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	30.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

SECTION 0006 - BRIDGE 'A' - STP-114C(201)AG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2760.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	308.000	CY
509(B) 1328	CLASS A CONCRETE	255.400	CY
511(A) 1332	REINFORCING STEEL	48140.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	120.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110513

CALL ORDER: 140
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 BRO-116D(182)CI 2685004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-152): OVER WHISKEY CREEK, 1.8 MILES EAST OF
 I-44.
 PROJECT LENGTH = 0.189 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1300.000	LF
221(F) 0100	TEMPORARY SILT DIKE	60.000	LF
230(A) 2806	SOLID SLAB SODDING	5965.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.500	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	8.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	580.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	296.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	140.000	TON
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	88.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	5.180	SF
851(C) 8324	2" SQUARE TUBE POST	13.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
501(F) 6352	GRANULAR BACKFILL	88.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	209.000	LF
504(B) 1305	SAW-CUT GROOVING	85.000	SY
504(D) 6239	CONCRETE RAIL (TR3)	213.300	LF
506(A) 1322	STRUCTURAL STEEL	320.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	58.800	CY
509(B) 1328	CLASS A CONCRETE	75.200	CY
511(A) 1332	REINFORCING STEEL	26570.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	106.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110513****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
514(A) 6011	PILES, FURNISHED (HP 12X53)	231.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	106.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	231.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	460.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	156.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	62.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	70.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110376

CALL ORDER: 150
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: COMANCHE

PROJECT(S) : PCN
 BRFY-116N(207)3B 2859205
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$9.75
 60 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 JOINT SEAL/REPAIR
 I-44: AT VARIOUS LOCATIONS IN DIVISION VII.

SECTION 0001 - BRIDGE A

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	50.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA

SECTION 0002 - BRIDGE B

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	50.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA

SECTION 0003 - BRIDGE C

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	80.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	13.000	EA

SECTION 0004 - BRIDGE D

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
506(A) 1322	STRUCTURAL STEEL	60.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110515

CALL ORDER: 180
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: DELAWARE

PROJECT(S) : PCN
 CIRB-121C(109)RB 2062205
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$17.34
 210 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER SPAVINAW CREEK, 4.6 MILES NORTH AND 3.9
 MILES WEST OF COLCORD.
 PROJECT LENGTH = 0.568 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	8444.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2955.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	5227.000	LF
221(F) 0100	TEMPORARY SILT DIKE	385.000	LF
230(A) 2806	SOLID SLAB SODDING	5365.000	SY
232(A) 2813	SEEDING METHOD A	1.300	AC
233(A) 2817	VEGETATIVE MULCHING	1.300	AC
319(A) 5190	OPEN-GRADED BITUMINOUS BASE	1719.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2101.000	TON
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	1657.000	SY
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	1257.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	419.000	TON
613(A) 0492	24" R.C.PIPE CLASS III	136.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	82.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P) 0760	18" GALV. STEEL CULVERT END SEC. RND.	2.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	10.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	24.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	86.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	68.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	1177.000	LF
504(A) 1304	APPROACH SLAB	118.000	SY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110515

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(C) 6250	SEALED EXPANSION JOINT	67.000	LF
504(E) 1380	CONCRETE RAIL (TR1)	665.170	LF
506(A) 1322	STRUCTURAL STEEL	8660.000	LB
509(A) 1326	CLASS AA CONCRETE	228.000	CY
509(B) 1328	CLASS A CONCRETE	135.000	CY
511(A) 1332	REINFORCING STEEL	62248.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	267.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	267.000	LF
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	160.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	52.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1498.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	749.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	231.300	LF
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110423

CALL ORDER: 200
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: GARFIELD

PROJECT(S) : PCN
 CIRB-124C(111)RB 2486704
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$24.93
 135 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 COUNTY ROAD (NS-293): FROM 6.0 MILES NORTH OF THE
 KINGFISHER COUNTY LINE, EXTEND NORTH.
 PROJECT LENGTH = 2.42 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2400.000	LF
221(F) 0100	TEMPORARY SILT DIKE	1000.000	LF
230(A) 2806	SOLID SLAB SODDING	21170.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.500	AC
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	30606.000	SY
311(D) 0154	PROCESS EXISTING BASE & SURFACE,METHOD D	11976.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	491.000	TON
407(B) 0250	TACK COAT	1577.000	GAL
408 5774	PRIME COAT	4927.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	7285.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3953.000	TON
426(C) 5097	FLY ASH	1703.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
611(G) 6000	INLET (SMD-TYPE 1)	1.000	EA
613(A) 0492	24" R.C.PIPES CLASS III	70.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	100.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	78.000	LF
613(B) 5717	15" CORR. GALV. STEEL PIPE	98.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	8.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	150.760	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	25402.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	162.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.170	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110423

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(B) 1305	SAW-CUT GROOVING	314.710	SY
504(D) 6239	CONCRETE RAIL (TR3)	291.180	LF
506(A) 1322	STRUCTURAL STEEL	340.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	80.900	CY
509(B) 1328	CLASS A CONCRETE	78.400	CY
511(A) 1332	REINFORCING STEEL	28679.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	140.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	378.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	140.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	378.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1566.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	429.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110516

CALL ORDER: 220
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: HARMON

PROJECT(S) : PCN
 BRO-129D(047)CI 2802004
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$6.50
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-180): OVER TURKEY CREEK, 6.5 MILES NORTH OF
 THE US-62 JUNCTION.
 PROJECT LENGTH = 0.161 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	850.000	LF
230(A) 2806	SOLID SLAB SODDING	6500.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.660	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	386.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	66.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	825.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	155.000	CY
509(B) 1328	CLASS A CONCRETE	307.600	CY
511(A) 1332	REINFORCING STEEL	60775.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	320.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	106.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110531

CALL ORDER: 225
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LEFLORE

PROJECT(S) : PCN
 CIRB-140C(135)RB 2288504
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 180 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER BLACKFORK CREEK, 0.5 MILES EAST OF US-59
 IN HODGENS.
 PROJECT LENGTH = 0.392 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2628.000	CY
202(D) 0184	UNCLASSIFIED BORROW	20480.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2350.000	LF
221(F) 0100	TEMPORARY SILT DIKE	212.000	LF
230(A) 2806	SOLID SLAB SODDING	16800.000	SY
232(A) 2813	SEEDING METHOD A	2.000	AC
233(A) 2817	VEGETATIVE MULCHING	4.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	1820.000	CY
325 5271	SEPARATOR FABRIC	7136.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
407(B) 0250	TACK COAT	300.000	GAL
408 5774	PRIME COAT	2580.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1342.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	900.000	TON
509(B) 0321	CLASS A CONCRETE	54.000	CY
509(D) 0325	CLASS C CONCRETE	20.000	CY
511(A) 0332	REINFORCING STEEL	8958.000	LB
613(B) 0689	18" CORR. GALV. STEEL PIPE	92.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3600.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8300.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	102.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1426.670	LF
504 6179	BRIDGE TRAFFIC RAIL	789.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110531

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(C) 6250	SEALED EXPANSION JOINT	70.840	LF
506(A) 1322	STRUCTURAL STEEL	820.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	327.400	CY
509(B) 1328	CLASS A CONCRETE	127.200	CY
511(A) 1332	REINFORCING STEEL	101147.090	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	470.100	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	470.100	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	132.700	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1063.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	190.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110532

CALL ORDER: 230
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: LEFLORE

PROJECT(S) : PCN
 CIRB-140D(162)RB 2510104
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$13.01
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-480.2): OVER THE POTEAU RIVER, 0.4 MILES
 SOUTH OF SH-128.
 PROJECT LENGTH = 0.246 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	2650.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	700.000	CY
408 5774	PRIME COAT	1500.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	850.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	420.000	TON
509(D) 0325	CLASS C CONCRETE	25.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	5000.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	5400.000	SY
613(B) 0689	18" CORR. GALV. STEEL PIPE	46.000	LF
613(C) 5116	72" PRECOATED CORR. STEEL PIPE	200.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(L) 5746	72" PREFAB. CULVERT END SEC., ROUND	4.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5040.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(G) 6309	CLSM BACKFILL	86.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1136.000	LF
504(A) 1304	APPROACH SLAB	144.600	SY
504(D) 6239	CONCRETE RAIL (TR3)	634.600	LF
506(A) 1322	STRUCTURAL STEEL	870.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	321.890	CY
509(B) 1328	CLASS A CONCRETE	99.180	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110532****SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
511(A) 1332	REINFORCING STEEL	84904.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	352.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	352.000	LF
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	72.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	750.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	1500.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	66.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110517

CALL ORDER: 240
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MCCLAIN

PROJECT(S) : PCN
 SBR-144C(157)SB 2817704
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$24.93
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-59: OVER FINN CREEK, 2.8 MILES WEST OF THE SH-74 JCT.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	992.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1552.000	LF
230(A) 2806	SOLID SLAB SODDING	1035.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	590.000	CY
407(B) 0250	TACK COAT	207.000	GAL
408 5774	PRIME COAT	122.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	359.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	538.000	TON
412 5267	COLD MILLING PAVEMENT	2537.000	SY
509(D) 0325	CLASS C CONCRETE	15.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C) 0924	SAWING PAVEMENT	1582.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	650.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE A

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	80.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	229.200	SY
504(B) 1305	SAW-CUT GROOVING	772.800	SY
504(C) 6250	SEALED EXPANSION JOINT	41.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	423.800	LF
506(A) 1322	STRUCTURAL STEEL	1040.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	161.600	CY
509(B) 1328	CLASS A CONCRETE	47.800	CY
511(A) 1332	REINFORCING STEEL	2520.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	40990.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110517

SECTION 0002 - BRIDGE A

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	474.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	75.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	6.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
523(A) 6550	SEALER CRACK PREPARATION	193.000	LF
523(B) 6560	SEALER RESIN	3.000	GAL
524(B) 6710	(SP)E-GLASS FIBER-REINFORCED POLYMER	505.000	SF
601(A) 1351	TYPE I PLAIN RIPRAP	620.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	10464.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	270.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1720.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1065.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110518

CALL ORDER: 260
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: MAJOR

PROJECT(S) : PCN
 BRF-147C(127)CI 2461504
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$11.92
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY RD (EW-48): OVER WEST BRANCH BARNEY CREEK, 8.3 MILES
 EAST OF US-281.
 PROJECT LENGTH = 0.151 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	500.000	LF
230(A) 2806	SOLID SLAB SODDING	7450.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.850	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	468.000	TON
509(D) 0325	CLASS C CONCRETE	179.000	CY

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	360.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	336.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	172.160	LF
506(A) 1322	STRUCTURAL STEEL	306.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	66.200	CY
509(B) 1328	CLASS A CONCRETE	74.000	CY
511(A) 1332	REINFORCING STEEL	21422.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	273.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	273.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	933.680	TON
601(C) 1355	TYPE I-A FILTER BLANKET	216.320	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110518

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110504

CALL ORDER: 280
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 OKCY-XTWN(046) 1742858
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$294.78
 300 CALENDAR DAYS
 TIME 'B' BID - \$ 15000 / DAY
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 GRADE, DRAIN, SURFACE, AND BRIDGE
 I-40: FROM WEST OF MAY AVE, EXTEND EAST IN OKLAHOMA CITY.
 AGNEW AVE: FROM RENO AVE, EXTEND SOUTH.
 PROJECT LENGTH = 0.897 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	231572.000	CY
202(D) 0184	UNCLASSIFIED BORROW	68314.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	8962.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	43.000	EA
221(F) 0100	TEMPORARY SILT DIKE	144.000	LF
230(A) 2806	SOLID SLAB SODDING	46097.000	SY
241 2832	MOWING	18.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	12896.000	CY
307(K) 4300	STABILIZED SUBGRADE	90800.000	SY
317 4270	CEMENT TREATED BASE	3428.000	SY
319(B) 5254	OPEN-GRADED PORTLAND CEMENT BASE	55561.000	SY
325 5271	SEPARATOR FABRIC	177137.000	SY
407(B) 0250	TACK COAT	3504.000	GAL
408 5774	PRIME COAT	4390.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	3701.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	10796.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	2468.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	17128.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	21619.000	SY
414(C) 4425	CONT.REINF.P.C.C. PAVT.(PLACEMENT)	26933.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	22084.000	CY
414(J) 5263	TERMINAL JOINT SLEEPER SLAB	554.000	SY
504(E) 6190	42" F-SHAPED PARAPET	5210.000	LF
509 6152	SPECIAL CONCRETE FINISH	20688.000	SY
509(B) 0321	CLASS A CONCRETE	974.000	CY
509(D) 0325	CLASS C CONCRETE	175.000	CY
510(C) 6135	SLOPE WALL (5")	1339.000	SY
511(A) 0332	REINFORCING STEEL	74633.000	LB

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110504

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	1483.000	LF
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	110.000	LF
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	9269.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	1711.000	SY
610(C) 0608	4" CONCRETE DIVIDING STRIP	1255.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	3889.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	200.000	SF
611(A) 2657	MANHOLE (4' DIA.)	8.000	EA
611(A) 2658	MANHOLE (5' DIA.)	3.000	EA
611(G) 5107	INLET CI DES. 1 (A-B)	2.000	EA
611(G) 5113	INLET CI DES. 2 (B)	12.000	EA
611(G) 5114	INLET CI DES. 2 (C)	1.000	EA
611(G) 5117	INLET CI DES. 2 (2B)	2.000	EA
611(G) 5119	INLET CI DES. 2 (2D)	2.000	EA
611(G) 5120	INLET CI DES. 3 (STD)	2.000	EA
611(G) 5121	INLET CI DES. 3 (B)	2.000	EA
611(G) 5122	INLET CI DES. 3 (D)	1.000	EA
611(G) 5124	INLET CI DES. 3 (B-D)	1.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
611(G) 7126	INLET MEDIAN BARRIER, TYPE I, DES.1	6.000	EA
612(C) 0645	INLET ADJUST TO GRADE	13.000	EA
612(G) 0650	FIRE HYDRANT RESET	1.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	2836.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	1818.000	LF
613(A) 0493	30" R.C.PIPES CLASS III	672.000	LF
613(A) 0596	30" R.C.PIPES CLASS V	10.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	4582.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	60.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	3.000	EA
619(B) 4726	REMOVAL OF CURB AND GUTTER	3665.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	4373.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	45833.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	2.000	EA
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	57078.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	52.000	LF
619(B) 4821	REMOVAL OF CONCRETE SLOPE PROTECTION	5095.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	1190.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	445.000	LF
619(B) 6252	REMOVAL OF EXISTING PARAPET	1595.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110504

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
624(E) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	249.000	LF
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	1579.000	LF
627(B) 4410	CONCRETE LONGITUDINAL BARRIER END SEC.	2.000	EA

SECTION 0002 - RETAINING WALL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(E) 0186	SELECT BORROW	905.000	CY
303(C) 2130	AGGREGATE BASE TYPE C	140.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	3757.000	CY
501(F) 6352	GRANULAR BACKFILL	9159.000	CY
510(A) 6333	RETAINING WALL	204.000	SY
510(D) 6341	MSE RETAINING WALL	824.000	SY
514(A) 6011	PILES, FURNISHED (HP 12X53)	4060.000	LF
514(A) 6012	PILES, FURNISHED (HP 14X73)	6754.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	4060.000	LF
514(B) 6296	PILES, DRIVEN (HP 14X73)	6754.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	1380.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	61.000	LF

SECTION 0003 - BRIDGE 'M-A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	72.000	CY
501(F) 6352	GRANULAR BACKFILL	151.200	CY
501(G) 6309	CLSM BACKFILL	224.000	CY
504(A) 1304	APPROACH SLAB	427.200	SY
504(B) 1305	SAW-CUT GROOVING	1744.900	SY
504(E) 6190	42" F-SHAPED PARAPET	465.100	LF
506(A) 1322	STRUCTURAL STEEL	222340.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	36.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	36.000	EA
509(A) 1326	CLASS AA CONCRETE	431.100	CY
509(B) 1328	CLASS A CONCRETE	386.100	CY
510(C) 6138	SLOPE WALL (5")	644.000	SY
511(A) 1332	REINFORCING STEEL	41050.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	111270.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	668.500	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	668.500	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	228.000	LF
523(A) 6550	SEALER CRACK PREPARATION	768.000	LF
523(B) 6560	SEALER RESIN	7.700	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	234.000	LF
613(I) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	90.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110504

SECTION 0003 - BRIDGE 'M-A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - BRIDGE 'M-C'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	410.000	CY
501(G) 6309	CLSM BACKFILL	1000.000	CY
502 1000	TEMPORARY EARTH RETAINAGE	1.000	LSUM
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1100.000	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1371.000	LF
504(A) 1304	APPROACH SLAB	1561.600	SY
504(B) 1305	SAW-CUT GROOVING	4514.000	SY
504(C) 6250	SEALED EXPANSION JOINT	139.200	LF
504(E) 6190	42" F-SHAPED PARAPET	634.600	LF
506(A) 1322	STRUCTURAL STEEL	50080.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	24.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	48.000	EA
509(A) 1326	CLASS AA CONCRETE	874.500	CY
509(B) 1328	CLASS A CONCRETE	1410.300	CY
510(C) 6138	SLOPE WALL (5")	2400.000	SY
511(A) 1332	REINFORCING STEEL	87820.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	234200.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	155.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	4105.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	155.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	4105.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	738.000	LF
523(A) 6550	SEALER CRACK PREPARATION	131.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	582.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	140.000	LF

SECTION 0005 - I-40 BRIDGES OVER AGNEW

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0006 - I-40 BRIDGES OVER RENO

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0007 - TRAFFIC SIGNAL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(C) 0924	SAWING PAVEMENT	1040.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	1430.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	150.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	260.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110504

SECTION 0007 - TRAFFIC SIGNAL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	450.000	LF
803(A) 8065	PULL BOX(SIZE I)	13.000	EA
803(A) 8066	PULL BOX(SIZE II)	11.000	EA
804(A) 2915	STRUCTURAL CONCRETE	9.500	CY
804(B) 2916	REINFORCING STEEL	1377.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8314	32'MH POLE 50'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(B) 8892	8' MTG.HT.TS PED.POLE(G.STL.)	3.000	EA
809(A) 8090	ROADWAY LUMINAIRE	3.000	EA
811 8038	1/C NO.4 ELECT.COND.	5600.000	LF
828(A) 8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	7.000	EA
828(B) 8136	LOOP DETECTOR WIRE	7000.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	7.000	EA
831 8262	1WAY3SEC.ADJ.SIG.HD.S-10	1.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	1.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	5260.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	2660.000	LF
834(A) 8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	900.000	LF
834(A) 8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	1050.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	7000.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	3.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	3000.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	134.200	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	16.000	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	45.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	23.000	LF
851(C) 8324	2" SQUARE TUBE POST	197.000	LF
851(C) 8327	2 1/4" SQUARE TUBE POST	84.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2150.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	730.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	175.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA

SECTION 0008 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(A) 0319	CLASS AA CONCRETE	111.600	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110504

SECTION 0008 - TRAFFIC LIGHTING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	240.000	LF
802(A) 8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	36.000	LF
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	420.000	LF
802(A) 8310	2" GALV.STEEL ELECT.COND. EXPOSED	135.000	LF
802(A) 8312	2" GALV.STEEL ELECT.COND.PUSHED OR BORED	115.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	2810.000	LF
803(A) 8065	PULL BOX(SIZE I)	14.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	2.640	CY
804(B) 2916	REINFORCING STEEL	11009.000	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	13.000	EA
806(C) 8929	40'MHP & TWIN H.L.MST.ARM(G.STL.)	2.000	EA
807 8092	BREAKAWAY BASE (DES. B)	2.000	EA
809(A) 8090	ROADWAY LUMINAIRE	4.000	EA
809(B) 8098	UNDERPASS LUMINAIRE	9.000	EA
809(E) 8103	HIGH MAST LUMINAIRE	30.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	8940.000	LF
811 8044	1/C NO.10 ELECT.COND.	3870.000	LF
811 8052	2/C NO.12 ELECT.COND.	240.000	LF
812 8060	120' HIGH MAST POLE(G.STL.)	3.000	EA
812 8068	140' HIGH MAST POLE(G.STL.)	3.000	EA
813 8074	HIGH MAST LOWERING DEV.TYP.I	6.000	EA

SECTION 0009 - TRAFFIC TEMPORARY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	117874.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	120.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1050.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	4800.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	31830.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	21450.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	3690.000	SD
880(C) 8848	WING BARRICADES	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5760.000	SD
880(F) 8878	DRUMS	42030.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1500.000	HOURL
882 8370	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	600.000	SD
882 8372	(SP)SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	900.000	SD
882 8374	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	900.000	SD
882 8376	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	300.000	SD
882 8378	(PL)SMART WORK ZONE SYSTEM SETUP	1.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110504

SECTION 0010 - TRAFFIC PERMANENT

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
509(D) 0325	CLASS C CONCRETE	15.510	CY
511(A) 0332	REINFORCING STEEL	639.000	LB
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	196.000	LF
804(A) 2915	STRUCTURAL CONCRETE	8.880	CY
804(B) 2916	REINFORCING STEEL	2308.000	LB
805(A) 8700	REMOVAL OF SIGN FOOTING	7.000	EA
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	36.000	EA
805(A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	39.000	EA
805(D) 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	7.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	80.250	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	586.750	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	1036.750	SF
851(A) 3209	6"@25 GALV.STL.WD.FLANGE BM.POST	126.000	LF
851(A) 3210	8"@31 GALV.STL.WD.FLANGE BM.POST	114.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	60.000	LF
852(C) 0140	OVHD.SN.STR., MONOTUBE TYPE A 110'	1.000	EA
852(C) 0145	OVHD.SN.STR., MONOTUBE TYPE A 115'	1.000	EA
852(C) 0155	OVHD.SN.STR., MONOTUBE TYPE A 125'	1.000	EA
852(E) 0500	OVHD.SN.STR., MONOTUBE TYPE C	1.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	85551.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	41275.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	12605.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	7688.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	240.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	79.000	EA
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	31.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	57.000	EA
871(A) 8325	(SP)IMPACT ATTENUATOR	3.000	EA

SECTION 0011 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0012 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110530

CALL ORDER: 290
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 IMY-XTWN(067) 1742877
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$99.71
 270 CALENDAR DAYS
 TIME 'B' BID - \$ 12500 / DAY
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION

BRIDGE AND APPROACHES (REMOVAL)
 I-40: DECONSTRUCTION OF BRIDGE FROM WESTERN AVE TO JUST
 EAST OF BYERS AVE IN OKLAHOMA CITY.
 PROJECT LENGTH = 1.591 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
230(A) 2806	SOLID SLAB SODDING (6, 9)(R-7, 8)	14340.000	SY
241 2832	MOWING (5, 9)	11.840	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E (8, 9)(R-25)	1620.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK) (1, 7, 9, 13)(R-32, 49, 50)	3075.000	TON
414(E) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY) (2, 7, 9, 13)(R-35, 49, 50)	1770.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT (9, 13)	368.000	CY
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL) (3, 9, 12)(R-49, 50)	250.000	LF
609(B) 0383	COMBINED CURB & GUTTER(6" BARRIER) (3, 9, 12)(R-49, 50)	150.000	LF
610(A) 0605	6" CONCRETE SIDEWALK (4, 9)(R-49, 50)	70.000	SY
620(C) 5910	CONTRACTOR HEALTH SAFETY PLAN (60)	1.000	LSUM
620(C) 5920	CONTAMINATED MATERIALS MANAGEMENT PLAN (60)	1.000	LSUM
624(E) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A) (9, 11)(R-49, 52)	2400.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE (100)	1.000	LSUM
660(A) 0100	(SP)DELIVERY OF USED STL BEAM, UP TO 60'	86994.000	MILE
660(A) 0110	(SP) DELIVERY OF USED STEEL BEAM, > 60'	132663.000	MILE

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0950	RAILROAD FLAGGING	28.000	DAY
857(B) 8842	CONSTRUCTION TRAFFIC STR.(PAINT)(ARROWS) (TC-20)(TC-70)(TC-75)	15.000	EA
857(B) 8845	CONSTRUCTION TRAFFIC STR.(PAINT)(WORDS) (TC-20)(TC-70)(TC-75)	15.000	EA
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE) (TC-19)(TC-20)(TC-70)(TC-75)	15000.000	LF
857(D) 8869	NONREMOVABLE PAVT. MARKING TAPE(4" WIDE) (TC-70)(TC-75)	5000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1 (TC-20)(TC-21)(TC-61)(TC-70)(TC-73)(TC-75)	4000.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP) (TC-22)(TC-70)	20000.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER (TC-1)(TC-68)	500.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110530

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(A) 8812	ARROW DISPLAY(TYPE C) (TC-70)	1000.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF (TC-23)(TC-24)(TC-26)(TC-28)(TC-33)	17000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF (TC-26)(TC-29)(TC-33)	4000.000	SD
880(B) 8822	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF (TC-26)(TC-29)(TC-33)(TC-68)	14.000	EA
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF (TC-26)(TC-30)(TC-33)	800.000	SD
880(C) 8836	CONSTRUCTION BARRICADES(TYPE II) (TC-26)	800.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III) (TC-26)	10000.000	SD
880(C) 8845	BARRICADES(TYPE III) (TC-26)(TC-68)	30.000	EA
880(C) 8848	WING BARRICADES (TC-26)(TC-33)(TC-70)(TC-84)	200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A) (TC-26)	21000.000	SD
880(E) 8863	WARNING LIGHTS(TYPE A) (TC-26)(TC-68)	60.000	EA
880(F) 8878	DRUMS (TC-26)(SP-1)	8000.000	SD
880(G) 8884	TUBE CHANNELIZERS (TC-70)	1000.000	SD
880(G) 8890	CHANNELIZER CONES (TC-70)	1000.000	SD
880(I) 8902	FLAGGER (TC-58)	112.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN (TC-52)(TC-84)(TC-85)	2000.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT (10)	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110519

CALL ORDER: 300
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN
 STP-155A(870)AG 2854104
 DBE GOALS : 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$0.00
 45 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 RESURFACE (ASPHALT)
 CITY STREET (MEMORIAL ROAD): FROM WESTERN AVE, EXTEND EAST
 IN OKLAHOMA CITY.
 PROJECT LENGTH = 1.723 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(B) 0105	MUCK EXCAVATION	820.000	CY
221(C) 2801	TEMPORARY SILT FENCE	14467.000	LF
230(A) 2806	SOLID SLAB SODDING	9185.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	744.000	TON
407(B) 0250	TACK COAT	2755.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	50519.000	SY
409(B) 4268	BITUMINOUS BINDER	10103.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	6172.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	2777.000	TON
412 5267	COLD MILLING PAVEMENT	55112.000	SY
609(B) 1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	516.000	LF
609(B) 1525	2'-8" COMB.CRB.& GUT.(6" BARRIER)	350.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	272.000	SY
610(B) 5016	8" CONCRETE DRIVEWAY	125.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	240.000	SF
612(A) 0641	MANHOLES ADJUST TO GRADE	2.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	2.000	EA
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	700.000	LF
613(I) 1097	8" NON-PERF.PIPES UNDERDRAIN RND.	300.000	LF
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	155.000	CY
613(V) 1180	TRENCH EXCAVATION	296.000	CY
619(B) 4726	REMOVAL OF CURB AND GUTTER	978.000	LF
619(C) 0924	SAWING PAVEMENT	908.000	LF
806(B) 8896	12' MTG.HT.TS PED.POLE(G.STL.)	14.000	EA
828(B) 8136	LOOP DETECTOR WIRE	3049.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	14.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	31000.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1848.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	554.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	6.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT**

CONTRACT ID: 110519

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110520

CALL ORDER: 320
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PAYNE

PROJECT(S) : PCN
 BRO-160D(160)CI 2365604
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$14.09
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-347): OVER COUNCIL CREEK, 2.0 MILES SOUTH
 OF SH-51.
 PROJECT LENGTH = 0.312 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	23597.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.880	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	764.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	987.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	38.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	94.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	828.500	LF
504(C) 6250	SEALED EXPANSION JOINT	66.000	LF
504(E) 1380	CONCRETE RAIL (TR1)	485.200	LF
506(A) 1322	STRUCTURAL STEEL	4910.000	LB
509(A) 1326	CLASS AA CONCRETE	159.700	CY
509(B) 1328	CLASS A CONCRETE	112.500	CY
511(A) 1332	REINFORCING STEEL	51530.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	194.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	446.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	194.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	446.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	138.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	2650.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110520****SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(C) 1355	TYPE I-A FILTER BLANKET	1040.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	62.500	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	1.000	EA
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	3.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110521

CALL ORDER: 340
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PITTSBURG

PROJECT(S) : PCN
 SBR-161B(247)SB 2819604
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$23.84
 120 CALENDAR DAYS
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-9A: OVER GAINES CREEK, 0.92 MILES EAST OF THE US-69
 JUNCTION.
 PROJECT LENGTH = 0.207 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3650.000	LF
221(F) 0100	TEMPORARY SILT DIKE	40.000	LF
230(A) 2806	SOLID SLAB SODDING	3200.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	2590.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1113.000	TON
412 5267	COLD MILLING PAVEMENT	2187.000	SY
509(D) 0325	CLASS C CONCRETE	5.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	2900.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3000.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE A

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	143.000	SY
504(B) 1305	SAW-CUT GROOVING	2403.400	SY
504(C) 6250	SEALED EXPANSION JOINT	63.500	LF
504(D) 6245	CONCRETE RAIL (TR4)	1442.000	LF
506(A) 1322	STRUCTURAL STEEL	11130.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	576.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	143880.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1243.600	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	31.500	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.800	GAL

OKLAHOMA DEPARTMENT OF TRANSPORTATION**STATE PROJECT****CONTRACT ID: 110521****SECTION 0002 - BRIDGE A**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
521(A) 6210	PNEUMATICALLY PLACED MORTAR	9.700	SY
523(A) 6550	SEALER CRACK PREPARATION	128.700	LF
523(B) 6560	SEALER RESIN	2.000	GAL
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7126.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0006 - NON-PARTICIPATING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504 6224	HANGERS	85.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110522

CALL ORDER: 360
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: PONTOTOC

PROJECT(S) : PCN
 SBR-162A(219)SB 2817404
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$20.59
 210 CALENDAR DAYS
 TIME 'B' BID - \$ 2000 / DAY
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION
 BRIDGE REHABILITATION
 SH-1: OVER 18TH STREET, JUST SOUTHWEST OF ADA.

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(D) 0184	UNCLASSIFIED BORROW	1200.000	CY
230(A) 2806	SOLID SLAB SODDING	3000.000	SY
303(B) 2110	AGGREGATE BASE TYPE B	854.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	91.000	TON
407(B) 0250	TACK COAT	336.000	GAL
408 5774	PRIME COAT	348.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	376.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	673.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	48.000	SY
509(D) 0325	CLASS C CONCRETE	7.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	48.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3140.000	SY
619(C) 0924	SAWING PAVEMENT	40.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1988.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA

SECTION 0002 - BRIDGE A

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	65.000	CY
501(G) 6309	CLSM BACKFILL	65.000	CY
504(A) 1304	APPROACH SLAB	179.300	SY
504(C) 6250	SEALED EXPANSION JOINT	85.100	LF
504(D) 6245	CONCRETE RAIL (TR4)	362.800	LF
506(A) 1322	STRUCTURAL STEEL	2000.000	LB
509 6152	SPECIAL CONCRETE FINISH	320.000	SY
509(A) 1326	CLASS AA CONCRETE	151.300	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	46900.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110522

SECTION 0002 - BRIDGE A

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	166.200	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	80.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	70.000	SY
523(A) 6550	SEALER CRACK PREPARATION	170.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE B

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	65.000	CY
501(G) 6309	CLSM BACKFILL	65.000	CY
504(A) 1304	APPROACH SLAB	180.600	SY
504(C) 6250	SEALED EXPANSION JOINT	85.100	LF
504(D) 6245	CONCRETE RAIL (TR4)	359.200	LF
506(A) 1322	STRUCTURAL STEEL	2000.000	LB
509 6152	SPECIAL CONCRETE FINISH	310.000	SY
509(A) 1326	CLASS AA CONCRETE	151.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	46900.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	166.600	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	80.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	70.000	SY
523(A) 6550	SEALER CRACK PREPARATION	170.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7800.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	420.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1065.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1065.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	420.000	SD

SECTION 0005 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110524

CALL ORDER: 400
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: STEPHENS

PROJECT(S) : PCN
 BRO-169D(168)CI 2684604
 DBE GOALS : 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$10.84
 150 CALENDAR DAYS
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-275): OVER STAGESTAND CREEK, 6.3 MILES
 SOUTH OF SH-7.
 PROJECT LENGTH = 0.284 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2600.000	LF
221(F) 0100	TEMPORARY SILT DIKE	400.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	10.000	CY
230(A) 2806	SOLID SLAB SODDING	9623.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	715.000	CY
408 5774	PRIME COAT	980.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 4499	51" X 31" R.C.P.I.PE ARCH CLASS A-III	72.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	68.000	LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	4.000	EA
613(O) 4816	SP. END SECTION OF 51" X 31" RCP ARCH	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(F) 6352	GRANULAR BACKFILL	46.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	357.000	LF
504(B) 1305	SAW-CUT GROOVING	351.000	SY
504(D) 6239	CONCRETE RAIL (TR3)	292.600	LF
506(A) 1322	STRUCTURAL STEEL	660.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	6.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	12.000	EA
509(A) 1326	CLASS AA CONCRETE	110.200	CY
509(B) 1328	CLASS A CONCRETE	78.100	CY
511(A) 1332	REINFORCING STEEL	40147.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	175.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	175.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	118.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION**FEDERAL PROJECT****CONTRACT ID: 110524****SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
601(B) 1353	TYPE I-A PLAIN RIPRAP	1150.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	288.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	54.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110525

CALL ORDER: 420
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: TULSA

PROJECT(S) : PCN
 STP-172A(346)IG 2403704
 STPG-172A(396)IG 2403706
 DBE GOALS : 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$117.05
 275 CALENDAR DAYS
 TIME 'B' BID - \$ 3000 / DAY
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION

GRADE, DRAIN, SURFACE AND BRIDGE
 CITY STREET (86TH STREET): FROM MEMORIAL DRIVE, EXTEND EAST
 TO MAIN STREET IN THE CITY OF OWASSO.
 PROJECT LENGTH = 1.634 MILES

SECTION 0001 - ROADWAY - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0600	CONSTRUCTION MISCELLANEOUS	21.000	EA
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	29679.000	CY
202(D) 0184	UNCLASSIFIED BORROW	35309.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(B) 2801	TEMPORARY BALE BARRIER	415.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	7.000	EA
230(A) 2806	SOLID SLAB SODDING	38998.000	SY
230(F) 2812	WATERING	104.000	KGAL
232(A) 2813	SEEDING METHOD A	9.810	AC
234(A) 2824	FERTILIZING (10-20-10)	35.000	TON
234(A) 4406	FERTILIZING (0-46-0)	1.000	TON
303(A) 2100	AGGREGATE BASE TYPE A	11967.000	CY
310(B) 0149	SUBGRADE, METHOD B	53081.000	SY
325 5271	SEPARATOR FABRIC	54336.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	6218.000	TON
408 5774	PRIME COAT	7688.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	5059.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5064.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	3366.000	TON
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	17084.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	4271.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	394.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	15.000	CY
510(A) 6333	RETAINING WALL	1248.000	SY
511(A) 0332	REINFORCING STEEL	1238.000	LB
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	5142.000	LF
609(B) 0383	COMBINED CURB & GUTTER(6" BARRIER)	9047.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110525

SECTION 0001 - ROADWAY - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
610(A) 0602	4" CONCRETE SIDEWALK	3376.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	1615.000	SY
610(G) 4142	BITUMINOUS DRIVEWAY	1873.000	SY
611(A) 2658	MANHOLE (5' DIA.)	3.000	EA
611(C) 4215	REPLACEMENT OF MANHOLE FRAME & COVER	15.000	EA
611(G) 5112	INLET CI DES. 2 (STD)	2.000	EA
611(G) 5113	INLET CI DES. 2 (B)	4.000	EA
611(G) 5115	INLET CI DES. 2 (D)	12.000	EA
611(G) 5123	INLET CI DES. 3 (2B)	6.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	7.000	EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	42.000	VF
611(H) 5330	ADD'L DEPTH IN INLET CI DES. 3	17.000	VF
611(I) 4488	RPLC INLT FRM&GRT(SSIF-FRM,CIG-GRT-VG-F)	62.000	EA
611(L) 0487	JUNCTION BOXES	3403.000	CF
611(M) 4488	REPLACEMENT OF CAST IRON HOOD	158.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	1241.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	1005.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	556.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	62.000	LF
613(A) 0497	54" R.C.PIPE CLASS III	795.000	LF
613(A) 0498	60" R.C.PIPE CLASS III	569.000	LF
613(A) 4503	14" X 23" R.C.PIPE ELL. CLASS HE-III	71.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	2000.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	100.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(L) 5732	30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5734	36" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(O) 5099	SP. END SECTION OF 14" X 23" RCP ELL.	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	7.000	EA
619(B) 4726	REMOVAL OF CURB AND GUTTER	546.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1014.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	27579.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	2.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	224.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	233.000	SY
619(B) 5918	REMOVAL OF EXISTING PIPE	754.000	LF
619(C) 0924	SAWING PAVEMENT	699.000	LF
622(A) 4445	2" PIPE RAILING	833.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	165.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	6.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110525

SECTION 0001 - ROADWAY - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	6.000	EA
624 4100	(PL) ORNAMENTAL FENCE	306.000	LF
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	2500.000	LF
624(D) 4470	GATE, GALVANIZED STEEL	2.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	13.000	EA

SECTION 0002 - BRIDGE '59' - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	859.000	CY
501(F) 6352	GRANULAR BACKFILL	320.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	669.000	LF
504(A) 1304	APPROACH SLAB	232.000	SY
504(E) 1380	CONCRETE RAIL (TR1)	525.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	308.000	LF
506(A) 6005	STRUCTURAL STEEL A36	6885.000	LB
509(A) 1326	CLASS AA CONCRETE	1170.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	324354.000	LB
514(A) 6018	PILES, FURNISHED (HP 14X117)	556.000	LF
514(B) 6299	PILES, DRIVEN (HP 14X117)	556.000	LF
514(G) 6310	METAL PILE SHOES	22.000	EA
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	209.000	LF
601(A) 1351	TYPE I PLAIN RIPRAP	1945.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE '60' - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	750.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	300.000	CY
501(E) 6354	SELECT BACKFILL	140.000	CY
501(F) 6352	GRANULAR BACKFILL	160.000	CY
504(E) 1380	CONCRETE RAIL (TR1)	194.000	LF
509(A) 1326	CLASS AA CONCRETE	11.000	CY
509(B) 1328	CLASS A CONCRETE	496.000	CY
511(A) 1332	REINFORCING STEEL	91835.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	120.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	35.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	132.000	SF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	284.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110525

SECTION 0004 - TRAFFIC - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	26042.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	5200.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAFF.STRP)	6200.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3600.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5850.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	11250.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	8100.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	28800.000	SD

SECTION 0005 - STAKING - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0007 - NON-PARTICIPATING (CITY) - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0300	CONSTRUCTION MISCELLANEOUS	20.000	LF
612(A) 0641	MANHOLES ADJUST TO GRADE	9.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	5.000	EA
612(F) 0648	METER BOXES ADJUST TO GRADE	1.000	EA
616(A) 5121	6" DUCTILE IRON PIPE	2010.000	LF
616(A) 5124	12" DUCTILE IRON PIPE	100.000	LF
616(B) 5218	2" POLYVINYL CHLORIDE (PVC) PIPE	260.000	LF
616(B) 5220	3" POLYVINYL CHLORIDE (PVC) PIPE	20.000	LF
616(B) 5223	6" POLYVINYL CHLORIDE (PVC) PIPE	3165.000	LF
616(B) 5227	10" POLYVINYL CHLORIDE (PVC) PIPE	373.000	LF
616(B) 5229	12" POLYVINYL CHLORIDE (PVC) PIPE	30.000	LF
616(C) 0868	3/4" COPPER WATER SERVICE PIPE	690.000	LF
616(D) 1070	6" GATE VALVE	25.000	EA
616(D) 1100	12" GATE VALVE	4.000	EA
616(D) 7010	2" TAPPING SLEEVE	17.000	EA
616(D) 7051	STANDARD VALVE BOX	29.000	EA
616(E) 0878	3/4" CORPORATION STOPS	10.000	EA
616(F) 5948	METER INSTALLATION 3/4"	10.000	EA
616(G) 1195	FIRE HYDRANT AND ASSEMBLY	7.000	LSUM
616(I) 5256	10" STEEL CASING	690.000	LF
616(I) 5264	18" STEEL CASING	75.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110525

SECTION 0007 - NON-PARTICIPATING (CITY) - STP-172A(346)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
616(K) 0100	3" SOLID SLEEVE	1.000	EA
616(K) 0150	6" SOLID SLEEVE	2.000	EA
616(K) 0175	8" SOLID SLEEVE	2.000	EA
616(K) 0225	12" SOLID SLEEVE	5.000	EA
616(L) 0150	8" BLIND FLANGE	2.000	EA
616(N) 0090	SERVICE CONNECTION (SHORT)	9.000	EA
616(N) 0092	SERVICE CONNECTION (LONG)	1.000	EA
616(O) 0100	FITTINGS	20.000	EA
616(O) 0200	6" 45 DEGREE FITTING	2.000	EA
616(O) 0250	6" 90 DEGREE FITTING	4.000	EA
616(O) 0550	12" 90 DEGREE FITTING	1.000	EA
616(R) 0375	4" X 3" REDUCER	1.000	EA
616(R) 0480	6" X 4" REDUCER	1.000	EA
616(R) 0760	12" X 6" REDUCER	2.000	EA
616(T) 2500	6" X 6" X 6" TEE	9.000	EA
616(T) 5500	12" X 12" X 12" TEE	4.000	EA

SECTION 0008 - TRAFFIC SIGNAL - STPG-172A(396)IG

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	55.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	240.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	30.000	LF
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	11.100	CY
804(B) 2916	REINFORCING STEEL	1705.700	LB
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	4.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	1320.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA
833 3030	BACKPLATE	8.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1015.000	LF
834(A) 8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	485.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	45.000	LF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	48.000	SF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110303

CALL ORDER: 460
 LETTING DATE: November 17, 2011
 LETTING TIME: 10:30 A.M.
 COUNTIES: WASHINGTON

PROJECT(S) : PCN
 BRO-174D(075)CO 2694804
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : \$22.76
 90 CALENDAR DAYS
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-27): OVER KEELER CREEK 7.0 MI SOUTH AND 2.8
 MI WEST OF US-60/US-75 JCT.
 PROJECT LENGTH = 0.293 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2885.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2778.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1075.000	LF
221(F) 0100	TEMPORARY SILT DIKE	360.000	LF
230(A) 2806	SOLID SLAB SODDING	5989.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.600	AC
303(A) 2100	AGGREGATE BASE TYPE A	647.000	CY
325 5271	SEPARATOR FABRIC	4518.000	SY
408 5774	PRIME COAT	2000.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	574.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	108.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	78.000	LF
613(P) 4571	28" X 20" GALV. STEEL CULV. END SEC.ARCH	4.000	EA
613(P) 7025	21" X 15" GALV. STEEL CULV. END SEC.ARCH	6.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	30.320	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	66.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	12.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	6200.000	LF
854(B) 8809	TRAFFIC STRIPE(PAINT)(SYMBOLS)	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(C) 1308	SUBSTRUCTURE EXCAVATION ROCK	45.000	CY

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 110303

SECTION 0002 - BRIDGE 'A'

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(F) 6352	GRANULAR BACKFILL	95.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	359.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	309.800	LF
506(A) 1322	STRUCTURAL STEEL	750.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	105.800	CY
509(B) 1328	CLASS A CONCRETE	73.800	CY
510(C) 6137	SLOPE WALL (4")	36.800	SY
511(A) 1332	REINFORCING STEEL	33850.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	52.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	154.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	52.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	154.000	LF
516(A) 6089	DRILLED SHAFTS 18" DIAMETER	10.000	LF
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	24.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	260.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	65.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	22.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	12.500	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F) 6029	GUARDRAIL ANCHOR UNIT (TYPE A)	3.000	EA
623(F) 6030	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis Mr. Manuel Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X (pending appeal)
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
HORIZON CONSTRUCTION CO., INC. Mr. Max Elliot Wolf P.O. Box 690 Owasso, OK 74055	X (suspended by FHWA pending debarment)	



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting:

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK	X (suspended by FHWA pending debarment)	
HECKERT CONSTRUCTION COMPANY, INC. Mr. Charles Heckert Mr. Roger A. Heckert Mr. Michael Lehman Ms. Dietra Cowan 746 E. 526 th Ave. Pittsburg, KS 66762	X (suspended by FHWA pending debarment)	

BID OPENING OF – November 17, 2011 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	☐ Pickup ☐ COD ☐ Overnight ☐ Fed Ex #: _____ ☐ Mail
Contractor's Name:	
Telephone No:	
Physical Address:	
Please Return Completed Form to:	
Fax : 405-522-0972 or	
Email: mjunsay@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ADAIR	010	BRF-101C(081)CI	25640(04)		\$50.00	8.00 + 0.67	3
2	ATOKA	020	SBR-103N(137)SB	28194(04)		\$50.00	40.00 + 3.55	0
3	BECKHAM	040	SBR-105C(198)SB	28132(04)		\$50.00	22.00 + 1.84	0
4	BLAINE	060	BRFY-017N(203)SS	24087(04)		\$50.00	55.00 + 4.61	15
5	CADDO	080	IMY-0040-4(430)102	26488(04)		\$50.00	43.00 + 3.60	0
6	CANADIAN	100	STP-109C(159)CI	26646(04)		\$50.00	18.00 + 1.51	1
7	CLEVELAND	120	STP-114D(176)AG	23766(04)		\$50.00	7.00 + 0.59	0
8	CLEVELAND	121	STP-114C(201)AG	24610(04)		\$50.00	7.00 + 0.59	0
9	CLEVELAND	122	STP-114D(176)AG STP-114C(201)AG	23766(04)C 24610(04)C		\$50.00	14.00 + 1.18	0
10	COMANCHE	140	BRO-116D(182)CI	26850(04)		\$50.00	8.00 + 0.67	4
11	COMANCHE	150	BRFY-116N(207)3B	28592(05)		\$50.00	9.00 + 0.75	0
12	DELAWARE	180	CIRB-121C(109)RB	20622(05)		\$50.00	16.00 + 1.34	10
13	GARFIELD	200	CIRB-124C(111)RB	24867(04)		\$50.00	23.00 + 1.93	4
14	HARMON	220	BRO-129D(047)CI	28020(04)		\$50.00	6.00 + 0.50	4
15	LEFLORE	225	CIRB-140C(135)RB	22885(04)		\$50.00	10.00 + 0.84	9
16	LEFLORE	230	CIRB-140D(162)RB	25101(04)		\$50.00	12.00 + 1.01	8
17	MCCLAIN	240	SBR-144C(157)SB	28177(04)		\$50.00	23.00 + 1.93	0
18	MAJOR	260	BRF-147C(127)CI	24615(04)		\$50.00	11.00 + 0.92	4
19	OKLAHOMA	280	OKCY-XTWN(046)	17428(58)		\$50.00	272.00 + 22.78	50
20	OKLAHOMA	290	IMY-XTWN(067)	17428(77)		\$50.00	92.00 + 7.71	0
21	OKLAHOMA	300	STP-155A(870)AG	28541(04)		\$50.00	No Charge	0
22	PAYNE	320	BRO-160D(160)CI	23656(04)		\$50.00	13.00 + 1.09	3
23	PITTSBURG	340	SBR-161B(247)SB	28196(04)		\$50.00	22.00 + 1.84	0
24	PONTOTOC	360	SBR-162A(219)SB	28174(04)		\$50.00	19.00 + 1.59	0
25	STEPHENS	400	BRO-169D(168)CI	26846(04)		\$50.00	10.00 + 0.84	4
26	TULSA	420	STP-172A(346)IG STPG-172A(396)IG	24037(04) 24037(06)		\$50.00	108.00 + 9.05	79
27	WASHINGTON	460	BRO-174D(075)CO	26948(04)		\$50.00	21.00 + 1.76	18