

PAYNE COUNTY  
BOARD OF COUNTY COMMISSIONERS  
STILLWATER, OKLAHOMA

**"NOTICE TO BIDDERS"**

Notice is hereby given that the Payne County Board of Commissioners State of Oklahoma, will receive sealed bids for the following:

**BID # 2018-23  
PAYNE COUNTY BRIDGE REPLACEMENT PROJECTS  
PAYCO. #114  
AND  
PAYCO. # 116**

Bid documents may be picked up at the Payne County Clerk's Office at 315 W. 6<sup>th</sup>, Suite 202, Payne County Administration Building, Stillwater, Oklahoma, or call 405-747-8348 to request that they be mailed.

Bids should be mailed or hand delivered to the Payne County Clerk, 315 W. 6th, Suite 202, Stillwater, OK. 74074, Bids must be filed with the Payne County Clerk on or before 9:30 A.M. on AUGUST 14, 2017. Bids must be sealed and clearly marked:

**BID # 2018-23  
PAYNE COUNTY BRIDGE REPLACEMENT PROJECTS  
PAYCO. # 114 AND PAYCO. # 116  
PAYNE COUNTY COMMISSIONER, KENT BRADLEY, DISTRICT # 3  
BID OPENING: AUGUST 14, 2017 @ 9:30 A.M.**

The Board of County Commissioners, or their appointed representative, will evaluate all bids, and reserves the right to reject any or all of the bids, and reserves the right to waive any of the listed specifications. The Board of County Commissioners reserves the right to accept the bid determined to best serve the needs of Payne County.

Payne County hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex or national origin in consideration for an award.

DONNA HICKMAN  
PURCHASING AGENT



*Glenna Craig*

Payne County Clerk

315 W. 6<sup>th</sup>, Suite 202 Stillwater, Oklahoma 74074

Phone: 405-747-8310\* Fax: 405-747-8304

[gcraig@paynecountyclerk.org](mailto:gcraig@paynecountyclerk.org)

---

**BID # 2018-23**

**PAYNE COUNTY COMMISSIONER, DISTRICT # 3**

**BRIDGE REPLACEMENT PROJECTS**

**PAYCO. #114 AND PAYCO. #116**

Vendor and or company representative,

Included in this correspondence you will find information in regards to bid specifications, packet information, and instructions per the Payne County Commissioners who are requesting your company submit a bid for the enclosed project or materials.

***The enclosed packet has been developed and approved by the Payne County Commissioners, the content of the packet is per their instruction.*** The Payne County Clerk's office is the facilitator of the bid process and is required to receive and hold all sealed bids per Oklahoma State Statutes to present to the Board of Commissioners in an open session.

If you have any questions in regards to the pack content, specifications, and instructions please contact the following: PAYNE COUNTY COMMISSIONER, DISTRICT # 3, KENT BRADLEY  
PHONE NUMBER: 404-372-7758

**The results of this Bid will be on the Payne County Clerk website as soon as the vendor is chosen. The vendor is welcome to call for results or to be at the meeting for the opening of the bid. Payne County Clerk Website: [countyclerk.paynecounty.org](http://countyclerk.paynecounty.org)**

We appreciate your bid and time in regards to the process. We look forward to hearing from you.

Kind Regards,

A handwritten signature in blue ink that reads "Glenna Craig".

Glenna Craig, Payne County Clerk

State of Oklahoma



## Glenna Craig

Payne County Clerk

315 W. 6<sup>th</sup>, Suite 202 Stillwater, Oklahoma 74074

Phone: 405-747-8310\* Fax: 405-747-8304

[gcraig@paynecountyclerk.org](mailto:gcraig@paynecountyclerk.org)

### INVITATION TO BID

The Board of Payne County Commissioners, Payne County, Oklahoma is seeking sealed bids for:  
**PAYNE COUNTY BRIDGE REPLACEMENT PROJECTS**

**PAYCO. # 114**

**AND**

**PAYCO. # 116**

**DISTRICT # 3**

**Bid: # 2018-23**

**Date Published:** JULY 20, 2017 AND JULY 27, 2017

**Bidding Period Closing Date and Hour:** AUGUST 14, 2017 at 9:30 a.m.

**Sealed Bid Opening Date and Hour:** AUGUST 14, 2017 at 9:30 a.m.

**Location:** Commissioners Hearing Room 200, Payne County Administration Building.

**Address:** 315 W. 6<sup>th</sup>, Stillwater, OK. 74074

**Requesting Authority:** PAYNE COUNTY COMMISSIONER, KENT BRADLEY, DISTRICT # 3  
405-372-7758

**Bid Submissions are to be mailed to:**

**Attn: Payne County Purchasing Agent**

**Payne County Clerk's Office**

**315 W. 6<sup>th</sup>, Suite 202**

**Stillwater, OK 74074**


Please review the attached Terms and Conditions pertaining to the submission of this bid.

Please pay particular attention to item (1) of the Terms and Conditions. This item specifies how the bid envelopes are to be identified to prevent inadvertent or premature opening of sealed bids. Your compliance will ensure consideration of your bid by the awarding body. Late bids will not be considered.

The Non-Collusions Affidavit bearing original signature must be notarized and returned with the bid submission.

This packet contains:

1. Invitation to Bid
2. Terms and Conditions for Bidding
3. Affidavit for Filing with Competitive Bid
4. Specifications/Bid forms for desired item(s) (may be more than one page of information).

  
**Glenna Craig, Payne County Clerk**  
**State of Oklahoma**  
**315 W. 6<sup>th</sup>, Suite 202**  
**Stillwater, OK 74074**





*Glenna Craig*

Payne County Clerk

315 W. 6<sup>th</sup>, Suite 202 Stillwater, Oklahoma 74074

Phone: 405-747-8310\* Fax: 405-747-8304

[gcraig@paynecountyclerk.org](mailto:gcraig@paynecountyclerk.org)

---

## TERMS AND CONDITIONS

THESE ITEMS APPLY TO AND BECOME A PART OF THE BID  
NO EXCEPTIONS TO THESE TERMS AND CONDITIONS WILL BE CONSIDERATED

1. Bids must be submitted on the included form only. Each bid shall be placed in a separate envelope. Be sure the envelope is completely and properly identified and sealed, showing the bid name and number in the lower left hand corner.
2. All bids shall be entered on the Bid Form enclosed or a copy thereof. Bids are to be typewritten or in ink. No bidder may withdraw his proposal for a period of thirty (30) days after the date and hour set for the opening of bids.
3. The bidder shall attach the manufacturer's name of the equipment or material to be furnished, type model numbers descriptive bulletins and specifications. All guarantees and warranties should be clearly stated. This data shall be sufficient detail to describe accurately the equipment or material to be furnished. Manufacturer's specifications, in respect to the successful bidder, shall be considered as part of the contract with Payne County.
4. Any exceptions or deviations from written specifications shall be identified in writing and attached to the bid form.
5. The enclosed affidavit for Filing with Competitive Bid MUST be returned with the bid.
6. Payne County reserves the right to reject any and all bids and to waive any technicalities in the bidding.
7. Direct purchase of certain items of equipment or material by Payne County is exempt from Federal Excise Tax and Oklahoma Sales Tax. In such cases, the bidder shall quote prices which do not include Federal Excise Tax and Oklahoma Sales Tax.
8. Bid must show number of days required for delivery under normal conditions. Contractor must keep the County advised at all times of the status of the order. For any exception to the delivery date as specified on this order, vendor shall give prior notification and obtain written approval from the Purchasing Agent. Default in promised delivery date or failure to meet specifications, authorizes the County to purchase supplies elsewhere and charge the full increase of cost and handling to defaulting contractor.
9. Bidder agrees to defend and save Payne County from and against all demands, claims costs expense, damage and judgments based upon infringement of any patent to goods specified in this order or the ordinary use or operation of such goods by the County or use or operation of such goods in accordance with the bidder's direction



# Glenna Craig

Payne County Clerk

315 W. 6<sup>th</sup>, Suite 202 Stillwater, Oklahoma 74074

Phone: 405-747-8310\* Fax: 405-747-8304

[gcraig@paynecountyclerk.org](mailto:gcraig@paynecountyclerk.org)

S.A.&I. 425/1-4040 (2000)

## AFFIDAVIT FOR FILING WITH COMPETITIVE BID

STATE OF OKLAHOMA )

)SS

COUNTY OF \_\_\_\_\_ )

\_\_\_\_\_, of lawful age, being first duly sworn, on oath says, that (s)he is the agent authorized by the bidder to submit the attached bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any county official or employee as to quantity, quality or price in the prospective contract, or any other terms of said prospective contract, or in any discussions between bidders and any county official concerning exchange of money or other thing of value for special consideration in the letting of a contract.

Firm: \_\_\_\_\_

Signed by: \_\_\_\_\_  
(manual signature of undersigned)

Title: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip: \_\_\_\_\_ Tax ID: \_\_\_\_\_

Telephone (\_\_\_\_) \_\_\_\_\_ Fax (\_\_\_\_) \_\_\_\_\_

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_,  
20\_\_\_\_.

\_\_\_\_\_  
Notary Public (or Clerk or Judge)

My commission expires: \_\_\_\_\_

*Note:*

**PAYNE COUNTY BRIDGE REPLACEMENT PROJECTS**  
**PAYCO. 114 & PAYCO. 116**

**BID SPECIFICATIONS AND GENERAL INFORMATION**

**Project Description:**

The Commissioners of Payne County wish to replace bridge structures 114 & 116 located on W. 80<sup>th</sup> Street Bridge 114 is located approximately 0.6 miles west of Coyle Road and is identified as Project No. PAYCO 114. Bridge 116 is located approximately 50ft. east of Karsten Creek Road and is identified as Project No. PAYCO. 116. These bridge projects are mandatorily tied together for the purposes of bidding and construction.

PAYCO. 114 & PAYCO 116 projects shall be mandatorily tied.

**Specifications:**

1. All materials and labor shall be in accordance with the 2009 Oklahoma Department of Transportation Standard Specifications for Highway Construction. Approved by the U.S. Department of Transportation, Federal Highway Administration, January 4, 2010.

**Special Instructions:**

1. The successful bidder is obligated to attend a pre-work conference with the Payne County District 3 commissioner prior to commencement of construction.
2. The contractor shall remove each bridge superstructure (beams and deck intact) and set within the right-of-way in a location approved by the County. From this location, the intact superstructure will be removed from the project by others. The contractor shall contact the County a minimum of 3 working days prior to removing the bridge superstructure to identify a nearby location to set the superstructure.
3. Granular backfill material for bridge abutments will be provided by the County. County will stockpile granular backfill on project site for installation by the contractor. Contractor shall follow ODOT specifications 501.04B(1) for installation and compaction of granular backfill. Contractor shall give County a minimum of 72 hours notice for delivery of granular backfill to project site. Work associated with the placement and compaction of granular backfill shall be paid for under specification item 501(F).



**PAYNE COUNTY BRIDGE REPLACEMENT PROJECTS**  
**PAYCO. 114 & PAYCO. 116**

**SCOPE OF WORK**

**1. Project description:**

The Commissioners of Payne County wish to replace bridge structures 114 & 116 located on W. 80<sup>th</sup> Street Bridge 114 is located approximately 0.6 miles west of Coyle Road and is identified as Project No. PAYCO 114. Bridge 116 is located approximately 50ft. east of Karsten Creek Road and is identified as Project No. PAYCO. 116. These bridge projects are mandatorily tied together for the purposes of bidding and construction.

PAYCO. 114 & PAYCO 116 projects shall be mandatorily tied.

**2. Construction services:**

a. Special Note: The project shall be a Payne County Force Account Project funded with County funds. This bid and contract is for the labor, equipment, tools, and incidentals to remove each bridge superstructure and substructure, and to construct new bridge structures in accordance with the plans, specifications, and provisions.

b. The contractor shall provide all labor, equipment, tools, and incidentals required to remove each bridge superstructure and substructure and to construct the new bridge structures indicated below at the locations indicated above.

Proposed Bridge 114 – Unnamed Creek  
50'-6" Used Beam Span x 26'-0" Clear Roadway., sk00, TR-3 Rails

Proposed Bridge 116 – Karsten Creek  
65'-0" Used Beam Span x 26'-0" Clear Roadway., sk00, TR-3 Rails

See ODOT Standards and details included with the plan set.

c. Plans of the proposed construction are attached. Any questions shall be submitted in writing to the engineer at the address or email below. Questions shall be directed to the attention of Ryan Bellatti, P.E. All questions must be received 72 hours prior to the bid due date.

Guy Engineering Services, Inc.  
1741 W. 33<sup>rd</sup> St., Ste. 110  
Oklahoma City, OK 73013  
405-612-0030 - phone  
918-437-0455 – fax  
[Ryan-b@guyengr.com](mailto:Ryan-b@guyengr.com) - email

d. Once construction materials are on site, the contractor will be responsible to maintain and protect the materials. If the Contractor feels there is a discrepancy in quantities the Contract shall notify the Engineer as soon as possible.

### **3. Schedule:**

a. The Contractor shall coordinate with the Payne County District 3 Commissioner to verify that all utilities and fences are clear of construction prior to beginning work. Utilities and fences are anticipated to be clear of construction by August 15<sup>th</sup>, 2017.

b. The Contractor will have 150 days to construct each bridge once utilities are clear and the preconstruction conference has been held. The roadway shall not be closed longer than 150 days at each project location.

c. The road may be closed at both bridge locations simultaneously to expedite construction. Access for landowners shall be maintained at all times.

### **4. Bid Items:**

Bidder shall submit a proposal that represents the labor, equipment, tools, and incidentals required to construct the bridge structures pursuant to the plans, specifications, and provisions.

Bid shall include the following: Labor, Equipment, Tools, and Incidentals

The costs for all construction staking, traffic control, SWPPP and mobilization for projects PAYCO. 114 & PAYCO 116 shall be included in the respective unit price bids per L.SUM of "Construction Staking Level II", "Construction Traffic Control", "SWPPP Documentation Management" and "Mobilization" for Payne County Project Number PAYCO. 114.

### **4. Basis of Award:**

The basis of award for Projects PAYCO. 114 & PAYCO 116 shall be the lowest bid for all base bids listed plus all add alternates listed. County has the right to determine which add alternates will be constructed.



ODOT Special Provisions to the 2009 ODOT Standard Specifications  
June 17, 2016

Spec. No.	Special Provision	Use . . .
<input type="checkbox"/> 102-4	A + B Bidding (Traditional Bid + Incentive/Disincentive Payment)	At the discretion of the designer and/or field.
<input type="checkbox"/> 102-9	Bidding Requirements for Right-of-way Clearance Contracts	On all right-of-way clearance projects.
<input type="checkbox"/> 103-1	Bonding Requirements	On all right-of-way clearance projects.
<input type="checkbox"/> 104-1	Railroad Flagging	When the project has RR R-O-W, and <i>flagging is paid separately.</i>
<input type="checkbox"/> 104-2	Railroad Flagging	When the project has RR R-O-W, and <i>flagging is paid under other items of work.</i>
<input checked="" type="checkbox"/> 106-5	Buy America	On all projects.
<input type="checkbox"/> 107-8	Legal Relations and Responsibility to Public (Railroad Insurance)	Anytime RR R-O-W is involved (Rail Programs Division should be consulted).
<input type="checkbox"/> 107-12	Federal Aviation Regulations	When construction is near an airport.
<input type="checkbox"/> 108-1	Progress and Prosecution for Right-of-Way Clearance Contracts	On all right-of-way clearance projects.
<input type="checkbox"/> 108-2	Administration and Extension of Contract Time (Winter Time Suspension)	When construction is expected to occur between December 21 <sup>st</sup> and February 15 <sup>th</sup> .
<input type="checkbox"/> 108-5	Prosecution Progress (90 Days)	When contract time may be suspended for the fabrication of traffic items.
<input type="checkbox"/> 108-6	Prosecution Progress (120 Days)	When contract time may be suspended for the fabrication of traffic items.
<input type="checkbox"/> 108-23	Flexible Notice to Proceed	At the discretion of the designer and/or field. Used to delay the work order.
<input type="checkbox"/> 108-27	Delayed Notice to Proceed	To prevent construction from beginning before a specified date.
<input type="checkbox"/> 108-81	Disincentive for Exposed Cold-Milled Pavement	When cold-milling asphalt driving surfaces.
<input type="checkbox"/> 108-182	Subletting of Contract (70%)	When the Prime Contractor is unable to perform 50% or more of the contract work due to the nature of the construction activities.
<input type="checkbox"/> 109-3	Price Adjustment for Fuel	On projects with a duration around 180 calendar days, and moving at least 50,000 CY of combined excavation, borrow, and/or embankment.
<input checked="" type="checkbox"/> 109-7	Price Adjustment for Asphalt Binder	On all AC paving projects (Do not use on AC/PC alternate projects).
<input type="checkbox"/> 110-1	General Provisions for Use of Electronic Data	When the Department is providing electronic design data to the Contractor for the purposes of bidding and/or construction using Automated Machine Guidance (AMG) technology.
<input type="checkbox"/> 201-1	Eastern Red Cedar Eradication	To encourage the removal of Red Cedar trees within the project right-of-way.
<input type="checkbox"/> 202-2	Osage Nation Mineral Reservation Sandy Soil Mining Permit	When excavating borrow material within, or transporting borrow material out of Osage county.
<input type="checkbox"/> 221-1	Temporary Fiber Logs	When fiber logs are used as part of the SWPPP.
<input type="checkbox"/> 246-2	Geogrid Earth Reinforcement	When placing geogrid under an embankment not under the roadway.
<input type="checkbox"/> 303-1	Aggregate Base	When aggregate base is being used as a component of the typical section, and will be allowed to be mixed on site.
<input type="checkbox"/> 303-2	Aggregate Base (Plant Mixed)	When aggregate base is being used as a component of the typical section, and is required to be plant mixed, and <b>not mixed on site.</b>
<input type="checkbox"/> 317-8	Cement Treated Base	When a cementitious additive is to be used to treat the subgrade of the paving section.

Special Provisions marked “Sample” or “Project Specific” must receive approval from Office Engineer Division.



ODOT Special Provisions to the 2009 ODOT Standard Specifications  
June 17, 2016

Spec. No.	Special Provision	Use . . .
<input type="checkbox"/> 325-1	Moisture Barrier Membrane	On all projects using <i>Moisture Barrier Membrane</i> .
<input type="checkbox"/> 407-2	Bonded Hot Mix Asphalt	When paying for Polymer Modified Cationic Rapid Set-1s (PMCRS-1s) instead of tack coat.
<input type="checkbox"/> 407-3	Non-Tracking (NT) Tack Material	When paying for Trackless Tack instead of tack coat. Use with Special Provision 708-25.
<input type="checkbox"/> 410-1	Milled Hot Recycling of Bituminous Material (Partial Depth) 2"+ Surface Recycling	When paying for Hot-In Place Recycled Asphalt
<input checked="" type="checkbox"/> 411-12	Longitudinal Joint Density On Asphalt Concrete Pavement	On all AC paving projects.
<input type="checkbox"/> 411-13	Warm Mix Asphalt	On all Superpave projects; with Special Provision 708-22
<input checked="" type="checkbox"/> 411-14	Asphalt Safety Edge	On asphalt highway construction (permanent or temporary) when the following conditions exists: the roadway is an open section, the increase in pavement thickness is 2" or greater, and the paved shoulder width is 4 feet or less.
<input type="checkbox"/> 411-15	Rich Intermediate Layer (RIL)	As directed by the Pavement Design Engineer, and/or as specified by the typical section depicted in the plans.
<input type="checkbox"/> 411-16	Hot Mix Asphalt (Lime)	With Special Provision 708-27, when hydrated lime or commercial lime slurry is allowed as an anti-stripping agent.
<input checked="" type="checkbox"/> 411-17	Compaction of Hot Mix Asphalt	On all AC paving projects.
<input type="checkbox"/> 414-17	Longitudinal Finish	Upon Department approval of longitudinal tining for the project.
<input type="checkbox"/> 415-1	Bituminous (Fiber Fill) Crack Sealing	When specifying a bituminous sealant which contains fibers.
<input type="checkbox"/> 430-2QA	Pavement and Bridge Deck Smoothness	When establishing pay adjustment factors for quality of pavement or bridge deck smoothness ( <i>Zero Blanking Band</i> ).
<input type="checkbox"/> 435-3	Fiber Reinforced, Bonded Portland Cement Concrete Overlay	When placing a fiber reinforced, bonded PCC pavement overlay on an existing PCC pavement.
<input type="checkbox"/> 504-1	Bridge Decks, Approaches, Rails and Parapets	When constructing modular expansion joints.
<input type="checkbox"/> 504-2	Finger Type Expansion Device	When constructing finger type expansion devices.
<input type="checkbox"/> 504-6	Rail, Parapets, and Curbs	When the Contractor is allowed to place rail, parapets, and/or curbs using slip form methods.
<input checked="" type="checkbox"/> 504-7	Bridge Deck Finish on County Bridges	On all county bridge deck projects.
<input type="checkbox"/> 507-1	Bearing Assemblies	With Special Provision 733-1, in all projects that call for bearing assemblies.
<input type="checkbox"/> 513-1	Anodes	When using anodes as part of the deck repair.
<input type="checkbox"/> 516-1	Pulse-Echo Testing of Drilled Shafts	When low strain impact integrity testing is desired.
<input type="checkbox"/> 516-3	Drilled Shaft Foundations	When constructing drilled shafts.
<input type="checkbox"/> 524-3	Fiber Reinforced Polymer Material	When structural strengthening using fiber reinforced polymer composite wrap is desired.

Special Provisions marked "Sample" or "Project Specific" must receive approval from Office Engineer Division.



ODOT Special Provisions to the 2009 ODOT Standard Specifications  
June 17, 2016

Spec. No.	Special Provision	Use . . .
<input type="checkbox"/> 525-1	Migratory Bird Nest Prevention for Bridge Structures and Culverts	With nest prevention pay items.
<input type="checkbox"/> 535-1	Surface Applied Penetrating Corrosion Inhibitors	When the corrosion inhibitor is intended to treat reinforcing steel 1 to 3 inches beneath concrete surfaces which have been contaminated with chlorides and may not be exposed at the time of treating.
<input type="checkbox"/> 613-1	Polypropylene Pipe Drainage Conduit	When allowed as a substitution for metal pipe. Use with Special Provision 726-2.
<input type="checkbox"/> 619-4	Plugging and Abandonment of Oil Wells	To specify the location and condition of each well.
<input type="checkbox"/> 619-5	Oil Field Equipment Removal	To specify the location and condition of oil field equipment to be removed.
<input type="checkbox"/> 656-4	American Burying Beetle (ABB)	When construction involves earth disturbing activities in ABB sensitive areas.
<input type="checkbox"/> 701-14	Optimized Gradation for Portland Cement Concrete Pavement	On all PC paving projects.
<input type="checkbox"/> 708-21	Reclaimed Asphalt Pavement and Shingles	Upon Department approval of the use of recycled asphalt pavement and/or shingles on the project.
<input checked="" type="checkbox"/> 708-22	Warm Mix Asphalt Material Requirements	With Special Provision 411-13, when warm mix asphalt is allowed in the pavement design; typically all AC paving projects.
<input checked="" type="checkbox"/> 708-23	Hamburg Rut Testing of Hot Mix Asphalt	On all asphalt paving projects.
<input type="checkbox"/> 708-24	Performance-Graded Asphalt Binder Using Multiple Stress Creep Recovery (MSCR) Test	When Rich Intermediate Layer is specified for the project; with Special Provision 411-15.
<input type="checkbox"/> 708-25	Material Requirements for Non-Tracking (NT) Tack Material	With Special Provision 407-3.
<input type="checkbox"/> 708-26	Plant Mix Bituminous Bases and Surfaces (Superpave)	On projects with an asphalt pay item for Superpave (S2-S6), OGGB, PFC, OGFSC, SMA, and/or RBL.
<input type="checkbox"/> 708-27	Lime for Asphalt Mixtures	With Special Provision 411-16, when hydrated lime or commercial lime slurry is allowed as an anti-stripping agent.
<input checked="" type="checkbox"/> 708-28	Multiple Stress Creep Recovery (MSCR) Testing	On all AC paving projects.
<input type="checkbox"/> 711-1	Permanent Pavement Marking Tape	With 857(D), "Non-Removable Pavement Marking Tape," pay items.
<input checked="" type="checkbox"/> 724-1	Bridge Bearing Structural Steel	In all projects that call for bearing assemblies.
<input type="checkbox"/> 726-1	Structural Steel Plate Pipe, Pipe Arches, and Arches	On projects using flexible conduits.
<input type="checkbox"/> 726-2	Polypropylene Pipe Drainage Conduit	When allowed as a substitution for metal pipe. Use with Special Provision 613-1.
<input checked="" type="checkbox"/> 733-1	Elastomeric Bearing Pads	With Special Provision 507-1, in all projects that call for bearing assemblies.
<input type="checkbox"/> 737-2	Anti-Graffiti Coating Systems	When applying anti-graffiti stain to new or existing concrete surfaces.
<input type="checkbox"/> 809-1	Bridge Navigation Lighting	When paying for <i>Bridge Navigation Lighting</i> .
<input type="checkbox"/> 823-1	Temporary Traffic Signals	When using portable traffic signals as part of the traffic control plan.
<input type="checkbox"/> 855-7	Traffic Stripe (Plastic)	In all projects calling for plastic traffic stripe, arrows, words, or symbols.
<input type="checkbox"/> 856-1	Traffic Stripe (Multi-Polymer)	In all projects calling for multi-polymer traffic stripe, arrows, words, or symbols.
<input type="checkbox"/> 857-2	Construction Zone Pavement Markings	On all projects requiring stripe removal.
<input type="checkbox"/> 877-1	Portable Longitudinal Barrier	When providing, placing, and/or relocating portable longitudinal barriers.
<input type="checkbox"/> 880-1	Plastic Drums	When using or allowing plastic drums as part of the traffic control.

Special Provisions marked "Sample" or "Project Specific" must receive approval from Office Engineer Division.

ODOT Special Provisions to the 2009 ODOT Standard Specifications  
June 17, 2016

Spec. No.	Special Provision	Use . . .
<input type="checkbox"/> 880-6	Temporary Roadway Lighting Assembly	When paying for temporary roadway lighting assemblies.
<input type="checkbox"/> 882-2	Portable Automated Real-Time Work Zone Information System (Smart Work Zone)	On projects utilizing Smart Work Zone.

Special Provisions marked “Sample” or “Project Specific” must receive approval from Office Engineer Division.



**PAYNE COUNTY BRIDGE REPLACEMENT PROJECTS**  
**PAYCO. 114 & PAYCO. 116**

**SHEET 4 REVISION ACKNOWLEDGMENT**

A revision to Sheet 4 for both PAYCO 114 & PAYCO 116 was added after the bid documents were compiled. A revised copy of Sheet 4 with revision date 7/6/2017 is attached to both plan sets. Sheet 4 within the bound plan sets may be disregarded.

I hereby acknowledge receipt of Sheet 4 “Summary of Pay Quantities and Notes (Bridge)” with a revision date of 7/6/2017 for both PAYCO 114 & PAYCO 116.

Contractor Name: \_\_\_\_\_

Contractor Signature: \_\_\_\_\_

Date: \_\_\_\_\_

**SCHEDULE OF ITEMS (BID FORM)**  
**Payne County Grade, Drain, Surfacing, and Bridge 114 Replacement**  
**Project No. PAYCO. 114**

**BASE BID: 0100 ROADWAY ITEMS**

ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
1	201(A)	CLEARING AND GRUBBING	L. SUM	1		
2	202(A)	UNCLASSIFIED EXCAVATION	C.Y.	144		
3	202(D)	UNCLASSIFIED BORROW	C.Y.	529		
4	205(A)	TYPE A - SALVAGED TOPSOIL	L. SUM	1		
5	221(C)	TEMPORARY SILT FENCE	L.F.	694		
6	233(A)	VEGETATIVE MULCHING	AC.	0.29		
7	221(F)	TEMPORARY SILT DIKE	L.F.	70		
8	619(A)	REMOVAL OF STRUCTURES & OBSTRUCTIONS	L. SUM	1		

**BASE BID: 0100 ROADWAY ITEMS SUB-TOTAL =**

**BASE BID: 0200 BRIDGE ITEMS**

ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
9	501(B)	SUBSTRUCTURE EXCAVATION COMMON	C.Y.	100		
10	501(F)	GRANULAR BACKFILL	C.Y.	48		
11	504(D)	CONCRETE RAIL (TR3)	L.F.	156.6		
12	506(A)	STRUCTURAL STEEL	LB.	3,000		
13	507(A)	WEATHERING STEEL FIXED BEARING ASSEMBLY	EA.	8		
14	509(A)	CLASS AA CONCRETE	C.Y.	56.5		
15	509(B)	CLASS A CONCRETE	C.Y.	39.2		
16	511(A)	REINFORCING STEEL	LB.	18,450		
17	512(A)	PAINTING EXISTING STRUCTURES	L. SUM	1		
18	514(A)	PILES, FURNISHED (HP 10x42)	L.F.	190		
19	514(B)	PILES, DRIVEN (HP 10x42)	L.F.	190		
20	514(K)	(PL)PILOT HOLES	L.F.	150		
21	514(L)	PILE SPLICE, H-PILE (NON-BIDDABLE)	EA.	1		
22	535	HAUL AND ERECT STEEL BEAMS	L. SUM	1		
23	601(B)	TYPE I-A PLAIN RIPRAP	TON	725		
24	601(C)	TYPE I-A FILTER BLANKET	TON	73		

PAYCO. 114 CONT'D						
25	613(H)	6" PERFORATED PIPE UNDERDRAIN ROUND	L.F.	52		
26	613(I)	6" NON-PERF. PIPE UNDERDRAIN RND.	L.F.	50		
27	619(D)	REMOVAL OF EXISTING BRIDGE STRUCTURE	L. SUM	1		
<b>BASE BID: 0200 BRIDGE ITEMS SUB-TOTAL =</b>						
<b>BASE BID: 0300 TRAFFIC ITEMS</b>						
ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
28	880(J)	CONSTRUCTION TRAFFIC CONTROL	L. SUM	1		
<b>BASE BID: 0300 TRAFFIC ITEMS SUB-TOTAL =</b>						
<b>BASE BID: 0600 STAKING</b>						
ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
29	642(B)	CONSTRUCTION STAKING LEVEL II	L. SUM	1		
<b>BASE BID: 0600 STAKING SUB-TOTAL =</b>						
<b>BASE BID: 0640 CONSTRUCTION</b>						
ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
30	220	SWPPP DOCUMENTATION AND MANAGEMENT	L. SUM	1		
31	641	MOBILIZATION	L. SUM	1		
<b>BASE BID: 0640 CONSTRUCTION SUB-TOTAL =</b>						
				<b>TOTAL</b>		
				<b>BASE BID =</b>		
<b>ADD ALTERNATE NO. 1: 0102 ROADWAY ITEMS</b>						
ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
32	303(A)	AGGREGATE BASE TYPE A	C.Y.	122		
33	325	SEPARATOR FABRIC	SY	1,094		
34	411(B)	ASPHALT CONCRETE TYPE B	TON	314		
<b>ADD ALTERNATE NO. 1: 0102 ROADWAY ITEMS SUB-TOTAL =</b>						
<b>ADD ALTERNATE NO. 2: 0101 ROADWAY ITEMS</b>						
ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
35	402(E)	TRAFFIC BOUND SURFACE COURSE TYPE E	TON	457		
PAYCO. 114 CONT'D						
36	411(B)	ASPHALT CONCRETE TYPE B	TON	27		
<b>ADD ALTERNATE NO. 2: 0101 ROADWAY ITEMS SUB-TOTAL =</b>						
<b>ADD ALTERNATE NO. 3: 0301 TRAFFIC ITEMS</b>						
ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
37	623(A)	BEAM GUARDRAIL W-BEAM SINGLE	L.F.	50		

PAYCO. 114 CONT'D						
38	623(F)	GUARDRAIL ANCHOR UNIT (TYPE B)	EA.	4		
39	623(F)	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	EA.	4		
40	853	DELINEATORS (TYPE 1, CODE 1)	EA.	12		
<b>ADD ALTERNATE NO. 3: 0301 TRAFFIC ITEMS SUB-TOTAL =</b>						



**SCHEDULE OF ITEMS (BID FORM)**  
**Payne County Grade, Drain, Surfacing, and Bridge 116 Replacement**  
**Project No. PAYCO. 116**

**BASE BID: 0100 ROADWAY ITEMS**

ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
41	201(A)	CLEARING AND GRUBBING	L. SUM	1		
42	202(A)	UNCLASSIFIED EXCAVATION	C.Y.	392		
43	202(D)	UNCLASSIFIED BORROW	C.Y.	594		
44	205(A)	TYPE A - SALVAGED TOPSOIL	L. SUM	1		
45	221(C)	TEMPORARY SILT FENCE	L.F.	1,066		
46	221(F)	TEMPORARY SILT DIKE	L.F.	105		
47	233(A)	VEGETATIVE MULCHING	AC.	0.66		
48	619(A)	REMOVAL OF STRUCTURES & OBSTRUCTIONS	L. SUM	1		

**BASE BID: 0100 ROADWAY ITEMS SUB-TOTAL =**

**BASE BID: 0200 BRIDGE ITEMS**

ITEM	SPEC. NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMT OF BID
49	501(B)	SUBSTRUCTURE EXCAVATION COMMON	C.Y.	100		
50	501(F)	GRANULAR BACKFILL	C.Y.	48		
51	504(D)	CONCRETE RAIL (TR3)	L.F.	183.6		
52	506(A)	STRUCTURAL STEEL	LB.	3,000		
53	507(A)	WEATHERING STEEL FIXED BEARING ASSEMBLY	EA.	8		
54	509(A)	CLASS AA CONCRETE	C.Y.	66.1		
55	509(B)	CLASS A CONCRETE	C.Y.	39.2		
56	511(A)	REINFORCING STEEL	LB.	20,890		
57	512(A)	PAINTING EXISTING STRUCTURES	L.SUM	1		
58	514(A)	PILES, FURNISHED (HP 10x42)	L.F.	605		
59	514(B)	PILES, DRIVEN (HP 10x42)	L.F.	605		
60	514(L)	PILE SPLICE, H-PILE (NON-BIDDABLE)	EA.	1		
61	535	HAUL AND ERECT STEEL BEAMS	L.SUM	1		

PAYCO. 116 CONT'D

62	601(B)	TYPE I-A PLAIN RIPRAP	TON	932		
63	601(C)	TYPE I-A FILTER BLANKET	TON	106		
64	613(H)	6" PERFORATED PIPE UNDERDRAIN ROUND	L.F.	52		
65	613(I)	6" NON-PERF. PIPE UNDERDRAIN RND.	L.F.	50		
66	619(D)	REMOVAL OF EXISTING BRIDGE STRUCTURE	L. SUM	1		
<b>BASE BID: 0200 BRIDGE ITEMS SUB-TOTAL =</b>						
<b>TOTALBASE BID =</b>						
<b>ADD ALTERNATE NO. 1: 0102 ROADWAY ITEMS</b>						
<b>ITEM</b>	<b>SPEC. NO.</b>	<b>DESCRIPTION</b>	<b>UNIT</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>AMT OF BID</b>
67	303(A)	AGGREGATE BASE TYPE A	C.Y.	140		
68	325	SEPARATOR FABRIC	SY	1,264		
69	402(E)	TRAFFIC BOUND SURFACE COURSE TYPE E	TON	440		
70	411(B)	ASPHALT CONCRETE TYPE B	TON	391		
<b>ADD ALTERNATE NO. 1: 0102 ROADWAY ITEMS SUB-TOTAL =</b>						
<b>ADD ALTERNATE NO. 2: 0101 ROADWAY ITEMS</b>						
<b>ITEM</b>	<b>SPEC. NO.</b>	<b>DESCRIPTION</b>	<b>UNIT</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>AMT OF BID</b>
71	402(E)	TRAFFIC BOUND SURFACE COURSE TYPE E	TON	1,064		
72	411(B)	ASPHALT CONCRETE TYPE B	TON	25		
<b>ADD ALTERNATE NO. 2: 0101 ROADWAY ITEMS SUB-TOTAL =</b>						
<b>ADD ALTERNATE NO. 3: 0301 TRAFFIC ITEMS</b>						
<b>ITEM</b>	<b>SPEC. NO.</b>	<b>DESCRIPTION</b>	<b>UNIT</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>AMT OF BID</b>
73	623(A)	BEAM GUARDRAIL W-BEAM SINGLE	L.F.	75		
74	623(F)	GUARDRAIL ANCHOR UNIT (TYPE B)	EA.	4		
75	623(F)	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	EA.	2		
76	853	DELINEATORS (TYPE 1, CODE 1)	EA.	12		
<b>ADD ALTERNATE NO. 3: 0301 TRAFFIC ITEMS SUB-TOTAL =</b>						

**BID SUMMARY**

TOTAL BASE BID FOR PAYCO. 114: \_\_\_\_\_

ADD ALTERNATE 1 BID FOR PAYCO. 114: \_\_\_\_\_

ADD ALTERNATE 2 BID FOR PAYCO. 114: \_\_\_\_\_

ADD ALTERNATE 3 BID FOR PAYCO. 114: \_\_\_\_\_

TOTAL BID FOR PAYCO. 114: \_\_\_\_\_

TOTAL BASE BID FOR PAYCO. 116: \_\_\_\_\_

ADD ALTERNATE 1 BID FOR PAYCO. 116: \_\_\_\_\_

ADD ALTERNATE 2 BID FOR PAYCO. 116: \_\_\_\_\_

ADD ALTERNATE 3 BID FOR PAYCO. 116: \_\_\_\_\_

TOTAL BID FOR PAYCO. 116 \_\_\_\_\_

**TOTAL BID FOR PAYCO. 114 & PAYCO. 116** \_\_\_\_\_

Contractor Name: \_\_\_\_\_

Bidder's Signature: \_\_\_\_\_

PAYNE COUNTY  
BOARD OF COUNTY COMMISSIONERS  
STILLWATER, OKLAHOMA

PAYNE COUNTY COMMISSIONER, KENT BRADLEY, DISTRICT # 3

PROOF OF MAILING

BID # 2018-23  
PAYNE COUNTY BRIDGE REPLACEMENT PROJECTS  
PAYCO. # 114 AND PAYCO. #116

I, Donna Hickman, Purchasing Agent for Payne County do hereby certify that the following vendors were issued an "Invitation To Bid" for the purchase of a "BRIDGE REPLACEMENT PROJECTS PAYCO. #114 AND PAYCO. #116". The bids were sent out on JULY 20, 2017. The opening is scheduled for AUGUST 14, 2017 @ 9:30 a.m.

Vendors:

ALLEN CONTRACTING  
ATTN: CLAY INGWERSON  
P.O. BOX 1178  
OKLAHOMA CITY, OK 73101

CIMARRON CONSTRUCTION COMPANY  
ATTN: CHRIS MCMURTREY  
7409 NW 85<sup>TH</sup> ST.  
OKLAHOMA CITY, OK 73132

CROSSLANDS HEAVY CONTRACTORS  
ATTN: JUSTIN LILLIE  
13919 N HARVEY AVE.  
EDMOND, OK 73013

K & R BUILDERS  
ATTN: SHAWN BAILEY  
P.O. BOX 656  
WHEATLAND, OK 73097

RIVER RIDGE CONSTRUCTION  
ATTN: JESSE VAP  
P.O. BOX 51  
NEW KIRK, OK 74647



RRY SERVICES, LLC  
ATTN: MARK DOWNEY  
P.O. BOX 2283  
STILLWATER, OK 74076