CHANNEL-BED DEGRADATION IN MAJOR OKLAHOMA STREAMS

VOLUME IV of V: CANADIAN RIVER

Final Report
ODOT Item Number 2191

by

A. K. Tyagi, Ph.D., P.E.
Director

and

Pratima Poudyal
Research Associate

Oklahoma Infrastructure Consortium

School of Civil and Environmental Engineering

Oklahoma State University

Stillwater, OK 74078

December 2007

The contents of this report reflect the views of the authors who are responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the views of the Oklahoma Department of Transportation or the Federal Highway Administration. This report does not constitute a standard, specification or regulation. While trade names may be used in this report, it is not intended as an endorsement of any machine, contractor, process or product.

TECHNICAL REPORT DOCUMENTATION PAGE

1. Report No. FHWA/07(06), vol. IV of V	2. Government Accession No.	3. Recipient's Catalog No.
4. Title and Subtitle Channel-Bed Degradation in Major Oklahoma Streams Canadian River		5. Report Date December 2007 6. Performing Organization Code
7. Authors Avdhesh K. Tyagi and Pratima Poudyal		8. Performing Organization Report No.
9. Performing Organization Name and Address Avdhesh K. Tyagi School of Civil and Environmental Engineering Oklahoma State University Stillwater, OK 74078		10. Work Unit No. 11. Contract or Grant No. Item 2191
12. Sponsoring Agency Name and Address Oklahoma Department of Transportation Planning & Research Division 200 N.E. 21st Street, Room 3A7 Oklahoma City, OK 73105		13. Type of Report and Period Covered Final Report 14. Sponsoring Agency Code HTFS-16

Supplementary Notes

15. Abstract

The purpose of this research is to analyze the flowline data and relate it to the degradation of the river bed at bridge locations in the river. This information may then be used to replace or rehabilitate those bridges that experienced severe degradation.

This report evaluates channel degradation in 409.76-mile reach of Canadian River in Oklahoma. In this study, the 409.76 mile river length is divided into two Reaches: Reach 1- river station (RS1) to Eufaula Dam, and Reach 2- Eufaula Lake Dam to RS18. The flowlines of Canadian River in Oklahoma were observed for a long period. In Reach-1, RS 14 shows the maximum degradation of 17.60 feet in 19 years from 1985 to 2004. On the other hand, maximum channel aggradation of 3.00 feet is observed at RS 17 in the Eufaula Lake. It was also found that the river station 18, 8.86 mile downstream of the Eufaula Dam, has experienced the degradation of 3.5 feet in 6 years from 1983 to 1989.

River station (RS) 7 at U.S. 81, river station 12 at S.H. 3W, and river station 14 at U.S. 283 has experienced 12.05, 10.00, and 17.6 feet of degradation respectively. Degradations in these bridges are experienced in 45, 34, and 19 years respectively. Therefore, RS 7 (Bridge Key b13537), RS 12 (Bridge Key b14520), and RS 14 (Bridge Key b22420) are determined as critical and recommended for rehabilitation or replacement in the replacement cycle. A detailed hydraulic and geotechnical analysis should be performed before reconstruction.

It is recommended that degradation of tributaries is evaluated to determine the structures where flowline is severely degrading in Canadian River basin.

17. Key Words Degradation, Canadian River, Dam, and flowlines	18. Distribution Statement No restriction. This publication is available from the office of Planning & Research Division, Oklahoma DOT.

19. Security Classification. (of this report) Unclassified	20. Security Classification. (of this page) Unclassified	21. No. of Pages 93	22. Price

SI (METRIC) CONVERSION FACTORS

Approximate Conversions to SI Units

Symbol	When you know	Multiply by	To Find	Symbol
	LENGTH			
in	inches	25.40	millimeters	mm
ft	feet	0.3048	meters	m
yd	yards	0.9144	meters	m
mi	miles	1.609	kilometers	km
	AREA			
in^2	square inches	645.2	square millimeters	mm^2
ft^2	square feet	0.0929	square meters	m^2
yd^2	square yards	0.8361	square meters	m^2
ac	acres	0.4047	hectacres	ha
mi^2	square miles	2.590	square kilometers	km^2
	VOLUME			
fl oz	fluid ounces	29.57	milliliters	mL
gal	gallon	3.785	liters	L
ft^3	cubic feet	0.0283	cubic meters	m^3
yd^3	cubic yards	0.7645	cubic meters	m^3
	MASS			
oz	ounces	28.35	grams	g
lb	pounds	0.4536	kilograms	kg
T	short tons (2000 lb)	0.907	megagrams	Mg
	TEMPERATURE (exact)			
°F	degrees Fahrenheit	(°F-32)/1.8	degrees Celsius	°C
	FORCE and PRESSURE or STRESS			
lbf	poundforce	4.448	Newtons	N
lbf/in^2	poundforce per square inch	6.895	kilopascals	kPa

Approximate Conversions from SI Units

Symbol	When you know	Multiply by	To Find	Symbol
	LENGTH			
mm	millimeters	0.0394	inches	in
m	meters	3.281	feet	ft
m	meters	1.094	yards	yds
km	kilometers	0.6214	miles	mi
	AREA			
mm^2	square millimeters	0.00155	square inches	in^2
m^2	square meters	10.764	square feet	ft^2
m^2	square meters	1.196	square yards	yd^2
ha	hectacres	2.471	acres	ac
km^2	square kilometers	0.3861	square miles	mi^2
	VOLUME			
mL	milliliters	0.0338	fluid ounces	fl oz
L	liters	0.2642	gallon	gal
m^3	cubic meters	35.315	cubic feet	ft^3
m^3	cubic meters	1.308	cubic yards	yd^3
	MASS			
g	grams	0.0353	ounces	oz
kg	kilograms	2.205	pounds	lb
Mg	megagrams	1.1023	short tons (2000 lb)	T
	TEMPERATURE (exact)			
°C	degrees Fahrenheit	9/5(°C)+32	degrees Celsius	°F
	FORCE and PRESSURE or STRESS			
N	Newtons	0.2248	poundforce	lbf
kPa	kilopascals	0.1450	poundforce per square inch	lbf/in^2

CONTENTS

Page

I. Introduction 1

II. Study area 3

III. Hydrology 6

IV. Analysis of cross-sectional geometry 19

V. Analysis of flowline profile 32

VI. Discussion of results 55

VII. Conclusions and recommendation 58

VIII. References 59

APPENDIX A – Tables of cross-sectional geometries 60

APPENDEX B – Flow path of Canadian River in Oklahoma 91

FIGURES

Page

1. Location of Study points in Canadian River, and USGS gage stations.....5

2. Annual peak streamflow in Canadian River at Bridgeport (USGS 07228500), OK 10

3. Annual peak streamflow in Canadian River at Purcell (USGS 07229200), OK 11

4. Annual peak streamflow in Canadian River at Calvin (USGS 07231500), OK 12

5. Annual peak streamflow in Canadian River at Whitefield (USGS 07245000), OK 13

6. Schematic diagram of sinuosity of natural channels 17

7. Cross-section at bridge (Bridge No. 13240 and RS 2) on SH 34, Canadian River, OK 20

8. Cross-section at bridge (Bridge No. 14214 and RS 3) on US 183, Canadian River, OK 21

9. Cross-section at bridge (Bridge No. 21131 and RS 4) on SH 33, Canadian River, OK 22

10. Cross-section at bridge (Bridge No. 14522 and RS 5) on I-40, Canadian River, OK 23

11. Cross-section at bridge (Bridge No. 13537 and RS 7) on US 81, Canadian River, OK 24

12. Cross-section at bridge (Bridge No. 06593 and RS 11) on US 77, Canadian River, OK 25

13. Cross-section at bridge (Bridge No. 14520 and RS 12) on US 69, Canadian River, OK 26

14. Cross-section at bridge (Bridge No. 20327 and RS 13) on SH 3W, Canadian River, OK 27

15. Cross-section at bridge (Bridge No. 19113 and RS 15) on SH 48, Canadian River, OK 28

16. Cross-section at bridge (Bridge No. 15586 and RS 16) on US 69, Canadian River, OK 29

17. Cross-section at bridge (Bridge No. 15587 and RS 17) on SH 9, Canadian River, OK 30

18. Cross-section at bridge (Bridge No. 20578 and RS 18) on SH 2, Canadian River, OK 31

19. Trend line of stream-bed elevation changes 33

20. The best fit line of stream-bed elevation changes 34

21. Longitudinal Profile of Canadian River Bed, Oklahoma 37

22-38. Longitudinal River-bed profiles for 25 miles interval from SH.11 to I.40 of Canadian River, Oklahoma (Figures: 21-37) 38-54

TABLES

Page

1. Description of USGS gage stations 7

2. Peak flows recorded at USGS gage stations (USGS) 9

3. Sinuosity and slope of Canadian River for study reach 1 and 2 16

4. Summary of channel –bed elevation change, Canadian River 35

5. Flow line interpolated data for 5 years interval, Canadian River 36

6. Summary of channel bed degradation, Canadian River 56

7. Summary of bridges with degradation in five river basins 57

I. INTRODUCTION

Natural alluvial rivers generally do not exist in equilibrium. The fluvial process in an alluvial river is a dynamic process, a function of flow and sediment regimes interacting with the physiographic features and vegetative cover of the landscape (Ward and Standford 2006). Streams are not inherently unstable but they are often out of equilibrium due to imposed conditions. Man made activities and natural events are the major factors which disturb the stability of a river, causing high sediment load, high slope, relatively coarse grain size, high lateral mobility rate, and multi-thread, braided stream. If the streambed is eroded, resulting in a low bed elevation it is called “degradation” and if bed elevation is elevated due to an accumulation of sediment it is called “aggradation”.

A river channel is considered stable if the streambed does not change its dimension, pattern and profile over a relatively long river reach and long period of time. If the hydraulic, hydrologic, and sedimentological characteristics of the alluvial rivers are altered naturally or by human interference, the river will adjust dynamically and geometrically as the fluvial system seeks to establish a state of equilibrium. The river equilibrium concept was explained by Macklin (1948) as the “graded” river in which channel size, cross-sectional shape, and slope are adjusted to the quantities of sediment and water transported so that the river bed neither degrades nor aggrades.

Human activities such as construction of reservoir are major factors in changing in river equilibrium. When the sediment transport is interrupted by a dam, the flow may become sediment-starved and prone to erode the channel

bed and banks, producing channel incision, and coarsening of bed material (Kondolf 2004).

The purpose of this research is to analyze the flowline data and relate it to the degradation of the river bed at different bridge locations in the river. This information may then be used to replace or rehabilitate those bridges that experienced severe degradation.

II. STUDY AREA

The Canadian River is the largest tributary of the Arkansas River. The 906 mile long Canadian River, also known as South Canadian River starts in Colorado and travels through New Mexico, the Texas Panhandle, and most of Oklahoma. The river flows south through New Mexico and then turns east, crossing the Texas Panhandle into Oklahoma. The river's only major tributary is the North Canadian River, which runs almost parallel to the Canadian river in Oklahoma. The tributary joins the Canadian river at Eufaula in eastern Oklahoma to form the Eufaula Reservoir.

In Oklahoma Canadian River flows through eighteen counties: Roger Mills, Ellis, Dewey, Custer, Blaine, Caddo, Canadian, Grady, McClain, Cleveland, Pottawatomie, Pontotoc, Seminole, Hughes, Pittsburg, McIntosh, Haskell, and Muskogee. The focus of this study is the 409.76 mile reach of Canadian River from its crossing at US highway 283 in Roger Mills County of Oklahoma to the State Highway 2 in Haskell County of Oklahoma (Fig. 1). The Canadian river in the study reach is characterized as just a slow trickle bounded by red mud flats and quicksand. When sufficient rain has fallen, however the river can carry substantial amounts of water. The channel slope averages about 4.85 feet per mile. Throughout the study area, the Canadian River is impounded at one reservoir: Eufaula Lake.

Eufaula Dam is located on the Canadian river, approximately 12 miles east of Eufaula in McIntosh County, Oklahoma (Austin & Thomas 2006). The dam is 0.605 miles long and located 8.86 miles upstream from RS 18 at the

crossing of S.H. 2 on the Haskell Channel. The lake has a drainage area of 47,522 square miles and surface area of 159.37 square miles. The shore length of lake is over 600 miles. The lake is owned and operated by the U.S. Army Crops of Engineers (Wikipedia).




Figure 1. Location of Study points in Canadian River, and USGS gage stations

III. HYDROLOGY

The physical characteristics of the stream such as channel bed degradation, stream widening, deposition of channel bars, shifting flowline, and stream bank erosion depends on the hydrology of the stream. According to Doyle (2003), “channels formed in fine alluvial material that is easily eroded and transported out of the system with little downstream aggradation will respond to disturbance by lateral adjustments.” As the stream profile degrades, the stream tries to widen to accommodate higher flows, as stream bank erosions increase along with increases in sediment loads. Flow measurement of the stream is one of the fundamental tasks in accessing surface hydrology. USGS stream flow gage stations have been studied in the study reach. Currently there are six USGS gaging stations among which only four have the peak stream flow data (Fig.1). The descriptions of USGS gage stations are explained in table 1, below.

Table 1. Description of USGS gage stations

Data Locations and descriptions	Data Available
USGS 07228500 Canadian River at Bridgeport, OK Caddo County, Oklahoma Hydrologic Unit Code 11090202 Latitude 35°32'37", Longitude 98°19'03" NAD27 Drainage area 25,276 square miles Contributing drainage area 20,475 square miles Gage datum 1,360.00 feet above sea level NGVD29	1914-2005
USGS 07229200 Canadian River at Purcell, OK Cleveland County, Oklahoma Hydrologic Unit Code 11090202 Latitude 35°00'50", Longitude 97°20'50" NAD27 Drainage area 25,939 square miles Contributing drainage area 21,138 square miles Gage datum 1,017.14 feet above sea level NGVD29	1980-2005
USGS 07231500 Canadian River at Calvin, OK Hughes County, Oklahoma Hydrologic Unit Code 11090202 Latitude 34°58'40", Longitude 96°14'36" NAD27 Drainage area 27,952 square miles Contributing drainage area 23,151 square miles Gage datum 682.72 feet above sea level NGVD29	1906-2005
USGS 07245000 Canadian River near Whitefield, OK Haskell County, Oklahoma Hydrologic Unit Code 11090204 Latitude 35°15'50", Longitude 95°14'21" NAD27 Drainage area 47,576 square miles Contributing drainage area 37,876 square miles Gage datum 473.16 feet above sea level NGVD29	1939-2005

Annual peak discharge is the annual instantaneous maximum discharge. Human land use practices such as agriculture and forest clearing also impact fluvial geomorphic system. In addition to this, channel changes are vary through time, depending on the timing of floods and droughts. Annual peak discharges plots were downloaded from USGS gaging stations to evaluate the historical flood occurrences. In October 1904, a particularly unusual flood event occurred in Canadian River flood plain. Rains in eastern New Mexico provided the water for this dramatic flood that occurred under clear Oklahoma skies. An eighteen-to twenty-foot high wall of water devastated the flood plain from October 1 to 4 (Johnson, 2003). USGS peak stream flow record of 281,000cfs in Whitefield OK (Fig. 5) mimics the flood of 1943 and USGS peak stream flow record of 150,000 cfs (Fig. 2) mimics the flood of 1948. In 1950 USGS gage stations at Calving OK (Fig. 3) and Whitefield OK (Fig.5) recorded peak flows of 174,000 cfs and 256,000 cfs respectively. A peak stream flow of 102,000cfs in Purcell OK (Fig. 3) is due to the flood in 1987.

Table 2. Peak flows recorded at USGS gauge stations

Locations	Peak flows (cfs)	Year
Bridgeport	150,000	Jun. 23, 1948
Purcell	102,000	May 29, 1987
Calvin	174,000	May 11, 1950
Whitefield	281,000 256,000	May 10, 1943 May 11, 1950




Figure 2. Annual peak streamflow in Canadian River at Bridgeport (USGS 07228500), OK




Figure 3. Annual peak streamflow in Canadian River at Purcell (USGS 07229200), OK




Figure 4. Annual peak streamflow in Canadian River at Calvin (USGS 07231500), OK




Figure 5. Annual peak streamflow in Canadian River at Whitefield (USGS 07245000), OK

Gilvier (1999) studied a number of areas in which fluvial geomorphology is directly relevant and beneficial to river engineering. These are when:

1. River channel functions as a three dimensional form with longitudinal, transverse, and vertical dimensions (x,y,z-directions) involving changes in morphology and amount of water and sediment.
2. The river system functions in response to water and sediment coming from the upstream watersheds.
3. The planform of a river normally varies through time, but the dynamics of natural channel adjustment varies between and along rivers.
4. The geomorphic stability of a river system is disturbed by activities such as river training, removing riparian vegetation, land use, and climatic change etc.


In this study, the 409.76 mile river length is divided into 2 Reaches: Reach 1- RS1 to Eufaula Lake Dam, and Reach 2- Eufaula Lake Dam to RS18. Data collection at each site included channel gradient, cross-sectional geometry, and bed material composition. Channel gradient from one river station to another was calculated arithmetically and taken mean for each study reach. River meandering between each river stations was determined by calculating sinuosity as shown in River meandering between two successive river stations was determined by calculating sinuosity as shown in Figure 6 using Geographic Information System (GIS), to examine the downstream effects of dams in meandering channels.

Sinuosity is defined as a ratio of total length between two river stations along the flowline to shortest length of the channel.

The Canadian River in Oklahoma is characterized as a less meandering, steep slope river. Reach-1 in the study area is found to be more meandering than Reach-2 whereas the slope of the river increases in Reach-2 in comparison to Reach-1 (Table 2). Longitudinal and vertical changes of river channel were also studied and will be discussed separately in another chapter.

Table 2. Sinuosity and slope study of Canadian River

Study of reach				Study of River Stations		
Reach	Location	Reach slope	Reach Sinuosity	River Stations	Slope	Sinuosity
1	RS 1(b21132) to Eufaula Lake Dam	3.83	1.60	RS 1 to RS 2	5.36	1.33
				RS 2 to RS 3	4.52	1.88
				RS 3 to RS 4	4.99	1.18
				RS 4 to RS 5	4.24	1.37
				RS 5 to RS 6	0.00	0.00
				RS 6 to RS 7	3.84	1.43
				RS 7 to RS 8	3.18	1.28
				RS 8 to RS 9	4.46	1.30
				RS 9 to RS 10	0.00	1.17
				RS 10 to RS 11	3.86	1.35
				RS 11 to RS 12	4.14	1.40
				RS 12 to RS 13	2.77	1.95
				RS 13 to RS 14	0.00	1.05
				RS 14 to RS 15	2.14	1.62
				RS 15 to RS 16	2.94	1.35
				RS 16 to RS 17	4.97	1.26
2	Eufaula Lake Dam to RS 18 (b20578)	3.98	1.18	RS 17 to RS 18	3.98	1.32



$$Sinuosity = \frac{Flowline \quad Length(L_1)}{Shortest \quad Length(L_2)}$$

Figure 6. Schematic diagram of sinuosity of natural channels

IV. ANALYSIS OF CROSS-SECTIONAL GEOMETRY

Field data measured for a long period of time by Oklahoma Department of Transportation were examined in this study. Throughout the study reach, 18 River Stations (RS) were selected: RS 1 to Eufaula Lake Dam in Reach 1, and Eufaula Lake Dam to RS 18 in Reach 2. Twelve out of eighteen river stations have data on cross-section geometry. These river stations are measured in bridge crossings.

In Reach 1, RS 1 shows the maximum aggradation of 1.8 feet from 1985 to 1989. The bridge at this river station was constructed in 1985 and the resultant aggradation on the river bed is possibly due to the ongoing stabilization process at the newly excavated bed. The observed data shows that at RS 3 (Fig. 8) at the crossing of U.S. 183, the river bed is most stable. However, the flowline has shifted from the right to the middle. The bed material at RS 3 is characterized as Sand to Soft Red Bed. RS 4 (Fig. 9) at the crossing of S.H. 33 has the slight aggradaion of about 0.5 feet in 8 years. Along the river length of 151.75 miles between RS 5 to RS 14, the channel bed shows a degradation ranging from 1.4 to 17.6 feet. At RS 7 (Fig.12) at the crossing of I-40, a degradation of 12.05 feet is observed from year 1955 to 2000. Flowline at this river station is narrower and deeper; however its position has not shifted in 45 years. RS 9 and RS 10 on interstate highway I-35 show the maximum degradation of 10.25 feet over 4 and 6 years respectively. The bed material at RS 11 and RS 12 is characterized as sandy clay.

RS 11 (Fig.13) at the crossing of US-77, shows a degradation of 4 feet in 63 years. The channel at this river station is being incisive at the middle. At RS12 (Fig.14) at the crossing of SH-3W, a degradation of 10 feet is shown from 1959 to 1993, primarily at the right side of the river. Data at RS 14 at the crossing of U.S.283, shows the degradation of 17.6 feet from 1985 to 2004. RS 15 (Fig.15) at the crossing of S.H. 48, has a slight aggradation of about 0.2 feet in 20 years. At this river station, the flowline has shifted from right to the left. RS 16 at the crossing of U.S.69, and RS 17 at the crossing of S.H. 9, are located within Eufaula Lake. In RS 16, (Fig.16) a degradation of 2.5 feet is observed in 33 years. Data shows that the river section at this river station has widened since 1987, which mimics the flood of 1987. RS 17 is 8.86 miles upstream of the Eufaula Lake Dam. At this river station, an aggradation of 3 feet was observed from 1962 to 1993. The Eufaula Dam construction was completed in 1963 and resultant aggradation is due to the Eufaula Dam, which has completely interrupted the motion of sediment.

Reach-2 extends from the Eufaula Lake Dam location to the RS 18 (Fig.17) at the crossing of S.H. 2 on the Haskell Channel, which is the last river station of the study area. The observed data shows that a degradation of 3.5 feet was occurred in RS 18 from 1983 to 1989. The bed material at this river station is characterized as sand and gray shale.




Figure 7. Cross-section at bridge (Key No. 13240 and RS 2) on SH 34, Canadian River, OK




Figure 8. Cross-section at bridge (Key No. 14214 and RS 3) on US 183, Canadian River, OK




Figure 9. Cross-section at bridge (Key No. 21131 and RS 4) on SH 33, Canadian River, OK




Figure 10. Cross-section at bridge (Key No. 14522 and RS 5) on I-40, Canadian River, OK




Figure 11. Cross-section at bridge (Key No. 14521 and RS 6) on I-40, Canadian River, OK




Figure 12. Cross-section at bridge (Key No. 13537 and RS 7) on US-81, Canadian River, OK




Figure 13. Cross-section at bridge (Key No. 06593 and RS 11) on US-77, Canadian River,




Figure 14. Cross-section at bridge (Key No. 14520 and RS 12) on SH-3W, Canadian River, OK




Figure 15. Cross-section at bridge (Key No. 19113 and RS 15) on SH-48, Canadian River, OK




Figure 16. Cross-section at bridge (Key No. 15586 and RS 16) on US-69, Canadian River, OK




Figure 17. Cross-section at bridge (Key No. 15587 and RS 17) on SH- 9, Canadian River, OK




Figure 18. Cross-section at bridge (Key No. 20578 and RS 18) on SH-2, Canadian River, OK

V. ANALYSIS OF FLOWLINE PROFILE

The rate of channel-bed elevation change was estimated as the net difference in channel-bed elevation between the starting and ending dates divided by the total duration of time between the two dates (Table 3). The trend line of bed-elevation changes (Fig.19) was plotted for study Reach 1, upstream of Eufaula Lake Dam and Reach 2, downstream of Eufaula Lake Dam. The best fit line for the stream bed elevation change rate (Fig. 20) is also plotted.

Flowlines at each river station were interpolated for 5 year intervals (Table 4) and the longitudinal profile of flowlines were then plotted in Microsoft Excel (Fig. 19). Twenty five miles of river reach is plotted separately in each sheet for evaluating channel-bed elevation changes (Fig. 22-38). The study of river-bed elevation change elucidates that the Canadian River is not constantly degrading between RS 5 to RS 14 above the Eufaula Lake dam. RS 10 located at I-35, has experienced the highest 2.56feet/year of channel-bed degradation rate in the Canadian River, Oklahoma. Below the Eufaula Lake Dam, channel bed elevation data is available for only one river station (RS 18) and it shows a degradation of 3.5 feet from 1983 to 1989.




Figure 19. Trend line of stream-bed elevation changes




Figure 20. The best fit line of stream-bed elevation change rate (ft/yr) versus river length in miles

Table 4. Summary- channel –bed elevation change, Canadian River

BRI-No.	River Station	Miles	Bridge Installed	Highway	Stratum	Max. Scou** (ft)	Duration (yr)	Scour rate** (ft/yr)
*b21132	RS 1	32.00	1985	U.S. 283	Sand to Red Bed	-1.80	4	-0.450
b13240	RS 2	66.77	1954	S.H. 34	Sand to Hard Red Bed	4.61	46	0.100
b14214	RS 3	101.99	1958	U.S. 183	Sand to Soft Red Bed	0.00	42	0.000
b21131	RS 4	131.96	1985	S.H. 33	Sand to Red Bed	-0.50	8	-0.063
b14522	RS 5	169.66	1959	I-40	Sand to Hard Red Bed	7.25	35	0.207
b14521	RS 6	169.66	1959	I-40	Sand to Hard Red Bed	5.10	41	0.124
b13537	RS 7	202.74	1955	US-81	Sand to Medium Soft Red Bed	12.05	45	0.268
*b26060	RS 8	227.28	2000	I-44	Clay to Shale and Gravel	1.40	2	0.700
*b22108	RS 9	240.30	1988	I-35	Sandy Clay to Shale	10.25	4	2.563
*b21361	RS 10	240.31	1986	I-35	Silty Sand to Shale	10.25	6	1.708
b06593	RS 11	259.50	1938	U.S. 77	Sand to Red Bed	4.00	63	0.063
b14520	RS 12	293.80	1959	S.H. 3W	Sand to Sand Stone	10.00	34	0.294
*b22099	RS 13	321.40	1986	I-35	Sand to Silty Sand	7.35	18	0.408
*b22420	RS 14	321.41	1985	U.S. 283	Fine Silty Sand to Sand Stone	17.60	19	0.926
b19113	RS 15	354.20	1975	S.H. 48	Fine Sand to Hard Grey Shale	-0.92	20	-0.046
b15586	RS 16	413.53	1962	U.S.69	Sand to Shale Mode Hard Rock	2.50	33	0.076
b15587	RS 17	417.15	1962	S.H. 9	Mud to Silt	-3.00	31	-0.097
b20578	RS 18	441.76	1983	S.H. 2	Sand to Gray Shale	3.50	6	0.583

*Bridges without cross section data

**Note: (-) Aggradation
: (+) Degradation

Table 5. Flowline interpolated data for 5 years interval, Canadian River

Location			Year								
BRI-No.	River Station	Miles	1965	1970	1975	1980	1985	1990	1995	2000	2005
b21132	RS 1	32.00					2002.00	2004.25	2006.50	2008.75	2013.25
b13240	RS 2	66.77	1824.10	1822.30	1823.88	1823.03	1823.57	1822.50	1823.42	1822.55	1820.80
b14214	RS 3	101.99	1649.45	1649.05	1650.38	1649.65	1649.45	1649.25	1650.75	1663.30	1675.85
b21131	RS 4	131.96					1512.50	1506.70	1513.00	1513.88	1515.63
b14522	RS 5	169.66	1361.50	1360.00	1358.50	1357.00	1355.50	1354.00	1352.63	1352.00	1351.25
b14521	RS 6	169.66	1359.80	1357.40	1357.25	1356.40	1355.69	1352.40	1355.32	1354.90	1354.07
b13537	RS 7	202.74	1233.87	1234.14	1232.14	1232.72	1232.94	1224.34	1226.17	1225.45	1224.00
b26060	RS 8	227.28								1147.50	1138.85
b22108	RS 9	240.30						1080.90	1083.85	1089.45	1100.65
b21361	RS 10	240.31						1080.90	1083.85	1089.45	1100.65
b06593	RS 11	259.50	1007.34	1005.00	1006.95	1008.89	1010.84	1011.27	1015.80	1015.50	1018.50
b14520	RS 12	293.80	899.23	896.50	893.80	897.36	897.10	893.50	886.00	873.50	858.50
b22099	RS 13	321.40						803.75	802.20	797.08	803.99
b22420	RS 14	321.41					810.00	802.50	799.85	795.71	788.26
b19113	RS 15	354.20			705.00	695.86	695.00	700.50	705.92	725.71	745.50
b15586	RS 16	413.53	537.00	533.94	530.89	527.83	532.00	526.00	533.50	551.00	568.50
b15587	RS 17	417.15	521.69	522.84	524.00	525.15	526.30	519.00	523.00	533.00	541.00
b20578	RS 18	441.76					470.70	464.25	454.50	435.00	396.00




Figure 21. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 22. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 23. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 24. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 25. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 26. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 27. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 28. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 29. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 30. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 31. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 32. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 33. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 34. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 35. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 36. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 37. Longitudinal Profile of Canadian River Bed, Oklahoma




Figure 38. Longitudinal Profile of Canadian River Bed, Oklahoma

VI. DISCUSSION OF RESULTS

Table 5 presents the summary of bridges which have experienced degradation. Along the 409.76-mile reach of Canadian River, fourteen bridges have experienced degradation. Among these fourteen bridges, six bridges have experienced degradation in the range of 0-5 feet, four have experienced in the range of 5-10 feet, and four have experienced degradation more than 10 feet. Sixth and seventh columns of Table 5 present the service year of the bridges through 2007 and corresponding degradation in river bed. Eight bridges in the study reach of Canadian River have been serving from more then 30 years.

Table 7 presents the number of bridges in the five major river basins of Oklahoma which have experienced degradation more than 5 and 10 feet with 10 year and all service year criteria. In this study, bridges with degradation of 10 feet or more and that have been serving from more then 10 years are determined as critical. River station (RS) 7 at U.S. 81, river station 12 at S.H. 3W, and river station 14 at U.S. 283 has experienced 12.05, 10.00, and 17.6 feet of degradation respectively. Degradations in these bridges are experienced in 45, 34, and 19 years respectively. Therefore, RS 7 (Bridge Key b13537), RS 12 (Bridge Key b14520), and RS 14 (Bridge Key b22420) are determined as critical and recommended for rehabilitation or replacement in the replacement cycle. A detailed hydraulic and geotechnical analysis should be performed before reconstruction.

Table 6. Summary of flowline degradation, Canadian River

Bri_Key	River Stations	Miles	Highway	Bridge Installed	Years of Construction through 2007	Max. Scour (ft)	Duration (yr)	Scour Rate (ft/yr)
b13240	RS2	S.H. 34	66.77	1954	53	4.61	46	0.100
b14214	RS3	U.S. 183	101.99	1958	49	0.00	42	0.000
b14522	RS5	I-40	169.66	1959	48	7.25	35	0.207
b14521	RS6	I-40	169.66	1959	48	5.10	41	0.124
b13537	RS7	US-81	202.74	1955	52	12.05	45	0.268
b26060	RS8	I-44	227.28	2000	7	1.40	2	0.700
b22108	RS9	I-35	240.30	1988	19	10.25	4	2.563
b21361	RS10	I-35	240.31	1986	21	10.25	6	1.708
b06593	RS11	U.S. 77	259.50	1938	69	4.00	63	0.063
b14520	RS12	S.H. 3W	293.80	1959	48	10.00	34	0.294
b22099	RS13	I-35	321.40	1986	21	7.35	18	0.408
b22420	RS14	U.S. 283	321.41	1985	22	17.60	19	0.926
b15586	RS16	U.S.69	413.53	1962	45	2.50	33	0.076
b20578	RS18	S.H. 2	441.76	1983	24	3.50	6	0.583

Table 7. Summary of bridges with degradation in five river basins

River Basin	Degradation in ≥10 years		Degradation with all service year criteria	
	≥ 5.0 feet	≥ 10.0 feet	≥ 5.0 feet	≥ 10.0 feet
Arkansas	5	1	5	1
Cimarron	6	2	6	2
North Canadian	8	3	9	3
Canadian*	7	3	9	5
Washita	12	1	12	1
Total	38	10	41	12

* This report includes the river basin as indicated. Refer to other volumes **I** through **V** for different river basins.

VII. CONCLUSIONS AND RECOMMENDATION

Following conclusions are drawn based on this research:

1. Degradation is predominant in Reach 1 from river station (RS) 1 to Eufaula Lake Dam, except some river stations have slight aggradation. Maximum degradation of 17.6 feet in 19 years is observed at river stations 14 at U.S. 283 in this reach. Maximum aggradation of 3.0 feet is observed at river station 17 at S.H. 9.
2. Only one river station 18 below Eufaula Lake Dam in Reach 2 has bed profile data available. The degradation of the river bed at this river station is observed as 3.5 feet in 6 years.
3. River station 7(Bridge Key b13537) at U.S. 81 has experienced degradations of 12.05 feet in 45 years. Similarly, river station 12 (Bridge Key b14520) at S.H. 3W and river station 14 (Bridge Key b22420) at U.S. 283 has experienced 10.00, and 17.6 feet of degradation in 34 and 19 years respectively. Therefore these bridges are recommended for rehabilitation or replacement in the replacement cycle. When this bridge is reconstructed, a detail hydraulic and geotechnical analysis should be performed.

It is recommended that degradation of tributaries is evaluated to determine the structures where flowline is severely degrading in Canadian River basin.

VIII. REFERENCES

Austin, B. and Thomas D. (2006). "Volumetric survey report of Eufaula lake dam June 2004 survey." Texas Water Development Board.

Gilvear, D. J. (1999). "Fluvial geomorphology and river engineering: future roles utilizing a fluvial hydrosystems framework." *Geomorphology 31*: 229–245.

Doyel, W. M. and Harbor, M. J. (2003). "Modeling the effects of form and profile adjustments on the channel equilibrium timescales." *Earth Surface Processes and Landforms,* 1271-1287.

Funk & Wagnall's New World Encyclopedia, (2002). "Canadian." <http://search.ebscohost.com/login.aspx?direct=true&db=funk&AN=CA024500&site=ehost-live>, retrieved on July 9, 2007.

Johnson, H. (2003). "Oklahoma water history." Oklahoma Climatological Survey, <http://www.mesonet.org/news/default.php?release=Monthly+Climate+of+Oklahoma+-+September>, retrieved on July 9, 2007.

Kondolf, M. G. (2004) "Hungry Water: Effects of Dams and Gravel Mining on River Channels". *Environmental Management,* 533-551.

Macklin, J. H. (1948). "Concept of the graded river." *Geological Society of America Bulletin 59*, 463-512.

Ward, J. V. and Standford J. A. (2006). "Ecological connectivity in alluvial river ecosystems and its disruption by flow regulation." *Regulated Rivers: Research and Management,* 11 (1), 105-119.

APPENDIX A

TABLES OF CROSS-SECTIONAL GEOMETRIES,

CANADIAN RIVER, OK

Table 8. Structure, and Flowline Details
Bridge No 21132 (RS 1) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design Year	Length
21132	Ellis-Roger Mills Col Li	35-51-54	99-43-48	U.S. 283	1985	3844

Year	1989
Flowline	2003.80

Table 9. Structure, Cross-section, and Flowline Details
Bridge No 13240 (RS 2) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design Year	Length
b13240	13.5 Mi N Custer C/L	35-59-42	099-17-36	S.H. 34	1954	2,912.10

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed54	S-Rding00	R-bed00
S-A	0.00	1834.00	1841.26	1841.40	7.67	1838.04
	30.00			1832.85	15.67	1830.53
1	51.68	1810.61	1841.11	1830.00	17.00	1829.20
	91.68			1830.00	17.00	1829.20
2	152.25	1810.71	1841.21	1830.00	18.25	1827.95
	192.25			1830.00	18.75	1827.45
3	252.25	1811.34	1841.84	1828.57	19.50	1826.70
	292.25			1828.57	19.16	1827.04
4	352.25	1811.51	1842.01	1828.57	19.16	1827.04
	392.25			1828.57	18.75	1827.45
5	453.00	1810.71	1842.71	1827.15	18.75	1827.45
	493.00			1827.15	18.08	1828.12
6	553.75	1810.68	1842.68	1828.75	20.75	1825.45
	593.75			1830.00	20.41	1827.22
7	653.75	1811.19	1843.19	1829.15	25.16	1823.46
	693.75			1829.15	22.16	1826.89
8	753.75	1811.22	1843.22	1829.15	22.16	1826.89
	793.75			1829.15	22.00	1827.05
9	854.50	1810.79	1843.79	1829.15	22.16	1826.89
	894.50			1829.15	22.25	1826.80
10	955.25	1810.62	1845.62	1828.32	22.08	1826.97
	995.25			1828.32	21.62	1827.43
11	1055.25	1810.99	1845.99	1830.00	21.58	1827.47
	1095.25			1830.75	21.33	1827.72
12	1155.25	1810.89	1843.89	1831.43	21.58	1827.47
	1195.25			1831.43	23.16	1825.89
13	1256.00	1811.39	1844.93	1831.43	22.41	1826.64
	1296.00			1831.43	22.25	1826.80
14	1356.75	1811.03	1844.03	1830.00	21.58	1827.47
	1396.75			1830.00	21.00	1828.05
15	1456.75	1811.26	1844.26	1830.00	21.41	1827.64
	1496.75			1830.50	21.08	1827.97
16	1556.75	1811.03	1844.03	1830.50	21.75	1827.30
	1596.75			1830.50	20.25	1828.80
17	1657.50	1811.33	1844.53	1830.50	19.75	1829.30

Table 9. (Continued)

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed54	S-Rding00	R-bed00
	1697.50			1830.00	19.75	1829.30
18	1758.25	1810.89	1843.69	1832.85	20.08	1828.97
	1798.25			1832.85	19.75	1829.30
19	1858.25	1810.99	1843.99	1830.00	20.16	1828.89
	1898.25			1830.75	19.25	1829.80
20	1958.25	1810.62	1843.62	1830.75	19.75	1829.30
	1998.25			1830.75	21.66	1827.39
21	2059.00	1810.79	1843.79	1830.75	21.16	1827.89
	2099.00			1830.75	21.00	1828.05
22	2159.75	1811.22	1843.22	1830.00	21.41	1827.64
	2199.75			1830.75	21.41	1826.22
23	2259.75	1811.19	1843.19	1831.42	21.33	1826.30
	2299.75			1831.42	21.25	1826.38
24	2359.75	1810.68	1842.68	1831.42	21.50	1826.13
	2399.75			1831.42	23.75	1823.88
25	2460.50	1810.71	1842.71	1831.42	24.41	1823.22
	2500.50			1828.58	25.08	1822.55
26	2561.25	1811.51	1842.01	1828.58	22.25	1825.38
	2601.25			1827.15	19.75	1827.16
27	2661.25	1811.34	1741.84	1827.15	19.50	1827.41
	2701.25			1827.15	20.50	1825.70
28	2761.25	1810.71	1841.21	1827.15	20.00	1826.20
	2801.25			1831.43	14.5	1831.70
29	2861.81	1810.61	1841.11	1837.13	10.33	1835.87
	2891.81			1837.50	9.16	1836.55
N-A	2913.49	1834.00	1841.26	1837.65	7.66	1838.05

Year	1961	1965	1969	1970	1976	1979	1982
Flowline	1823.50	1824.10	1823.50	1822.30	1824.20	1822.70	1823.70

Year	1984	1987	1989	1990	1992	1995
Flowline	1823.80	1823.10	1822.50	1822.50	1823.50	1823.42

Table 10. Structure, Cross-section, and Flowline Details
Bridge No 14214 (RS 3) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
b14214	16.8 MI N Custer C/L	36-03-06	98-58-00	U.S. 183	1958	1,605.00

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed58	S-Rding00	R-bed00
S-A	0.00	1640.00	1665.00	1663.75	9.16	1663.30
	20.00			1655.00	17.25	1655.25
	40.00			1653.75	22.50	1651.25
1	102.00	1633.67	1665.61	1648.75	24.50	1649.25
	142.00			1650.00	21.00	1652.75
2	202.00	1634.25	1666.25	1649.00	21.33	1652.42
	242.00			1650.00	21.41	1652.34
3	302.00	1634.34	1666.34	1651.00	22.25	1651.5
	342.00			1651.25	21.66	1652.09
4	402.75	1634.95	1666.95	1652.25	21.58	1652.17
	442.75			1652.25	21.25	1652.50
5	503.50	1634.79	1666.79	1652.50	21.75	1652.00
	543.50			1653.00	21.33	1652.42
6	603.50	1635.15	1667.15	1653.75	22.08	1651.67
	643.50			1654.50	21.08	1652.67
7	703.50	1635.01	1667.01	1655.00	20.75	1653.00
	743.50			1655.00	20.16	1653.59
8	804.25	1635.40	1667.4	1653.75	20.50	1653.25
	844.25			1653.75	25.00	1648.75
9	905.00	1635.01	1667.01	1653.75	24.25	1649.50
	945.00			1653.75	23.33	1650.42
10	1005.00	1635.15	1667.15	1653.75	22.25	1651.50
	1045.00			1653.75	21.58	1652.17
11	1105.00	1634.75	1668.78	1653.75	21.50	1652.25
	1145.00			1653.75	21.08	1652.67
12	1205.00	1634.05	1666.95	1652.50	21.50	1652.25
	1245.00			1652.50	20.08	1653.67
13	1305.75	1634.34	1666.34	1653.75	20.08	1653.67
	1345.75			1652.50	19.75	1654.00
14	1405.75	1634.25	1666.25	1652.50	19.66	1654.09
	1445.75			1652.50	19.25	1654.50
15	1505.75	1633.67	1665.67	1652.50	18.58	1655.17
	1545.75			1658.50	16.75	1657.00
N-A	1606.75	1640.00	1665.00	1663.75	9.33	1663.15

Table 10. (Continued)

Year	1961	1965	1969	1970	1976	1979	1982
Flowline	1650.25	1649.45	1647.65	1649.05	1650.65	1649.85	1649.25

Year	1984	1987	1989	1990	1992	1995
Flowline	1649.55	1649.25	1649.25	1649.25	1649.25	1650.75

Table 11. Structure, Cross-section, and Flowline Details
Bridge No 21131 (RS 4) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
b21131	2.6 MI S Dewey C/L	35-46-00	98-40-42	S.H. 33	1985	3202.83

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed85	S-Rding93	R-bed 93
W-A	0.00	1525	1546.50	1550.00	7.20	1547.80
	50.58			1535.00	26.40	1527.35
1	101.67	1474.94	1546.26	1518.75	33.10	1520.65
	151.67			1518.75	35.10	1518.65
2	201.67	1474.54	1545.94	1518.00	35.20	1518.55
	251.67			1517.75	35.10	1518.40
3	301.67	1465.01	1545.54	1517.75	35.20	1518.30
	351.67			1517.75	36.10	1517.15
4	401.67	1463.74	1545.01	1517.5	36.10	1516.90
	451.67			1517.25	36.90	1515.60
5	501.67	1463.34	1544.74	1520.00	36.80	1515.70
	551.67			1515.00	36.80	1515.70
6	601.67	1462.94	1544.34	1512.50	36.70	1515.05
	651.67			1513.75	36.70	1515.55
7	701.67	1457.41	1543.94	1514.38	36.60	1515.65
	751.67			1513.75	36.90	1515.10
8	801.67	1452.14	1543.41	1513.75	36.60	1515.15
	851.67			1513.75	37.80	1513.95
9	901.67	1451.74	1543.14	1513.75	37.00	1514.50
	951.67			1513.75	37.90	1513.10
10	1001.67	1451.34	1542.74	1513.75	37.80	1512.70
	1051.67			1515.00	37.60	1512.65
11	1101.67	1449.81	1542.34	1515.00	37.60	1512.65
	1151.67			1515.00	34.30	1516.20
12	1201.67	1449.54	1541.81	1515.00	34.30	1516.20
	1251.67			1515.00	34.10	1515.90
13	1301.67	1449.14	1541.54	1519.00	35.10	1514.65
	1351.67			1518.13	32.40	1517.35
14	1401.67	1448.74	1541.14	1519.00	31.90	1517.60
	1451.67			1519.38	31.30	1517.95
15	1501.67	1449.21	1540.74	1518.13	31.30	1517.70
	1551.67			1518.13	31.30	1517.45
16	1601.67	1448.94	1540.21	1518.13	31.50	1517.00
	1651.67			1518.13	31.20	1517.30
17	1701.67	1448.54	1539.94	1520.00	31.00	1517.50

Table 11. (Continued)

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed85	S-Rding93	R-bed 93
	1751.67			1520.00	31.00	1517.00
18	1801.67	1449.14	1539.94	1516.88	30.90	1516.60
	1851.67			1516.25	30.70	1516.80
19	1901.67	1448.61	1539.14	1515.00	30.60	1516.90
	1951.67			1515.00	30.90	1516.60
20	2001.67	1449.34	1538.61	1513.75	30.70	1516.80
	2051.67			1515.63	30.40	1517.10
21	2101.67	1448.94	1538.34	1515.00	31.20	1516.30
	2151.67			1515.00	29.90	1517.60
22	2201.67	1448.94	1537.94	1515.00	29.30	1517.70
	2251.67			1515.00	29.60	1517.15
23	2301.67	1448.54	1537.54	1515.00	28.90	1517.60
	2351.67			1515.00	28.90	1517.35
24	2401.67	1450.01	1537.01	1515.63	28.60	1517.40
	2451.67			1515.00	28.50	1517.25
25	2501.67	1451.74	1536.74	1515.00	28.10	1517.40
	2551.67			1515.00	28.20	1516.80
26	2601.67	1454.34	1536.34	1516.25	27.80	1516.95
	2651.67			1515.00	27.80	1516.85
27	2701.67	1455.94	1535.94	1515.00	27.40	1516.85
	2751.67			1513.75	27.60	1516.65
28	2801.67	1456.41	1535.41	1513.75	27.50	1516.50
	2851.67			1515.00	27.00	1516.75
29	2901.67	1458.14	1535.14	1515.00	26.30	1517.20
	2951.67			1513.75	26.10	1516.90
30	3001.67	1458.74	1534.74	1512.50	27.40	1515.35
	3051.67			1513.75	26.20	1516.45
31	3101.67	1460.26	1534.26	1516.25	24.00	1518.65
	3152.25			1527.50	19.40	1523.25
E-A	3202.83	1472.5	1535	1535.63	6.50	1536.15

Year	1987	1990	1992	1995
Flowline	1507.00	1506.70	1508.00	1513.00

Table 12. Structure, Cross-section, and Flowline Details
Bridge No 14522 (RS 5) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
b14522	1.1 MI. E. Caddo CL	35-31-36	98-17-18	I-40	1959	2,551.50

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed59	S-Rding92	R-bed92	SRding94	R-bed94
W-A	0.00	1352.00	1381.31	1380.00	8.00	1380.40	8.00	1380.40
	30.71			1375.00			20.50	1368.00
1	61.42	1339.44	1381.44	1362.00	22.00	1366.50	23.00	1365.50
2	162.00	1339.35	1381.35	1361.00	24.00	1364.50	25.00	1363.50
3	262.00	1337.33	1381.85	1362.25	24.00	1364.50	25.00	1363.50
4	362.00	1335.00	1381.80	1364.00	24.00	1364.50	25.00	1363.50
5	462.75	1334.33	1382.33	1362.00	25.00	1363.50	26.00	1362.50
6	563.50	1334.16	1382.16	1365.00	27.00	1361.50	27.00	1361.50
7	663.50	1334.54	1382.54	1362.50	25.00	1363.75	26.00	1362.75
8	763.50	1332.43	1382.49	1362.25	29.00	1359.75	27.00	1361.75
9	864.25	1330.87	1382.87	1362.00	29.00	1360.25	27.00	1362.25
10	965.00	1330.61	1382.61	1361.00	29.00	1360.50	28.00	1361.50
11	1065.00	1328.90	1382.90	1362.00	28.00	1361.50	28.00	1361.50
12	1165.00	1328.70	1382.70	1361.00	30.00	1359.50	31.00	1358.50
	1240.56			1361.00			34.00	1355.75
13	1265.75	1322.05	1383.05	1360.00	30.00	1360.00	32.00	1358.00
	1330.75			1361.75	31.00	1359.00		
14	1366.50	1342.70	1382.70	1364.75	33.00	1357.00	35.00	1355.00
	1396.50			1364.00	29.00	1361.50		
	1416.50			1363.00			29.50	1361.00
	1436.50			1363.00	25.00	1365.50		
	1441.00			1362.50			26.00	1364.50
15	1466.50	1342.90	1382.50	1362.25	26.00	1364.50	26.00	1364.50
16	1566.50	1342.61	1382.61	1361.75	26.00	1364.50	27.00	1363.50
17	1667.25	1342.81	1382.87	1364.00	28.00	1362.50	27.00	1363.50
18	1768.00	1342.43	1382.43	1364.00	27.00	1363.50	27.00	1363.50
19	1868.00	1342.54	1382.54	1364.00	27.00	1363.50	27.00	1363.50
20	1968.00	1342.16	1382.16	1364.00	27.00	1363.50	27.00	1363.50
21	2068.75	1342.33	1382.33	1364.00	27.00	1363.50	27.00	1363.50
22	2169.50	1341.80	1381.80	1364.00	27.00	1363.00	28.00	1362.00
	2239.50			1364.00	28.00	1362.00		
23	2269.50	1341.83	1381.83	1363.00	35.00	1355.00	35.00	1355.00
	2289.50			1362.75	37.00	1353.00		
	2319.50			1362.00			37.00	1352.75
	2344.50			1362.00			27.00	1362.75

Table 12. (Continued)

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed59	S-Rding92	R-bed92	S-Rding94	R-bed94
	2339.50			1362.00	26.00	1363.75		
24	2369.50	1341.35	1381.35	1362.00	27.00	1362.50	26.00	1363.50
25	2470.08	1341.44	1381.44	1362.00	25.00	1364.00	25.00	1364.00
E-A	2551.50	1350.00	1380.00	1380.00	8.00	1380.40	9.00	1379.40

Year	1962	1964	1966	1969	1970	1971	1973
Flowline	1361.40	1361.40	1361.60	1361.20	1360.00	1361.50	1360.70

Year	1974	1976	1987	1988	1990	1992	1994
Flowline	1358.70	1358.40	1357.00	1358.00	1354.00	1353.00	1353.00

Table 13. Structure, Cross-section, and Flowline Details
Bridge No 14521 (RS 6) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
b14521	1.1 MI. E. Caddo CL	35-31-36	98-17-18	I-40	1959	2551.50

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed59	S-Rding92	R-bed 92	S-Rding94	R-bed94	S-Rding00	R-bed00
W-A	0.00	1352.00	1380.00	1380.00	8.00	1380.40	8.00	1380.40	8.20	1380.20
	30.75			1366.00			19.00	1369.40	20.90	1367.50
1	61.41	1339.44	1381.44	1362.00	23.00	1365.40	23.00	1365.40	22.90	1365.50
	111.70			1361.00			24.00	1364.40	23.70	1364.70
2	162.00	1339.55	1381.35	1361.00	24.00	1364.40	24.00	1364.40	24.00	1364.40
3	262.00	1337.33	1381.85	1363.00	24.00	1364.40	24.00	1364.40	24.20	1364.20
4	362.00	1335.80	1381.80	1363.50	23.00	1365.40	24.00	1364.40	23.80	1364.60
	412.38			1363.50					23.60	1364.80
5	462.75	1334.33	1382.33	1363.50	24.00	1364.40	24.00	1364.40	23.90	1364.50
6	563.50	1334.16	1382.16	1363.50	27.00	1361.40	26.00	1362.40	26.00	1362.40
	613.50			1363.00					26.20	1362.20
7	663.50	1334.54	1382.54	1363.00	25.00	1363.40	26.50	1361.90	25.90	1362.50
	713.50			1363.00			25.00	1363.40	25.20	1363.20
8	763.50	1332.43	1382.49	1363.00	27.00	1361.40	26.00	1362.40	25.80	1362.60
	813.88			1362.00			26.50	1361.90	25.50	1362.90
9	864.25	1330.87	1382.87	1362.00	27.00	1361.40	26.10	1362.30	26.50	1361.90
	914.63			1362.00					25.40	1363.00
10	965.00	1330.61	1382.61	1361.00	27.00	1361.40	26.80	1361.60	25.70	1362.70
	1015.00			1361.00			27.00	1361.40	25.20	1363.20
11	1065.00	1328.90	1382.90	1362.00	28.00	1360.40	28.00	1360.40	24.80	1363.60
	1115.00			1361.00			26.50	1361.90	24.70	1363.70
	1140.00			1361.00			30.50	1357.90		
12	1165.00	1328.70	1382.70	1361.00	26.00	1362.40	30.00	1358.40	25.10	1363.30
	1195.00			1361.00	29.00	1359.40				
	1215.00			1361.00			33.00	1355.40	25.50	1362.90
13	1265.75	1322.05	1383.05	1360.00	32.00	1356.40	33.00	1355.40	28.90	1359.50
	1290.75			1361.50			30.00	1358.40		
	1305.75			1361.50	30.00	1358.40			30.00	1358.40
14	1366.50	1342.70	1382.70	1361.50	30.00	1358.40	32.00	1356.40	31.20	1357.20
	1456.50			1361.50	29.00	1359.40	32.00	1356.40		
15	1466.50	1342.90	1382.90	1361.50	25.00	1363.40	25.00	1363.40	33.50	1354.90
16	1566.50	1342.61	1382.61	1361.50	15.00	1373.40	26.00	1362.40	25.00	1363.40
	1616.88			1364.00			25.00	1363.40	24.70	1363.70
17	1667.25	1342.87	1382.87	1364.00	27.00	1361.40	26.00	1362.40	25.90	1362.50
	1717.63			1361.00					25.20	1363.20

Table 13. (Continued)

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed59	S-Rding92	R-bed 92	S-Rding94	R-bed94	S-Rding00	R-bed00
18	1768.00	1342.43	1382.43	1370.00	26.00	1362.40	26.00	1362.40	25.80	1362.60
19	1868.00	1342.54	1382.54	1364.00	25.00	1363.40	26.00	1362.40	25.60	1362.80
	1918.00			1364.00			25.50	1362.90	25.30	1363.10
20	1968.00	1342.16	1382.16	1364.00	25.00	1363.40	26.00	1362.40	25.70	1362.70
	2018.38			1364.00					25.40	1363.00
21	2068.75	1342.33	1382.33	1364.00	26.00	1362.40	27.00	1361.40	26.40	1362.00
	2119.13			1364.00			26.50	1361.90	26.20	1362.20
22	2169.50	1341.50	1391.80	1365.00	26.00	1362.40	27.00	1361.40	26.70	1361.70
23	2269.50	1341.83	1381.83	1363.50	27.00	1361.40	28.00	1360.40	27.60	1360.80
	2319.50			1362.00					27.40	1361.00
24	2369.50	1341.35	1381.35	1362.00	28.00	1360.40	29.00	1359.40	27.70	1360.70
	2419.79			1362.00			25.00	1363.40	24.60	1363.80
25	2470.08	1341.44	1381.44	1362.00	24.00	1364.40	24.00	1364.40	23.90	1364.50
	2510.79			1374.00			13.00	1375.40		
E-A	2551.50	1340.00	1380.00	1380.00	8.00	1380.40	8.50	1379.90	8.70	1379.70

Year	1962	1964	1966	1968	1969	1970	1971	1973	1974
Flowline	1359.80	1359.80	1359.80	1359.80	1358.80	1357.40	1359.90	1359.10	1357.10

Year	1976	1980	1980	1987	1988	1990	1992	1994
Flowline	1357.40	1356.40	1356.40	1355.40	1352.30	1352.40	1354.40	1353.40

Table 14. Structure, Cross-section, and Flowline Details
Bridge No 13537 (RS 7) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
b13537	22.5 MI N US 62	35-21-42	97-55-48	US-81	1955	1708.94

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed55	S-Rding 00	R-bed 00	Wse00	S-Rding92	R-bed92
S-A	0.00	1218.00	1262.00	1260.00	6.16	1256.34	1235.45	7.00	1255.5
	20.00			1252.25			1235.45	13.00	1249.5
	40.00			1252.25	14.58	1247.92	1235.45		
1	51.68	1210.11	1262.11	1252.50	15.58	1247.03	1235.45	16.00	1246.61
	91.68			1252.50	15.50	1247.11	1235.45		
2	152.22	1210.17	1262.17	1250.00	16.66	1246.01	1235.45	18.00	1244.67
	192.22			1250.00	16.75	1245.92	1235.45		
3	252.22	1210.75	1262.75	1247.50	16.00	1247.25	1235.45	17.00	1246.25
	292.22			1247.50	14.41	1248.84	1235.45		
	322.22			1245.00			1235.45	16.00	1247.34
4	352.22	1210.84	1262.84	1245.00	26.25	1237.09	1235.45	28.00	1235.34
	392.22			1242.00	23.50	1239.84	1235.45	27.00	1236.34
5	452.97	1211.45	1263.45	1239.00	36.16	1227.79	1235.45	33.00	1230.95
	477.97			1240.00			1235.45	26.00	1237.95
	492.97			1241.25	38.50	1225.45	1235.45		
	542.97			1242.50			1235.45	26.00	1237.79
6	553.72	1211.29	1263.29	1243.75	33.33	1230.46	1235.45	28.00	1235.79
	593.72			1242.50	31.08	1232.71	1235.45		
	633.72			1240.00			1235.45	26.00	1238.15
7	653.72	1210.65	1263.65	1237.50	27.41	1236.74	1235.45	28.00	1236.15
	693.72			1240.00	33.41	1230.74	1235.45		
8	753.72	1211.51	1263.51	1243.75	21.66	1242.35	1235.45	26.00	1238.01
	793.72			1244.00	20.50	1243.51	1235.45		
9	854.47	1211.90	1263.90	1245.25	18.00	1246.40	1235.45	19.00	1245.4
	894.47			1246.00	14.50	1249.90	1235.45		
10	955.22	1213.51	1263.51	1246.50	18.50	1245.51	1235.45	20.00	1244.01
	995.22			1247.50	15.33	1248.68	1235.45		
11	1055.22	1213.65	1263.65	1247.50	16.50	1247.65	1235.45	17.00	1247.15
	1095.22			1248.50	16.08	1248.07	1235.45		
12	1155.22	1217.29	1263.29	1251.50	16.50	1247.29	1235.45	18.00	1245.79
	1195.22			1250.00	15.50	1248.29	1235.45		
13	1255.97	1218.45	1263.45	1255.50	16.33	1247.62	1235.45	17.00	1246.95
	1295.97			1255.50	15.08	1248.87	1235.45		
14	1356.72	1215.84	1262.84	1252.25	15.25	1248.09	1235.45	16.00	1247.34

Table 14. (Continued)

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed55	S-Rding 00	R-bed 00	Wse00	S-Rding92	R-bed92
	1396.72			1255.00	16.50	1246.84	1235.45		
15	1456.72	1220.75	1262.75	1253.75	16.66	1246.59	1235.45	18.00	1245.25
	1496.72			1253.50	15.33	1247.92	1235.45		
16	1556.72	1222.17	1262.17	1254.00	12.66	1250.01	1235.45	14.00	1248.67
	1596.72			1253.00	11.25	1251.42	1235.45		
17	1657.26	1222.11	1262.00	1252.50	11.50	1251.00	1235.45	13.00	1249.5
	1697.26			1252.50	9.58	1252.92	1235.45		
N-A	1708.94	1236.00	1262.00	1260.00	4.58	1257.92	1235.45	6.00	1256.5

Year	1960	1964	1967	1969	1970	1975	1981	1984
Flowline	1235.34	1233.74	1234.14	1234.14	1234.14	1232.14	1232.84	1226.54

Year	1985	1987	1988	1990	1991	1992	1993	1995
Flowline	1232.94	1234.34	1225.34	1224.34	1234.34	1230.34	1236.01	1226.17

Table 15. Structure, and Flowline Details
Bridge No 26060 (RS 8) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
26060	McClain & Cleveland C/L	35-18-00	97-36-00	I-44	2000	1717.8

Year	2003	2004
Flowline	1143.05	1141.65

Table 16. Structure, and Flowline Details
Bridge No 22108 (RS 9) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
22108	Cleveland McClain C/L	35-11-36	97-29-06	I-35	1988	3740.2

Year	1989	1991	1992
Flowline	1080.75	1081.05	1081.75

Table 17. Structure, and Flowline Details
Bridge No 21361 (RS 10) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
21361	Cleveland McClain C/L	35-11-36	97-29-06	I-35	1986	3740.2

Year	1989	1991	1992
Flowline	1080.75	1081.05	1081.75

Table 18. Structure, Cross-section, and Flowline Details
Bridge No 06593 (RS 11) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
06593	Cleveland McClain C/L	35-00-54	97-21-00	U.S. 77	1938	3672.14

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed38	S-Rding01	R-bed01	S-Rding99	R-bed99
W-A	0.00	1040.00	1079.50	1050.00	13.10	1073.90	13.10	1073.90
	12.00			1045.00			12.70	1074.30
1	52.41	1032.59	1063.57	1040.00	12.70	1074.30	37.40	1049.60
	115.41			1037.00			53.20	1033.80
2	153.00	1018.18	1064.49	1028.00	38.80	1048.20	53.00	1034.00
3	255.00	1013.28	1064.41	1028.00	54.00	1033.00	54.50	1032.50
4	357.00	1011.86	1064.36	1028.00	54.80	1031.20	54.50	1031.50
	409.00			1028.00				
5	459.67	1005.18	1064.13	1028.00	54.80	1031.20	54.50	1031.50
6	661.67	993.59	1064.76	1029.00	54.80	1031.20	54.50	1031.50
	713.67			1028.00				
7	764.17	992.50	1063.58	1026.00	54.80	1029.20	54.50	1029.50
8	866.14	991.50	1062.92	1024.00	54.80	1029.20	54.50	1029.50
	918.14			1024.00				
9	968.14	991.00	1062.58	1024.00	54.80	1029.20	60.00	1024.00
	1018.14			1024.00				
10	1070.14	991.00	1062.08	1024.00	54.80	1031.20	60.00	1026.00
	1120.14			1024.00				
11	1172.14	990.00	1061.86	1024.00	54.80	1030.20	59.90	1025.10
12	1274.14	989.50	1061.07	1024.00	54.80	1029.20	59.30	1024.70
13	1376.14	990.00	1060.58	1024.00	54.80	1029.20	57.90	1026.10
	1428.14			1024.00				
14	1478.14	989.00	1059.88	1024.00	56.80	1027.20	56.10	1027.90
	1528.14			1024.00	56.00	1028.00	55.80	1028.20
	1540.14			1024.00				
	1568.14			1024.00				
	1628.14			1024.00				
15	1580.14	988.50	1059.29	1024.00	61.50	1020.50	61.50	1020.50
	1610.14			1024.00	66.00	1016.00		
	1612.14			1024.00				
	1616.14			1024.00				
	1617.14			1024.00			67.00	1015.00
	1620.14			1024.00				
16	1682.14	989.00	105.53	1024.00	56.40	1025.60	56.40	1025.60

Table 18. (Continued)

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed38	S-Rding01	R-bed01	S-Rding99	R-bed99
	1710.14			1024.00				
	1715.14			1024.00				
	1719.14			1024.00				
	1723.14			1024.00			61.20	1020.80
	1724.14			1024.00				
	1727.14			1024.00	60.90	1021.10		
	1734.14			1024.00				
	1755.14			1024.00				
	1761.00			1024.00				
17	1784.14	989.00	1057.84	1024.00	55.10	1024.90	55.00	1025.00
	1850.14			1024.00	53.80	1026.20		
18	1886.14	989.00	1057.00	1024.00	54.00	1026.00	54.00	1026.00
	1936.14			1022.00	55.00	1025.00		
19	1988.14	988.00	1057.23	1022.00	53.70	1026.30	56.00	1024.00
20	2090.14	986.00	1057.80	1022.00	51.60	1028.40	53.90	1026.10
	2140.14			1022.00	50.00	1028.00		
21	2192.14	986.30	1054.44	1022.00	49.80	1028.20	50.80	1027.20
22	2294.14	984.00	1053.43	1022.00	48.00	1029.00	49.50	1027.50
23	2396.14	982.60	1052.48	1024.00	47.20	1024.80	48.90	1023.10
	2442.14			1024.00	47.40	1024.60		
	2453.14			1024.00				
24	2498.14	982.40	1051.38	1024.00	46.40	1025.60	46.00	1026.00
	2540.14			1024.00				
	2548.14			1024.00			45.80	1025.20
25	2600.14	982.50	1050.34	1024.00	43.40	1026.60	46.00	1024.00
	2660.14			1024.00				
26	2702.14	981.50	1049.16	1024.00	42.80	1026.20	44.10	1024.90
	2720.14			1024.00				
	2752.14			1024.00	41.60	1027.40		
27	2804.14	980.80	1048.04	1024.00	43.20	1025.80	42.10	1026.90
	2825.14			1024.00				
	2843.14			1024.00				
	2855.14			1024.00				
	2879.14			1024.00			40.80	1028.20
	2887.14			1024.00	45.70	1022.30		
	2897.14			1024.00				
28	2906.14	982.00	1046.77	1024.00	45.00	1023.00	44.00	1024.00
	2909.14			1024.00				
	2920.14			1024.00				
	2936.14			1024.00				
	2945.14			1024.00				
	2956.14			1024.00			45.50	1021.50

Table 18. (Continued)

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed38	S-Rding01	R-bed01	S-Rding99	R-bed99
	2990.14			1024.00				
29	3008.14	983.50	1043.56	1024.00	43.80	1023.20	43.00	1024.00
	3029.14			1024.00				
	3044.14			1024.00				
	3058.14			1024.00				
	3064.14			1024.00				
	3085.14			1024.00				
	3088.14			1024.00	41.90	1024.10		
	3098.14			1024.00	44.60	1021.40		
30	3110.14	983.00	1044.20	1024.00	43.00	1023.00	42.00	1024.00
	3148.14			1024.00				
	3150.14			1024.00				
	3160.14			1024.00	42.30	1023.70	40.90	1025.10
	3182.14			1024.00				
	3200.14			1024.00				
31	3212.14	983.00	1042.80	1024.00	44.60	1020.40	41.20	1023.80
	3224.14			1024.00	45.20	1019.80	44.70	1020.30
	3233.14			1024.00				
	3254.14			1024.00				
	3271.14			1020.00				
	3298.14			1022.00				
32	3314.14	982.00	1041.48	1024.00	41.00	1023.00		
	3324.14			1028.00			42.30	1021.70
	3334.14			1028.00			43.20	1020.80
	3356.14			1028.00			43.00	1021.00
	3372.14			1028.00				
	3377.14			1028.00				
	3401.14			1028.00				
	3399.14			1028.00			42.50	1021.50
33	3416.14	982.00	1040.08	1028.00	42.40	1021.60	43.70	1020.30
	3426.14			1028.00			40.90	1023.10
	3437.14			1028.00			42.00	1022.00
	3439.14			1028.00				
34	3518.14	983.00	1038.55	1028.00	34.00	1028.00	33.00	1029.00
	3560.14			1028.00			32.40	1029.60
35	3619.72	982.50	1057.08	1028.00	27.00	1035.00	27.30	1034.70
E-A	3672.14	1020.00	1056.09	1048.00	15.00	1045.00	12.50	1047.50

Table 18. (Continued)

S-Rding98	R-bed98	S-Rding96	R-bed96	S-Rding94	R-bed94	S-Rding93	R-bed93	S-Rding92	R-bed92
13.40	1073.60	12.00	1075.00	12.40	1074.60	12.80	1074.20	14.00	1073.00
12.20	1074.80								
33.30	1053.70	32.90	1054.10	37.20	1049.80	34.30	1052.70	52.50	1034.50
54.00	1033.00	51.30	1035.70	53.00	1034.00	52.40	1034.60	55.10	1031.90
55.90	1031.10	55.00	1032.00	56.60	1030.40	55.80	1031.20	56.30	1030.70
55.90	1030.10	55.60	1030.40	57.30	1028.70	56.50	1029.50	56.30	1029.70
				57.60	1028.40				
55.90	1030.10	55.60	1030.40	57.00	1029.00	57.50	1028.50	55.50	1030.50
55.90	1030.10	55.60	1030.40	56.60	1029.40	57.20	1028.80	56.50	1029.50
				55.00	1029.00	56.60	1027.40		
55.90	1028.10	55.60	1028.40	57.20	1026.80	58.00	1026.00	58.50	1025.50
55.90	1028.10	55.60	1028.40	59.80	1024.20	59.60	1024.40	58.50	1025.50
				58.60	1025.40				
59.70	1024.30	55.60	1028.40	59.40	1024.60	58.50	1025.50	57.80	1026.20
59.00	1025.00	55.60	1028.40	58.30	1025.70				
59.70	1026.30	55.60	1030.40	58.90	1027.10	59.00	1027.00	57.00	1029.00
59.30	1026.70	55.60	1030.40						
59.50	1025.50	55.60	1029.40	57.60	1027.40	57.90	1027.10	57.00	1028.00
58.00	1026.00	55.60	1028.40	58.30	1025.70	57.40	1026.60	56.10	1027.90
56.50	1027.50	55.60	1028.40	56.80	1027.20	56.80	1027.20	56.00	1028.00
						55.00	1029.00	55.30	1028.70
56.00	1028.00	54.90	1029.10	56.00	1028.00	56.10	1027.90	55.50	1028.50
55.30	1028.70								
						55.00	1029.00		
55.90	1027.10								
60.90	1021.10	59.00	1023.00	59.80	1022.20	59.90	1022.10	60.00	1022.00
		65.50	1016.50						
				66.90	1015.10			73.00	1009.00
68.10	1013.90								
						69.20	1012.80		
55.90	1026.10	56.20	1025.80	55.90	1026.10	55.80	1026.20	55.00	1027.00
		55.70	1026.30						
		65.10	1016.90						
59.60	1022.40								
				60.00	1022.00			59.90	1022.10
						57.80	1024.20		

Table 18. (Continued)

S-Rding98	R-bed98	S-Rding96	R-bed96	S-Rding94	R-bed94	S-Rding93	R-bed93	S-Rding92	R-bed92
		56.10	1025.90						
						56.50	1025.50		
55.00	1025.00	53.90	1026.10	54.00	1026.00	54.50	1025.50	54.00	1026.00
53.30	1026.70			53.00	1027.00	52.90	1027.10	53.10	1026.90
57.10	1022.90	54.80	1025.20	55.80	1024.20	55.50	1024.50	56.30	1023.70
52.80	1027.20			51.80	1028.20	52.00	1028.00	52.00	1028.00
50.40	1027.60			50.00	1028.00	49.60	1028.40	50.30	1027.70
49.10	1027.90			48.30	1028.70	48.80	1028.20	49.00	1028.00
47.20	1024.80			46.80	1025.20	47.00	1025.00	47.30	1024.70
						45.40	1026.60		
45.90	1026.10			45.20	1026.80	46.00	1026.00	45.70	1026.30
				46.50	1025.50				
45.60	1025.40								
45.90	1024.10			45.60	1024.40	46.30	1023.70	46.90	1023.10
						42.90	1027.10		
44.00	1025.00			43.00	1026.00	43.00	1026.00	43.70	1025.30
								41.70	1027.30
		40.50	1028.50	41.20	1027.80	41.60	1027.40	43.00	1026.00
42.00	1027.00							42.30	1026.70
				40.00	1029.00				
						39.90	1029.10		
		39.80	1029.20						
40.00	1029.00								
		45.40	1022.60						
		47.00	1021.00	50.10	1017.90	43.00	1025.00	44.70	1023.30
44.00	1024.00	47.00	1021.00						
								50.40	1017.60
						55.00	1013.00		
		47.50	1019.50						
45.60	1021.40	45.80	1021.20						
		47.10	1019.90	49.50	1017.50	51.00	1016.00	46.10	1020.90
42.00	1025.00	45.60	1021.40						
		48.60	1018.40					45.20	1021.80
42.50	1024.50	46.00	1021.00						

Table 18. (Continued)

S-Rding98	R-bed98	S-Rding96	R-bed96	S-Rding94	R-bed94	S-Rding93	R-bed93	S-Rding92	R-bed92
								46.50	1019.50
		47.00	1019.00	48.50	1017.50	46.00	1020.00	44.10	1021.90
42.00	1024.00								
41.00	1025.00							43.20	1022.80
								44.90	1020.10
42.20	1022.80	44.20	1020.80	46.50	1018.50	44.50	1020.50	43.00	1022.00
41.50	1023.50								
								43.80	1021.20
		47.40	1016.60						
40.40	1023.60	45.40	1018.60	45.00	1019.00	44.10	1019.90	40.50	1023.50
43.00	1021.00								
40.70	1023.30					45.90	1018.10		
		39.00	1025.00						
				42.00	1022.00				
43.80	1020.20								
		40.80	1023.20	43.50	1020.50	40.10	1023.90	42.30	1021.70
41.00	1023.00	42.30	1019.70						
		32.30	1029.70	32.80	1029.20	33.30	1028.70	33.50	1028.50
		25.50	1036.50	25.90	1036.10	26.70	1035.30	26.80	1035.2
33.00	1029.00	12.00	1048.00	11.90	1048.10	12.00	1048.00	11.50	1048.5

Year	1970	1989	1992	1994
Flowline	1005.00	1012.40	1005.00	1013.00

Table 19. Structure, Cross-section, and Flowline Details
Bridge No 14520 (RS 12) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
14520	Pott-Pontotoc Mac Co	34-57-48	96-55-48	S.H. 3 W	1959	1,356.00

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed59	S-Rding93	R-bed93	S-Rding93	R-bed 93
S-A	0.00	890.00	925.00	920.00	7.50	920.00	6.70	920.80
	17.00			913.50				
	30.00			915.00	14.00	913.50		
	38.50			915.50				
1	77.00	888.17	923.17	917.00	19.00	908.50		
	103.00			912.50				
2	152.75	888.06	923.56	910.00	22.00	905.50	21.20	906.30
	237.75			906.00			24.60	902.90
3	253.50	888.3	923.80	905.00	24.00	903.50	23.70	903.80
	275.00			905.00				
	303.50			907.50			21.80	905.70
4	353.50	888.12	924.52	907.50	24.00	903.50	23.40	904.10
	403.50			907.50			22.80	904.70
5	453.50	888.00	925.00	906.50	25.00	902.50	23.80	903.70
	484.00			907.50				
	503.50			905.00			24.60	902.90
6	554.25	887.96	925.96	905.00	25.00	902.50	24.10	903.40
	604.50			905.00			23.90	903.60
7	655.00	888.21	926.21	905.00	26.00	901.50	25.20	902.30
	700.00			902.50			25.10	902.40
	716.00			903.00				
	731.00			903.00			30.30	897.20
	740.00			903.00			27.00	900.50
8	755.00	888.03	927.03	903.00	29.00	898.50	27.90	899.60
	773.00			903.00			30.40	897.10
	775.00			903.00				
	785.00			903.00			32.50	895.00
	795.00			903.00				
	815.00			903.50				
	830.00			903.50	34.00	893.50		
9	855.00	888.41	927.41	905.00	30.00	897.50	30.10	897.40
	895.00			905.50				
	905.00			905.50			30.50	897.00
	922.17			905.00				
10	955.75	888.37	928.37	904.00	30.00	897.50	30.80	896.70

Table 19. (Continued)

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed59	S-Rding93	R-bed93	S-Rding93	R-bed 93
	1006.13			903.00	32.00	895.50	30.50	897.00
11	1056.50	888.12	928.62	903.00	33.00	894.50	33.50	894.00
	1106.50			903.00			33.80	893.70
12	1156.50	888.44	929.44	903.00	34.00	893.50	36.50	891.00
	1220.00			903.00			36.10	891.40
	1206.50			903.00	35.00	892.50		
13	1256.50	878.82	929.82	903.00	34.50	899.50	35.80	891.70
	1302.50			910.00			26.70	900.80
	1307.50			912.50	28.00	899.50		
	1315.00			915.00				
	1353.00			926.50	17.00	910.50		
N-A	1356.50	925.00	930.00	927.50	8.00	919.50	8.10	919.40

S-Rding92	R-bed92	S-Rding87	R-bed87
7.00	920.50		
13.50	914.00		
		13.70	913.80
17.90	909.60	17.30	910.20
18.00	909.50		
21.00	906.50	20.70	906.80
29.50	898.00	24.50	903.00
24.10	903.40		
23.10	904.40	23.30	904.20
22.50	905.00		
22.20	905.30	22.30	905.20
26.20	901.30		
24.10	903.40	24.60	902.90
24.70	902.80		
25.50	902.00	29.50	898.00
27.50	900.00		
29.20	898.30		

Table 19. (Continued)

S-Rding92	R-bed92	S-Rding87	R-bed87
		27.90	899.60
29.20	898.30		
31.20	896.30		
29.50	898.00		
31.5	896.00		
31.00	896.50	30.10	897.40
31.10	896.40		
		33.80	893.70
30.20	897.30	31.60	895.90
30.50	897.00		
33.10	894.40	30.20	897.30
34.00	893.50		
33.20	894.30	32.00	895.50
32.10	895.40		
33.90	893.60	32.00	895.50
33.90	893.60		
		21.10	906.40
29.00	898.50		
8.00	919.50		

Year	1970	1975	1983	1985	1987	1990	1991	1992	1993
Flowline	896.50	893.80	899.50	897.10	893.70	893.50	893.40	892.50	891.20

Table 20. Structure, and Flowline Details
Bridge No 22099 (RS 13) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
22099	Cleveland McClain C/L	35-11-36	97-29-06	I-35	1986	3740.2

Year	1990	1993	2004
Flowline	803.75	802.65	800.15

Table 21. Structure, and Flowline Details
Bridge No 22420 (RS 14) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
22420	Ellis-Rogers Mills Col LI	35-51-54	99-43-48	U.S. 283	1985	3844

Year	1990	1993	2004
Flowline	802.50	801.50	792.40

Table 22. Structure, Cross-section, and Flowline Details
Bridge No 19113 (RS 15)on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
19113	3.9 MI N JCT SH 1	35-00-06	96-20-06	S.H. 48	1975	2200.82

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed75	SRding87	R-Bed87	S-Rding92	R-bed92	S-Rding93	R-bed93
S-A	0.00	690.00	729.45	730.00	23.50	713.83	11.00	726.33	10.90	726.43
1	100.41	691.17	730.17	717.00	24.90	713.60	25.50	713.00	26.20	712.30
2	200.41	692.00	731.00	717.50	27.30	711.45	27.50	711.25	28.00	710.75
	222.41			717.00					29.20	709.55
	250.41			716.00					28.50	711.00
3	300.41	692.71	731.71	707.75	29.10	711.40	29.50	711.00	29.90	710.60
	375.41			707.75	25.20	716.30				
4	400.41	691.55	732.55	707.75	34.60	707.40	29.00	713.00	30.00	712.00
	447.41			707.75					30.00	712.00
	450.41			707.75			24.50	717.75		
5	500.41	691.27	733.27	707.75	36.10	706.40	35.00	707.50	40.40	702.10
	516.41			707.75					45.00	698.00
6	600.41	692.12	734.12	709.00	37.90	705.60	36.00	707.50	38.00	705.50
7	700.41	691.83	734.83	710.25	37.60	706.40	35.50	708.50	38.50	705.50
	740.41			710.25					40.40	703.60
8	800.41	691.67	735.67	710.25	38.00	706.50	37.00	707.50	39.00	705.50
	850.41			710.00			39.00	706.00	40.00	705.00
	890.41			710.00			38.00	707.50		
9	900.41	691.39	736.39	711.00	38.40	707.10	40.00	705.50	38.80	706.70
	948.41			711.00					40.30	706.20
10	1000.41	691.24	737.28	711.00	40.70	705.80	40.50	706.00	39.50	707.00
	1075.14			711.00	38.40	708.10				
11	1100.41	691.95	737.95	711.00	39.00	707.50	42.50	704.00	40.00	706.50
	1150.11			711.00					42.70	704.80
	1153.41			711.00			45.00	702.50		
12	1200.41	691.79	738.79	711.00	42.00	705.50	43.00	704.50	42.50	705.00
	1250.41			711.25			42.20	705.80	45.10	702.90
13	1300.41	691.51	739.51	712.00	42.80	705.70	43.50	705.00	45.00	703.50
	1350.41			713.00			44.20	704.30	45.00	703.50
14	1400.41	691.36	740.36	713.75	39.30	710.20	44.00	705.50	35.00	714.50
	1450.41			713.75			46.20	703.30	44.50	705.00
15	1500.41	692.07	741.07	712.00	40.00	710.25	45.00	705.25	42.60	707.65
	1549.41			707.50					45.60	704.90
16	1600.41	691.91	741.91	706.00	40.60	709.90	41.00	709.50	41.50	709.00
	1643.41			705.00					45.20	705.30

Table 22. (Continued)

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed75	SRding87	R-Bed87	S-Rding92	R-bed92	S-Rding93	R-bed93
	1684.41								45.00	705.50
17	1700.41	691.63	742.69	705.00	41.20	710.30	41.00	710.50	41.00	710.50
	1750.41			705.00					40.30	711.70
18	1800.41	692.48	743.48	705.00	43.40	709.10	42.00	710.50	41.80	710.70
19	1900.41	692.19	744.19	712.00	44.00	709.50	43.00	710.50	43.40	710.10
	1930.41			721.00					34.90	718.60
	1931.41			721.00			34.50	719.00		
	1950.41			720.00	34.10	719.90				
20	2000.41	702.03	745.09	720.00	35.20	719.30	35.00	719.50	35.20	719.30
	2050.41			720.00					37.10	717.40
21	2100.41	702.78	745.75	720.00	35.60	719.90	36.00	719.50	35.70	719.80
	2122.41			720.00			32.50	723.00	32.50	723.00
	2146.41			721.00			33.00	722.50	33.00	722.50
	2150.41			720.00	32.80	722.70				
N-A	2200.82	710.00	746.48	744.00			12.00	742.70	12.40	742.30

Year	1978	1980	1985	1987	1989	1990	1991	1992	1995
Flowline	696.20	695.20	695.00	706.30	697.00	697.00	700.50	697.00	705.92

Table 23. Structure, Cross-section, and Flowline Details
Bridge No 15586 (RS 16) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
15586	Pittsbuurg C/L	35-06-54	95-42-06	U.S.69	1962	1001.5

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed62	S-Rding93	R-bed93
S-A	0.00	520.00	610.00	607.50	9.00	609.5
	75.93			580.00		
	85.00			578.00	37.00	581.5
1	101.25	521.05	611.83	570.00	46.00	572.5
	161.25			560.00	68.00	550.5
2	201.25	520.80	612.04	540.00	82.00	536.5
	261.25			540.00	81.00	537.5
3	301.25	520.30	612.41	540.00	82.00	536.5
	351.25			540.00	82.00	538.5
4	401.25	520.30	612.27	536.00	84.00	536.5
	451.25			545.00	83.00	537.5
5	501.25	519.17	612.37	540.00	85.00	535.5
	551.25			540.00	86.00	534.5
6	601.25	520.20	612.37	540.00	90.00	530.5
	651.25			540.00	91.00	529.5
7	701.25	519.15	612.41	543.00	94.00	526.5
	751.25			543.00	94.00	526.5
8	801.25	518.30	612.04	542.00	82.00	536.5
	851.25			555.00	67.00	551.5
9	901.25	515.75	611.83	572.00	48.00	570.5
	931.25			585.00	38.00	580.5
N-A	1001.5	520.00	610.00	607.00	10.00	608.5

Table 23. (Continued)

S-Rding-U90	S-Rding-D90	R-bed-U90	R-bed-D90	S-Rding87	R-bed87
8.50	9.60	607.00	605.90	10.00	605.50
37.50	37.00	578.00	578.50	35.00	580.50
43.00	45.00	572.50	570.50	80.00	535.50
79.00	79.00	536.50	536.50	80.00	535.50
80.00	81.50	535.50	534.00	81.00	534.50
79.00	80.50	538.50	537.00	81.00	536.50
81.00	84.00	536.50	533.50	85.00	532.50
81.00	82.00	536.50	535.50	81.00	536.50
82.00	83.00	535.50	534.50	84.00	533.50
87.00	90.00	530.50	527.50	90.00	527.50
93.00	91.50	524.50	526.00	93.41	524.09
78.00	76.50	537.50	539.00	80.00	535.50
45.00	45.00	570.50	570.50	46.00	569.50
8.00	9.10	607.50	606.40	9.00	606.50

Year	1965	1985	1987	1989	1992	1995
Flowline	537.00	532.00	523.50	523.50	523.00	533.50

Table 24. Structure, Cross-section, and Flowline Details
Bridge No 15587 (RS 17) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
b15587	2.2 MI N SE US 69B	35-20-18	95-38-42	SH 9	1962	1001.3

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed62	S-Rding87	R-bed87	S-Rding90	R-bed90	S-Rding93	R-bed93
N-A	0.00	495.00	603.00	602.00	9.50	601.50	11.20	602.30	11.00	602.50
1	126.15	491.80	603.02	558.00	48.00	563.00	52.50	561.00	48.00	565.50
	186.15			535.00					71.00	542.50
2	251.15	491.00	603.32	521.00	79.00	532.00	81.50	532.00	94.00	519.50
	311.15			530.00					91.00	522.50
3	376.15	489.60	603.52	528.00	92.00	518.50	94.00	519.00	92.00	521.00
	436.15			526.00					85.00	528.00
	438.65			526.00	84.00	526.50	82.00	531.00		
4	501.15	487.70	603.86	525.50	89.00	521.50	89.00	524.00	89.00	524.00
	561.15			530.00					84.00	529.00
	563.65			530.00	83.00	527.50	83.00	530.00		
5	626.15	488.70	604.02	529.00	92.00	518.50	92.00	521.00	94.00	519.00
6	751.15	489.00	604.32	530.00	94.00	516.50	93.50	519.50	82.00	531.00
7	876.15	488.50	604.52	560.00	47.00	563.50	48.00	565.00	51.00	562.00
S-A	1001.30	495.00	604.00	598.00	9.00	601.50	11.00	602.00	11.00	602.00

Year	1985	1987	1989	1990	1992	1993
Flowline	526.30	517.00	517.00	519.83	517.00	524.00

Table 25. Structure, Cross-section, and Flowline Details
Bridge No 20578 (RS 18) on Canadian River

Bridge No	Location	Latitude	Longitude	Highway	Design year	Length
20578	Haskell C/L	35-10-24	95-14-00	S.H. 2	1983	1268.5

Pier-No	Distance	Pier-Btm	Pier-Top	R-bed83	S-Rding87	R-bed87
S-A	0.00	474.00	513.00	506.00	7.00	506.64
1	94.25	459.00	507.04	484.00	9.00	504.00
2	188.25	459.00	506.35	482.50	28.00	483.75
3	282.25	458.50	505.58	477.50	30.00	482.00
4	376.25	456.00	504.96	476.5	36.00	475.00
5	470.25	455.50	504.28	476.00	35.50	475.00
6	564.25	446.00	503.49	477.50	35.00	475.00
7	658.25	446.50	502.87	477.50	33.00	476.00
8	752.25	446.00	502.08	476.50	32.50	475.00
9	846.25	448.50	501.41	476.50	32.50	475.00
10	940.25	447.50	500.78	477.50	31.00	475.50
11	1034.25	455.00	500.09	471.00	32.00	474.00
	1104.75			487.00	17.50	488.50
12	1128.25	445.71	499.33	488.00	16.00	489.00
13	1198.25	445.71	498.88	490.00	14.00	490.00
N-A	1268.50	457.14	503.00	494.50	8.00	496.00

Year	1984	1985	1987	1989
Flowline	468.80	470.70	468.50	467.50

APPENDIX B

FLOW PATH OF CANADIAN RIVER IN OKLAHOMA




Figure B-1. Flowpath of Canadian River in Oklahoma

QUAD MAP LEGEND
CANADIAN RIVER, OKLAHOMA

Source: http://www.okladot.state.ok.us/hqdiv/p-r-div/maps/2003county/index.htm

County Name
Roger Mills
Ellis
Dewey
Custer
Blaine
Caddo
Canadian
Grady
McClain
Cleveland
Pottawatomie
Pontotoc
Seminole
Hughes
Pittsburg
McIntosh
Haskell
Muskogee

BLAINE


Copies of this map are available for public use at nominal cost.
Address inquiries to:
OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21st STREET
OKLAHOMA CITY, OKLAHOMA 73105-3204


This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.


MAJOR COUNTY

CANTON WILDLIFE MANAGEMENT AREA
WATERFOWL REFUGE PORTION
CANTON LAKE
CANTON AIRPORT
CANTON POP. 618
LONGDALE POP. 310
HOMESTEAD
OKEENE POP. 1,240
OKEENE MUNICIPAL AIRPORT
DARROW
SOUTHARD
HITCHCOCK POP. 141
EAGLE CITY
ROMAN NOSE STATE PARK
BOECHER LAKE
WATONGA LAKE
WATONGA MUNICIPAL AIRPORT
WATONGA POP. 4,658
GREENFIELD POP. 123
CLUB LAKE
AMERICAN HORSE LAKE
AMERICAN HORSE LAKE HUNTING & FISHING AREA
GROENDYKE RANCH AIRPORT
BLAINE CO. 1,116
CANADIAN CO. 142
GEARY POP. 1,258
HYDRO POP. 1,060
BLAINE CO. 294
CADDO CO. 766
BRIDGEPORT POP. 109
SPRING LAKE
END OF STATE HIGHWAY NO. 58
Okeene
Sandy
Lodge
Carlton
Blaine
Southard
Sand Creek
Elm Creek
Spring Creek
Otter Creek
Cedar Creek
Kingfisher Creek
Chicken Creek
Ridge Creek
Squaw Creek
Horse Creek
Hurley Creek
Dirt Cr.
Fire Canyon
Lamonica Creek
Willow Creek
Copper Creek
Silt Creek
Niemela Creek
Memahaka Creek
Weaver Creek
Rock Creek
Otter Creek
CANADIAN RIVER
NORTH CANADIAN RIVER
CANADIAN INDEPENDENCE RIVER
CIMARRON RIVER
TURKEY CREEK
SALT FORK RED RIVER
GRAINBELT CORPORATION
FAIRVIEW
RINGWOOD
HENNESSEY
SEILING
OAKWOOD
THOMAS
KINGFISHER
CALUMET
HINTON
TODD & LADD RAILROAD
CANADIAN RIVER RAILROAD
STATE OWNED RAILROAD
BOUNDARY
TO I-40
TO FAIRVIEW
TO RINGWOOD
TO HENNESSEY
TO SEILING
TO OAKWOOD
TO THOMAS
TO KINGFISHER
TO CALUMET
TO HINTON
HOMESTEAD, OKLAHOMA
SEC. 5, T 19 N, R 11 W
SOUTHARD, OKLAHOMA
SEC. 10, T 18 N, R 12 W
EAGLE CITY, OKLAHOMA
SEC. 21, T 17 N, R 13 W
SCALE IN MILES
SCALE IN METERS
LEGEND
U.S.NUMBERED HIGHWAY
STATE NUMBERED HIGHWAY
INTERSTATE HIGHWAY ROUTE
PAVED ROAD
GRAVEL ROAD
GRADED & DRAINED ROAD
UNIMPROVED ROAD
PRIMITIVE ROAD
PROJECTED ROAD
RESIDENTIAL ROAD
N0001 COUNTY ROAD ID NO.
MILEAGE BETWEEN POINTS
DIVIDED HIGHWAY, 4 OR MORE LANES
TRAFFIC CIRCLE
HIGHWAY GRADE SEPARATION
TRAFFIC INTERCHANGE
STATE LINE
COUNTY LINE
CIVIL TOWNSHIP LINE
ENCLOSED HIGHWAY, 3 OR MORE LANES
RURAL DEVELOPMENT AREA
GOVERNMENT PROPERTY LINE
MATCH LINE
COUNTY SEAT
TOWN CENTER
CORPORATE LIMITS
CIVIL TOWNSHIP, ROAD IN PLACE
INSET BOUNDARY
ELEVATION ABOVE SEA LEVEL
MOUNTAIN RANGE, BUTTE OR MESA
SMALL MONUMENT
MARSH OR SWAMP LANDS
DRAINAGE DITCH
IRRIGATION DITCH
LAKE, RESERVOIR OR POND WITH DAM
ROAD OVER DAM
DRY LAKE SUBJECT TO FLOOD
SMALL BRIDGES CLOSELY SPACED
HIGHWAY BRIDGE, OVER 20FT. IN LENGTH
GENERAL BRIDGE, LONG CROSSING
ARCH BRIDGE
CONCRETE DIP OR FORD
FORD ROAD ESTABLISHED
INTERMITTENT STREAM
NARROW STREAM
DOCK PIER OR LANDING
TRUSS BRIDGE,W-WOOD,S-STEEL,C-CONCRETE
NAVIGABLE STREAM WITH LOCK & DAM
WIDE STREAM OR RIVER
TRIANGULATION STATION
RAILROAD, ANY NUMBER OF TRACKS
RAILROAD WITH STATION INDICATED
GRADE CROSSING
UNDERPASS, R.R. ABOVE
OVERPASS, R.R. BELOW
RAILROAD ON STREET
MILITARY AIRFIELD
AIRPORT WITH COMPLETE FACILITIES
AIRPORT WITH LIMITED FACILITIES
LANDING STRIP, PRIVATE FIELD
AIRPORT, GENERAL OUTLINE OF FIELD
RUNWAYS SHOWN IN POSITION
ROADSIDE PARK Picnic Grounds
PLAYGROUNDS
BATHING BEACH OR SWIMMING POOL
SCENIC SITE
MOTEL
CAMP OR LODGE, Permanent with buildings
SMALL PARK SP-State, CP-County MP-Municipal, TP-Trailer Park
FOREST RANGER STATION
OBSERVATION OR LOOKOUT TOWER
CAMP SITE
FISH HATCHERY
GOLF COURSE OR COUNTRY CLUB
ATHLETIC FIELD OR AMUSEMENT PARK
FAIGROUNDS, RACE COURSE
DWELLING
NUMBER OF DWELLINGS CLOSELY SPACED
COMBINED BUSINESS AND DWELLING
POST OFFICE
POST OFFICE COMBINATIONS
SEASONAL DWELLINGS
CHURCH OR OTHER RELIGOUS BUILDING
CEMETERY
CHURCH WITH CEMETERY ADJACENT
REST HOME
HOSPITAL
SMALL BUSINESS
INDUSTRY
SAW MILL
MINE SHAFT OR DRIFT
OIL OR GAS FIELD
GAUGING OR PUMPING STATION
WAREHOUSE
GRAVEL PIT
QUARRY
SCHOOL
COMMUNITY HALL OR LODGE
DRIVE-IN THEATER
CORRECTIONAL INSTITUTION
HIGHWAY GARAGE
JUNK YARDS & DUMPS A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or trash dump, F-Sanitary Fill, G-Other
SEWAGE DISPOSAL PLANT
WATER SUPPLY STAND PIPE
POWER PLANT
BOOSTER STATION
POWER SUBSTATION
KOMA TELEVISION OR RADIO STATION
MILITARY INSTALLATION
ALL DATA CURRENT TO DATE OF INVENTORY JULY 1999
ORIGINAL DRAFTING BY W.A.T. JUNE 2001
STATE SYSTEM REVISED TO JUNE 2001
GENERAL HIGHWAY MAP
BLAINE COUNTY
OKLAHOMA
PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
SCALE IN MILES
SCALE IN KILOMETERS
LAMBERT CONFORMAL CONIC PROJECTION U.S. & GEODETIC SURVEY DATA
20,000 FOOT GRID; OKLAHOMA PLANE COORDINATE SYSTEM NORTH PROJECTION ZONE.
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
CO. POP. 11,946

ALL RIGHTS RESERVED
COMPUTER GENERATED
NOT FOR RESALE


MATCH LINE
MATCH LINE
FORT COBB STATE PARK
FORT COBB LAKE
GRACEMONT POP. 339
DUTTON
CARNEGIE MUNICIPAL AIRPORT
CARNEGIE POP. 1565
FORT COBB POP. 663
RIVERSIDE INDIAN SCHOOL RESERVATION
ANADARKO MUNICIPAL AIRPORT
ANADARKO POP. 6,586
APACHE WYE
INDIAN CITY U.S.A.
ROSEBUD LAKE
PINE RIDGE
HUNTLEY
BROXTON
ALDEN
STECKER
HASCHETVILLE
APACHE POP. 1,598
WEDEKINGER LAKES
Abilene
BOONE
CHICKASHA LAKE
CEMENT POP. 642
VERDEN POP. 546
NORTH CEMENT POP. 1,072
Gladys
ELLSWORTH AIR FORCE BASE
ELLSWORTH LAKE
TO MOUNTAIN VIEW
TO BLAIR
TO CHICKASHA
TO LAWTON
TO LAWTON
TO APACHE
TO CHICKASHA
TO CHICKASHA
TO CHICKASHA
WASHITA RIVER
WASHITA
WASHITA
WASHITA


COUNTY
BLAINE COUNTY
CANADIAN COUNTY
GRADY COUNTY
CUSTER COUNTY
WASHITA COUNTY
R 13 W
R 12 W
R 11 W
R 10 W
R 9 W
T 12 N
T 11 N
T 10 N
T 9 N
NS 245
NS 251
NS 257
NS 263
NS 269
NS 275
EW 101
EW 107
EW 113
EW 119
EW 125
98°30'00"
98°15'00"
35°30'00"
35°15'00"
1,800,000 FEET
1,960,000 FEET
800,000 FEET
TO WEATHERFORD
TO EL RENO
TO MINCO
TO CORDELL
TO CANTON LAKE
HYDRO POP. 977
BRIDGEPORT POP. 137
HINTON POP. 1,233
BINGER POP. 724
LOOKEBA (41)
CLEO
SICKLES
LASLEY POP. 277
ALBERT
SWAN LAKE
HINTON-RED ROCK AIRPORT
THREE-WAY CORNER
FORT COBB WILDLIFE MANAGEMENT AREA
FORT COBB LAKE
FORT COBB STATE PARK
STONEBOCH LAKE
Dead Woman Mound
Twin Mounds
Ghost Mound
Old Rock Mary
HYDRO
MOUND VALLEY
WACONDA
CADDO
LONE CEDAR
MOUND
BEAVER
SICKLES
FERN
CONNEWANGO
LONE ROCK
SWEETWATER LAKE
WALNUT
WHITE BREAD
JEFFERSON
SPRING CREEK
Packer
CANADIAN
R.R. SHORT
STATE OWNED
RAILROAD
CANADIAN RIVER
Cobb Creek
Fivemile Creek
Willow Creek
Spring Creek
Sweetwater Creek
Walnut Creek
Bessie Creek
Boggy Creek
Hog Creek
Yellow Creek
Mule Creek
Lake Creek
Rock Creek
Bessie Creek
Sugar Creek
Bessie Creek
Bessie Creek
Bessie



RICHLAND
SEC. 23,24,25,26, T13N, R6W

SCALE IN MILES
0 1/8 1/4 1/2 MILE
0 1,320 2,640 FEET

0 200 400 600 800 1 KILOMETER
SCALE IN METERS

LEGEND

- U.S.NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIVATE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- N0001 COUNTY ROAD ID NO.
- MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY
- ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGE: CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE,W-WOOD,S-STEEL,C-CONCRETE
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION
- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATION INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD
- RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK Picnic Grounds
- PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent with buildings
- SP-State, CP-County
- SMALL PARK MP-Municipal, TP-Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS
- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGIOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A-Automobile, S-Scrap Building Material, O-Refuse, Garbage or trash dump, T-Sanitary Fill, C-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- TELEVISION OR RADIO STATION
- MILITARY INSTALLATION

CONCHO
SEC. 7,12,13,18, T13N, R9W
SCALE IN MILES
0 1/4 1/2 1 MILE
0 2,640 5,280 FEET
0 400 800 1 KILOMETER
SCALE IN METERS

ALL DATA CURRENT TO DATE OF INVENTORY APRIL 1999

ORIGINAL DRAFTING BY W.A.T. JAN. 2001
STATE SYSTEM REVISED TO JAN. 2001

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.
Address:
OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21st STREET
OKLAHOMA CITY, OKLAHOMA 73105-3204

N

GENERAL HIGHWAY MAP
CANADIAN COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION


IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALE IN MILES
1 0 1 2 3 4 5 MILES

0 1 2 3 4 5 6 7 8 9 10 KILOMETERS
SCALE IN KILOMETERS

LAMBERT CONFORMAL CONIC PROJECTION U.S. & GEODETIC SURVEY DATA
20,000 FOOT GRID: OKLAHOMA PLANE COORDINATE SYSTEM NORTH PROJECTION ZONE.
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
CO. POP. 74,409

ALL RIGHTS RESERVED
COMPUTER GENERATED



LEGEND

- U.S. NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- N0001 COUNTY ROAD ID NO.
- 03 07 MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- TL CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY
- 1867 ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20 FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE, W-Wood, S-Steel, C-Concrete
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION
- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATIONS INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD
- RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK Picnic Grounds
- PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent With Buildings
- SP SMALL PARK SP-State, CP-County,
- MP-Municipal, TP-Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FH FISH HATCHERY
- C GOLF COURSE OR COUNTRY CLUB
- A ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS
- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGIOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or Trash Dump F- Sanitary Fill, O-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- KOMA TELEVISION OR RADIO STATION
- MILITARY INSTALLATION

ALL DATA CURRENT TO DATE OF INVENTORY AUGUST, 1991

ORIGINAL DRAFTING BY L.R.K. SEPTEMBER 1992
STATE SYSTEM REVISED TO JANUARY 1993

GENERAL HIGHWAY MAP
CLEVELAND COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALE
1 ½ 0 1 2 3 4 5 MILES


LAMBERT CONFORMAL CONIC PROJECTION U.S. & GEODETIC SURVEY DATA.
20,000 FOOT GRID; OKLAHOMA PLANE COORDINATE SYSTEM SOUTH PROJECTION ZONE.
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
CO. POP. 174,253

ALL RIGHTS RESERVED

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.
Address: OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21 st. STREET
OKLAHOMA CITY, OKLAHOMA 73105

NOT FOR RESALE



LEGEND

- U.S.NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- COUNTY ROAD ID NO.
- MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY
- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATION INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD
- RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK Picnic Grounds
- PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent with buildings
- SMALL PARK SP-State, CP-County
- MP-Municipal, TP-Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS
- 1867 ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE,W-WOOD,S-STEEL,C-CONCRETE
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION
- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGIOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or trash dump, F-Sanitary Fill, G-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- TELEVISION OR RADIO STATION
- MILITARY INSTALLATION



ALL DATA CURRENT TO DATE OF INVENTORY JANUARY, 2000

ORIGINAL DRAFTING BY W.A.T. AUGUST 2001
STATE SYSTEM REVISED TO AUGUST 2001

N

SCALE IN MILES
0 1 2 3 4 5 MILES
0 1 2 3 4 5 6 7 8 9 10 KILOMETERS
SCALE IN KILOMETERS

LAMBERT CONFORMAL CONIC PROJECTION U.S. & GEODETIC SURVEY DATA
20,000 FOOT GRID; OKLAHOMA PLANE COORDINATE SYSTEM NORTH PROJECTION ZONE.
POPULATION FIGURES BASED ON 2000 U.S. CENSUS
CO. POP. 26,142

GENERAL HIGHWAY MAP
CUSTER COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION


IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION


Copies of this map are available for public use at nominal cost.
Address:
OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21st STREET
OKLAHOMA CITY, OKLAHOMA 73105-3204

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

ALL RIGHTS RESERVED

COMPUTER GENERATED





SCALE
0.0 0.1 0.2 0.3 0.4 0.5 MILE

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.
Copies of this map are available for public use at nominal cost.
Address: OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21 st. STREET
OKLAHOMA CITY, OKLAHOMA 73105


LEGEND

- ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20 FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE, W-Wood, S-Steel, C-Concrete
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION

- U.S. NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- N0001 COUNTY ROAD ID NO.
- MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY

- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATIONS INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD
- RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK Picnic Grounds
- PLAYGROUNDS,
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent With Buildings
- SMALL PARK SP-State, CP-County, MP-Municipal, TP-Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS
- SEASONAL DWELLINGS

- CHURCH OR OTHER RELIGIOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or Trash Dump F- Sanitary Fill, G-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- TELEVISION OR RADIO STATION
- MILITARY INSTALLATION



ALL DATA CURRENT TO
DATE OF INVENTORY
OCT. 1988

ORIGINAL DRAFTING BY M.J. MAY 1989
STATE SYSTEM REVISED TO JAN. 1992

N

GENERAL HIGHWAY MAP
DEWEY COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION


IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALE
1 0 1 2 3 4 5 MILES

LAMBERT CONFORMAL CONIC PROJECTION U.S COAST & GEODETIC SURVEY DATA
20,000 FOOT GRID: OKLAHOMA PLANE COORDINATE SYSTEM NORTH PROJECTION ZONE
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
CO. POP. 5,551

ALL RIGHTS RESERVED

NOT FOR RESALE



LEGEND

- U.S.NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- N0001 COUNTY ROAD ID NO.
- MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY
- ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE,W-WOOD,S-STEEL,C-CONCRETE
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION

- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATION INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK, Picnic Grounds
- PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent with buildings
- SMALL PARK SP-State, CP-County MP-Municipal, TP-Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS
- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or trash dump, F-Sanitary Fill, O-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- KOMA TELEVISION OR RADIO STATION
- MILITARY INSTALLATION

SHEET 2
SHEET 1

ALL DATA CURRENT TO DATE OF INVENTORY NOVEMBER 2000

ORIGINAL DRAFTING BY W.A.T. OCTOBER 2001
STATE SYSTEM REVISED TO OCTOBER 2001

GENERAL HIGHWAY MAP
ELLIS COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALE IN MILES
1 0 1 2 3 4 5 MILES

0 1 2 3 4 5 6 7 8 9 10 KILOMETERS
SCALE IN KILOMETERS

LAMBERT CONFORMAL CONIC PROJECTION U.S. & GEODETIC SURVEY DATA
20,000 FOOT GRID: OKLAHOMA PLANE COORDINATE SYSTEM NORTH PROJECTION ZONE.
POPULATION FIGURES BASED ON 2000 U.S. CENSUS
CO. POP. 4,075

Copies of this map are available for public use at nominal cost.
Address:
OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21st STREET
OKLAHOMA CITY, OKLAHOMA 73105-3204


This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.


ALL RIGHTS RESERVED

SHEET 1 OF 2 SHEETS

COMPUTER GENERATED

NOT FOR RESALE


HARPER COUNTY
BEAVER COUNTY
TEXAS COUNTY
OF
STATE
LIPSCOMB
WOODWARD COUNTY
R 26 W
R 25 W
R 24 W
R 23 W
T 24 N
T 23 N
T 22 N
T 21 N
OTTER
MORGAN
JEFFERSON
MURDOCK
GREENWOOD
ATHENS
WOODROW
OLETA
IVANHOE
ROCK
DALE
CATESBY
CHANEY
Mabel
Norman
Thomas
Yeager
Cleo
Wood
Sand
Wolf
Creek
Chief
Cimarron River
Beaver River
Eagle Chief Creek
Thompson Creek
Hell Creek
Willow Creek
Little Wolf
Spring Creek
Timmonite Creek
Bellevue Creek
Sweetwater Creek
Yeager Creek
Cleo Creek
Sand Creek
Wood Creek
Cimarron River
Wolf



LEGEND

- U.S. NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- N0001 COUNTY ROAD ID NO.
- .3 .7 MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY
- ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20 FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE, W-Wood, S-Steel, C-Concrete
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION

- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATIONS INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD
- RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK Picnic Grounds
- PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent With Buildings
- SMALL PARK SP-State, CP-County, MP-Municipal, TP-Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS
- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGIOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or Trash Dump, F- Sanitary Fill, G-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- KOMA TELEVISION OR RADIO STATION
- MILITARY INSTALLATION

N

SHEET 2
SHEET 1

ALL DATA CURRENT TO
DATE OF INVENTORY
SEPT. 1989

ORIGINAL DRAFTING BY W.T. JULY 1991
STATE SYSTEM REVISED TO JAN. 1992

SHEET 1 OF 2 SHEETS

GENERAL HIGHWAY MAP
GRADY COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALE
1 ½ 0 1 2 3 4 5 MILES


LAMBERT CONFORMAL CONIC PROJECTION U.S. & GEODETIC SURVEY DATA
20,000 FOOT GRID: OKLAHOMA PLANE COORDINATE SYSTEM SOUTH PROJECTION ZONE
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
CO. POP. 41,747


ALL RIGHTS RESERVED

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.
Address: OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21 st. STREET
OKLAHOMA CITY, OKLAHOMA 73105

NOT FOR RESALE





This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.

Address: OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21 st. STREET
OKLAHOMA CITY, OKLAHOMA 73105

ALL RIGHTS RESERVED

SHEET 2 OF 2 SHEETS REV. MAY 1998

NOT FOR RESALE


LEGEND

- U.S.NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- COUNTY ROAD ID NO.
- MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY

- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATION INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK Picnic Grounds PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent with buildings SP–State, CP–County
- SMALL PARK MP–Municipal, TP–Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS

- ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE,W–WOOD,S–STEEL,C–CONCRETE
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION

- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGIOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A–Automobile, B–Scrap Building Material, D–Refuse, Garbage or trash dump, F–Sanitary Fill, G–Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- TELEVISION OR RADIO STATION
- MILITARY INSTALLATION



STAR
SEC. 27, T10N, R23E

LEQUIRE
SEC. 5, T7N, R21E

LEWISVILLE
SEC. 35, T8N, R19E

ENTERPRISE
SEC. 26,27 T8N, R19E

HOYT
SEC. 9, T9N, R19E

GENERAL HIGHWAY MAP
HASKELL COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.
Address:
OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21st STREET
OKLAHOMA CITY, OKLAHOMA 73105-3204

ALL RIGHTS RESERVED

COMPUTER GENERATED

NOT FOR RESALE

GENERAL HIGHWAY MAP
HUGHES COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

ATWOOD
SEC. 27 & 34, T 6 N, R 9 E
SCALE IN MILES
SCALE IN METERS

SCALE IN MILES
SCALE IN KILOMETERS

ALL DATA CURRENT TO
DATE OF INVENTORY
APRIL 1995

ORIGINAL DRAFTING BY F.O.B. JAN 1996
CASES SYSTEMS REVISED TO MARCH 1996

LAMBERT CONFORMAL CONIC PROJECTION U.S. & GEODETIC SURVEY DATA
20,000 FOOT GRID, OKLAHOMA PLANE COORDINATE SYSTEM, SOUTH ZONE.
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
CO-OP 1/2/95

LEGEND

- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD, SINGLE TRACK & ABANDONED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- TUNNEL
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- AIRPORT WITH PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD AND RUNWAYS IN APPROX. POSITION
- ROADSIDE PARK, Pres. Grounds
- PLAYGROUNDS
- SWIMMING POOL OR SWIMMING POOL SITE
- SCENIC SITE
- MOTEL OR LODGE, Permanent with buildings
- SMALL PARK, City-County
- LARGE PARK, State or Federal or Indian Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- CEMETERY
- NUMBER OF DWELLINGS CLOSELY SPACED
- POST OFFICE, BUSINESS AND DWELLING
- POST OFFICE COMBINATIONS
- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGIOUS BUILDING
- CHURCH WITH CEMETERY ADJACENT
- CEMETERY
- HOSPITAL
- SCHOOL
- SMALL BUSINESS
- INDUSTRY
- MINE OR QUARRY
- MINE SHAFT OR DRIFT
- OIL OR GAS WELL
- GAUGING OR PUMPING STATION
- GRAVEL PIT
- QUARRY
- MILL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- OTHER PUBLIC INSTITUTION
- HIGHWAY GARAGE
- AUTO SERVICE FACILITIES (Repairs, Automobile, Bi-Cross Building Material, Equipment, Fuel & Oil, Tire & Battery, Fly Ca-Ca-Ca)
- WATER SUPPLY STAND PIPE
- WATER TOWER
- SEWAGE DISPOSAL PLANT
- BOOSTER STATION
- FIRE LOOKOUT STATION
- TELEVISION OR RADIO STATION
- MILITARY INSTALLATION
- ELEVATION ABOVE SEA LEVEL
- LOCATION RANGE, BUTTE OR MESA
- SMALL MOUNTAIN
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- INTERMITTENT STREAM
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- FORD ROAD ACROSS STREAM
- HIGHWAY BRIDGE, OVER 20FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- TUNNEL
- TRUSS BRIDGE, M=WOOD, S=STEEL, C=CONCRETE
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- FORD ROAD IMPROVED
- NARROW STREAM
- DOCK OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION
- U.S. NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- IMPROVED UNPAVED ROAD
- UNIMPROVED ROAD
- PROJECTED ROAD
- COUNTY ROAD "E" NO.
- MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- CIVIL TOWNSHIP LINE
- CORPORATE LIMITS
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- COUNTY SEAT
- COUNTY LINE
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN FACE
- INSET BOUNDARY


Copies of this map are available for public use at nominal cost.
Address:
OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21st STREET
OKLAHOMA CITY, OKLAHOMA 73105-3204

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

ALL RIGHTS RESERVED

COMPUTER GENERATED

NOT FOR RESALE



LEGEND

- U.S. NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- COUNTY ROAD ID NO.
- MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY
- ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE, W-WOOD, S-STEEL, C-CONCRETE
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION

- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATION INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. BELOW
- OVERPASS, R.R. ABOVE
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD
- RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK Picnic Grounds
- PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent with buildings
- SMALL PARK SP-State, CP-County
- MP-Municipal, TP-Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS
- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or trash dump, F-Sanitary Fill, G-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- FOREST PLANT
- BOOSTER STATION
- POWER SUBSTATION
- TELEVISION OR RADIO STATION
- MILITARY INSTALLATION

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.
Address:
OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21st STREET
OKLAHOMA CITY, OKLAHOMA 73105-3204

ALL DATA CURRENT TO DATE OF INVENTORY MAY 1996

ORIGINAL DRAFTING BY W.A.T. SEPT. 1996
STATE SYSTEM REVISED TO SEPT. 2000



N

GENERAL HIGHWAY MAP
McCLAIN COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALE
1 0.5 0 1 2 3 4 5 MILES

LAMBERT CONFORMAL CONIC PROJECTION U.S. & GEODETIC SURVEY DATA
20,000 FOOT GRID-OKLAHOMA PLANE COORDINATE SYSTEM SOUTH PROJECTION ZONE.
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
CO. POP. 22,795


ALL RIGHTS RESERVED

COMPUTER GENERATED

LEGEND

- U.S.NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- N0001 COUNTY ROAD ID NO.
- 0.3 0.7 MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY
- 1867 ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE-W-WOODS-STEEL-C-CONCRETE
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION

- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATION INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD
- RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK: Picnic Grounds
- PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent with buildings
- SP-State, CP-County
- MP-Municipal, TP-Trailer Park
- SMALL PARK
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS
- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGIOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or trash dump, F-Sanitary Fill, G-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- TELEVISION OR RADIO STATION
- MILITARY INSTALLATION



ALL DATA CURRENT TO DATE OF INVENTORY NOVEMBER 1999

ORIGINAL DRAFTING BY M.L.B. MAY 2000
STATE SYSTEM REVISED TO NOVEMBER 1999

Copies of this map are available for public use at nominal cost.
Address:
OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21st STREET
OKLAHOMA CITY, OKLAHOMA 73105-3204

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

SCALE IN MILES 0 1/8 1/4 1/2 MILE; 0 1,320 2,640 FEET
SCALE IN METERS 0 200 400 600 800 1 KILOMETER

ONAPA, OKLAHOMA
SEC. 19, 30, T1IN, R17E

VERNON, OKLAHOMA
SEC 33, 34, T9 N, R13E

GENERAL HIGHWAY MAP
McINTOSH COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION


IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALE IN MILES 0 1 2 3 4 5 MILES
SCALE IN KILOMETERS 0 1 2 3 4 5 6 7 8 9 10 KILOMETERS


LAMBERT CONFORMAL CONIC PROJECTION U.S. & GEODETIC SURVEY DATA
20,000 FOOT GRID; OKLAHOMA PLANE COORDINATE SYSTEM. NORTH PROJECTION ZONE.
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
CO. POP. 16,779

ALL RIGHTS RESERVED
COMPUTER GENERATED


NOT FOR RESALE




BRAIRTOWN
SEC. 36,31, T10N, R19E
SCALE
0.0 0.1 0.2 0.3 0.4 0.5 MILE
0 1,320' 2,640 FEET



KEEFETON
SEC. 24, T13N, R18E
SCALE
0.0 0.1 0.2 0.3 0.4 0.5 MILE
0 500' 1,320' 2,640 FEET



SUMMIT
SEC. 20,29, T14N, R18E
SCALE
0.0 0.1 0.2 0.3 0.4 0.5 MILE
0 500' 1,320' 2,640 FEET




ALL DATA CURRENT TO
DATE OF INVENTORY
OCT. 1985

ORIGINAL DRAFTING BY W.T. DEC 1986
STATE SYSTEM REVISED TO JAN. 1992

LEGEND

- U.S. NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- N0001 COUNTY ROAD ID NO.
- MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- T.L. CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY
- (1850) ELEVATION ABOVE SEA LEVEL
- MOUNTAIN, RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20 FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE, W-Wood, S-Steel, C-Concrete
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION
- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATIONS INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD
- RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK, Picnic Grounds
- PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent With Buildings
- SP SMALL PARK, SP-State, CP-County, MP-Municipal, TP-Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- G GOLF COURSE OR COUNTRY CLUB
- A ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS
- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGIOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS, A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or Trash Dump, F-Sanitary Fill, G-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- TELEVISION OR RADIO STATION
- MILITARY INSTALLATION

N



GENERAL HIGHWAY MAP
MUSKOGEE COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALE
0 1 2 3 4 5 MILES

LAMBERT CONFORMAL CONIC PROJECTION U.S COAST & GEODETIC SURVEY DATA
20,000 FOOT GRID, OKLAHOMA PLANE COORDINATE SYSTEM NORTH PROJECTION ZONE
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
CO. POP. 68,078


This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.
Address: OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21 st. STREET
OKLAHOMA CITY, OKLAHOMA 73105

ALL RIGHTS RESERVED

SHEET 1 OF 2 SHEETS

NOT FOR RESALE



This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.


Address: OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21 st. STREET
OKLAHOMA CITY, OKLAHOMA 73105


ALL RIGHTS RESERVED


SHEET 2 OF 2 SHEETS


MUSKOGEE CO. NO. 2


NOT FOR RESALE



R 12 E
MATCH LINE
R 13 E
R 14 E
MATCH LINE
R 15 E
R 16 E
MATCH LINE
R 17 E
2,580,000 FEET
95° 00' 00"
95° 45' 00"
EW 149
EW 155
EW 161
EW 167
T 4 N
T 3 N
T 2 N
T 1 N
T 1
34° 45' 00"
4,480,000 FEET
HUGHES COUNTY
COAL COUNTY
ATOKA COUNTY
PUSHMATAHA COUNTY
LATIMER COUNTY
K I O W A
S A V A N N A
U.S. ARMY AMMUNITION PLANT
"RESERVOIR NO. 3"
"RESERVOIR NO. 2"
ROCKET LAKE
BROWN LAKE
HALLEY
Savanna N BS
Savanna S BS
SAVANNA POP. 969
BREWER
HAILEYVILLE POP. 918
CRAIG
HARTSHORNE POP. 2,120
HARTSHORNE LAKE
Hartshorne
ARCH
WARD SPRINGS
ASHLAND POP. 56
TO COALGATE
BLANCO
KIOWA POP. 718
KIOWA LAKE
PITTSBURG POP. 249
PITTSBURG LAKE
STORRIE LAKE
BOLEN HOLLOW WILDLIFE MANAGEMENT AREA
TO WILBURTON
TO STRINGTOWN
Bull Creek
Peaceable Creek
Gardner Creek
Rock Creek
Blue Creek
Daize Creek
Wildhorse Creek
Sassafras Creek
Brushy Creek
Short Creek
Buffalo Creek
Hickory Creek
Prairie Creek
Bald Creek
Cole Creek
Honey Creek
Mud Creek
Salt Creek
Birch Creek
Spring Creek
Indian Creek
Muddy Creek
Big Creek
Little Creek
Dry Creek
Branch
Fork
Middle Fork
South Fork
Pacific Railroad
Kiowa
Stringtown
Atoka
Pittsburg
Blanco
Wilburton
Hartshorne
Haileyville
Savanna
Arch
Craig
Ashland
Ward Springs
Brewer
Rocket Lake
Brown Lake
Kiowa Lake
Pittsburg Lake
Storrie Lake
Hickory
Birch
Bald
Prairie
Cole
Buffalo
Short
Daize
Brushy
Wildhorse
Sassafras
Gardner
Peaceable
Bull
Blue
Rock
Honey
Mud
Muddy
Spring
Indian
Salt
Big
Little
Dry
Branch
Fork
Middle Fork
South Fork
N3503
N3504
N3505
N3506
N3507
N3508
N3509
N3510
N3511
N3512
N3513
N3514
N3515
N3516
N3517
N3518
N3519
N3520
N3521
N3522
N3523
N3524
N3525
N3526
N3527
N3528
N3529
N3530
N3531
N3532
N3533
N3534
N3535
N3536
N3537
N3538
N3539
N3540
N3541
N3542
N3543
N3544
N3545
N3546
N3547
N3548
N3549
N3550
N3551
N3552
N3553
N3554
N3555
N3556
N3557
N3558
N3559
N3560
N3561
N3562
N3563
N3564
N3565
N3566
N3567
N3568
N3569
N3570
N3571
N3572
N3573
N3574
N3575
N3576
N3577
N3578
N3579
N3580
N3581
N3582
N3583
N3584
N3585
N3586
N3587
N3588
N3589
N3590
N3591
N3592
N3593
N3594
N3595
N3596
N3597
N3598
N3599
N3600
N3601
N3602
N3603
N3604
N3605
N3606
N3607
N3608
N3609
N3610
N3611
N3612
N3613
N3614
N3615
N3616
N3617
N3618
N3619
N3620
N3621
N3622
N3623
N3624
N3625
N3626
N3627
N3628
N3629
N3630
N3631
N3632
N3633
N3634
N3635
N3636
N3637
N3638
N3639
N3640
N3641
N3642
N3643
N3644
N3645
N3646
N3647
N3648
N3649
N3650
N3651
N3652
N3653
N3654
N3655
N3656
N3657
N3658
N3659
N3660
N3661
N3662
N3663
N3664
N3665
N3666
N3667
N3668
N3669
N3670
N3671
N3672
N3673
N3674
N3675
N3676
N3677
N3678
N3679
N3680
N3681
N3682
N3683
N3684
N3685
N3686
N3687
N3688
N3689
N3690
N3691
N3692
N3693
N3694
N3695
N3696
N3697
N3698
N3699
N3700
N3701
N3702
N3703
N3704
N3705
N3706
N3707
N3708
N3709
N3710
N3711
N3712
N3713
N3714
N3715
N3716
N3717
N3718
N3719
N3720
N3721
N3722
N3723
N3724
N3725
N3726
N3727
N3728
N3729
N3730
N3731
N3732
N3733
N3734
N3735
N3736
N3737
N3738
N3739
N3740
N3741
N3742
N3743
N3744
N3745
N3746
N3747
N3748
N3749
N3750
N3751
N3752
N3753
N3754
N3755
N3756
N3757
N3758
N3759
N3760
N3761
N3762
N3763
N3764
N3765
N3766
N3767
N3768
N3769
N3770
N3771
N3772
N3773
N3774
N3775
N3776
N3777
N3778
N3779
N3780
N3781
N3782
N3783
N3784
N3785
N3786
N3787
N3788
N3789
N3790
N3791
N3792
N3793
N3794
N3795
N3796
N3797
N3798
N3799
N3800
N3801
N3802
N3803
N3804
N3805
N3806
N3807
N3808
N3809
N3810
N3811
N3812
N3813
N3814
N3815
N3816
N3817
N3818
N3819
N3820
N3821
N3822
N3823
N3824
N3825
N3826
N3827
N3828
N3829
N3830
N3831
N3832
N3833
N3834
N3835
N3836
N3837
N3838
N3839
N3840
N3841
N3842
N3843
N3844
N3845
N3846
N3847
N3848
N3849
N3850
N3851
N3852
N3853
N3854
N3855
N3856
N3857
N3858
N3859
N3860
N3861
N3862
N3863
N3864
N3865
N3866
N3867
N3868
N3869
N3870
N3871
N3872
N3873
N3874
N3875
N3876
N3877
N3878
N3879
N3880
N3881
N3882
N3883
N3884
N3885
N3886
N3887
N3888
N3889
N3890
N3891
N3892
N3893
N3894
N3895
N3896
N3897
N3898
N3899
N3900
N3901
N3902
N3903
N3904
N3905
N3906
N3907
N3908
N3909
N3910
N3911
N3912
N3913
N3914
N3915
N3916
N3917
N3918
N3919
N3920
N3921
N3922
N3923
N3924
N3925
N3926
N3927
N3928
N3929
N3930
N3931
N3932
N3933
N3934
N3935
N3936
N3937
N3938
N3939
N3940
N3941
N3942
N3943
N3944
N3945
N3946
N3947
N3948
N3949
N3950
N3951
N3952
N3953
N3954
N3955
N3956
N3957
N3958
N3959
N3960
N3961
N3962
N3963
N3964
N3965
N3966
N3967
N3968
N3969
N3970
N3971
N3972
N3973
N3974
N3975
N3976
N3977
N3978
N3979
N3980
N3981
N3982
N3983
N3984
N3985
N3986
N3987
N3988
N3989
N3990
N3991
N3992
N3993
N3994
N3995
N3996
N3997
N3998
N3999
N4000
N4001
N4002
N4003
N4004
N4005
N4006
N4007
N4008
N4009
N4010
N4011
N4012
N4013
N4014
N4015
N4016
N4017
N4018
N4019
N4020
N4021
N4022
N4023
N4024
N4025
N4026
N4027
N4028
N4029
N4030
N4031
N4032
N4033
N4034
N4035
N4036
N4037
N4038
N4039
N4040
N4041
N4042
N4043
N4044
N4045
N4046
N4047
N4048
N4049
N4050
N4051
N4052
N4053
N4054
N4055
N4056
N4057
N4058
N4059
N4060
N4061
N4062
N4063
N4064
N4065
N4066
N4067
N4068
N4069
N4070
N4071
N4072
N4073
N4074
N4075
N4076
N4077
N4078
N4079
N4080
N4081
N4082
N4083
N4084
N4085
N4086
N4087
N4088
N4089
N4090
N4091
N4092
N4093
N4094
N4095
N4096
N4097
N4098
N4099
N4100
N4101
N4102
N4103
N4104
N4105
N4106
N4107
N4108
N4109
N4110
N4111
N4112
N4113
N4114
N4115
N4116
N4117
N4118
N4119
N4120
N4121
N4122
N4123
N4124
N4125
N4126
N4127
N4128
N4129
N4130
N4131
N4132
N4133
N4134
N4135
N4136
N4137
N4138
N4139
N4140
N4141
N4142
N4143
N4144
N4145
N4146
N4147
N4148
N4149
N4150
N4151
N4152
N4153
N4154
N4155
N4156
N4157
N4158
N4159
N4160
N4161
N4162
N4163
N4164
N4165
N4166
N4167
N4168
N4169
N4170
N4171
N4172
N4173
N4174
N4175
N4176
N4177
N4178
N4179
N4180
N4181
N4182
N4183
N4184
N4185
N4186
N4187
N4188
N4189
N4190
N4191
N4192
N4193
N4194
N4195
N4196
N4197
N4198
N4199
N4200
N4201
N4202
N4203
N4204
N4205
N4206
N4207
N4208
N4209
N4210
N4211
N4212
N4213
N4214
N4215
N4216
N4217
N4218
N4219
N4220
N4221
N4222
N4223
N4224
N4225
N4226
N4227
N4228
N4229
N4230
N4231
N4232
N4233
N4234
N4235
N4236
N4237
N4238
N4239
N4240
N4241
N4242
N4243
N4244
N4245
N4246
N4247
N4248
N4249
N4250
N4251
N4252
N4253
N4254
N4255
N4256
N4257
N4258
N4259
N4260
N4261
N4262
N4263
N4264
N4265
N4266
N4267
N4268
N4269
N4270
N4271
N4272
N4273
N4274
N4275
N4276
N4277
N4278
N4279
N4280
N4281
N4282
N4283
N4284
N4285
N4286
N4287
N4288
N4289
N4290
N4291
N4292
N4293
N4294
N4295
N4296
N4297
N4298
N4299
N4300
N4301
N4302
N4303
N4304
N4305
N4306
N4307
N4308
N4309
N4310
N4311
N4312
N4313
N4314
N4315
N4316
N4317
N4318
N4319
N4320
N4321
N4322
N4323
N4324
N4325
N4326
N4327
N4328
N4329
N4330
N4331
N4332
N4333
N4334
N4335
N4336
N4337
N4338
N4339
N4340
N4341
N4342
N4343
N4344
N4345
N4346
N4347
N4348
N4349
N4350
N4351
N4352
N4353
N4354
N4355
N4356
N4357
N4358
N4359
N4360
N4361
N4362
N4363
N4364
N4365
N4366
N4367
N4368
N4369
N4370
N4371
N4372
N4373
N4374
N4375
N4376
N4377
N4378
N4379
N4380
N4381
N4382
N4383
N4384
N4385
N4386
N4387
N4388
N4389
N4390
N4391
N4392
N4393
N4394
N4395
N4396
N4397
N4398
N4399
N4400
N4401
N4402
N4403
N4404
N4405
N4406
N4407
N4408
N4409
N4410
N4411
N4412
N4413
N4414
N4415
N4416
N4417
N4418
N4419
N4420
N4421
N4422
N4423
N4424
N4425
N4426
N4427
N4428
N4429
N4430
N4431
N4432
N4433
N4434
N4435
N4436
N4437
N4438
N4439
N4440
N4441
N4442
N4443
N4444
N4445
N4446
N4447
N4448
N4449
N4450
N4451
N4452
N4453
N4454
N4455
N4456
N4457
N4458
N4459
N4460
N4461
N4462
N4463
N4464
N4465
N4466
N4467
N4468
N4469
N4470
N4471
N4472
N4473
N4474
N4475
N4476
N4477
N4478
N4479
N4480
N4481
N4482
N4483
N4484
N4485
N4486
N4487
N4488
N4489
N4490
N4491
N4492
N4493
N4494
N4495
N4496
N4497
N4498
N4499
N4500
N4501
N4502
N4503
N4504
N4505
N4506
N4507
N4508
N4509
N4510
N4511
N4512
N4513
N4514
N4515
N4516
N4517
N4518
N4519
N4520
N4521
N4522
N4523
N4524
N4525
N4526
N4527
N4528
N4529
N4530
N4531
N4532
N4533
N4534
N4535
N4536
N4537
N4538
N4539
N4540
N4541
N4542
N4543
N4544
N4545
N4546
N4547
N4548
N4549
N4550
N4551
N4552
N4553
N4554
N4555
N4556
N4557
N4558
N4559
N4560
N4561
N4562
N4563
N4564
N4565
N4566
N4567
N4568
N4569
N4570
N4571
N4572
N4573
N4574
N4575
N4576
N4577
N4578
N4579
N4580
N4581
N4582
N4583
N4584
N4585
N4586
N4587
N4588
N4589
N4590
N4591
N4592
N4593
N4594
N4595
N4596
N4597
N4598
N4599
N4600
N4601
N4602
N4603
N4604
N4605
N4606
N4607
N4608
N4609
N4610
N4611
N4612
N4613
N4614
N4615
N4616
N4617
N4618
N4619
N4620
N4621
N4622
N4623
N4624
N4625
N4626
N4627
N4628
N4629
N4630
N4631
N4632
N4633
N4634
N4635
N4636
N4637
N4638
N4639
N4640
N4641
N4642
N4643
N4644
N4645
N4646
N4647
N4648
N4649
N4650
N4651
N4652
N4653
N4654
N4655
N4656
N4657
N4658
N4659
N4660
N4661
N4662
N4663
N4664
N4665
N4666
N4667
N4668
N4669
N4670
N4671
N4672
N4673
N4674
N4675
N4676
N4677
N4678
N4679
N4680
N4681
N4682
N4683
N4684
N4685
N4686
N4687
N4688
N4689
N4690
N4691
N4692
N4693
N4694
N4695
N4696
N4697
N4698
N4699
N4700
N4701
N4702
N4703
N4704
N4705
N4706
N4707
N4708
N4709
N4710
N4711
N4712
N4713
N4714
N4715
N4716
N4717
N4718
N4719
N4720
N4721
N4722
N4723
N4724
N4725
N4726
N4727
N4728
N4729
N4730
N4731
N4732
N4733
N4734
N4735
N4736
N4737
N4738
N4739
N4740
N4741
N4742
N4743
N4744
N4745
N4746
N4747
N4748
N4749
N4750
N4751
N4752
N4753
N4754
N4755
N4756
N4757
N4758
N4759
N4760
N4761
N4762
N4763
N4764
N4765
N4766
N4767
N4768
N4769
N4770
N4771
N4772
N4773
N4774
N4775
N4776
N4777
N4778
N4779
N4780
N4781
N4782
N4783
N4784
N4785
N4786
N4787
N4788
N4789
N4790
N4791
N4792
N4793
N4794
N4795
N4796
N4797
N4798
N4799
N4800
N4801
N4802
N4803
N4804
N4805
N4806
N4807
N4808
N4809
N4810
N4811
N4812
N4813
N4814
N4815
N4816
N4817
N4818
N4819
N4820
N4821
N4822
N4823
N4824
N4825
N4826
N4827
N4828
N4829
N4830
N4831
N4832
N4833
N4834
N4835
N4836
N4837
N4838
N4839
N4840
N4841
N4842
N4843
N4844
N4845
N4846
N4847
N4848
N4849
N4850
N4851
N4852
N4853
N4854
N4855
N4856
N4857
N4858
N4859
N4860
N4861
N4862
N4863
N4864
N4865
N4866
N4867
N4868
N4869
N4870
N4871
N4872
N4873
N4874
N4875
N4876
N4877
N4878
N4879
N4880
N4881
N4882
N4883
N4884
N4885
N4886
N4887
N4888
N4889
N4890
N4891
N4892
N4893
N4894
N4895
N4896
N4897
N4898
N4899
N4900
N4901
N4902
N4903
N4904
N4905
N4906
N4907
N4908
N4909
N4910
N4911
N4912
N4913
N4914
N4915
N4916
N4917
N4918
N4919
N4920
N4921
N4922
N4923
N4924
N4925
N4926
N4927
N4928
N4929
N4930
N4931
N4932
N4933
N4934
N4935
N4936
N4937
N4938
N4939
N4940
N4941
N4942
N4943
N4944
N4945
N4946
N4947
N4948
N4949
N4950
N4951
N4952
N4953
N4954
N4955
N4956
N4957
N4958
N4959
N4960
N4961
N4962
N4963
N4964
N4965
N4966
N4967
N4968
N4969
N4970
N4971
N4972
N4973
N4974
N4975
N4976
N4977
N4978
N4979
N4980
N4981
N4982
N4983
N4984
N4985
N4986
N4987
N4988
N4989
N4990
N4991
N4992
N4993
N4994
N4995
N4996
N4997
N4998
N4999
N5000
N5001
N5002
N5003
N5004
N5005
N5006
N5007
N5008
N5009
N5010
N5011
N5012
N5013
N5014
N5015
N5016
N5017
N5018
N5019
N5020
N5021
N5022
N5023
N5024
N5025
N5026
N5027
N5028
N5029
N5030
N5031
N5032
N5033
N5034
N5035
N5036
N5037
N5038
N5039
N5040
N5041
N5042
N5043
N5044
N5045
N5046
N5047
N5048
N5049
N5050
N5051
N5052
N5053
N5054
N5055
N5056
N5057
N5058
N5059
N5060
N5061
N5062
N5063
N5064
N5065
N5066
N5067
N5068
N5069
N5070
N5071
N5072
N5073
N5074
N5075
N5076
N5077
N5078
N5079
N5080
N5081
N5082
N5083
N5084
N5085
N5086
N5087
N5088
N5089
N5090
N5091
N5092
N5093
N5094
N5095
N5096
N5097
N5098
N5099
N5100
N5101
N5102
N5103
N5104
N5105
N5106
N5107
N5108
N5109
N5110
N5111
N5112
N5113
N5114
N5115
N5116
N5117
N5118
N5119
N5120
N5121
N5122
N5123
N5124
N5125
N5126
N5127
N5128
N5129
N5130
N5131
N5132
N5133
N5134
N5135
N5136
N5137
N5138
N5139
N5140
N5141
N5142
N5143
N5144
N5145
N5146
N5147
N5148
N5149
N5150
N5151
N5152
N5153
N5154
N5155
N5156
N5157
N5158
N5159
N5160
N5161
N5162
N5163
N5164
N5165
N5166
N5167
N5168
N5169
N5170
N5171
N5172
N5173
N5174
N5175
N5176
N5177
N5178
N5179
N5180
N5181
N5182
N5183
N5184
N5185
N5186
N5187
N5188
N5189
N5190
N5191
N5192
N5193
N5194
N5195
N5196
N5197
N5198
N5199
N5200
N5201
N5202
N5203
N5204
N5205
N5206
N5207
N5208
N5209
N5210
N5211
N5212
N5213
N5214
N5215
N5216
N5217
N5218
N5219
N5220
N5221
N5222
N5223
N5224
N5225
N5226
N5227
N5228
N5229
N5230
N5231
N5232
N5233
N5234
N5235
N5236
N5237
N5238
N5239
N5240
N5241
N5242
N5243
N5244
N5245
N5246
N5247
N5248
N5249
N5250
N5251
N5252
N5253
N5254
N5255
N5256
N5257
N5258
N5259
N5260
N5261
N5262
N5263
N5264
N5265
N5266
N5267
N5268
N5269
N5270
N5271
N5272
N5273
N5274
N5275
N5276
N5277
N5278
N5279
N5280
N5281
N5282
N5283
N5284
N5285
N5286
N5287
N5288
N5289
N5290
N5291
N5292
N5293
N5294
N5295
N5296
N5297
N5298
N5299
N5300
N5301
N5302
N5303
N5304
N5305
N5306
N5307
N5308
N5309
N5310
N5311
N5312
N5313
N5314
N5315
N5316
N5317
N5318
N5319
N5320
N5321
N5322
N5323
N5324
N5325
N5326
N5327
N5328
N5329
N5330
N5331
N5332
N5333
N5334
N5335
N5336
N5337
N5338
N5339
N5340
N5341
N5342
N5343
N5344
N5345
N5346
N5347
N5348
N5349
N5350
N5351
N5352
N5353
N5354
N5355
N5356
N5357
N5358
N5359
N5360
N5361
N5362
N5363
N5364
N5365
N5366
N5367
N5368
N5369
N5370
N5371
N5372
N5373
N5374
N5375
N5376
N5377
N5378
N5379
N5380
N5381
N5382
N5383
N5384
N5385
N5386
N5387
N5388
N5389
N5390
N5391
N5392
N5393
N5394
N5395
N5396
N5397
N5398
N5399
N5400
N5401
N5402
N5403
N5404
N5405
N5406
N5407
N5408
N5409
N5410
N5411
N5412
N5413
N5414
N5415
N5416
N5417
N5418
N5419
N5420
N5421
N5422
N5423
N5424
N5425
N5426
N5427
N5428
N5429
N5430
N5431
N5432
N5433
N5434
N5435
N5436
N5437
N5438
N5439
N5440
N5441
N5442
N5443
N5444
N5445
N5446
N5447
N5448
N5449
N5450
N5451
N5452
N5453
N5454
N5455
N5456
N5457
N5458
N5459
N5460
N5461
N5462
N5463
N5464
N5465
N5466
N5467
N5468
N5469
N5470
N5471
N5472
N5473
N5474
N5475
N5476
N5477
N5478
N5479
N5480
N5481
N5482
N5483
N5484
N5485
N5486
N5487
N5488
N5489
N5490
N5491
N5492
N5493
N5494
N5495
N5496
N5497
N5498
N5499
N5500
N5501
N5502
N5503
N5504
N5505
N5506
N5507
N5508
N5509
N5510
N5511
N5512
N5513
N5514
N5515
N5516
N5517
N5518
N5519
N5520
N5521
N5522
N5523
N5524
N5525
N5526
N5527
N5528
N5529
N5530
N5531
N5532
N5533
N5534
N5535
N5536
N5537
N5538
N5539
N5540
N5541
N5542
N5543
N5544
N5545
N5546
N5547
N5548
N5549
N5550
N5551
N5552
N5553
N5554
N5555
N5556
N5557
N5558
N5559
N5560
N5561
N5562
N5563
N5564
N5565
N5566
N5567
N5568
N5569
N5570
N5571
N5572
N5573
N5574
N5575
N5576
N5577
N5578
N5579
N5580
N5581
N5582
N5583
N5584
N5585
N5586
N5587
N5588
N5589
N5590
N5591
N5592
N5593
N5594
N5595
N5596
N5597
N5598
N5599
N5600
N5601
N5602
N5603
N5604
N5605
N5606
N5607
N5608
N5609
N5610
N5611
N5612
N5613
N5614
N5615
N5616
N5617
N5618
N5619
N5620
N5621
N5622
N5623
N5624
N5625
N5626
N5627
N5628
N5629
N5630
N5631
N5632
N5633
N5634
N5635
N5636
N5637
N5638
N5639
N5640
N5641
N5642
N5643
N5644
N5645
N5646
N5647
N5648
N5649
N5650
N5651
N5652
N5653
N5654
N5655
N5656
N5657
N5658
N5659
N5660
N5661
N5662
N5663
N5664
N5665
N5666
N5667
N5668
N5669
N5670
N5671
N5672
N5673
N5674
N5675
N5676
N5677
N5678
N5679
N5680
N5681
N5682
N5683
N5684
N5685
N5686
N5687
N5688
N5689
N5690
N5691
N5692
N5693
N5694
N5695
N5696
N5697
N5698
N5699
N5700
N5701
N5702
N5703
N5704
N5705
N5706
N5707
N5708
N5709
N5710
N5711
N5712
N5713
N5714
N5715
N5716
N5717
N5718
N5719
N5720
N5721
N5722
N5723
N5724
N5725
N5726
N5727
N5728
N5729
N5730
N5731
N5732
N5733
N5734
N5735
N5736
N5737
N5738
N5739
N5740
N5741
N5742
N5743
N5744
N5745
N5746
N5747
N5748
N5749
N5750
N5751
N5752
N5753
N5754
N5755
N5756
N5757
N5758
N5759
N5760
N5761
N5762
N5763
N5764
N5765
N5766
N5767
N5768
N5769
N5770
N5771
N5772
N5773
N5774
N5775
N5776
N5777
N5778
N5779
N5780
N5781
N5782
N5783
N5784
N5785
N5786
N5787
N5788
N5789
N5790
N5791
N5792
N5793
N5794
N5795
N5796
N5797
N5798
N5799
N5800
N5801
N5802
N5803
N5804
N5805
N5806
N5807
N5808
N5809
N5810
N5811
N5812
N5813
N5814
N5815
N5816
N5817
N5818
N5819
N5820
N5821
N5822
N5823
N5824
N5825
N5826
N5827
N5828
N5829
N5830
N5831
N5832
N5833
N5834
N5835
N5836
N5837
N5838
N5839
N5840
N5841
N5842
N5843
N5844
N5845
N5846
N5847
N5848
N5849
N5850
N5851
N5852
N5853
N5854
N5855
N5856
N5857
N5858
N5859
N5860
N5861
N5862
N5863
N5864
N5865
N5866
N5867
N5868
N5869
N5870
N5871
N5872
N5873
N5874
N5875
N5876
N5877
N5878
N5879
N5880
N5881
N5882
N5883
N5884
N5885
N5886
N5887
N5888
N5889
N5890
N5891
N5892
N5893
N5894
N5895
N5896
N5897
N5898
N5899
N5900
N5901
N5902
N5903
N5904
N5905
N5906
N5907
N5908
N5909
N5910
N5911
N5912
N5913
N5914
N5915
N5916
N5917
N5918
N5919
N5920
N5921
N5922
N5923
N5924
N5925
N5926
N5927
N5928
N5929
N5930
N5931
N5932
N5933
N5934
N5935
N5936
N5937
N5938
N5939
N5940
N5941
N5942
N5943
N5944
N5945
N5946
N5947
N5948
N5949
N5950
N5951
N5952
N5953
N5954
N5955
N5956
N5957
N5958
N5959
N5960
N5961
N5962
N5963
N5964
N5965
N5966
N5967
N5968
N5969
N5970
N5971
N5972
N5973
N5974
N5975
N5976
N5977
N5978
N5979
N5980
N5981
N5982
N5983
N5984
N5985
N5986
N5987
N5988
N5989
N5990
N5991
N5992
N5993
N5994
N5995
N5996
N5997
N5998
N5999
N6000
N6001
N6002
N6003
N6004
N6005
N6006
N6007
N6008
N6009
N6010
N6011
N6012
N6013
N6014
N6015
N6016
N6017
N6018
N6019
N6020
N6021
N6022
N6023
N6024
N6025
N6026
N6027
N6028
N6029
N6030
N6031
N6032
N6033
N6034
N6035
N6036
N6037
N6038
N6039
N6040
N6041
N6042
N6043
N6044
N6045
N6046
N6047
N6048
N6049
N6050
N6051
N6052
N6053
N6054
N6055
N6056
N6057
N6058
N6059
N6060
N6061
N6062
N6063
N6064
N6065
N6066
N6067
N6068
N6069
N6070
N6071
N6072
N6073
N6074
N6075
N6076
N6077
N6078
N6079
N6080
N6081
N6082
N6083
N6084
N6085
N6086
N6087
N6088
N6089
N6090
N6091
N6092
N6093
N6094
N6095
N6096
N6097
N6098
N6099
N6100
N6101
N6102
N6103
N6104
N6105
N6106
N6107
N6108
N6109
N6110
N6111
N6112
N6113
N6114
N6115
N6116
N6117
N6118
N6119
N6120
N6121
N6122
N6123
N6124
N6125
N6126
N6127
N6128
N6129
N6130
N6131
N6132
N6133
N6134
N6135
N6136
N6137
N6138
N6139
N6140
N6141
N6142
N6143
N6144
N6145
N6146
N6147
N6148
N6149
N6150
N6151
N6152
N6153
N6154
N6155
N6156
N6157
N6158
N6159
N6160
N6161
N6162
N6163
N6164
N6165
N6166
N6167
N6168
N6169
N6170
N6171
N6172
N6173
N6174
N6175
N6176
N6177
N6178
N6179
N6180
N6181
N6182
N6183
N6184
N6185
N6186
N6187
N6188
N6189
N6190
N6191
N6192
N6193
N6194
N6195
N6196
N6197
N6198
N6199
N6200
N6201
N6202
N6203
N6204
N6205
N6206
N6207
N6208
N6209
N6210
N6211
N6212
N6213
N6214
N6215
N6216
N6217
N6218
N6219
N6220
N6221
N6222
N6223
N6224
N6225
N6226
N6227
N6228
N6229
N6230
N6231
N6232
N6233
N6234
N6235
N6236
N6237
N6238
N6239
N6240
N6241
N6242
N6243
N6244
N6245
N6246
N6247
N6248
N6249
N6250
N6251
N6252
N6253
N6254
N6255
N6256
N6257
N6258
N6259
N6260
N6261
N6262
N6263
N6264
N6265
N6266
N6267
N6268
N6269
N6270
N6271
N6272
N6273
N6274
N6275
N6276
N6277
N6278
N6279
N6280
N6281
N6282
N6283
N6284
N6285
N6286
N6287
N6288
N6289
N6290
N6291
N6292
N6293
N6294
N6295
N6296
N6297
N6298
N6299
N6300
N6301
N6302
N6303
N6304
N6305
N6306
N6307
N6308
N6309
N6310
N6311
N6312
N6313
N6314
N6315
N6316
N6317
N6318
N6319
N6320
N6321
N6322
N6323
N6324
N6325
N6326
N6327
N6328
N6329
N6330
N6331
N6332
N6333
N6334
N6335
N6336
N6337
N6338
N6339
N6340
N6341
N6342
N6343
N6344
N6345
N6346
N6347
N6348
N6349
N6350
N6351
N6352
N6353
N6354
N6355
N6356
N6357
N6358
N6359
N6360
N6361
N6362
N6363
N6364
N6365
N6366
N6367
N6368
N6369
N6370
N6371
N6372
N6373
N6374
N6375
N6376
N6377
N6378
N6379
N6380
N6381
N6382
N6383
N6384
N6385
N6386
N6387
N6388
N6389
N6390
N6391
N6392
N6393
N6394
N6395
N6396
N6397
N6398
N6399
N6400
N6401
N6402
N6403
N6404
N6405
N6406
N6407
N6408
N6409
N6410
N6411
N6412
N6413
N6414
N6415
N6416
N6417
N6418
N6419
N6420
N6421
N6422
N6423
N6424
N6425
N6426
N6427
N6428
N6429
N6430
N6431
N6432
N6433
N6434
N6435
N6436
N6437
N6438
N6439
N6440
N6441
N6442
N6443
N6444
N6445
N6446
N6447
N6448
N6449
N6450
N6451
N6452
N6453
N6454
N6455
N6456
N6457
N6458
N6459
N6460
N6461
N6462
N6463
N6464
N6465
N6466
N6467
N6468
N6469
N6470
N6471
N6472
N6473
N6474
N6475
N6476
N6477
N6478
N6479
N6480
N6481
N6482
N6483
N6484
N6485
N6486
N6487
N6488
N6489
N6490
N6491
N6492
N6493
N6494
N6495
N6496
N6497
N6498
N6499
N6500
N6501
N6502
N6503
N6504
N6505
N6506
N6507
N6508
N6509
N6510
N6511
N6512
N6513
N6514
N6515
N6516
N6517
N6518
N6519
N6520
N6521
N6522
N6523
N6524
N6525
N6526
N6527
N6528
N6529
N6530
N6531
N6532
N6533
N6534
N6535
N6536
N6537
N6538
N6539
N6540
N6541
N6542
N6543
N6544
N6545
N6546
N6547
N6548
N6549
N6550
N6551
N6552
N6553
N6554
N6555
N6556
N6557
N6558
N6559
N6560
N6561
N6562
N6563
N6564
N6565
N6566
N6567
N6568
N6569
N6570
N6571
N6572
N6573
N6574
N6575
N6576
N6577
N6578
N6579
N6580
N6581
N6582
N6583
N6584
N6585
N6586
N6587
N6588
N6589
N6590
N6591
N6592
N6593
N6594
N6595
N6596
N6597
N6598
N6599
N6600
N6601
N6602
N6603
N6604
N6605
N6606
N6607
N6608
N6609
N6610
N6611
N6612
N6613
N6614
N6615
N6616
N6617
N6618
N6619
N6620
N6621
N6622
N6623
N6624
N6625
N6626
N6627
N6628
N6629
N6630
N6631
N6632
N6633
N6634
N6635
N6636
N6637
N6638
N6639
N6640
N6641
N6642
N6643
N6644
N6645
N6646
N6647
N6648
N6649
N6650
N6651
N6652
N6653
N6654
N6655
N6656
N6657
N6658
N6659
N6660
N6661
N6662
N6663
N6664
N6665
N6666
N6667
N6668
N6669
N6670
N6671
N6672
N6673
N6674
N6675
N6676
N6677
N6678
N6679
N6680
N6681
N6682
N6683
N6684
N6685
N6686
N6687
N6688
N6689
N6690
N6691
N6692
N6693
N6694
N6695
N6696
N6697
N6698
N6699
N6700
N6701
N6702
N6703
N6704
N6705
N6706
N6707
N6708
N6709
N6710
N6711
N6712
N6713
N6714
N6715
N6716
N6717
N6718
N6719
N6720
N6721
N6722
N6723
N6724
N6725
N6726
N6727
N6728
N6729
N6730
N6731
N6732
N6733
N6734
N6735
N6736
N6737
N6738
N6739
N6740
N6741
N6742
N6743
N6744
N6745
N6746
N6747
N6748
N6749
N6750
N6751
N6752
N6753
N6754
N6755
N6756
N6757
N6758
N6759
N6760
N6761
N6762
N6763
N6764
N6765
N6766
N6767
N6768
N6769
N6770
N6771
N6772
N6773
N6774
N6775
N6776
N6777
N6778
N6779
N6780
N6781
N6782
N6783
N6784
N6785
N6786
N6787
N6788
N6789
N6790
N6791
N6792
N6793
N6794
N6795
N6796
N6797
N6798
N6799
N6800
N6801
N6802
N6803
N6804
N6805
N6806
N6807
N6808
N6809
N6810
N6811
N6812
N6813
N6814
N6815
N6816
N6817
N6818
N6819
N6820
N6821
N6822
N6823
N6824
N6825
N6826
N6827
N6828
N6829
N6830
N6831
N6832
N6833
N6834
N6835
N6836
N6837
N6838
N6839
N6840
N6841
N6842
N6843
N6844
N6845
N6846
N6847
N6848
N6849
N6850
N6851
N6852
N6853
N6854
N6855
N6856
N6857
N6858
N6859
N6860
N6861
N6862
N6863
N6864
N6865
N6866
N6867
N6868
N6869
N6870
N6871
N6872
N6873
N6874
N6875
N6876
N6877
N6878
N6879
N6880
N6881
N6882
N6883
N6884
N6885
N6886
N6887
N6888
N6889
N6890
N6891
N6892
N6893
N6894
N6895
N6896
N6897
N6898
N6899
N6900
N6901
N6902
N6903
N6904
N6905
N6906
N6907
N6908
N6909
N6910
N6911
N6912
N6913
N6914
N6915
N6916
N6917
N6918
N6919
N6920
N6921
N6922
N6923
N6924
N6925
N6926
N6927
N6928
N6929
N6930
N6931
N6932
N6933
N6934
N6935
N6936
N6937
N6938
N6939
N6940
N6941
N6942
N6943
N6944
N6945
N6946
N6947
N6948
N6949
N6950
N6951
N6952
N6953
N6954
N6955
N6956
N6957
N6958
N6959
N6960
N6961
N6962
N6963
N6964
N6965
N6966
N6967
N6968
N6969
N6970
N6971
N6972
N6973
N6974
N6975
N6976
N6977
N6978
N6979
N6980
N6981
N6982
N6983
N6984
N6985
N6986
N6987
N6988
N6989
N6990
N6991
N6992
N6993
N6994
N6995
N6996
N6997
N6998
N6999
N7000
N7001
N7002
N7003
N7004
N7005
N7006
N7007
N7008
N7009
N7010
N7011
N7012
N7013
N7014
N7015
N7016
N7017
N7018
N7019
N7020
N7021
N7022
N7023
N7024
N7025
N7026
N7027
N7028
N7029
N7030
N7031
N7032
N7033
N7034
N7035
N7036
N7037
N7038
N7039
N7040
N7041
N7042
N7043
N7044
N7045
N7046
N7047
N7048
N7049
N7050
N7051
N7052
N7053
N7054
N7055
N7056
N7057
N7058
N7059
N7060
N7061
N7062
N7063
N7064
N7065
N7066
N7067
N7068
N7069
N7070
N7071
N7072
N7073
N7074
N7075
N7076
N7077
N7078
N7079
N7080
N7081
N7082
N7083
N7084
N7085
N7086
N7087
N7088
N7089
N7090
N7091
N7092
N7093
N7094
N7095
N7096
N7097
N7098
N7099
N7100
N7101
N7102
N7103
N7104
N7105
N7106
N7107
N7108
N7109
N7110
N7111
N7112
N7113
N7114
N7115
N7116
N7117
N7118
N7119
N7120
N7121
N7122
N7123
N7124
N7125
N7126
N7127
N7128
N7129
N7130
N7131
N7132
N7133
N7134
N7135
N7136
N7137
N7138
N7139
N7140
N7141
N7142
N7143
N7144
N7145
N7146
N7147
N7148
N7149
N7150
N7151
N7152
N7153
N7154
N7155
N7156
N7157
N7158
N7159
N7160
N7161
N7162
N7163
N7164
N7165
N7166
N7167
N7168
N7169
N7170
N7171
N7172
N7173
N7174
N7175
N7176
N7177
N7178
N7179
N7180
N7181
N7182
N7183
N7184
N7185
N7186
N7187
N7188
N7189
N7190
N7191
N7192
N7193
N7194
N7195
N7196
N7197
N7198
N7199
N7200
N7201
N7202
N7203
N7204
N7205
N7206
N7207
N7208
N7209
N7210
N7211
N7212
N7213
N7214
N7215
N7216
N7217
N7218
N7219
N7220
N7221
N7222
N7223
N7224
N7225
N7226
N7227
N7228
N7229
N7230
N7231
N7232
N7233
N7234
N7235
N















Copies of this map are available for public use at nominal cost.
Address: OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21 st. STREET
OKLAHOMA CITY, OKLAHOMA 73105

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

SHEET 2 OF 2 SHEETS

NOT FOR RESALE


POTTAWATOMIE COUNTY
SEMINOLE COUNTY
McCLAIN COUNTY
HUGHES COUNTY
GARVIN COUNTY
MURRAY COUNTY
COAL COUNTY
JOHNSTON COUNTY
MAXWELL
MIDLAND
FRANCIS
ALLEN
CHICKASAW
FITZHUGH
STONEWALL
INDIAN BASE LINE
ADA
EASTERN CENTRAL STATE UNIV.
POP. 15,820
ADA MUNICIPAL AIRPORT
BYNG
POP. 755.
FRANCIS
POP. 346
ALLEN
POP. 972
HUGHES CO. 112
PONTOTOC CO. 860
STEADMAN
HAPPYLAND
JAYDEE
LEADER
LULA
UNION VALLEY
STONEWALL
POP. 259
FRISCO
COIL
FITZHUGH
POP. 196
ROFF
POP. 717
DOLBERG
FITTSTOWN
HARDEN CITY
FRANKS
JESSE
EAST JESSE
LAWRENCE
Ideal Mound
PICKETT
GARR CORNER
UNION HILL
CENTER
HOWE
LATTA
ARLOSO
HART
TO BYARS
TO MAXWELL
TO SEMINOLE
TO CALVIN
TO TUPELO
TO SULPHUR
TO MCGARY
TO ALLEN
TO STONEWALL
CANADIAN RIVER
Muddy Boggy Cr.
Clear Boggy Cr.
E. Rock Cr.
Rock Cr.
Sandy Cr.
Stony Cr.
Limestone Cr.
Blue Cr.
Fort Cr.
Buck Cr.
Bois d'Arc Cr.
Honey Grove Sand
Santa Fe R.R.
Missouri-Kansas-Texas R.R.
Atoka Pipeline
Texas Pipeline
Texoma Gas Pipeline
Lone Star Gas Pipeline
Phillips Pipeline
Sinclair Pipeline
Cities Service Pipeline
Shell Pipeline
Sun Pipeline
Mobil Pipeline
Gulf Pipeline
Arbuckle Pipeline
Ozark Pipeline
Williams Pipeline
Kaneb Pipeline
Explorer Pipeline
Magellan Pipeline
Enron Pipeline
Transok Pipeline
Oneok Pipeline
Kerr-McGee Pipeline
Conoco Pipeline
Amoco Pipeline
Exxon Pipeline
Chevron Pipeline
Texaco

GENERAL HIGHWAY MAP
POTTAWATOMIE COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

ALL DATA CURRENT TO
DATE OF THIS REPORT
JUNE 1994

ORIGINAL DRAFTING BY WT AUG. 1994
STATE SYSTEM REVISED TO JAN. 1995


PLEASE NOTE: CHANGE AT STATE HIGHWAY 9
SEVERAL NORTH & SOUTH COUNTY ROAD NAMES CHANGE AT U.S. HIGHWAY 177
SEVERAL EAST & WEST COUNTY ROAD NAMES CHANGE AT U.S. HIGHWAY 177


SCALE
0 1 2 3 4 MILES

DALE
SEC. 25,26,T11N,R2E
SCALE
0 0.1 0.2 0.3 0.4 0.5 MILE
0 660 1,320 2,640 FEET


LEGEND

U.S. NUMBERED HIGHWAY
STATE NUMBERED HIGHWAY
INTERSTATE HIGHWAY ROUTE
PAVED ROAD
GRAVEL ROAD, PLANNED ROAD
UNIMPROVED ROAD
PROPOSED ROAD
PROJECTED ROAD
RESIDENTIAL ROAD
COUNTY ROAD ID NO.
DIVIDED HIGHWAY, 4 OR MORE LANES
UNDIVIDED HIGHWAY, 3 OR MORE LANES
TOLL ROAD
HIGHWAY GRADE SEPARATION
TRAFFIC INTERCHANGE
STATE LINE
COUNTY LINE
CONGRESSIONAL TOWNSHIP LINE
SECTION LINE
INDIAN RESERVATION BDRY.
GOVERNMENT PROPERTY LINE
MATCH LINE
INSET BOUNDARY
TOWN CENTER
CORPORATE LIMITS
CIVIL TOWNSHIP, ROAD IN PLACE
INSET BOUNDARY
ELEVATION ABOVE SEA LEVEL
MOUNTAIN RANGE, BUTTE OR MESA
MARSH OR SWAMP LANDS
DRAINAGE DITCH
LAKE, RESERVOIR OR POND WITH DAM
ROAD OVER DAM
DRY LAKE SUBJECT TO FLOOD
SMALL BRIDGE, LESS 20 FT. IN LENGTH
GENERAL BRIDGE, LONG CROSSING
ARCH BRIDGE
TRUSS BRIDGE, IN WOOD, S-Steel, C-Concrete
FORD ROAD ESTABLISHED
FORD ROAD NOT ESTABLISHED
NARROW STREAM
DOCK PIER OR LANDING
NAVIGABLE STREAM WITH LOCK & DAM
WIDE STREAM OR RIVER
TRIANGULATION STATION
RAILROAD, ANY NUMBER OF TRACKS
RAILROAD, TRACKS NOT SHOWN
GRADE CROSSING
OVERPASS, R.R. ABOVE
OVERPASS, R.R. BELOW
RAILROAD SIDING
MILITARY AIRFIELD
AIRPORT WITH PAVED RUNWAYS & ITS FACILITIES
AIRPORT WITH UNPAVED RUNWAYS & ITS FACILITIES
LANDING STRIP, PRIVATE FIELD
LANDING STRIP, ABANDONED OR UNUSABLE FIELD
RUNWAYS SHOWN IN POSITION
ROADSIDE PARK Picnic Grounds
PLAYGROUND
SWIMMING POOL OR SWIMMING POOL
HOTEL, MOTEL
SCENIC SITE
CAMP OR LODGE, Permanent With Buildings
CAMP OR LODGE, Other Than Permanent
SMALL PARK, MP-Municipal, TP-Trailer Park
FOREST FIRE LOOKOUT TOWER
FOREST RANGER STATION
CAMP SITE
CAMP OR RECERY
GOLF COURSE OR COUNTRY CLUB
ATHLETIC FIELD OR AMUSEMENT PARK
CEMETERY, PACE COURSE
DWELLING
NUMBER OF DWELLINGS CLOSELY SPACED
SCHOOL, HOSPITAL, INDUSTRIAL
POST OFFICE
POST OFFICE COMBINATIONS
CHURCH OR OTHER RELIGIOUS BUILDING
CEMETERY
CHURCH WITH CEMETERY ADJACENT
REST HOME
HOSPITAL
INDUSTRIAL BUILDINGS
INDUSTRY
SAW MILL
GRAIN ELEVATOR OR DRIFT
OIL OR GAS FIELD
GAUGING OR PUMPING STATION
GRAVEL PIT
QUARRY
SCHOOL
COMMUNITY HALL OR LODGE
DRIVE-IN THEATER
PUBLIC BUILDING OR INSTITUTION
HIGHWAY GARAGE
JUNK YARD, Scrap Metal, Automobile, Bi-Stone Building Material
SERVICE STATION, Auto Repair, Trailer Dump
F-Stanley Fifa, G-Other
WATER SUPPLY STAND PIPE
WATER TOWER
BOOSTER STATION
TELEPHONE OR RADIO STATION
TELEVISION OR RADIO STATION
MILITARY INSTALLATION





OKFUSKEE COUNTY
T11N
760,000 FEET
R6E
R5E
R4E
R3E
R2E
NS353
NS347
NS341
NS335
NS329
2,360,000 FEET
2,260,000 FEET
96° 45' 00"
97° 00' 00"
35° 15' 00"
35° 00' 00"
600,000 FEET
T9N
T8N
T7N
T6N
T5N
T4N
T3N
T2N
T1N
C O U N T Y
P O T T A W A T O M I E
L I N C O L N
P O N T O T O C
M c C L A I N
S E M I N O L E
C L E V E L A N D
O K L A H O M A
BOUNDARY
CENTER VIEW
GREEN LEAF
BARTA
SEMINOLE
OKEMAH
MACOMB
MAUD
KONAWA
MACLEAY
TO PRAGUE
TO SEMINOLE
TO OKEMAH
TO MACLEAY
TO KONAWA
TO MACLEAY
TO MACLEAY
TO MACLEAY



LEGEND

- U.S. NUMBERED HIGHWAY
- STATE NUMBERED HIGHWAY
- INTERSTATE HIGHWAY ROUTE
- PAVED ROAD
- GRAVEL ROAD
- GRADED & DRAINED ROAD
- UNIMPROVED ROAD
- PRIMITIVE ROAD
- PROJECTED ROAD
- RESIDENTIAL ROAD
- COUNTY ROAD ID NO.
- MILEAGE BETWEEN POINTS
- DIVIDED HIGHWAY, 4 OR MORE LANES
- UNDIVIDED HIGHWAY, 3 OR MORE LANES
- TRAFFIC CIRCLE
- HIGHWAY GRADE SEPARATION
- TRAFFIC INTERCHANGE
- STATE LINE
- COUNTY LINE
- CIVIL TOWNSHIP LINE
- SECTION LINE
- RURAL DEVELOPMENT AREA
- GOVERNMENT PROPERTY LINE
- MATCH LINE
- COUNTY SEAT
- TOWN CENTER
- CORPORATE LIMITS
- CIVIL TOWNSHIP, ROAD IN PLACE
- INSET BOUNDARY

- ELEVATION ABOVE SEA LEVEL
- MOUNTAIN RANGE, BUTTE OR MESA
- SMALL MONUMENT
- MARSH OR SWAMP LANDS
- DRAINAGE DITCH
- IRRIGATION DITCH
- LAKE, RESERVOIR OR POND WITH DAM
- ROAD OVER DAM
- DRY LAKE SUBJECT TO FLOOD
- SMALL BRIDGES CLOSELY SPACED
- HIGHWAY BRIDGE, OVER 20 FT. IN LENGTH
- GENERAL BRIDGE, LONG CROSSING
- ARCH BRIDGE
- TRUSS BRIDGE, W-Wood, S-Steel, C-Concrete
- CONCRETE DIP OR FORD
- FORD ROAD ESTABLISHED
- INTERMITTENT STREAM
- NARROW STREAM
- DOCK PIER OR LANDING
- NAVIGABLE STREAM WITH LOCK & DAM
- WIDE STREAM OR RIVER
- TRIANGULATION STATION

- RAILROAD, ANY NUMBER OF TRACKS
- RAILROAD WITH STATIONS INDICATED
- GRADE CROSSING
- UNDERPASS, R.R. ABOVE
- OVERPASS, R.R. BELOW
- RAILROAD ON STREET
- MILITARY AIRFIELD
- AIRPORT WITH COMPLETE FACILITIES
- AIRPORT WITH LIMITED FACILITIES
- LANDING STRIP, PRIVATE FIELD
- AIRPORT, GENERAL OUTLINE OF FIELD
- RUNWAYS SHOWN IN POSITION
- ROADSIDE PARK Picnic Grounds
- PLAYGROUNDS
- BATHING BEACH OR SWIMMING POOL
- SCENIC SITE
- MOTEL
- CAMP OR LODGE, Permanent With Buildings
- SMALL PARK SP-State, CP-County, MP-Municipal, TP-Trailer Park
- FOREST RANGER STATION
- OBSERVATION OR LOOKOUT TOWER
- CAMP SITE
- FISH HATCHERY
- GOLF COURSE OR COUNTRY CLUB
- ATHLETIC FIELD OR AMUSEMENT PARK
- FAIRGROUNDS, RACE COURSE
- DWELLING
- NUMBER OF DWELLINGS CLOSELY SPACED
- COMBINED BUSINESS AND DWELLING
- POST OFFICE
- POST OFFICE COMBINATIONS

- SEASONAL DWELLINGS
- CHURCH OR OTHER RELIGIOUS BUILDING
- CEMETERY
- CHURCH WITH CEMETERY ADJACENT
- REST HOME
- HOSPITAL
- SMALL BUSINESS
- INDUSTRY
- SAW MILL
- MINE SHAFT OR DRIFT
- OIL OR GAS FIELD
- GAUGING OR PUMPING STATION
- WAREHOUSE
- GRAVEL PIT
- QUARRY
- SCHOOL
- COMMUNITY HALL OR LODGE
- HISTORICAL MARKER
- DRIVE-IN THEATER
- CORRECTIONAL INSTITUTION
- HIGHWAY GARAGE
- JUNK YARDS & DUMPS A-Automobile, B-Scrap Building Material, D-Refuse, Garbage or Trash Dump F-Sanitary Fill, G-Other
- SEWAGE DISPOSAL PLANT
- WATER SUPPLY STAND PIPE
- POWER PLANT
- BOOSTER STATION
- POWER SUBSTATION
- TELEVISION OR RADIO STATION
- MILITARY INSTALLATION

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.
Address: OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21 st. STREET
OKLAHOMA CITY, OKLAHOMA 73105

SHEET NO. 2
SHEET NO. 1

ALL DATA CURRENT TO
DATE OF INVENTORY
APR. 1987

ORIGINAL DRAFTING BY M.J. JUNE 1990
STATE SYSTEM REVISED TO JAN. 1992

N

GENERAL HIGHWAY MAP
ROGER MILLS COUNTY
OKLAHOMA

PREPARED BY THE
OKLAHOMA DEPARTMENT OF TRANSPORTATION
PLANNING DIVISION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION


SCALE
0 1 2 3 4 MILES

LAMBERT CONFORMAL CONIC PROJECTION U.S COAST & GEODETIC SURVEY DATA
20,000 FOOT GRID: OKLAHOMA PLANE COORDINATE SYSTEM NORTH HYLECTION ZONE
POPULATION FIGURES BASED ON 1990 U.S. CENSUS
COUNTY POPULATION 4,147

ALL RIGHTS RESERVED

SHEET 1 OF 2 SHEETS

NOT FOR RESALE



This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

Copies of this map are available for public use at nominal cost.

Address: OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21 st. STREET
OKLAHOMA CITY, OKLAHOMA 73105

ALL RIGHTS RESERVED

SHEET 2 OF 2 SHEETS

NOT FOR RESALE

SEMINOLE

Copies of this map are available for public use at nominal cost.
Address:
OKLAHOMA DEPARTMENT OF TRANSPORTATION
REPRODUCTION BRANCH Phone (405) 521-2586
200 N.E. 21st STREET
OKLAHOMA CITY, OKLAHOMA 73105-3204

This map indicates those roads known to the Department to be open to public travel. Placement of a road on the map has no relationship to maintenance responsibility by any level of government.

NOT FOR RESALE

OKFUSKEE COUNTY
POTTAWATOMIE COUNTY
HUGHES COUNTY
SEMINOLE COUNTY
POTTAWATOMIE COUNTY
PONTOTOC COUNTY
R 5 E
R 6 E
R 7 E
R 8 E
T 11 N
T 10 N
T 9 N
T 8 N
T 7 N
T 6 N
T 5 N
T 12 N
2,380,000 FEET
2,440,000 FEET
580,000 FEET
96°45'00"
96°30'00"
35°15'00"
35°00'00"
BOUNDARY
INDIAN TERRITORY
OLD CANADIAN
NORTH CANADIAN
TREATY LINE
OKLAHOMA
TERRITORY
SEMINOLE
POP. 7,071
SEMINOLE MUNICIPAL AIRPORT
WEWOKA
POP. 4,050
CROMWELL
POP. 268
SCHOOLTON
BUTNER
EASLEY RD.
QUAIL RUN
QUAIL CREEK RD.
NOBLETOWN
SPORTSMAN LAKE
DANIELSON LAKE
INDOGCO
LIMA
POP. 133
BOWLEGS
POP. 398
MAUD
POP. 1204
POTTA-WATOMIE CO. POP. 868
SEMINOLE CO. POP. 336
KONAWA
POP. 1,508
SASAKWA
POP. 169
WOLF (SNOWIGHT) (SNOMAC)
TATE MTN.
DIXON
KWSH
SYLVIAN
LITTLE
MISSION
DECKER
TUCHO
EARL
ARGO
VAMOOSA
FERNDALE
CAROLINA
BOWLEGS
MANDLER
TO SHAWNEE
TO EARLSBORO
TO ST. LOUIS
TO ASHER
TO OKEMAH
TO BEARDEN
TO WETUMKA
TO HOLDENVILLE
TO ADA
TO PRAGUE
Deer Creek
Turkey Creek
Salt Creek
Bruno Creek
Jumper Creek
Sandy Creek
Rock Creek
Tiger Creek
Wewoka Creek
Little Wewoka Creek
Gar Creek
Coon Creek
Bird Creek
Mud Creek
Big Creek
Clear Creek
Duck Creek
Indian Creek
Dixon Creek
Little River
Canadian River
Indian River
Katy Reservoir
Konawa Lake
Seminole Lake
Daniel Lake
Wewoka Lake
Lake Wewoka
Wewoka Railroad
Pacific Railroad
E1118
E1135
E1205
E1235
E1248
E1252
E1255
E1307
E1312
E1338
E1387
E1395
E1418
E1421
E1462
E1467
E1183
E1305
D1208
D1241
D1247
D3020
D3343
D3369
D3545
D3575
D3595
D3615
D3655
D3670
N3353
N3359
N3365
N3435
N3448
N3500
N3525
N3543
N3585
N3605
N3613
N3623
N3625
N3626
N3688
N3844
N3848
N3853
N3855
N3865
N3907
N3915
N3935
N3938
N3955
N3958
N3965
N3968
N3975
N3978
N3985
N3988
N4005
N4008
N4015
N4018
N4025
N4028
N4035
N4038
N4045
N4048
N4055
N4058
N4065
N4068
N4075
N4078
N4085
N4088
N4095
N4098
N4105
N4108
N4115
N4118
N4125
N4128
N4135
N4138
N4145
N4148
N4155
N4158
N4165
N4168
N4175
N4178
N4185
N4188
N4195
N4198
N4205
N4208
N4215
N4218
N4225
N4228
N4235
N4238
N4245
N4248
N4255
N4258
N4265
N4268
N4275
N4278
N4285
N4288
N4295
N4298
N4305
N4308
N4315
N4318
N4325
N4328
N4335
N4338
N4345
N4348
N4355
N4358
N4365
N4368
N4375
N4378
N4385
N4388
N4395
N4398
N4405
N4408
N4415
N4418
N4425
N4428
N4435
N4438
N4445
N4448
N4455
N4458
N4465
N4468
N4475
N4478
N4485
N4488
N4495
N4498
N4505
N4508
N4515
N4518
N4525
N4528
N4535
N4538
N4545
N4548
N4555
N4558
N4565
N4568
N4575
N4578
N4585
N4588
N4595
N4598
N4605
N4608
N4615
N4618
N4625
N4628
N4635
N4638
N4645
N4648
N4655
N4658
N4665
N4668
N4675
N4678
N4685
N4688
N4695
N4698
N4705
N4708
N4715
N4718
N4725
N4728
N4735
N4738
N4745
N4748
N4755
N4758
N4765
N4768
N4775
N4778
N4785
N4788
N4795
N4798
N4805
N4808
N4815
N4818
N4825
N4828
N4835
N4838
N4845
N4848
N4855
N4858
N4865
N4868
N4875
N4878
N4885
N4888
N4895
N4898
N4905
N4908
N4915
N4918
N4925
N4928
N4935
N4938
N4945
N4948
N4955
N4958
N4965
N4968
N4975
N4978
N4985
N4988
N4995
N4998
N5005
N5008
N5015
N5018
N5025
N5028
N5035
N5038
N5045
N5048
N5055
N5058
N5065
N5068
N5075
N5078
N5085
N5088
N5095
N5098
N5105
N5108
N5115
N5118
N5125
N5128
N5135
N5138
N5145
N5148
N5155
N5158
N5165
N5168
N5175
N5178
N5185
N5188
N5195
N5198
N5205
N5208
N5215
N5218
N5225
N5228
N5235
N5238
N5245
N5248
N5255
N5258
N5265
N5268
N5275
N5278
N5285
N5288
N5295
N5298
N5305
N5308
N5315
N5318
N5325
N5328
N5335
N5338
N5345
N5348
N5355
N5358
N5365
N5368
N5375
N5378
N5385
N5388
N5395
N5398
N5405
N5408
N5415
N5418
N5425
N5428
N5435
N5438
N5445
N5448
N5455
N5458
N5465
N5468
N5475
N5478
N5485
N5488
N5495
N5498
N5505
N5508
N5515
N5518
N5525
N5528
N5535
N5538
N5545
N5548
N5555
N5558
N5565
N5568
N5575
N5578
N5585
N5588
N5595
N5598
N5605
N5608
N5615
N5618
N5625
N5628
N5635
N5638
N5645
N5648
N5655
N5658
N5665
N5668
N5675
N5678
N5685
N5688
N5695
N5698
N5705
N5708
N5715
N5718
N5725
N5728
N5735
N5738
N5745
N5748
N5755
N5758
N5765
N5768
N5775
N5778
N5785
N5788
N5795
N5798
N5805
N5808
N5815
N5818
N5825
N5828
N5835
N5838
N5845
N5848
N5855
N5858
N5865
N5868
N5875
N5878
N5885
N5888
N5895
N5898
N5905
N5908
N5915
N5918
N5925
N5928
N5935
N5938
N5945
N5948
N5955
N5958
N5965
N5968
N5975
N5978
N5985
N5988
N5995
N5998
N6005
N6008
N6015
N6018
N6025
N6028
N6035
N6038
N6045
N6048
N6055
N6058
N6065
N6068
N6075
N6078
N6085
N6088
N6095
N6098
N6105
N6108
N6115
N6118
N6125
N6128
N6135
N6138
N6145
N6148
N6155
N6158
N6165
N6168
N6175
N6178
N6185
N6188
N6195
N6198
N6205
N6208
N6215
N6218
N6225
N6228
N6235
N6238
N6245
N6248
N6255
N6258
N6265
N6268
N6275
N6278
N6285
N6288
N6295
N6298
N6305
N6308
N6315
N6318
N6325
N6328
N6335
N6338
N6345
N6348
N6355
N6358
N6365
N6368
N6375
N6378
N6385
N6388
N6395
N6398
N6405
N6408
N6415
N6418
N6425
N6428
N6435
N6438
N6445
N6448
N6455
N6458
N6465
N6468
N6475
N6478
N6485
N6488
N6495
N6498
N6505
N6508
N6515
N6518
N6525
N6528
N6535
N6538
N6545
N6548
N6555
N6558
N6565
N6568
N6575
N6578
N6585
N6588
N6595
N6598
N6605
N6608
N6615
N6618
N6625
N6628
N6635
N6638
N6645
N6648
N6655
N6658
N6665
N6668
N6675
N6678
N6685
N6688
N6695
N6698
N6705
N6708
N6715
N6718
N6725
N6728
N6735
N6738
N6745
N6748
N6755
N6758
N6765
N6768
N6775
N6778
N6785
N6788
N6795
N6798
N6805
N6808
N6815
N6818
N6825
N6828
N6835
N6838
N6845
N6848
N6855
N6858
N6865
N6868
N6875
N6878
N6885
N6888
N6895
N6898
N6905
N6908
N6915
N6918
N6925
N6928
N6935
N6938
N6945
N6948
N6955
N6958
N6965
N6968
N6975
N6978
N6985
N6988
N6995
N6998
N7005
N7008
N7015
N7018
N7025
N7028
N7035
N7038
N7045
N7048
N7055
N7058
N7065
N7068
N7075
N7078
N7085
N7088
N7095
N7098
N7105
N7108
N7115
N7118
N7125
N7128
N7135
N7138
N7145
N7148
N7155
N7158
N7165
N7168
N7175
N7178
N7185
N7188
N7195
N7198
N7205
N7208
N7215
N7218
N7225
N7228
N7235
N7238
N7245
N7248
N7255
N7258
N7265
N7268
N7275
N7278
N7285
N7288
N7295
N7298
N7305
N7308
N7315
N7318
N7325
N7328
N7335
N7338
N7345
N7348
N7355
N7358
N7365
N7368
N7375
N7378
N7385
N7388
N7395
N7398
N7405
N7408
N7415
N7418
N7425
N7428
N7435
N7438
N7445
N7448
N7455
N7458
N7465
N7468
N7475
N7478
N7485
N7488
N7495
N7498
N7505
N7508
N7515
N7518
N7525
N7528
N7535
N7538
N7545
N7548
N7555
N7558
N7565
N7568
N7575
N7578
N7585
N7588
N7595
N7598
N7605
N7608
N7615
N7618
N7625
N7628
N7635
N7638
N7645
N7648
N7655
N7658
N7665
N7668
N7675
N7678
N7685
N7688
N7695
N7698
N7705
N7708
N7715
N7718
N7725
N7728
N7735
N7738
N7745
N7748
N7755
N7758
N7765
N7768
N7775
N7778
N7785
N7788
N7795
N7798
N7805
N7808
N7815
N7818
N7825
N7828
N7835
N7838
N7845
N7848
N7855
N7858
N7865
N7868
N7875
N7878
N7885
N7888
N7895
N7898
N7905
N7908
N7915
N7918
N7925
N7928
N7935
N7938
N7945
N7948
N7955
N7958
N7965
N7968
N7975
N7978
N7985
N7988
N7995
N7998
N8005
N8008
N8015
N8018
N8025
N8028
N8035
N8038
N8045
N8048
N8055
N8058
N8065
N8068
N8075
N8078
N8085
N8088
N8095
N8098
N8105
N8108
N8115
N8118
N8125
N8128
N8135
N8138
N8145
N8148
N8155
N8158
N8165
N8168
N8175
N8178
N8185
N8188
N8195
N8198
N8205
N8208
N8215
N8218
N8225
N8228
N8235
N8238
N8245
N8248
N8255
N8258
N8265
N8268
N8275
N8278
N8285
N8288
N8295
N8298
N8305
N8308
N8315
N8318
N8325
N8328
N8335
N8338
N8345
N8348
N8355
N8358
N8365
N8368
N8375
N8378
N8385
N8388
N8395
N8398
N8405
N8408
N8415
N8418
N8425
N8428
N8435
N8438
N8445
N8448
N8455
N8458
N8465
N8468
N8475
N8478
N8485
N8488
N8495
N8498
N8505
N8508
N8515
N8518
N8525
N8528
N8535
N8538
N8545
N8548
N8555
N8558
N8565
N8568
N8575
N8578
N8585
N8588
N8595
N8598
N8605
N8608
N8615
N8618
N8625
N8628
N8635
N8638
N8645
N8648
N8655
N8658
N8665
N8668
N8675
N8678
N8685
N8688
N8695
N8698
N8705
N8708
N8715
N8718
N8725
N8728
N8735
N8738
N8745
N8748
N8755
N8758
N8765
N8768
N8775
N8778
N8785
N8788
N8795
N8798
N8805
N8808
N8815
N8818
N8825
N8828
N8835
N8838
N8845
N8848
N8855
N8858
N8865
N8868
N8875
N8878
N8885
N8888
N8895
N8898
N8905
N8908
N8915
N8918
N8925
N8928
N8935
N8938
N8945
N8948
N8955
N8958
N8965
N8968
N8975
N8978
N8985
N8988
N8995
N8998
N9005
N9008
N9015
N9018
N9025
N9028
N9035
N9038
N9045
N9048
N9055
N9058
N9065
N9068
N9075
N9078
N9085
N9088
N9095
N9098
N9105
N9108
N9115
N9118
N9125
N9128
N9135
N9138
N9145
N9148
N9155
N9158
N9165
N9168
N9175
N9178
N9185
N9188
N9195
N9198
N9205
N9208
N9215
N9218
N9225
N9228
N9235
N9238
N9245
N9248
N9255
N9258
N9265
N9268
N9275
N9278
N9285
N9288
N9295
N9298
N9305
N9308
N9315
N9318
N9325
N9328
N9335
N9338
N9345
N9348
N9355
N9358
N9365
N9368
N9375
N9378
N9385
N9388
N9395
N9398
N9405
N9408
N9415
N9418
N9425
N9428
N9435
N9438
N9445
N9448
N9455
N9458
N9465
N9468
N9475
N9478
N9485
N9488
N9495
N9498
N9505
N9508
N9515
N9518
N9525
N9528
N9535
N9538
N9545
N9548
N9555
N9558
N9565
N9568
N9575
N9578
N9585
N9588
N9595
N9598
N9605
N9608
N9615
N9618
N9625
N9628
N9635
N9638
N9645
N9648
N9655
N9658
N9665
N9668
N9675
N9678
N9685
N9688
N9695
N9698
N9705
N9708
N9715
N9718
N9725
N9728
N9735
N9738
N9745
N9748
N9755
N9758
N9765
N9768
N9775
N9778
N9785
N9788
N9795
N9798
N9805
N9808
N9815
N9818
N9825
N9828
N9835
N9838
N9845
N9848
N9855
N9858
N9865
N9868
N9875
N9878
N9885
N9888
N9895
N9898
N9905
N9908
N9915
N9918
N9925
N9928
N9935
N9938
N9945
N9948
N9955
N9958
N9965
N9968
N9975
N9978
N9985
N9988
N9995
N9998
N10005
N10008
N10015
N10018
N10025
N10028
N10035
N10038
N10045
N10048
N10055
N10058
N10065
N10068
N10075
N10078
N10085
N10088
N10095
N10098
N10105
N10108
N10115
N10118
N10125
N10128
N10135
N10138
N10145
N10148
N10155
N10158
N10165
N10168
N10175
N10178
N10185
N10188
N10195
N10198
N10205
N10208
N10215
N10218
N10225
N10228
N10235
N10238
N10245
N10248
N10255
N10258
N10265
N10268
N10275
N10278
N10285
N10288
N10295
N10298
N10305
N10308
N10315
N10318
N10325
N10328
N10335
N10338
N10345
N10348
N10355
N10358
N10365
N10368
N10375
N10378
N10385
N10388
N10395
N10398
N10405
N10408
N10415
N10418
N10425
N10428
N10435
N10438
N10445
N10448
N10455
N10458
N10465
N10468
N10475
N10478
N10485
N10488
N10495
N10498
N10505
N10508
N10515
N10518
N10525
N10528
N10535
N10538
N10545
N10548
N10555
N10558
N10565
N10568
N10575
N10578
N10585
N10588
N10595
N10598
N10605
N10608
N10615
N10618
N10625
N10628
N10635
N10638
N10645
N10648
N10655
N10658
N10665
N10668
N10675
N10678
N10685
N10688
N10695
N10698
N10705
N10708
N10715
N10718
N10725
N10728
N10735
N10738
N10745
N10748
N10755
N10758
N10765
N10768
N10775
N10778
N10785
N10788
N10795
N10798
N10805
N10808
N10815
N10818
N10825
N10828
N10835
N10838
N10845
N10848
N10855
N10858
N10865
N10868
N10875
N10878
N10885
N10888
N10895
N10898
N10905
N10908
N10915
N10918
N10925
N10928
N10935
N10938
N10945
N10948
N10955
N10958
N10965
N10968
N10975
N10978
N10985
N10988
N10995
N10998
N11005
N11008
N11015
N11018
N11025
N11028
N11035
N11038
N11045
N11048
N11055
N11058
N11065
N11068
N11075
N11078
N11085
N11088
N11095
N11098
N11105
N11108
N11115
N11118
N11125
N11128
N11135
N11138
N11145
N11148
N11155
N11158
N11165
N11168
N11175
N11178
N11185
N11188
N11195
N11198
N11205
N11208
N11215
N11218
N11225
N11228
N11235
N11238
N11245
N11248
N11255
N11258
N11265
N11268
N11275
N11278
N11285
N11288
N11295
N11298
N11305
N11308
N11315
N11318
N11325
N11328
N11335
N11338
N11345
N11348
N11355
N11358
N11365
N11368
N11375
N11378
N11385
N11388
N11395
N11398
N11405
N11408
N11415
N11418
N11425
N11428
N11435
N11438
N11445
N11448
N11455
N11458
N11465
N11468
N11475
N11478
N11485
N11488
N11495
N11498
N11505
N11508
N11515
N11518
N11525
N11528
N11535
N11538
N11545
N11548
N11555
N11558
N11565
N11568
N11575
N11578
N11585
N11588
N11595
N11598
N11605
N11608
N11615
N11618
N11625
N11628
N11635
N11638
N11645
N11648
N11655
N11658
N11665
N11668
N11675
N11678
N11685
N11688
N11695
N11698
N11705
N11708
N11715
N11718
N11725
N11728
N11735
N11738
N11745
N11748
N11755
N11758
N11765
N11768
N11775
N11778
N11785
N11788
N11795
N11798
N11805
N11808
N11815
N11818
N11825
N11828
N11835
N11838
N11845
N11848
N11855
N11858
N11865
N11868
N11875
N11878
N11885
N11888
N11895
N11898
N11905
N11908
N11915
N11918
N11925
N11928
N11935
N11938
N11945
N11948
N11955
N11958
N11965
N11968
N11975
N11978
N11985
N11988
N11995
N11998
N12005
N12008
N12015
N12018
N12025
N12028
N12035
N12038
N12045
N12048
N12055
N12058
N12065
N12068
N12075
N12078
N12085
N12088
N12095
N12098
N12105
N12108
N12115
N12118
N12125
N12128
N12135
N12138
N12145
N12148
N12155
N12158
N12165
N12168
N12175
N12178
N12185
N12188
N12195
N12198
N12205
N12208
N12215
N12218
N12225
N12228
N12235
N12238
N12245
N12248
N12255
N12258
N12265
N12268
N12275
N12278
N12285
N12288
N12295
N12298
N12305
N12308
N12315
N12318
N12325
N12328
N12335
N12338
N12345
N12348
N12355
N12358
N12365
N12368
N12375
N12378
N12385
N12388
N12395
N12398
N12405
N12408
N12415
N12418
N12425
N12428
N12435
N12438
N12445
N12448
N12455
N12458
N12465
N12468
N12475
N12478
N12485
N12488
N12495
N12498
N12505
N12508
N12515
N12518
N12525
N12528
N12535
N12538
N12545
N12548
N12555
N12558
N12565
N12568
N12575
N12578
N12585
N12588
N12595
N12598
N12605
N12608
N12615
N12618
N12625
N12628
N12635
N12638
N12645
N12648
N12655
N12658
N12665
N12668
N12675
N12678
N12685
N12688
N12695
N12698
N12705
N12708
N12715
N12718
N12725
N12728
N12735
N12738
N12745
N12748
N12755
N12758
N12765
N12768
N12775
N12778
N12785
N12788
N12795
N12798
N12805
N12808
N12815
N12818
N12825
N12828
N12835
N12838
N12845
N12848
N12855
N12858
N12865
N12868
N12875
N12878
N12885
N12888
N12895
N12898
N12905
N12908
N12915
N12918
N12925
N12928
N12935
N12938
N12945
N12948
N12955
N12958
N12965
N12968
N12975
N12978
N12985
N12988
N12995
N12998
N13005
N13008
N13015
N13018
N13025
N13028
N13035
N13038
N13045
N13048
N13055
N13058
N13065
N13068
N13075
N13078
N13085
N13088
N13095
N13098
N13105
N13108
N13115
N13118
N13125
N13128
N13135
N13138
N13145
N13148
N13155
N13158
N13165
N13168
N13175
N13178
N13185
N13188
N13195
N13198
N13205
N13208
N13215
N13218
N13225
N13228
N13235
N13238
N13245
N13248
N13255
N13258
N13265
N13268
N13275
N13278
N13285
N13288
N13295
N13298
N13305
N13308
N13315
N13318
N13325
N13328
N13335
N13338
N13345
N13348
N13355
N13358
N13365
N13368
N13375
N13378
N13385
N13388
N13395
N13398
N13405
N13408
N13415
N13418
N13425
N13428
N13435
N13438
N13445
N13448
N13455
N13458
N13465
N13468
N13475
N13478
N13485
N13488
N13495
N13498
N13505
N13508
N13515
N13518
N13525
N13528
N13535
N13538
N13545
N13548
N13555
N13558
N13565
N13568
N13575
N13578
N13585
N13588
N13595
N13598
N13605
N13608
N13615
N13618
N13625
N13628
N13635
N13638
N13645
N13648
N13655
N13658
N13665
N13668
N13675
N13678
N13685
N13688
N13695
N13698
N13705
N13708
N13715
N13718
N13725
N13728
N13735
N13738
N13745
N13748
N13755
N13758
N13765
N13768
N13775
N13778
N13785
N13788
N13795
N13798
N13805
N13808
N13815
N13818
N13825
N13828
N13835
N13838
N13845
N13848
N13855
N13858
N13865
N13868
N13875
N13878
N13885
N13888
N13895
N13898
N13905
N13908
N13915
N13918
N13925
N13928
N13935
N13938
N13945
N13948
N13955
N13958
N13965
N13968
N13975
N13978
N13985
N13988
N13995
N13998
N14005
N14008
N14015
N14018
N14025
N14028
N14035
N14038
N14045
N14048
N14055
N14058
N14065
N14068
N14075
N14078
N14085
N14088
N14095
N14098
N14105
N14108
N14115
N14118
N14125
N14128
N14135
N14138
N14145
N14148
N14155
N14158
N14165
N14168
N14175
N14178
N14185
N14188
N14195
N14198
N14205
N14208
N14215
N14218
N14225
N14228
N14235
N14238
N14245
N14248
N14255
N14258
N14265
N14268
N14275
N14278
N14285
N14288
N14295
N14298
N14305
N14308
N14315
N14318
N14325
N14328
N14335
N14338
N14345
N14348
N14355
N14358
N14365
N14368
N14375
N14378
N14385
N14388
N14395
N14398
N14405
N14408
N14415
N14418
N14425
N14428
N14435
N14438
N14445
N14448
N14455
N14458
N14465
N14468
N14475
N14478
N14485
N14488
N14495
N14498
N14505
N14508
N14515
N14518
N14525
N14528
N14535
N14538
N14545
N14548
N14555
N14558
N14565
N14568
N14575
N14578
N14585
N14588
N14595
N14598
N14605
N14608
N14615
N14618
N14625
N14628
N14635
N14638
N14645
N14648
N14655
N14658
N14665
N14668
N14675
N14678
N14685
N14688
N14695
N14698
N14705
N14708
N14715
N14718
N14725
N14728
N14735
N14738
N14745
N14748
N14755
N14758
N14765
N14768
N14775
N14778
N14785
N14788
N14795
N14798
N14805
N14808
N14815
N14818
N14825
N14828
N14835
N14838
N14845
N14848
N14855
N14858
N14865
N14868
N14875
N14878
N14885
N14888
N14895
N14898
N14905
N14908
N14915
N14918
N14925
N14928
N14935
N14938
N14945
N14948
N14955
N14958
N14965
N14968
N14975
N14978
N14985
N14988
N14995
N14998
N15005
N15008
N15015
N15018
N15025
N15028
N15035
N15038
N15045
N15048
N15055
N15058
N15065
N15068
N15075
N15078
N15085
N15088
N15095
N15098
N15105
N15108
N15115
N15118
N15125
N15128
N15135
N15138
N15145
N15148
N15155
N15158
N15165
N15168
N15175
N15178
N15185
N15188
N15195
N15198
N15205
N15208
N15215
N15218
N15225
N15228
N15235
N15238
N15245
N15248
N15255
N15258
N15265
N15268
N15275
N15278
N15285
N15288
N15295
N15298
N15305
N15308
N15315
N15318
N15325
N15328
N15335
N15338
N15345
N15348
N15355
N15358
N15365
N15368
N15375
N15378
N15385
N15388
N15395
N15398
N15405
N15408
N15415
N15418
N15425
N15428
N15435
N15438
N15445
N15448
N15455
N15458
N15465
N15468
N15475
N15478
N15485
N15488
N15495
N15498
N15505
N15508
N15515
N15518
N15525
N15528
N15535
N15538
N15545
N15548
N15555
N15558
N15565
N15568
N15575
N15578
N15585
N15588
N15595
N15598
N15605
N15608
N15615
N15618
N15625
N15628
N15635
N15638
N15645
N15648
N15655
N15658
N15665
N15668
N15675
N15678
N15685
N15688
N15695
N15698
N15705
N15708
N15715
N15718
N15725
N15728
N15735
N15738
N15745
N15748
N15755
N15758
N15765
N15768
N15775
N15778
N15785
N15788
N15795
N15798
N15805
N15808
N15815
N15818
N15825
N15828
N15835
N15838
N15845
N15848
N15855
N15858
N15865
N15868
N15875
N15878
N15885
N15888
N15895
N15898
N15905
N15908
N15915
N15918
N15925
N15928
N15935
N15938
N15945
N15948
N15955
N15958
N15965
N15968
N15975
N15978
N15985
N15988
N15995
N15998
N16005
N16008
N16015
N16018
N16025
N16028
N16035
N16038
N16045
N16048
N16055
N16058
N16065
N16068
N16075
N16078
N16085
N16088
N16095
N16098
N16105
N16108
N16115
N16118
N16125
N16128
N16135
N16138
N16145
N16148
N16155
N16158
N16165
N16168
N16175
N16178
N16185
N16188
N16195
N16198
N16205
N16208
N16215
N16218
N16225
N16228
N16235
N16238
N16245
N16248
N16255
N16258
N16265
N16268
N16275
N16278
N16285
N16288
N16295
N16298
N16305
N16308
N16315
N16318
N16325
N16328
N16335
N16338
N16345
N16348
N16355
N16358
N16365
N16368
N16375
N16378
N16385
N16388
N16395
N16398
N16405
N16408
N16415
N16418
N16425
N16428
N16435
N16438
N16445
N16448
N16455
N16458
N16465
N16468
N16475
N16478
N16485
N16488
N16495
N16498
N16505
N16508
N16515
N16518
N16525
N16528
N16535
N16538
N16545
N16548
N16555
N16558
N16565
N16568
N16575
N16578
N16585
N16588
N16595
N16598
N16605
N16608
N16615
N16618
N16625
N16628
N16635
N16638
N16645
N16648
N16655
N16658
N16665
N16668
N16675
N16678
N16685
N16688
N16695
N16698
N16705
N16708
N16715
N16718
N16725
N16728
N16735
N16738
N16745
N16748
N16755
N16758
N16765
N16768
N16775
N16778
N16785
N16788
N16795
N16798
N16805
N16808
N16815
N16818
N16825
N16828
N16835
N16838
N16845
N16848
N16855
N16858
N16865
N16868
N16875
N16878
N16885
N16888
N16895
N16898
N16905
N16908
N16915
N16918
N16925
N16928
N16935
N16938
N16945
N16948
N16955
N16958
N16965
N16968
N16975
N16978
N16985
N16988
N16995
N16998
N17005
N17008
N17015
N17018
N17025
N17028
N17035
N17038
N17045
N17048
N17055
N17058
N17065
N17068
N17075
N17078
N17085
N17088
N17095
N17098
N17105
N17108
N17115
N17118
N17125
N17128
N17135
N17138
N17145
N17148
N17155
N17158
N17165
N17168
N17175
N17178
N17185
N17188
N17195
N17198
N17205
N17208
N17215
N17218
N17225
N17228
N17235
N17238
N17245
N17248
N17255
N17258
N17265
N17268
N17275
N17278
N17285
N17288
N17295
N17298
N17305
N17308
N17315
N17318
N17325
N17328
N17335
N17338
N17345
N17348
N17355
N17358
N17365
N17368
N17375
N17378
N17385
N17388
N17395
N17398
N17405
N17408
N17415
N17418
N17425
N17428
N17435
N17438
N17445
N17448
N17455
N17458
N17465
N17468
N17475
N17478
N17485
N17488
N17495
N17498
N17505
N17508
N17515
N17518
N17525
N17528
N17535
N17538
N17545
N17548
N17555
N17558
N17565
N17568
N17575
N17578
N17585
N17588
N17595
N17598
N17605
N17608
N17615
N17618
N17625
N17628
N17635
N17638
N17645
N17648
N17655
N17658
N17665
N17668
N17675
N17678
N17685
N17688
N17695
N17698
N17705
N17708
N17715
N17718
N17725
N17728
N17735
N17738
N17745
N17748
N17755
N17758
N17765
N17768
N17775
N17778
N17785
N17788
N17795
N17798
N17805
N17808
N17815
N17818
N17825
N17828
N17835
N17838
N17845
N17848
N17855
N17858
N17865
N17868
N17875
N17878
N17885
N17888
N17895
N17898
N17905
N17908
N17915
N17918
N17925
N17928
N17935
N17938
N17945
N17948
N17955
N17958
N17965
N17968
N17975
N17978
N17985
N17988
N17995
N17998
N18005
N18008
N18015
N18018
N18025
N18028
N18035
N18038
N18045
N18048
N18055
N18058
N18065
N18068
N18075
N18078
N18085
N18088
N18095
N18098
N18105
N18108
N18115
N18118
N18125
N18128
N18135
N18138
N18145
N18148
N18155
N18158
N18165
N18168
N18175
N18178
N18185
N18188
N18195
N18198
N18205
N18208
N18215
N18218
N18225
N18228
N18235
N18238
N18245
N18248
N18255
N18258
N18265
N18268
N18275
N18278
N18285
N18288
N18295
N18298
N18305
N18308
N18315
N18318
N18325
N18328
N18335
N18338
N18345
N18348
N18355
N18358
N18365
N18368
N18375
N18378
N18385
N18388
N18395
N18398
N18405
N18408
N18415
N18418
N18425
N18428
N18435
N18438
N18445
N18448
N18455
N18458
N18465
N18468
N18475
N18478
N18485
N18488
N18495
N18498
N18505
N18508
N18515
N18518
N18525
N18528
N18535
N18538
N18545
N18548
N18555
N18558
N18565
N18568
N18575
N18578
N18585
N18588
N18595
N18598
N18605
N18608
N18615
N18618
N18625
N18628
N18635
N18638
N18645
N18648
N18655
N18658
N18665
N18668
N18675
N18678
N18685
N18688
N18695
N18698
N18705
N18708
N18715
N18718
N18725
N18728
N18735
N18738
N18745
N18748
N18755
N18758
N18765
N18768
N18775
N18778
N18785
N18788
N18795
N18798
N18805
N18808
N18815
N18818
N18825
N18828
N18835
N18838
N18845
N18848
N18855
N18858
N18865
N18868
N18875
N18878
N18885
N18888
N18895
N18898
N18905
N18908
N18915
N18918
N18925
N18928
N18935
N18938
N18945
N18948
N18955
N18958
N18965
N18968
N18975
N18978
N18985
N18988
N18995
N18998
N19005
N19008
N19015
N19018
N19025
N19028
N19035
N19038
N19045
N19048
N19055
N19058
N19065
N19068
N19075
N19078
N19085
N19088
N19095
N19098
N19105
N19108
N19115
N19118
N19125
N19128
N19135
N19138
N19145
N19148
N19155
N19158
N19165
N19168
N19175
N19178
N19185
N19188
N19195
N19198
N19205
N19208
N19215
N19218
N19225
N19228
N19235
N19238
N19245
N19248
N19255
N19258
N19265
N19268
N19275
N19278
N19285
N19288
N19295
N19298
N19305
N19308
N19315
N19318
N19325
N19328
N19335
N19338
N19345
N19348
N19355
N19358
N19365
N19368
N19375
N19378
N19385
N19388
N19395
N19398
N19405
N19408
N19415
N19418
N19425
N19428
N19435
N19438
N19445
N19448
N19455
N19458
N19465
N19468
N19475
N19478
N19485
N19488
N19495
N19498
N19505
N19508
N19515
N19518
N19525
N19528
N19535
N19538
N19545
N19548
N19555
N19558
N19565
N19568
N19575
N19578
N19585
N19588
N19595
N19598
N19605
N19608
N19615
N19618
N19625
N19628
N19635
N19638
N19645
N19648
N19655
N19658
N19665
N19668
N19675
N19678
N19685
N19688
N19695
N19698
N19705
N19708
N19715
N19718
N19725
N19728
N19735
N19738
N19745
N19748
N19755
N19758
N19765
N19768
N19775
N19778
N19785
N19788
N19795
N19798
N19805
N19808
N19815
N19818
N19825
N19828
N19835
N19838
N19845
N19848
N19855
N19858
N19865
N19868
N19875
N19878
N19885
N19888
N19895
N19898
N19905
N19908
N19915
N19918
N19925
N19928
N19935
N19938
N19945
N19948
N19955
N19958
N19965
N19968
N19975
N19978
N19985
N19988
N19995
N19998
N20005
N20008
N20015
N20018
N20025
N20028
N20035
N20038
N20045
N20048
N20055
N20058
N20065
N20068
N20075
N20078
N20085
N20088
N20095
N20098
N20105
N20108
N20115
N20118
N20125
N20128
N20135
N20138
N20145
N20148
N20155
N20158
N20165
N20168
N20175
N20178
N20185
N20188
N20195
N20198
N20205
N20208
N20215
N20218
N20225
N20228
N20235
N20238
N20245
N20248
N20255
N20258
N20265
N20268
N20275
N20278
N20285
N20288
N20295
N20298
N20305
N20308
N20315
N20318
N20325
N20328
N20335
N20338
N20345
N20348
N20355
N20358
N20365
N20368
N20375
N20378
N20385
N20388
N20395
N20398
N20405
N20408
N20415
N20418
N20425
N20428
N20435
N20438
N20445
N20448
N20455
N20458
N20465
N20468
N20475
N20478
N20485
N20488
N20495
N20498
N20505
N20508
N20515
N20518
N20525
N20528
N20535
N20538
N20545
N20548
N20555
N20558
N20565
N20568
N20575
N20578
N20585
N20588
N20595
N20598
N20605
N20608
N20615
N20618
N20625
N20628
N20635
N20638
N20645
N20648
N20655
N20658
N20665
N20668
N20675
N20678
N20685
N20688
N20695
N20698
N20705
N20708
N20715
N20718
N20725
N20728
N20735
N20738
N20745
N20748
N20755
N20758
N20765
N20768
N20775
N20778
N20785
N20788
N20795
N20798
N20805
N20808
N20815
N20818
N20825
N20828
N20835
N20838
N20845
N20848
N20855
N20858
N20865
N20868
N20875
N20878
N20885
N20888
N20895
N20898
N20905
N20908
N20915
N20918
N20925
N20928
N20935
N20938
N20945
N20948
N20955
N20958
N20965
N20968
N20975
N20978
N20985
N20988
N20995
N20998
N21005
N21008
N21015
N21018
N21025
N21028
N21035
N21038
N21045
N21048
N21055
N21058
N21065
N21068
N21075
N21078
N21085
N21088
N21095
N21098
N21105
N21108
N21115
N21118
N21125
N21128
N21135
N21138
N21145
N21148
N21155
N21158
N21165
N21168
N21175
N21178
N21185
N21188
N21195
N21198
N21205
N21208
N21215
N21218
N21225
N21228
N21235
N21238
N21245
N21248
N21255
N21258
N21265
N21268
N21275
N21278
N21285
N21288
N21295
N21298
N21305
N21308
N21315
N21318
N21325
N21328
N21335
N21338
N21345
N21348
N21355
N21358
N21365
N21368
N21375
N21378
N21385
N21388
N21395
N21398
N21405
N21408
N21415
N21418
N21425
N21428
N21435
N21438
N21445
N21448
N21455
N21458
N21465
N21468
N21475
N21478
N21485
N21488
N21495
N21498
N21505
N21508
N21515
N21518
N21525
N21528
N21535
N21538
N21545
N21548
N21555
N21558
N21565
N21568
N21575
N21578
N21585
N21588
N21595
N21598
N21605
N21608
N21615
N21618
N21625
N21628
N21635
N21638
N21645
N21648
N21655
N21658
N21665
N21668
N21675
N21678
N21685
N21688
N21695
N21698
N21705
N21708
N21715
N21718
N21725
N21728
N21735
N21738
N21745
N21748
N21755
N21758
N21765
N21768
N21775
N21778
N21785
N21788
N21795
N21798
N21805
N21808
N21815
N21818
N21825
N21828
N21835
N21838
N21845
N21848
N21855
N21858
N21865
N21868
N21875
N21878
N21885
N21888
N21895
N21898
N21905
N21908
N21915
N21918
N21925
N21928
N21935
N21938
N21945
N21948
N21955
N21958
N21965
N21968
N21975
N21978
N21985
N21988
N21995
N21998
N22005
N22008
N22015
N22018
N22025
N22028
N22035
N22038
N22045
N22048
N22055
N22058
N22065
N22068
N22075
N22078
N22085
N22088
N22095
N22098
N22105