

## Technician Evaluation Details

Tech. Name: **Seager, Patrick**      Tech ID: **pseager**      Cert. No.: **3962**

### Aggregates (Controlled)

<u>Eval. Date</u>	<u>Evaluator</u>	<u>Eval. Level</u>	<u>Sample ID</u>	<u>Proc.</u>	<u>Equip.</u>	<u>Evaluation</u>
11/3/2022	Riley, Luther Roy	Materials Sampler	9625952211030750	Pass	Pass	<a href="#">View</a>
9/23/2021	Eulberg, Buddy Leroy	Materials Sampler	9625242109230900	Pass	Pass	<a href="#">View</a>

### Asphalt (Controlled)

<u>Eval. Date</u>	<u>Evaluator</u>	<u>Eval. Level</u>	<u>Sample ID</u>	<u>Proc.</u>	<u>Equip.</u>	<u>Evaluation</u>
11/3/2022	Riley, Luther Roy	Materials Sampler	9625952211030800	Pass	Pass	<a href="#">View</a>
9/23/2021	Eulberg, Buddy Leroy	Materials Sampler	9625242109231000	Pass	Pass	<a href="#">View</a>

### Concrete (Controlled)

<u>Eval. Date</u>	<u>Evaluator</u>	<u>Eval. Level</u>	<u>Sample ID</u>	<u>Proc.</u>	<u>Equip.</u>	<u>Evaluation</u>
11/3/2022	Riley, Luther Roy	Materials Sampler	9625952211030815	Pass	Pass	<a href="#">View</a>
9/23/2021	Eulberg, Buddy Leroy	Materials Sampler	9625242109231100	Pass	Pass	<a href="#">View</a>

### Soils (Controlled)

<u>Eval. Date</u>	<u>Evaluator</u>	<u>Eval. Level</u>	<u>Sample ID</u>	<u>Proc.</u>	<u>Equip.</u>	<u>Evaluation</u>
3/1/2023	Eulberg, Buddy Leroy	Materials Sampler	9625242303011045	Pass	Pass	<a href="#">View</a>
10/26/2021	Eulberg, Buddy Leroy	Materials Sampler	9625242110260800	Pass	Pass	<a href="#">View</a>