

Quick Reference Guide

Last Modified: 07/02/2009 08:32:22 AM
Reviewed for Version: SiteManager 3.7

Aggregates - Multiple Optional Gradations on T27 Template

When sampling aggregates for the T27 - Sieve Analysis test template, Users will now begin to see multiple optional Gradation Dates in the header of the T27 template. Different specification gradations will list for the template, depending on which Gradation Date Users select. Since there is only a Gradation Date (no place for additional information), this QRG will list the optional dates and provide information as to when a date should be selected.

Following is a T27 template example with multiple optional Gradation Dates:

AASHTO SiteManager

File Edit Services Window Help

Sieve Analysis Of Aggregates

T27 Test Template

Sample: TEST ONLY 3 Sample Test Nbr: 1

Gradation Date: 01/01/99 01/01/57

Test Result: Reviewer User ID:

Sieve: Pass % Minimum Maximum

Multiple Optional Dates

The following table lists frequently used aggregates / stone materials, optional Gradation Dates, and when each optional Gradation Date should be selected:

<i>Aggregate / Stone Material</i>	<i>Gradation Date</i>	<i>Select this Gradation Date Whenever</i>
All material codes with an aggr or ston prefix	01/01/99	The gradation is to comply with the OkDOT 1999 Standard Specifications
All material codes with an aggr or ston prefix	01/01/09	The gradation is to comply with the OkDOT 2009 Standard Specifications
aggr001 - Aggregate Base Aggregate Type A	01/01/57	The gradation is to comply with aggr057 - HC Conc Aggregate No 57, Coarse (either the OkDOT 1999 or 200X Standard Specifications)