AGENDA ITEM 255(a)(2)

US Highway 77 and State Highway 77D Relocation - Murray County (North of Turner Falls)

Transfer from the State Highway System a segment of old road designated as US Highway 77 beginning at its junction with the new road at its junction with State Highway 77D and extending northerly to its junction with the new road, a distance of 1.1 mile. This segment of old road will be transferred to Murray County for further maintenance or abandonment.

Add to the State Highway System a segment of new road to be designated as US Highway 77 beginning at its junction with the old road and extending northerly to its junction with the old road, a distance of 1.2 miles.

Redesignate a segment of US Highway 77 as State Highway 77D spur, beginning at its junction with the new road and extending northerly to its junction with State Highway 77D, a distance of 0.2 mile.


Add to the State Highway System a segment of new road to be designated as State Highway 77D beginning at the junction of the old US 77 with State Highway 77D and extending northwesterly to its junction with the new location of US Highway 77, a distance of 0.5 mile.

Remove from the State Highway System a segment of old road designated as State Highway 77D beginning just east of the Honey Creek bridge at its junction with the new road and extending easterly to its junction with the new road, a distance of 0.4 mile. One tenth mile of this segment outside the new right-of-way line will be transferred to Murray County for further maintenance or abandonment.

Add to the State Highway System a segment of new road to be designated as State Highway 77D beginning just east of the Honey Creek bridge at its junction with the old road and extending easterly to its junction with the old road, a distance of 0.4 mile.

This revision to the State Highway System will become effective upon the completion of construction of Projects F-134(10)(11) and I-35-2(63)(64)046.

ACTION:



STATE OF O AHOMA DEPARTMENT OF

### HIGHWAYS

JIM THORPE BUILDING

OKLAHOMA CITY, OKLAHOMA 73105

October 23, 1970

Murray Co

Mr. Judson S. Woodruff, Member Oklahoma Highway Commission First National Bank Building Oklahoma City, Oklahoma 73102

Dear Commissioner Woodruff:

This gives notice that a public hearing is scheduled in compliance with Section 503, Title 69, O.S.Supp.1968, to consider the transfer to local jurisdiction: Two segments of US 77 in Murray County which have been superseded by construction on new alignments.

Time:

11:00 AM, Thursday, November 12, 1970

Place:

Highway Commission Room, 5th Floor,

Jim Thorpe Building, 2101 North Lincoln

Blvd., Oklahoma City.

Details and sketch maps are attached.

Sincerely,

Truman Branscum

Director

ee

Attachments

To

## Oklahoma State Highway Dept.

Date December 7, 1970

Mr. Garland Snider, Division Engineer, Div. III

From Assistant Director - Planning & Research

State Highway System Revisions - US 77 - Murray County

This is to advise you that at the Commission Meeting of December 7, 1970, the Commission approved revisions in the State Highway System at two locations in connection with the US 77-I-35 construction.

The first area is at the Jolleyville interchange whereby the old sections remaining of US 77 are turned back to the County along with the segments of SH 77D. The second location is US 77 in the vicinity of the Cattle Pen interchange, where the action taken was similar -- removing the old sections and adding the new sections.

Copies of the maps showing these revisions are attached for your information.

We had included on the agenda an item to remove a section of SH 56 from Okemah west and south to I-40. However, at the request of the Highway Commissioner, this item was deferred for an indefinite time.

Assistant Director Planning and Research

VOB/jn

cc: Maintenance Engineer

Enclosures

#### AMERICAN ASSOCIATION OF STATE HIGHWAY OFFICIALS

PRESIDENT
W. J. Burmeister
State Highway Engineer
Division of Highways
4802 Sheboygan Ave.
Madison, Wisconsin 53702

JUL 1971

RECEIVED TO A. E. Johnson
341 Nat'l Press Bldg.
Washington, D. C. 20004

Telephone 628-2438
PLEASE REPLY TO ADDRESS
SHOWN AROVE 1 O

Mr. Chester Brooks, Director Department of Highways Jim Thorpe Building Oklahoma City, Oklahoma 73105

Re: U. S. Routes 77 and 81

Dear Mr. Brooks:

This is to advise that your Department's applications for the relocation of U. S. Route 81, the relocation of U. S. Route 77 between Turner Falls Park and Davis and the relocation of U. S. Route 77 between Springer and Turner Falls Park have been approved by the U. S. Route Numbering Subcommittee and this decision has been concurred in by the Executive Committee at its meeting on June 22, 1971.

Enclosed herewith please find your copies of these applications for your files.

Yours truly,


A. E. Johnson Executive Director

H, J. Rhodes

Assistant to the Director

HJR:fms

Enclosures: Three



# AMERICAN ASSOCIATION OF STATE HIGHWAY OFFICIALS

#### AN APPLICATION



FROM	THE	STATE	HIGHWAY	DEPARTMENT	OF	
OKTAHOMA						

FOR

the Establishment of a U.S. Route		<del></del>
the Relocation of U.S. Route		į
Relocation The Extension of U.S. Route		
the Establishment of an Alternate U.S. Route		
the Establishment of a Temporary U.S. Route		-
the Recognition of a Business Route on U.S. Route		#017
the Recognition of a By-pass Route on U.S. Route	14 15 15 15 15 15 15 15 15 15 15 15 15 15	ent Notified 6 28 /1/2/
BETWEEN	70-77 100-3 100-3	90
Turner Falls Park and Davis	5-/ 5-8	3
The Following	ittee S	9
State or States are	ged . amitt	Sed .
Involved:	nowledged ber Comm Executive Committee	Noti
(In case more than one State is involved, an application must be submitted by each State for that portion within the respective State.)	n ack Num d by	Member Department Notified
<u></u>	Date Received Date applicati Date to Route Date considere Action of Exec	<i>Iember</i>
		: <
<u></u>	75 . O. J. 25. J.	
	Date Submitted: MAY 1 0 1971	
	, 19	

<sup>\*</sup> A local vicinity map needed on Page 3. On Page 5 a short statement to the effect that there are no deficiencies on proposed routing, if true, will suffice. If there are deficiencies, they should be so indicated in accordance with Page 4 instructions.