



# STANDARD ARROW DETAILS




| A   | B     | C      | D     | E    |
|-----|-------|--------|-------|------|
| 50  | 57    | 100.5  | 7.5   | 9    |
| 55  | 62.7  | 110.5  | 8.25  | 10   |
| 60  | 68.4  | 120.6  | 9     | 10.8 |
| 65  | 74.1  | 130.6  | 9.75  | 11.7 |
| 70  | 79.8  | 140.7  | 10.5  | 12.6 |
| 75  | 85.5  | 150.75 | 11.25 | 13.5 |
| 80  | 91.2  | 160.8  | 12    | 14.4 |
| 85  | 96.9  | 170.85 | 12.75 | 15.3 |
| 90  | 102.6 | 180.9  | 13.5  | 16.2 |
| 95  | 108.3 | 190.95 | 14.25 | 17.1 |
| 100 | 114   | 201    | 15    | 18   |
| 105 | 119.7 | 211    | 15.75 | 18.9 |
| 110 | 125.4 | 221.1  | 16.5  | 19.8 |
| 115 | 131.1 | 231.15 | 17.25 | 20.7 |
| 120 | 136.8 | 241.2  | 18    | 21.6 |
| 125 | 142.5 | 251.25 | 18.75 | 22.5 |

| A   | B     | C      | D     | E    |
|-----|-------|--------|-------|------|
| 130 | 148.2 | 261.3  | 19.5  | 23.4 |
| 135 | 153.9 | 271.35 | 20.25 | 24.3 |
| 140 | 159.6 | 281.4  | 21    | 25.2 |
| 145 | 165.3 | 291.45 | 21.75 | 26.1 |
| 150 | 171   | 301.5  | 22.5  | 27   |
| 155 | 176.7 | 311.55 | 23.25 | 27.9 |
| 160 | 182.4 | 321.6  | 24    | 28.8 |
| 165 | 188.1 | 331.65 | 24.75 | 29.7 |
| 170 | 193.8 | 341.7  | 25.5  | 30.6 |
| 175 | 199.5 | 351.75 | 26.25 | 31.5 |
| 180 | 205.2 | 361.8  | 27    | 32.4 |
| 185 | 210.9 | 371.85 | 27.75 | 33.3 |
| 190 | 216.6 | 381.9  | 28.5  | 34.2 |
| 195 | 222.3 | 391.95 | 29.25 | 35.1 |
| 200 | 228   | 402    | 30    | 36   |



UP ARROW




DOWN ARROW


### ARROWS FOR GUIDE SIGNS


Dimensions of Arrow When Used With Various Letter Cap Heights.


| Letter Size | A   | B   | C   | D  | E*      | R  |
|-------------|-----|-----|-----|----|---------|----|
| 200         | 380 | 290 | 95  | 33 | 425-625 | 20 |
| 250-325     | 456 | 348 | 114 | 40 | 510-750 | 24 |
| 400         | 559 | 426 | 140 | 49 | 625-875 | 29 |


\*Taper of 13 mm per 300 mm should be held constant for longer or shorter shaft lengths.






































































































**Notionals  
Towers**








# ESSENTIAL INTELLIGENCE SYSTEM



















**LITTER**



**BARRREL**



**1000 FT**

